

DropBooks

**MacOS<sup>®</sup> X  
Panther<sup>™</sup>**  
*ALL-IN-ONE DESK REFERENCE*  
FOR  
**DUMMIES<sup>®</sup>**

by Mark L. Chambers



WILEY

Wiley Publishing, Inc.

# DropBooks



DropBooks

**MacOS<sup>®</sup> X  
Panther<sup>™</sup>**  
*ALL-IN-ONE DESK REFERENCE*  
FOR  
**DUMMIES<sup>®</sup>**

by Mark L. Chambers



WILEY

Wiley Publishing, Inc.

**Mac OS® X Panther™ All-in-One Desk Reference For Dummies®**

Published by  
**Wiley Publishing, Inc.**  
11 River Street  
Hoboken, NJ 07030-5774

Copyright © 2004 by Wiley Publishing, Inc., Indianapolis, Indiana

Published by Wiley Publishing, Inc., Indianapolis, Indiana

Published simultaneously in Canada

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 646-8600. Requests to the Publisher for permission should be addressed to the Legal Department, Wiley Publishing, Inc., 10475 Crosspoint Blvd., Indianapolis, IN 46256, (317) 572-3447, fax (317) 572-4447, e-mail: permcoordinator@wiley.com.

**Trademarks:** Wiley, the Wiley Publishing logo, For Dummies, the Dummies Man logo, A Reference for the Rest of Us!, The Dummies Way, Dummies Daily, The Fun and Easy Way, Dummies.com, and related trade dress are trademarks or registered trademarks of John Wiley & Sons, Inc. and/or its affiliates in the United States and other countries, and may not be used without written permission. Mac and Panther are trademarks of Apple Computer, Inc. All other trademarks are the property of their respective owners. Wiley Publishing, Inc., is not associated with any product or vendor mentioned in this book.

**LIMIT OF LIABILITY/DISCLAIMER OF WARRANTY:** WHILE THE PUBLISHER AND AUTHOR HAVE USED THEIR BEST EFFORTS IN PREPARING THIS BOOK, THEY MAKE NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE ACCURACY OR COMPLETENESS OF THE CONTENTS OF THIS BOOK AND SPECIFICALLY DISCLAIM ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NO WARRANTY MAY BE CREATED OR EXTENDED BY SALES REPRESENTATIVES OR WRITTEN SALES MATERIALS. THE ADVICE AND STRATEGIES CONTAINED HEREIN MAY NOT BE SUITABLE FOR YOUR SITUATION. YOU SHOULD CONSULT WITH A PROFESSIONAL WHERE APPROPRIATE. NEITHER THE PUBLISHER NOR AUTHOR SHALL BE LIABLE FOR ANY LOSS OF PROFIT OR ANY OTHER COMMERCIAL DAMAGES, INCLUDING BUT NOT LIMITED TO SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES.

For general information on our other products and services or to obtain technical support, please contact our Customer Care Department within the U.S. at 800-762-2974, outside the U.S. at 317-572-3993, or fax 317-572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Library of Congress Control Number: 2003114616

ISBN: 0-7645-4325-3

Manufactured in the United States of America

10 9 8 7 6 5 4 3 2 1

10/QZ/RS/QT/IN



WILEY is a trademark of Wiley Publishing, Inc.

## About the Author

# DropBooks

Mark L. Chambers has been an author, computer consultant, BBS sysop, programmer, and hardware technician for more than 20 years. (In other words, he's been pushing computers and their uses far beyond "normal" performance limits for decades now.) His first love affair with a computer peripheral blossomed in 1984 when he bought his lightning-fast 300 bps modem for his Atari 400. Now he spends entirely too much time on the Internet and drinks far too much caffeine-laden soda.

His favorite pastimes include collecting gargoyles, watching St. Louis Cardinals baseball, playing his three pinball machines and the latest computer games, supercharging computers, and rendering 3-D flights of fancy with TrueSpace — and during all that, he listens to just about every type of music imaginable. (For those of his readers who are keeping track, he's up to 1,200+ audio CDs in his collection.)

With a degree in journalism and creative writing from Louisiana State University, Mark took the logical career choice and started programming computers. However, after five years as a COBOL programmer for a hospital system, he decided there must be a better way to earn a living, and he became the Documentation Manager for Datastorm Technologies, a well-known communications software developer. Somewhere in between organizing and writing software manuals, Mark began writing computer books; his first book, *Running a Perfect BBS*, was published in 1994.

Along with writing several books a year and editing whatever his publishers throw at him, Mark has recently branched out into Web-based education, designing and teaching a number of online classes — called *WebClinics* — for Hewlett-Packard.

Mark's rapidly expanding list of books includes *Building a PC For Dummies*, *Scanners For Dummies*, *CD and DVD Recording For Dummies*, *PCs All-in-One Desk Reference For Dummies*, *Microsoft Office v. X Power User's Guide*, *BURN IT! Creating Your Own Great DVDs and CDs*, *The Hewlett-Packard Official Printer Handbook*, *The Hewlett-Packard Official Recordable CD Handbook*, *The Hewlett-Packard Official Digital Photography Handbook*, *Computer Gamer's Bible*, *Recordable CD Bible*, *Teach Yourself the iMac Visually*, *Running a Perfect BBS*, *Official Netscape Guide to Web Animation*, and the *Windows 98 Troubleshooting and Optimizing Little Black Book*.

His books have been translated into 12 different languages so far — his favorites are German, Polish, Dutch, and French. Although he can't read them, he enjoys the pictures a great deal.

Mark welcomes all comments and questions about his books. You can reach him at [mark@mlcbooks.com](mailto:mark@mlcbooks.com), or visit MLC Books Online, his Web site, at [www.mlcbooks.com](http://www.mlcbooks.com).

# DropBooks



## Dedication

# DropBooks

This book is dedicated to my oldest daughter, Erin Chambers —  
“Version 1.0” — with all the love and happiness I can give her.

— Mark Chambers

## Author's Acknowledgments

It's high time I express my heartfelt thanks to everyone who helped produce the book you're holding!

Copious thanks are due (again) to the technical editor, Greg Willmore, who checked each and every word of this Desk Reference for technical accuracy . . . and *that*, my friends, is no easy job, especially when you consider that Panther was in beta during the development of this book! I was very lucky to have the help of such a knowledgeable technical editor. Mondo kudos also to Teresa Artman for her outstanding work as copy editor.

A book of this size places a huge burden on the publisher's Composition Services team because those folks have to design over 700 pages and then prepare both the copy and the high-resolution figures. Again, as in the past, the work they've done is wonderful, and I appreciate the hard work of everyone on the Composition Services team.

As with all my books, I'd like to thank my wife, Anne, and my children, Erin, Chelsea, and Rose, for their support and love — and for letting me follow my dream!

Finally, I turn to the two people at Wiley who made this book possible: Bob Woerner, the acquisitions editor whom I've been lucky enough to know for several years now; and Linda Morris, the project editor who seems to be “rewarded” with all my longest titles (and yet keeps her sense of humor). Their talents and ongoing assistance made this project a joy instead of a job as they gave me all the support that every author craves. Many, many thanks to you both from a very grateful Mac owner!

— Mark Chambers

## **Publisher's Acknowledgments**

We're proud of this book; please send us your comments through our online registration form located at <http://www.dummies.com/register/>.

Some of the people who helped bring this book to market include the following:

### ***Acquisitions, Editorial, and Media Development***

**Project Editor:** Linda Morris

**Acquisitions Editor:** Bob Woerner

**Senior Copy Editor:** Teresa Artman

**Technical Editor:** Greg Willmore

**Editorial Manager:** Leah Cameron

**Media Development Supervisor:**  
Richard Graves

**Editorial Assistant:** Amanda Foxworth

**Cartoons:** Rich Tennant  
([www.the5thwave.com](http://www.the5thwave.com))

### ***Production***

**Project Coordinator:** Maridee Ennis

**Layout and Graphics:** Amanda Carter,  
Seth Conley, Andrea Dahl,  
Stephanie D. Jumper, Julie Trippetti

**Proofreaders:** Laura L. Bowman,  
Andy Hollandbeck, Dwight Ramsey,  
Kathy Simpson, Rob Springer

**Indexer:** Tom Dinse

---

### **Publishing and Editorial for Technology Dummies**

**Richard Swadley**, Vice President and Executive Group Publisher

**Andy Cummings**, Vice President and Publisher

**Mary C. Corder**, Editorial Director

### **Publishing for Consumer Dummies**

**Diane Graves Steele**, Vice President and Publisher

**Joyce Pepple**, Acquisitions Director

### **Composition Services**

**Gerry Fahey**, Vice President of Production Services

**Debbie Stailey**, Director of Composition Services



# DropBooks Contents at a Glance

- Introduction* ..... 1**
  
- Book I: Introducing Mac OS X* ..... 7**
  - Chapter 1: Shaking Hands with Mac OS X .....9
  - Chapter 2: Navigating and Running Programs .....27
  - Chapter 3: Basic OS X Housekeeping .....53
  - Chapter 4: Using Sherlock 3: It's Elementary .....85
  - Chapter 5: Keeping Track with the Address Book .....101
  - Chapter 6: The Joys of Maintenance .....115
  - Chapter 7: Using Classic Mode .....137
  - Chapter 8: Getting Help for the Big X .....147
  - Chapter 9: Troubleshooting the X .....155
  
- Book II: Customizing and Sharing* ..... 167**
  - Chapter 1: Building the Finder of Your Dreams .....169
  - Chapter 2: Giving Your Desktop the Personal Touch .....189
  - Chapter 3: Delving Under the Hood with System Preferences .....201
  - Chapter 4: You Mean Others Can Use My Mac, Too? .....237
  - Chapter 5: Setting Up Multi-User Accounts .....245
  - Chapter 6: Sharing Documents for Fun and Profit .....259
  
- Book III: The Digital Hub* ..... 271**
  - Chapter 1: The World According to Apple .....273
  - Chapter 2: Jamming with iTunes and iPod .....283
  - Chapter 3: Focusing on iPhoto .....307
  - Chapter 4: Making Magic with iMovie .....327
  - Chapter 5: Burn Those DVDs! Using iDVD 3 .....355
  - Chapter 6: No, It's Not Called "iQuickTime" .....369
  - Chapter 7: Turning Your Mac into a DVD Theater .....385
  
- Book IV: The Typical Internet Stuff* ..... 395**
  - Chapter 1: Getting on the Internet .....397
  - Chapter 2: Using Apple Mail .....407
  - Chapter 3: Staying in Touch with iChat AV .....429
  - Chapter 4: Expanding Your Horizons with iDisk .....441

Chapter 5: Going Places with Safari .....	449
Chapter 6: Staying Secure Online .....	463
<b><i>Book V: Networking in OS X .....</i></b>	<b><i>473</i></b>
Chapter 1: Setting Up a Small Network .....	475
Chapter 2: Using Your Network .....	493
Chapter 3: You May Even Need AppleTalk .....	509
Chapter 4: Going Wireless .....	519
Chapter 5: Sharing That Precious Internet Thing .....	531
<b><i>Book VI: Expanding Your System .....</i></b>	<b><i>543</i></b>
Chapter 1: Hardware That Will Make You Giddy .....	545
Chapter 2: Add RAM, Hard Drive Space, and Stir .....	561
Chapter 3: Port-o-rama: Using USB and FireWire .....	573
Chapter 4: I'm Okay, You're a Printer .....	579
Chapter 5: Programs That You've (Probably) Gotta Have .....	589
<b><i>Book VII: Advanced Mac OS X .....</i></b>	<b><i>613</i></b>
Chapter 1: . . . And UNIX Lurks Beneath .....	615
Chapter 2: AppleScript Just Plain Rocks .....	643
Chapter 3: Forget Hal! Talking and Writing to Your Macintosh .....	659
Chapter 4: Hosting a Web Site à la OS X .....	675
<b><i>Index .....</i></b>	<b><i>693</i></b>

# DropBooks Table of Contents

- Introduction*..... 1**
  - What’s Really Required .....2
  - About This Book .....3
  - Conventions Used in This Book .....3
    - Stuff you type .....3
    - Menu commands .....3
    - Display messages .....4
    - In case you’re curious about computers .....4
  - How This Book Is Organized .....4
    - Book I: Introducing Mac OS X .....4
    - Book II: Customizing and Sharing .....4
    - Book III: The Digital Hub .....5
    - Book IV: The Typical Internet Stuff .....5
    - Book V: Networking in Mac OS X .....5
    - Book VI: Expanding Your System .....5
    - Book VII: Advanced Mac OS X .....5
  - Icons Used in This Book .....6
  
- Book I: Introducing Mac OS X* ..... 7**
  - Chapter 1: Shaking Hands with Mac OS X ..... 9**
    - Convince Me: Why Mac OS X? .....10
      - Pretty to behold .....10
      - Stable, stable, stable .....15
      - Multitasking and multithreading for normal human beings .....17
      - The definition of Internet-savvy .....18
      - Lots of free goodies .....18
      - It even runs the old stuff .....19
    - What Do I Really Need to Run the Big X? .....20
    - Upgrading from Earlier Versions of Mac OS .....21
      - Back up — PLEASE back up .....22
      - Snuff out disk errors .....22
      - Plug it, Road Warrior .....23
    - Personalizing the Big X .....24
  
  - Chapter 2: Navigating and Running Programs ..... 27**
    - Restarting, Sleeping, and Shutting Down .....28
    - A Window Is Much More Than a Frame .....30
      - Opening and closing windows .....30
      - Scrolling windows .....32
      - Minimizing and restoring windows .....32

# DropBooks

Zooming windows .....	34
Toggling toolbars .....	34
Moving windows .....	34
Resizing windows .....	35
Switching windows .....	35
Menu Mysteries Explained .....	36
Icons 'R Us .....	38
Hardware .....	39
Programs and applications .....	40
Files .....	40
Folders .....	41
Aliases .....	41
Selecting Icons for Fun and Profit .....	44
Selecting a single icon .....	44
Selecting multiple icons .....	44
Keyboard Shortcuts for the True Power User .....	45
Houston, We're Go to Launch Programs .....	46
Running applications from your hard drive .....	46
Running applications from a CD-ROM or DVD-ROM .....	47
Switching 'Twixt Programs with Aplomb .....	48
Opening and Saving Your Stuff in an Application .....	50
Opening a document .....	50
Saving a document .....	51
Quitting Programs .....	52

## **Chapter 3: Basic OS X Housekeeping . . . . . 53**

The Finder: It's the Wind beneath Your Wings .....	53
Copying and Moving Files and Folders .....	55
Cloning Your Items — It's Happening Now! .....	56
Deleting That Which Should Not Be .....	57
Dragging unruly files against their will .....	57
Deleting with the menus and the keyboard .....	58
Emptying That Wastepaper Basket .....	58
WAIT! I Need That After All! .....	59
Renaming Your Items .....	59
Adding a Dash of Color .....	60
Displaying the Facts on Files and Folders .....	60
Adding comments .....	62
Displaying extensions .....	62
Choosing the application to launch with a file .....	63
Locking files against evildoers .....	64
Creating an Alias .....	65
Using the Apple Menu .....	65
Using Recent Items .....	66
Playing with the Dock .....	67
Bad program! Quit! .....	69
Tracking down your version .....	69
Specifying a location .....	70
Availing Yourself of Mac OS X Services .....	71

# DropBooks

Get Thee Hence: Using the Go Menu .....	72
Monkeying with the Menu Bar .....	73
Using menu bar icons .....	74
Doing timely things with the Clock .....	76
Eject, Tex, Eject! .....	76
Common Tasks Aplenty .....	78
Opening and editing text files .....	78
Listening to an audio CD .....	79
Recording — nay, burning — a data CD .....	80
All You Really Need to Know about Printing .....	82
<b>Chapter 4: Using Sherlock 3: It's Elementary .....</b>	<b>85</b>
Sherlock Is Just Plain Neat .....	86
Looking for the Scent with the Great Detective .....	86
You Don't Need a Remote for These Channels .....	88
Tracking Businesses, Movies, Definitions, and Auctions .....	89
Let your mouse do the walking .....	89
Scoping local movies .....	91
Consulting Sherlock's dictionary .....	92
Scouring eBay for Old London .....	93
Using Internet Search Sites .....	95
Minding Your Portfolio .....	96
Translating, 'Twixt Languages .....	97
Finding Flight Information .....	98
<b>Chapter 5: Keeping Track with the Address Book .....</b>	<b>101</b>
Hey, Isn't the Address Book Just a Part of Mail? .....	101
Entering Contact Information .....	103
Using Contact Information .....	106
Arranging Your Contact Cards .....	108
Using Network Directories .....	109
Printing Contacts with Flair .....	110
Swapping Bytes with vCards .....	112
<b>Chapter 6: The Joys of Maintenance .....</b>	<b>115</b>
Deleting Applications the Common Sense Way .....	115
Popping the Hood: Using the Apple System Profiler .....	117
Tracking Performance with Activity Monitor .....	120
Fixing Things with the Disk Utility .....	122
Displaying the goods on your disks .....	123
Playing doctor with First Aid .....	124
Erasing without seriously screwing up .....	126
Partitioning the right way .....	128
RAID has nothing to do with insects .....	130
Updating Mac OS X .....	132
I Demand That You Back Up Your Hard Drive .....	133
I Further Demand That You Defragment .....	134
Special Start-Up Keys for Those Special Times .....	135
Crave the Newest Drivers .....	136

**Chapter 7: Using Classic Mode .....137**

Classic Mode Explained .....	137
Cranking Up Classic .....	138
Reaching That Antique Software .....	141
Configuring Classic Mode .....	142
Returning to Your Mac OS 9 Roots .....	145

**Chapter 8: Getting Help for the Big X .....147**

Displaying the Help Viewer Window .....	147
Searching for Specific Stuff .....	149
Prodding Apple for the Latest Gossip .....	150
Calling for Help Deep in the Heart of X .....	151
Other Resources to Chew On .....	153
Voice support .....	153
Mac publications .....	153
Local Mac outlets and user groups .....	154

**Chapter 9: Troubleshooting the X .....155**

Don't Panic! .....	155
The Troubleshooting Process .....	156
Step 1: Always try a simple shut down .....	157
Step 2: Check all cable connections .....	157
Step 3: Retrace your steps .....	157
Step 4: Run Disk Utility .....	158
Step 5: Run antivirus software .....	158
Step 6: Check the Trash .....	159
Step 7: Check online connections .....	159
Step 8: Disable troublesome Startup items .....	160
Step 9: Turn off your screen saver .....	161
Step 10: Check for write-protection .....	161
Step 11: Check your System Profiler .....	161
Step 12: Reboot with the Mac OS X Installation CD .....	162
Troubleshooting Problems with Classic Mode .....	162
Do I Need to Reinstall Mac OS X? .....	164
It's Still Not Moving: Troubleshooting Resources .....	164
The Mac OS X Help Viewer .....	165
The Apple Mac OS X Support site .....	165
Your local Apple dealer .....	165

**Book 11: Customizing and Sharing ..... 167****Chapter 1: Building the Finder of Your Dreams .....169**

Will That Be Icons or Buttons . . . or Even Columns? .....	169
Doing the Toolbar Dance .....	172
Hiding and showing the toolbar .....	172
Hiding and showing the status bar .....	173
Giving your toolbar big tires and a loud exhaust .....	174

# DropBooks

Searching for Files from the Toolbar .....176  
 Searching for Files from the Find Dialog .....177  
 Configuring the View Options .....180  
     Setting icon view options .....180  
     Setting list view options .....183  
     Setting column view options .....185  
 Setting Finder Preferences .....186

## **Chapter 2: Giving Your Desktop the Personal Touch .....189**

Changing the Background .....189  
     Picking something Apple .....191  
     I just gotta have lavender .....192  
     Selecting your own photo .....192  
 Changing the Screen Saver .....192  
 Changing Colors in Mac OS X .....194  
 Adding Stickies .....195  
 Customizing the Dock .....197  
     Adding applications and extras to the Dock .....197  
     Resizing the Dock .....198  
 Arranging Your Precious Desktop .....199

## **Chapter 3: Delving Under the Hood with System Preferences ... 201**

The Preferred Way to Display the Preferences .....201  
 Saving Your Preferences .....202  
 Let's Get Personal .....202  
     Appearance preferences .....202  
     Desktop and screen saver preferences .....204  
     Dock preferences .....206  
     Exposé preferences .....207  
     International preferences .....208  
     Security preferences .....210  
 It's All about the Hardware .....211  
     CDs and DVDs preferences .....211  
     Displays preferences .....212  
     Energy Saver preferences .....213  
     Keyboard and mouse preferences .....214  
     Printing and fax preferences .....215  
     Sound preferences .....218  
 Sharing the Joy: Internet & Network .....219  
     .Mac preferences .....219  
     Network preferences .....220  
     QuickTime preferences .....223  
     Sharing preferences .....225  
 Tweaking the System .....226  
     Accounts preferences .....227  
     Classic preferences .....228  
     Date and time preferences .....230  
     Software Update preferences .....231  
     Speech preferences .....232

# DropBooks

Startup Disk preferences .....	234
Universal Access preferences .....	235
<b>Chapter 4: You Mean Others Can Use My Mac, Too? .....</b>	<b>237</b>
How Multi-User Works on Mac OS X .....	237
Configuring Your Login Screen .....	239
Locking Things Down .....	242
Starting Applications Automatically After Login .....	243
<b>Chapter 5: Setting Up Multi-User Accounts .....</b>	<b>245</b>
Adding, Editing, and Deleting Users .....	245
Adding an account .....	245
Editing an existing account .....	248
Deleting an existing account .....	250
Setting Limitations .....	250
Using Keychains — NOT .....	255
<b>Chapter 6: Sharing Documents for Fun and Profit .....</b>	<b>259</b>
Sharing over a Network versus Sharing on a Single Mac .....	259
No network is required .....	260
Relying on a guaranteed lock .....	260
Most places are off limits .....	260
Permissions: Law Enforcement for Your Files .....	261
Permission and Sharing Do's and Don'ts .....	264
Sharing Stuff in Office v. X .....	265
Document-sharing features .....	266
File-level sharing features .....	267
Password Protection in AppleWorks .....	269
<b>Book III: The Digital Hub .....</b>	<b>271</b>
<b>Chapter 1: The World According to Apple .....</b>	<b>273</b>
First, Sliced Bread . . . and Now the Digital Hub .....	273
What Does Digital Mean, Anyway? .....	274
What Can I Digitize? .....	275
Photographs .....	275
Music .....	276
Video .....	276
DVD .....	276
The Software That Drives the Hub .....	276
iPhoto .....	277
iTunes .....	278
iMovie .....	279
iDVD .....	279
Can I Use All This Stuff at Once? .....	280



**Chapter 2: Jamming with iTunes and iPod .....283**

What Can I Play on iTunes? .....	283
Playing an Audio CD .....	284
Playing a Digital Audio File .....	286
Browsing the Library .....	287
Finding songs in your Library .....	288
Removing old music from the Library .....	290
Keeping Slim Whitman and Slim Shady Apart:	
Organizing with Playlists .....	290
Know Your Songs .....	291
Setting the song information automatically .....	292
Setting or changing the song information manually .....	292
Ripping Audio Files .....	293
Tweaking the Audio for Your Ears .....	294
A New Kind of Radio Station .....	295
iTunes Radio .....	296
Tuning in your own stations .....	298
Radio stations in your Playlists .....	298
iSending iTunes to iPod .....	299
Burning Music to Shiny Plastic Circles .....	300
Changing iTunes Visuals .....	301
Adding More Visuals to iTunes .....	303
Buying Music the Apple Way .....	304

**Chapter 3: Focusing on iPhoto .....307**

What iPhoto Can Do .....	307
Delving into iPhoto .....	308
Importing Images 101 .....	309
Importing images from a digital camera .....	309
Importing image files .....	311
Organizing with Photo Albums .....	311
Creating a new Photo Album .....	312
Adding photos to a Photo Album .....	312
Removing photos from a Photo Album .....	313
Deleting a Photo Album .....	313
The Art of Organizing with Keywords .....	315
Customizing your own keywords .....	315
Searching for keywords .....	316
Taking Care of Business: Basic Editing .....	317
Constrain and crop .....	318
Enhance .....	320
Retouch .....	320
Brightness/Contrast .....	320
Red-eye removal .....	321
Black and white .....	321
Don't forget to rotate! .....	321
Producing Your Own Coffee-Table Masterpiece .....	322
Sharing Photos with Friends and Family .....	324

DropBooks

<b>Chapter 4: Making Magic with iMovie</b> .....	<b>327</b>
The iMovie Interface .....	327
The Powers of Three .....	329
Monitor .....	329
Palettes .....	331
Viewers .....	331
The Movie-Making Process .....	332
Working with Clips (Not the Paper Kind) .....	333
Adding clips from media files .....	334
Adding clips from your camcorder .....	335
Editing video clips .....	337
Basic Composition the iMovie Way .....	338
Adding clips to a movie .....	338
Removing clips from a movie .....	339
Rearranging clips in a movie .....	339
Transitions for the Masses .....	339
Even <i>Gone with the Wind</i> Had Titles .....	341
What Good Is a Movie without Special Effects? .....	343
iMovie's stock effects .....	344
Adding Effects to a movie .....	345
Hey, There's a Photo in My Video! .....	346
Working with Sound .....	347
Adding sound to a movie .....	347
Removing sound from a movie .....	350
Completing Your Cinematic Masterpiece .....	351
Exporting to a camcorder .....	351
Exporting to QuickTime .....	352
Exporting to iDVD .....	352
<b>Chapter 5: Burn Those DVDs! Using iDVD 3</b> .....	<b>355</b>
What Am I Doing, Anyway? .....	355
Mastering Menus .....	356
Themes .....	357
Setting the background .....	358
Adding Media Files to Your DVD .....	361
Adding a Movie Button .....	362
Setting the Movie Button style .....	363
Adding a Slideshow Button .....	364
Customizing Titles .....	365
Checking Things Out with a Preview .....	366
Saving and Burning a DVD .....	367
<b>Chapter 6: No, It's Not Called "iQuickTime"</b> .....	<b>369</b>
QuickTime Can Do That? .....	369
Playing Media with QuickTime .....	370
At the center of the action: QuickTime Player .....	370
Opening QuickTime movies .....	371
Operating QuickTime Player .....	372

# DropBooks

QuickTime: The Super Converter .....	378
Importing files .....	378
Exporting files .....	379
Make QuickTime the Center of Your Digital Universe .....	380
Favorites .....	380
Free content for all .....	380
QuickTime and your browser .....	381
Tweaking QuickTime .....	382
Setting QuickTime Player Preferences .....	382
Working with QuickTime Preferences .....	382

## **Chapter 7: Turning Your Mac into a DVD Theater ..... 385**

The DVD Hardware .....	385
The DVD Player: It's Truly Shiny .....	386
Using the Controller .....	386
Keep your eyes on the Viewer .....	388
Taking Advantage of Additional DVD Features .....	389
Controller extras .....	389
DVD Player preferences .....	390

## ***Book IV: The Typical Internet Stuff..... 395***

### **Chapter 1: Getting on the Internet ..... 397**

Shopping for an ISP .....	397
Investigating Various Types of Connections .....	399
Setting Up Your Internet Connection .....	401
Using your internal modem .....	401
Using Ethernet hardware .....	402
Connecting with a Dialup ISP (The Hard Way) .....	404

### **Chapter 2: Using Apple Mail ..... 407**

Know Thy Mail Window .....	407
Setting Up Your Account .....	409
Adding an account .....	410
Editing an existing account .....	412
Deleting an account .....	412
Receiving and Reading E-Mail Wisdom .....	412
Reading and deleting your messages .....	414
Replying to mail .....	414
Raise the Little Flag: Sending E-Mail .....	418
What? You Get Junk Mail, Too? .....	420
Attachments on Parade .....	422
Fine-Tuning Your Post Office .....	423
Adding sound .....	423
Checking Mail automatically .....	423
Automating message deletion .....	424

DropBooks

Adding signatures .....	424
Changing the status of an account .....	425
Automating Your Mail with Rules .....	425
<b>Chapter 3: Staying in Touch with iChat AV .....</b>	<b>429</b>
Configuring iChat .....	430
Changing Modes in iChat AV .....	433
Will You Be My Buddy? .....	433
Chat! Chat, I Say! .....	435
Sending Files with iChat AV .....	438
Eliminating the Riffraff .....	439
<b>Chapter 4: Expanding Your Horizons with iDisk .....</b>	<b>441</b>
Grabbing Internet Storage for Your Mac .....	442
Understanding What's on Your iDisk .....	443
Opening and Using iDisk .....	444
<b>Chapter 5: Going Places with Safari .....</b>	<b>449</b>
Let's Pretend You've Never Used This Thing .....	450
Visiting Web Sites .....	451
Navigating the Web .....	452
Setting Up Your Home Page .....	454
Adding and Using Bookmarks .....	455
Downloading Files .....	456
Using Subscriptions and History .....	458
Saving Web Pages .....	458
Protecting Your Privacy .....	459
Yes, there are such things as bad cookies .....	459
Cleaning your cache .....	460
Handling ancient history .....	461
<b>Chapter 6: Staying Secure Online .....</b>	<b>463</b>
What Can Really Happen? .....	464
"Shields Up, Chekov!" .....	466
Firewall basics .....	466
Antivirus basics .....	469
A Dose of Common Sense: Things Not to Do Online .....	470

***Book V: Networking in OS X.....473***

<b>Chapter 1: Setting Up a Small Network .....</b>	<b>475</b>
What Do I Need to Set Up My Network? .....	475
Something to network .....	476
Network interface card (NIC) .....	476
Hub or switch .....	476
Cables .....	479

Setting Up Your Network .....	480
Understanding the Basics of Network Configuration .....	481
TCP/IP .....	481
Software applications .....	483
Configuring Network System Preferences .....	483
Using DHCP for automatic IP address assignment .....	483
Manually choosing an IP address range .....	484
Verifying Connectivity .....	488
Troubleshooting Your New Network .....	491
Physical problems with your network .....	491
Network configuration problems .....	492
<b>Chapter 2: Using Your Network .....</b>	<b>493</b>
It's All about (File) Sharing .....	493
Creating an account .....	493
Enabling file sharing .....	496
Connecting to a shared resource .....	496
Sharing a Connected Printer .....	497
Sharing Files to Windows Computers .....	498
Accessing File Shares on Windows Computers .....	498
Using FTP to Access Files .....	499
Using the Mac OS X built-in FTP to share files .....	500
Using FTP from Terminal to transfer files .....	500
Using the Built-in Firewall .....	503
Remote Control of Your Mac .....	506
Remote control your Mac (for free, no less!) .....	506
How VNC works .....	506
Remote control of another computer from your Mac .....	507
<b>Chapter 3: You May Even Need AppleTalk .....</b>	<b>509</b>
Setting Up AppleTalk .....	509
Automatically configuring AppleTalk .....	510
Manually configuring AppleTalk .....	511
Accessing Files and Printers with AppleTalk .....	513
Accessing AppleTalk share points .....	513
Accessing AppleTalk printers .....	516
<b>Chapter 4: Going Wireless .....</b>	<b>519</b>
Speaking the Wireless Lingo .....	519
Figuring Out the Different Flavors of Wireless Ethernet .....	521
IEEE 802.11b .....	521
802.11a .....	522
Let's get Extreme: 802.11g .....	523
Keeping Your Wireless Network Secure .....	523
WEP .....	524
Other security standards .....	525
Setting Up Your Wireless Network .....	526
Installing an AirPort Extreme network card .....	526
Setting up an Ad Hoc wireless network .....	527
Setting up wireless networks with an AirPort Base Station .....	529

**Chapter 5: Sharing That Precious Internet Thing . . . . . 531**

Sharing the Internet .....	531
Using Network Address Translation .....	532
Ways to Share Your Internet Connection .....	534
Using hardware for sharing an Internet connection .....	534
Using software for sharing an Internet connection .....	535
Connecting Everything .....	537
Using the software method .....	537
Using the hardware method .....	538
Adding Wireless Support .....	540
If you already have a cable/DSL router or are using software Internet sharing .....	540
If you do not have a cable/DSL router or AirPort Base Station ...	540

**Book VI: Expanding Your System ..... 543****Chapter 1: Hardware That Will Make You Giddy . . . . . 545**

Parading Pixels: Digital Cameras, DV Camcorders, and Scanners .....	546
Digital cameras .....	546
DV camcorders .....	548
Scanners .....	549
Incredible Input: Keyboards, Trackballs, Joysticks, and Drawing Tablets .....	551
Keyboards .....	551
Trackballs .....	552
Joysticks .....	553
Drawing tablets .....	554
Sublime Storage: CD/DVD Recorders and Tape Drives .....	555
CD and DVD recorders .....	555
Tape drives .....	556
Awesome Audio: Subwoofer Systems and MP3 Hardware .....	557
Subwoofer speaker systems .....	557
MP3 players (Well, actually, just the iPod) .....	558

**Chapter 2: Add RAM, Hard Drive Space, and Stir . . . . . 561**

Adding Memory: Reasons for More RAM .....	561
Shopping for a RAM Upgrade .....	563
Finding out the current memory in your Mac .....	563
Determining the exact model of your computer .....	564
The Tao of Hard Drive Territory .....	565
Internal versus External Storage .....	566
External drives .....	567
Internal drives .....	568
Determining How Much Space You Need .....	569
Shopping for a Hard Drive .....	569
Installing Your New Stuff .....	571
The easy way .....	571
The hard way .....	571

DropBooks

**Chapter 3: Port-o-rama: Using USB and FireWire . . . . .573**

Appreciating the Advantage of a FireWire Connection .....573  
 Understanding USB and the Tale of Two Point Oh .....575  
 Hey, You Need a Hub! .....576  
 Uh, It's Just Sitting There .....577  
     Common FireWire and USB headaches .....577  
     Check those drivers .....578

**Chapter 4: I'm Okay, You're a Printer . . . . .579**

Meet the Printer Setup Utility .....579  
 Printer Setup Utility Toolbar Buttons .....580  
 Adding a Funky Printer .....582  
 Managing Your Printing Jobs .....585  
 Sharing a Printer across That There Network .....586

**Chapter 5: Programs That You've (Probably) Gotta Have . . . . .589**

The Trundling Microsoft Mammoth .....590  
 Your Mac OS X Toolbox: Drive 10 .....592  
 Image Editing for the Masses .....594  
 The Morass of Digital Video .....595  
 Yes, It's Really Called "Toast" .....596  
 If You Positively Have to Run Windows . . . . .598  
 All Hail FileMaker Pro .....599  
 Utilities That Rock .....601  
     StuffIt .....601  
     QuicKeys X .....602  
     BBEdit .....603  
     REALbasic .....604  
 At Least One Game .....606  
     Mac OS X Chess .....606  
     Civilization III .....607  
     Return to Castle Wolfenstein .....608  
     WarCraft III .....610

**Book VII: Advanced Mac OS X . . . . .613**

**Chapter 1: . . . And UNIX Lurks Beneath . . . . .615**

Why Use the Keyboard? .....615  
     UNIX keyboarding is fast .....616  
     The UNIX keyboard is a powerful beast .....616  
     Go where no mouse has gone before .....617  
     Automate to elevate .....618  
     Remote control .....618  
 Uncovering the Terminal .....618  
     What's a prompt? .....619  
     A few commands to get started .....620  
     Using the skills you already have .....622

**DropBooks**

UNIX Commands 101 .....	623
Anatomy of a UNIX command .....	623
Command line gotchas .....	624
Help is on the way! .....	624
Autocompletion .....	625
Working with Files .....	625
Paths .....	626
Copying, moving, renaming, and deleting files .....	627
Opening documents and launching applications .....	629
Useful Commands .....	630
Calendar .....	630
Processes .....	631
UNIX Cadillac Commands .....	633
Finding files .....	633
Using pipes .....	634
UNIX Programs That Come in Handy .....	634
Text editors .....	634
Networking with the Terminal .....	639
Taking a peek at Apple's command-line jewels .....	641
<b>Chapter 2: AppleScript Just Plain Rocks .....</b>	<b>643</b>
What's So Great about AppleScript? .....	643
Automate common tasks in the Finder .....	643
Automate tasks in other applications .....	644
Running a Script .....	645
Identifying scripts in the field .....	645
The Script Editor application .....	646
Executing a script .....	647
Writing Your Own Simple Scripts .....	649
Create a script without touching a key .....	649
Building your own scripts .....	650
One Step Beyond: AppleScript Programming .....	651
Grab the Dictionary .....	651
Anatomy of a simple script .....	653
Help Is at Your Fingertips .....	656
Built-in AppleScript Help .....	656
AppleScript on the Web .....	656
<b>Chapter 3: Forget Hal! Talking and Writing to Your Macintosh ...</b>	<b>659</b>
Using Ink with a Tablet .....	660
Computer, Can You Hear Me? .....	661
The Speech Recognition tab .....	661
The Feedback window .....	666
The Speech Command window .....	667
Your Mac Talks Back! .....	668
The Default Voice tab .....	668
The Spoken User Interface tab .....	670




# DropBooks

Speaking Your Own Phrases .....672  
    Speaking text through applications .....672  
    Speaking text through services .....673  
    Speaking text through AppleScript .....673

**Chapter 4: Hosting a Web Site à la OS X .....675**

Building a Site with .Mac .....675  
    Registering as a .Mac user .....676  
    Setting up your site with HomePage .....676  
    Adding files with iDisk .....679  
Creating a Home Page with HTML and iDisk .....680  
Using Mac OS X Web Sharing .....681  
    I love Apache: Confessions of a UNIX Webmaster .....681  
    Configuring and running Apache .....682

*Index* .....693



# DropBooks



# Introduction

# DropBooks

---

**E**legant.

I remember the first moment that I moved a mouse across a Mac OS X Desktop — at that time, it was the beta of version 10.0 — and I very well remember the word *elegant* as my first impression. (My second impression was *UNIX done better*.)

That's really saying something because I'm an old operating system curmudgeon: I cut my computing teeth on Atari, Commodore 64, and TRS-80 Model III machines, and I still feel much at home in the character-based environment of DOS and UNIX. Of course, I've also used every version of Windows that His Gateness has produced, including the much-improved Windows XP. And yes, I've used Mac OS since before the days of System 7, using a Macintosh SE with a 9-inch monitor (and a built-in handle).

But out of this host of operating systems, could you really call one *elegant* before now? (Even Mac OS 9 didn't deserve such a description, although it did provide the foundation of convenience and simplicity.) Mac OS X — now at version 10.3, affectionately called *Panther* — is something different: It's a fine-cut diamond amongst a handful of semi-precious stones. It's the result of an unnatural marriage, I'll admit . . . the intuitive, graphical world of Mac OS 9 and the character-based stability and efficient multitasking of UNIX. Who would have thought that they would work together so well? Mac OS X performs like a Ferrari, and (unbelievably) it looks as good, too.

Therefore, you can imagine just how excited I was to be asked by my friends at Wiley to write this book and how I immediately jumped at the chance to write a comprehensive guide to Apple's masterpiece. The book that you hold in your hands is a classic *For Dummies* design — it provides you the step-by-step instruction on every major feature of Mac OS X, plenty of which my editors agree is humorous — but it also goes a step further from time to time, delving into why something works the way that it does or what's going on behind the scenes. You can chalk that up to my sincere admiration for everyone in Cupertino and what they've perfected.



What you *won't* find in this Desk Reference is wasted space. All the new features of version 10.3 are here, including iChat AV, Exposé, the new Font Book, the latest versions of all the *iApps* (like iTunes 4), FileVault, and the new incarnations of the Finder and Apple Mail. Everything's explained from the ground up, just in case you've never touched an Apple computer before.

By the time you reach the final pages, you'll have covered advanced topics such as networking, AppleScript, Internet security . . . and yes, even an introduction to the powerful world of UNIX that exists underneath.

I sincerely hope that you'll enjoy this book and that it will act as your guide while you discover all the wonderful features of Mac OS X Panther that I use every day. Remember, if a Windows-enslaved acquaintance still titters about your iMac, I'll understand if you're tempted to drop this weighty tome on his foot.



The official name of the latest version is (portentous pause here, please) Mac OS X version 10.3 Panther. But who wants to spit out that mouthful every time? Throughout this book, I refer to the operating system as Mac OS X, and when I discuss something that's particular to the latest version, I call it Panther. Okay with you?

## What's Really Required

If you've got a Mac that's either running Mac OS X version 10.3 (Panther) or is ready to be upgraded to it, you're set to go. Despite what you might have heard, you *won't* require any of the following:

- ◆ **A degree in computer science:** Apple designed Mac OS X for regular people, and I designed this book for people of every experience level. Even if you've never used a Mac before, you'll find no hostile waters here.
- ◆ **A fortune in software:** I do describe additional software that you can buy to expand the functionality of your Mac; however, that section is only a few pages long. *Everything else* covered in this book is included with Mac OS X Panther — and by the size of this volume, you get a rough idea of just how complete Mac OS X is! Heck, many folks buy Macs just because of the free software like iTunes and iPhoto. (Tough cookies to the vast Unwashed Windows Horde.)
- ◆ **An Internet connection:** Granted, you're not going to do much with Apple Mail without an Internet connection, but computers *did* exist before the Internet. You can still be productive with Mac OS X without receiving buckets of spam.

Oh, you will need a set of Mac OS X version 10.3 installation discs, unless it came pre-installed on your Mac. Go figure.

## About This Book

# DropBooks

All of this book is a Desk Reference, you can also read it in a linear fashion (straight-through) — probably not in one session, mind you. (Then again, Diet Coke is cheap, so it *is* possible.) The material is divided into seven mini-books, each of which covers an entire area of Mac OS X knowledge. For example, you'll find mini-books on networking, the Apple Digital Hub suite of applications, customizing your Desktop, and Internet-related applications.

Each self-contained chapter discusses a specific feature, application, connection, or cool thing about Mac OS X. Feel free to begin reading anywhere or skip chapters at will. For example, if you're already using an Internet connection, you won't need the chapter on adding an Internet connection. However, I recommend that you read this book from the front to the back, like any good mystery novel. (Watch out, oncoming spoiler: For those that want to know right now, Bill Gates did it.)

## Conventions Used in This Book

Even *For Dummies* books have to get technical from time to time, usually involving commands that you have to type and menu items that you have to click. If you've read any of my other *For Dummies* books, you'll know that a helpful set of conventions is used to indicate what needs to be done or what you see onscreen.

### *Stuff you type*

When I ask you to type a command or enter something in a text field (like your name or phone number), the text appears like this: **Type me.**

Press the Return key to process the command or enter the text.

### *Menu commands*

When I give you a specific set of menu commands to use, they appear in the following format: Edit⇧Copy.

In this example, you should click the Edit menu and then choose the Copy menu item.

### *Display messages*

If I mention a specific message that you see on your screen, it looks like this on the page: This is a message displayed by an application.

### *In case you're curious about computers*

No one expects a book in the *For Dummies* series to contain techno-jargon or ridiculous computer science semantics — especially a book about the Macintosh, which has always strived for simplicity and user-friendliness. I hereby promise that I'll do my absolute best to avoid unnecessary technotalk. For those who are interested in what's happening under the hood, I provide sidebars that explain a little more about what's doing what to whom. If you'd rather just have fun and ignore the digital dirty work, please feel free to disregard these additions (but don't tear sidebars out of the book because there's likely to be important stuff on the opposite side of the page).

## *How This Book Is Organized*

I've done my best to emulate the elegant design of Mac OS X by organizing this book into seven mini-books, with cross-references where appropriate.

### *Book I: Introducing Mac OS X*

This mini-book begins with an invigorating chapter explaining exactly why you should be so happy to be a Mac OS X owner. Then I provide an introduction to the basic tasks that you'll perform — things like copying files, running programs, and the like. Because Sherlock 3 and the Address Book are such important elements of Mac OS X, I also cover them in this mini-book. You'll also find coverage of Classic mode, a guide to normal Mac OS X maintenance and troubleshooting, and instructions on using the Mac OS X Help system.

### *Book II: Customizing and Sharing*

Who wants to stick with the defaults? The material in this mini-book leads you through the steps that you need to customize Mac OS X to your specific needs and desires . . . everything from a tweak to your background or screen saver to a description of how to set up and administer multiple accounts on a single Macintosh. You'll also find coverage of the different settings that you can change in System Preferences, which is an important place in Mac OS X.

### ***Book III: The Digital Hub***

*Sweet!* This chapter jumps right in among the crown jewels of the Digital Hub: iTunes, iPhoto, iDVD, iMovie, QuickTime, and the DVD Player. Taken as a suite, these applications allow you to plug in and use all sorts of electronic gadgets, including digital cameras, digital video (DV) camcorders, and MP3 players — plus, you can edit or create your own DVDs, audio CDs, and movies.

### ***Book IV: The Typical Internet Stuff***

This mini-book contains just what it says. But then again, it's easy to get enthusiastic about Apple Mail, the latest version of Apple's instant messaging application (iChat AV), and the online storage provided by iDisk. I also cover Safari, Apple's hot-rod Web browser. Finally, you'll discover more about the built-in Internet firewall and how you can use it to safeguard your Mac from Internet undesirables.

### ***Book V: Networking in Mac OS X***

Ethernet, Rendezvous, and AppleTalk are lurking in this mini-book — but I explain them step-by-step, in language that a normal human being can understand. Find out how to use wireless networks like AirPort Extreme from Apple as well as how to share an Internet connection with other computers in a local network.

### ***Book VI: Expanding Your System***

Time to take things up a notch. In this mini-book, I discuss the hardware and software that everyone's adding to Mac OS X and why you might (or might not) need such toys. Memory (RAM), hard drives, printers, USB, and the newest FireWire 800 . . . they're all discussed here in detail. Consider this a banquet of expansion information.

### ***Book VII: Advanced Mac OS X***

I know that I told you earlier that I was going to avoid techno-talk whenever possible, yet I also mentioned the advanced things that you'll find in this mini-book, like using UNIX within Mac OS X and writing basic AppleScript scripts to automate repetitious tasks. If you don't mind immersing yourself in all that's technical, read here for the skinny on hosting a Web site and communicating with Mac OS X by using your voice and your handwriting.

## Icons Used in This Book

# DropBooks

The icons in this book are more than just attractive — they're also important visual cues for stuff that you don't want to miss.



The Tip icons flag short snippets of information that will save you time or trouble (and, in some cases, even cash).



These icons highlight optional technical information for folks like me — if you also used to disassemble alarm clocks for fun when you were 6 years old, you'll love this stuff.



*Always* read this information next to this icon first! Something looms ahead that could put your hardware or software at risk.



Look to the Remember icons for those tidbits that you need to file away in your mind. Just remember to remember.



Follow these road signs for all the cool updates and innovations in Mac OS X version 10.3 Panther.




# Book I

DropBooks

# Introducing Mac OS X

The 5th Wave

By Rich Tennant



## *Contents at a Glance*

<b>Chapter 1: Shaking Hands with Mac OS X .....</b>	<b>9</b>
<b>Chapter 2: Navigating and Running Programs .....</b>	<b>27</b>
<b>Chapter 3: Basic OS X Housekeeping .....</b>	<b>53</b>
<b>Chapter 4: Using Sherlock 3: It's Elementary.....</b>	<b>85</b>
<b>Chapter 5: Keeping Track with the Address Book.....</b>	<b>101</b>
<b>Chapter 6: The Joys of Maintenance .....</b>	<b>115</b>
<b>Chapter 7: Using Classic Mode .....</b>	<b>137</b>
<b>Chapter 8: Getting Help for the Big X.....</b>	<b>147</b>
<b>Chapter 9: Troubleshooting the X.....</b>	<b>155</b>

DropBooks



# DropBooks

## Chapter 1: Shaking Hands with Mac OS X

---

### *In This Chapter*

- ✓ Understanding the advantages of Mac OS X
- ✓ Checking your system requirements
- ✓ Upgrading from earlier versions of Mac OS
- ✓ Installing Mac OS X
- ✓ Running Mac OS X for the first time

**I**t's human nature to require instant gratification from your software. I've seen it countless times: Someone runs a program, immediately feels comfortable with it, and then spends the rest of his days using that program religiously. Or another person plays with the same program for 120 seconds and dismisses it as too difficult or too confusing. It's rather like watching a fancy fashion show runway in Rome or Paris: There had better be eye appeal pretty quickly, or the bucks won't flow.

Ditto for modern computer operating systems. An *operating system* is the basic software that determines the look and feel of your entire computer and usually extends to the programs that you run as well. Microsoft recently felt the pinch of an old-fashioned operating system — Windows 98 and Windows Me were starting to appear rather plain-looking — and promptly released Windows XP, where menus fade in and out like fireflies on a summer night, little puppies help you find files, and animation abounds. To be honest, however, updating a PC by upgrading to Windows XP is a little like putting on a polyester sports coat over the same tired old T-shirt and jeans — most of what changes is on the outside.

Apple doesn't work that way. Sure, Mac OS X looks doggone good . . . forget the minimum requirement of shirt and shoes — this operating system is wearing an Armani suit. What's *really* exciting for Macintosh owners around the world, however, is the heart that beats beneath the pretty form. Mac OS X is quite literally an operating system revolution, delivering some of the most advanced features available on any personal computer in use today while remaining as easy to use as the first Macintosh. (And yes, I do own and use both PCs and Macs — what's important to me is which computer does the job the fastest in the easiest manner.)

Now, I'm not going to just haul off and proclaim that Mac OS X can run rings around — well . . . you know, the *W* word — without solid proof. In this chapter, I introduce you to the advantages of Mac OS X and why it's such a step ahead for those running Mac OS 9. I also cover the hardware requirements that you'll need to run Mac OS X version 10.3 (Panther) as well as guidelines on upgrading from Mac OS 9. Finally, I familiarize you with the steps that you'll encounter the first time that you fire up the Big X.

## *Convince Me: Why Mac OS X?*

Apple pioneered the graphical approach to computing with the appearance of the first Macintosh, so you'd expect Mac OS X to be simple to use — and indeed it is. For many folks, that's Job One. If you're one of those people, you can happily skip this section without need of further evidence because Mac OS X is undoubtedly the easiest operating system on the planet to use. (And believe me, I'm not knocking simplicity. Computers are *supposed* to be getting easier to use, and techno-nerds like me are *supposed* to be rendered unnecessary as computers advance.) Here is the mantra of the Mac — and the first of Mark's Maxims for this volume:

**One Mouse, One Button, One King.™**

Still with me? Need more testimony? Or perhaps you're just curious about the engine under the hood. Then read on — and if you're a Macintosh owner, feel free to gloat! (If you're a PC owner, there's always eBay.)


### *Pretty to behold*

Let me illustrate with a screenshot or two: Figure 1-1 illustrates a typical screen from a day spent in Mac OS 9.2, the capable — albeit rather old-fashioned — version of the Mac OS operating system that shipped in the days before Mac OS X.


Compare that screen with a similar screen from the latest version of the Big X, as shown in Figure 1-2. As you can see, everything's streamlined in appearance, with maximum efficiency in mind. Tasteful 3-D abounds, from the drop-shadowed windows to the liquid-look scroll bars. Icons look like miniature works of art. Macintosh owners appreciate outstanding design — and can recognize the value of a great computer, even if it is lime-green (or looks like half of a white basketball). After all, many Mac owners are professionals in the graphic arts, and Apple provides the hardware that they need — like the top-of-the-line liquid crystal display (LCD) used with the 17-inch, flat-panel iMac or the killer performance of the latest Power Mac G5.

# DropBooks

**Figure 1-1:** Mac OS 9.2 was a workhorse, true, but it wasn't a work of art.



**Figure 1-2:** Eye-catching? You bet! Mac OS X is a knockout.



Take a look at what's going on behind the curtain — the Great Oz is actually pretty busy back there.

# DropBooks

## *The allure of Aqua*

The Apple software developers who introduced us to Mac OS X designed this new look from the ground up. They call it *Aqua*, and it's the new standard user interface.

Whoops, I just realized that I slipped a ten-cent example of techno-babble into that previous paragraph. Let me explain: A *user interface* design determines how things look throughout both the operating system itself and all applications that are written to run under an operating system (OS). This includes the buttons that you push, the controls that you click or move, and even the appearance of the windows and menus themselves. For example, if you've already begun to use Mac OS X, you've probably stopped right in the middle of a task and exclaimed to yourself, "Why, Self, look at that cool 3-D striping effect on that menu bar!" Those stripes are a tiny part of the Aqua user interface design.

Aqua also extends to the placement of controls and how they're shown to you. For example:


- ◆ Mac OS X uses Aqua *sheets* (which are attached to their parent dialogs and windows) to prompt you for input, like confirming when you're about to close a document without saving it. Unlike Windows, multiple programs can have multiple sheets open, so you can continue to work in other applications without being rudely forced to answer the query immediately.
- ◆ Aqua's new *file selection controls*, like the one in Figure 1-3, make it much easier to quickly navigate to a specific file or folder from within an application.
- ◆ The *Dock* is another Aqua addition, replacing some of the functions of the old Control Strip and the Launcher from Mac OS 9. The Dock launches your favorite applications, indicates what's running on your Mac, and allows you to switch between those programs — and all in a strip that you can relocate and customize at will. I talk about the Dock in greater detail later in Book II, Chapter 2.



Consider Aqua the *look-and-feel* of Mac OS X and virtually all applications that it runs; you'll discover how to use these Aqua controls in the pages to come. Of course, Mac owners really don't have to worry about Aqua itself; the Aqua guidelines are a roadmap for those writing applications for Mac OS X. Programs written to the common Aqua interface standard will be easier for you to use, and you'll become a proficient power user of that program much faster.

## DropBooks

**Figure 1-3:** Another Aqua original—the file selection controls (in this case, in Photoshop 7).



The Dock

### The quality of Quartz

The second ingredient in the visual feast that is Mac OS X is named *Quartz Extreme*—again, I must ask your forgiveness, good reader, because I have to get a tad technical again. Quartz Extreme is a *graphics engine*: It's the portion of Mac OS X that draws what you see on the screen (in the Aqua interface, natch). Think of the engine in your car, which is responsible for making your car move. Whether your Mac is running Microsoft Word or simply idling at the Desktop waiting for you to finish your soda, Quartz Extreme is at work displaying icons, drawing shapes, exhibiting the Finder, and animating things in the Dock.

What sets Quartz Extreme apart from the ho-hum graphics engine that Windows uses? It's all about international programming standards . . . you know, those things that Microsoft would *much* rather that you forget. To wit:


- ◆ **PDF:** The Quartz Extreme engine is built around the Acrobat Portable Document Format (*PDF* for short) developed by Adobe. If you've been spending any time at all on the Internet in the last two or three years,

## DropBooks

you know that PDF files have emerged as the standard for displaying and printing the highest-quality electronic documents. Plus, Adobe has released a version of the free Acrobat reader ([www.adobe.com](http://www.adobe.com)) for just about every computer on this green Earth. This means that text and graphics displayed in Quartz Extreme are razor sharp, resizable, and easily portable from one computer to another. In fact, Mac OS X displays PDF files without even requiring Acrobat, using the built-in Preview application. Figure 1-4 shows a complex PDF document that I opened in Mac OS X.

- ◆ **OpenGL:** Gamers will get really excited about this one: Quartz Extreme also uses the OpenGL graphics acceleration standard, which delivers the fastest 3-D graphics on the planet. (Think photo-realistic, high-resolution graphics drawn in the blink of an eye.) In fact — and this is a really cool trick — if you have an advanced 3-D card, OpenGL is even used to produce the Desktop in Mac OS X Panther.

In English, that means that today's top-of-the-line, 3-D gaming and 3-D graphics acceleration can take care of drawing *everything*; forget about waiting for windows to close or menus to appear, even when you're creating the world's biggest honking spreadsheet or building a presentation the size of Baltimore. As the Chairman of the Board would say, "We're talkin' fast, baby, like a rocket ship to the moon!"



**Figure 1-4:** Yes, that's a PDF document, not a scanned image!



# DropBooks

## Don't forget QuickTime!

If you've recorded or edited digital video (DV), you're probably already familiar with Apple's QuickTime .mov format. QuickTime movies are high-resolution, relatively small in size, and easily created with iMovie, which I discuss later in Book III, Chapter 4. Although QuickTime isn't "on stage" all the time like Aqua or Quartz Extreme, it's still an important part of Mac OS X: Every time that you display a video clip that you've recorded or watch a streaming TV broadcast from a Web site, you use QuickTime. (Note, however, that you don't use QuickTime to

watch DVD movies — that job is reserved for the Apple DVD Player.)

QuickTime is actually not a new Mac OS X feature — it's been around since the days of Mac OS 8 — but the latest version of Mac OS X includes the free QuickTime 6.3 Player (shown in the figure here), which provides support for the latest broadcast and Web video. In fact, you can set up your own TV station on the Web with the tools included in the Professional QuickTime package.



### *Stable, stable, stable*

"So it's elegant in design. That's great, Mark, but what if Mac OS X crashes? Aqua and Quartz Extreme aren't worth a plug nickel if my mouse doesn't move and I lose my document!" Believe me, I couldn't agree more; I make my living from computers, and every time that a misbehaving program locks up one of my machines, I throw a tantrum that would make Godzilla back off. Lockups shouldn't be tolerated in this day and age . . . and, unfortunately, Mac OS 9 crashed almost as often as Windows 98.

Luckily, the folks who designed Mac OS X were just as interested in producing a rock-solid operating system as they were in designing an attractive look. (Think of Tom Cruise's face on The Rock's body.)

Mac OS X is as hard to crash as the legendary UNIX operating system — that's right, the same reliable workhorse that techno-wizards around the

# DropBooks

world use to power the Internet, where stability is all-important. In fact, Mac OS X is actually built *on top* of a UNIX base. It's just well hidden underneath, allowing you and me to focus on our programs and click with a mouse without learning any of those obscure, arcane keyboard commands. You get the benefits of UNIX without a pair of suspenders, a pocket protector, or the hassle of growing a beard. (Not to mention years of computer programming experience.)


Apple calls this UNIX foundation at the heart of Mac OS X by another nifty title: *Darwin*. I could tell you that Darwin provides the latest in memory and CPU management, but if you're a normal human being, your eyes will glaze over. Suffice it to say that Darwin makes the best use of your computer's memory (RAM) and your computer's brain (CPU). Rest assured that your Web server will stay up even if your misbehaving Virtual Birdcalling simulation decides to run amok. (Emus running amok . . . how dreadful.)



Yes, yet another standard is at work here — uh-oh, Overlord Gates is truly angry now! For those who *do* have a beard and are curious about such things, Darwin uses a FreeBSD kernel, so it also inherits all the protocol standards that have made UNIX the foundation of today's Internet. You can find more about FreeBSD at [www.freebsd.org](http://www.freebsd.org). Because Mac OS X is developed as an open source project, software engineers outside of Apple can actually contribute ideas and code, just like UNIX continues to evolve over time. (And yes, you'll even discover how to access the UNIX command prompt from Mac OS X later in Book VII, Chapter 1!)

To get an idea of just how well-armed Mac OS X is, consider Figure 1-5: Note that one program, which I call Titanic 1.0, has locked up like San Quentin. Under Mac OS 9, your only chance at recovering anything would involve divine intervention. However, in Mac OS X, AppleWorks is unaffected because it has a completely protected area of system memory to play in. **Hint:** I show you how to force Titanic 1.0 to go away a little later in Book I, Chapter 3.

**Figure 1-5:** Mac OS X keeps programs separate for a reason.



By the way, Darwin makes it easy for UNIX software developers to quickly and easily *port* (or modify) all sorts of UNIX applications to work under Mac OS X. I think that you'll agree that a wider selection of applications is a good thing.

## *Multitasking and multithreading for normal human beings*

And now, for your entertainment, a short one-act play. (Yes, really.)

### **A Shakespearean Moment of Multitasking and Multithreading**

Our play opens with Julius Caesar shaking his head in disgust at his Mac OS 9 Desktop.

**Caesar:** Anon, I am only one mortal, yet my Desktop doth abound with portals to applications of all different mien. Tell me, foul beast, why thy spirit seems slow and sluggish, and my Excel spreadsheet doth crawl on its belly!

[Enter Romeo, a cocky and rather brash young Apple software developer.]

**Romeo:** Dude, the problem is, like, your operating system. Y'see, older versions of Mac OS ended up constantly, like, shifting your computer's attention from one app to another — Excel has to cooperate with everything else that's running in the background, like a good little corporate boy. It's less efficient and very, very '90s. Upgrade to Mac OS X, and you get *pre-emptive multitasking* — the app you're actually using, like, gets the lion's share of the processing time, and everything runs smoother when you need it. That's the way UNIX works.

**Caesar:** Verily, your strange tongue doth annoy me. Guards, behead him — then obtain for me this Mac OS X.

**Romeo:** I'm outta here — I've got a hot date — but don't forget, like, Mac OS X also uses *multithreaded processing*, so your Mac can handle different operating system tasks at the same time. It's kind of like your computer can both walk and chew gum at the same time: fast, fast, fast!

[Exit Romeo — rather swiftly — stage right.]

### **Fin**

As the play closes, we can only hope that Romeo is fast as well. (I told you it was a short play.)

### *The definition of Internet-savvy*

Remember the classic iMac advertisements that touted the one-plug approach to the Internet? That entire campaign was centered on one idea: that the Internet was *supposed* to be easy to use. The folks at Microsoft sat up and took notice when the iMac proved so incredibly successful, and Windows XP actually reduced some of the overwhelming folderol that you had to encounter just to connect to the Internet — but Mac OS X still wipes the floor with XP when it comes to easy and complete Internet connectivity. For example:

- ◆ **Easy configuration:** Mac OS X sets up your entire Internet connection with a simple wizard of four screens. As long as you've got the right information handy (which your Internet service provider [ISP] should supply), it's a snap to set up.
- ◆ **iDisk:** What if I told you that for a reasonable yearly subscription fee, Apple can provide you with a chunk of Internet-accessible, private hard drive space — and that you can access this hard drive space from anywhere on Earth with an Internet connection? Absolutely, unbelievably, massively cool. This neat trick is called *iDisk*, and I cover it later in detail in Book IV, Chapter 4.
- ◆ **All the Internet behind-the-scenes stuff:** The Internet is basically built on a number of *protocols* (read that as *rules for exchanging all sorts of data*) — and, as I mention earlier, UNIX machines dominate the Internet. Ergo, adding Mac OS X to your Macintosh also provides you with support for just about every Internet protocol on the planet. Even if you don't know them by name or write your own software, the applications that you buy can use them.
- ◆ **A gaggle of great Internet applications:** Mac OS X ships with all sorts of Internet magic built-in. For example, there's *Sherlock 3* — a super-charged search program that also acts as a doorway to information channels, which I discuss in Book I, Chapter 4. You also get instant Internet and local network communication with iChat AV (which I cover in Book IV, Chapter 3), and Apple Mail, a standard-issue battle-ready e-mail program (which I discuss in Book IV, Chapter 2). Yup, it's all free.
- ◆ **And Apache, sweet Apache:** Friends, as a Webmaster myself, I can tell you that I was visibly moved — well, at least exceptionally excited — when I learned that Mac OS X included the industry-standard Apache Web server, which runs over half of the sites on the Web! (Yep, that includes [www.apple.com](http://www.apple.com).) Get all the details in Book VII, Chapter 4.

### *Lots of free goodies*

You don't just get Internet applications when you latch your fingers onto a box o' Mac OS X — you can start doing all sorts of neat stuff without investing one extra dollar in more software!

Remember, what you receive along with Mac OS X depends on whether you're buying a boxed copy, upgrading from an older version of Mac OS, or receiving the Big X already installed on a new Macintosh. With that in mind, check out the possibilities.

- ◆ **This is the iLife:** This suite of easy-to-use integrated programs is practically as well known as the Macintosh itself these days: iDVD, iPhoto, iTunes, and iMovie. Each of these stellar programs is covered in full in Book III. If you've got a digital camera, an MP3 player, or a DV camcorder, you're going to be a very happy individual. I promise.
- ◆ **AppleWorks:** If you've bought a new Macintosh with Mac OS X pre-installed, you've also received *AppleWorks* (Apple's answer to Microsoft Office). Good stuff, indeed. If you don't want to spend the bucks on Office v. X and you don't need the complex gewgaws and baroque architecture of Word and Excel, I can guarantee you that AppleWorks is powerful enough to satisfy your office yearnings.
- ◆ **The obligatory games:** Apple couldn't have picked two games that are a better match: the finger-exercising arcade shoot-'em-up challenge of *Deimos Rising* and the immersive 3-D fun of *Otto Matic*. Because this book this isn't a game guide, I leave you to explore these two programs at your leisure.

Naturally, there are others that I haven't mentioned here — in fact, bundled programs like *Quicken 2004 Deluxe* have entire *For Dummies* books devoted to them — but that gives you a taste of what's included.

### *It even runs the old stuff*

Convinced yet? Before I go, I should mention one more outstanding feature of Mac OS X that will undoubtedly please dyed-in-the-wool Mac users: The Big X can run virtually all software written for older versions of Mac OS 8 and 9! (It's rather like Windows XP running Windows 98 programs *without* the hassle and the deluge of error messages.) The good folks at Cupertino are sharp enough to ensure that you can run legacy software if necessary.

In the world of Mac OS X, these applications are called *Classic* programs. To run a Classic application, Mac OS X actually launches a virtual Mac OS 9 session, as you can see in Figure 1-6. You can set Classic to run automatically whenever you turn on your Mac, or Mac OS X can launch it whenever necessary, thus saving the system resources for native Mac OS X applications until you really need Classic. Because I work almost exclusively in Mac OS X now, I've chosen the latter. Face it: This is just downright cool. (For more on Classic, see Book I, Chapter 7.)

# DropBooks



**Figure 1-6:**  
Waiter,  
there's  
Mac OS 9  
on my  
Desktop!



If you're a new Mac owner, you can promptly forget about this feature — everything you'll be buying and using from now on will likely be written for the Big X (unless you suddenly stumble upon a gem of a program from a few years back). Oh, and you can also boot cleanly into Mac OS 9 whenever you like . . . usually just for a nostalgic whim, and then you'll reboot right back into Mac OS X.

## *What Do I Really Need to Run the Big X?*

I've written four other *For Dummies* books, and I always find the "Hardware Requirements" section a hard one to write. Why? Well, I know what Apple claims as the minimum hardware requirements necessary to run Mac OS X. But, on the other hand, I know what *I* would consider the minimum hardware requirements, and they're substantially different. Oh well, let me list the bare bones, and then I'll give you my take on what you really need. (Of course, if Mac OS X is already pre-installed on your computer, feel free to tear out this page and create a handful of celebratory confetti.)

# DropBooks

From *The World According to Jobs*, the minimum requirements are

- ◆ **Hardware:** You'll need any Mac with a G3, G4, or G5 processor — except for older PowerBook G3 portables without Universal Serial Bus (USB) ports, and the older beige G3 tower Macs, neither of which are supported in Mac OS X. Other than those exceptions, this means that just about any iMac, eMac, iBook, Power Mac G3, Power Mac G4, or Power Mac G5 is eligible to play. I should also mention that Mac OS X doesn't support third-party CPU upgrade cards out of the box.
- ◆ **RAM:** You'll need at least 128MB of memory (RAM). At today's low prices, that's like buying a pizza.
- ◆ **Hard drive territory:** Although svelte by Windows standards, Mac OS X still needs about 2GB of free space on your hard drive.

From *The World According to Chambers*, the minimum requirements are

- ◆ **Hardware:** I recommend at least a 600 MHz G3. Remember, this is *my* take on what you'll need to really take advantage of Mac OS X, and I have to say that I don't think it performs well enough on older, slower G3 computers. Any G4 is well suited to run Mac OS X . . . and, of course, if your Mac is lucky enough to sport a G5 processor, it can use Mac OS X to run rings around a pokey Pentium 4 PC.
- ◆ **RAM:** Don't settle for anything less than 256MB. Again, with memory as cheap as it is these days, this is like adding extra cheese to that pizza. Any techno-nerd worth the title will tell you that the single most important key to performance in today's operating systems is RAM — yep, it's actually more effective than a faster processor! Therefore, if you've got any extra spending cash in between your sofa cushions, spend it on RAM. (Up to an earth-shaking 8 gigabytes of RAM on the latest Power Mac G5 racehorses!)
- ◆ **Hard drive territory:** I'd recommend 3GB free.



## Upgrading from Earlier Versions of Mac OS

Because the installation of Mac OS is as simple as loading a CD-ROM and double-clicking an icon, there's not much to tell. What's important is the steps that you should take care of *before* you start the installation. I cover those in the next section. Pay heed, or pay later. I won't go into detail about the actual installation because there really aren't any details to speak of — you'll answer a question or two, and then hop up to get another cup of coffee or another caffeine-laden soda while the installer does the rest. Would anyone expect any different from Apple?



# DropBooks

## Pet Peeve Number 1 . . .

The round object that you load into your CD-ROM or DVD-ROM drive is a *disc*, not a *disk*, like your hard drive or that flimsy floppy. Anyone who pretends to talk oh-so-knowingly about a


*CD-ROM disk* or *DVD disk* is a dweeb, and you should steer as far away from that dweeb as possible in the future.

### *Back up — PLEASE back up*

I know you're anxious to join the In crowd, and Apple makes the upgrade process as non-invasive and as safe as possible, but SNAFUs like power loss and hard drive failures do happen. With a full backup of your system on CD or DVD (or even to an external hard drive), you can rest assured that you'll get your precious files and folders back in pristine shape if tragedy strikes. To be honest, you need to back up your system on a regular basis anyway. Promise me now that you'll back up your system, won't you?

I recommend a good commercial back-up program like Retrospect Backup from Dantz Development Corporation ([www.dantz.com](http://www.dantz.com)), as shown in Figure 1-7 — version 5.1 even supports both Mac OS 9 and Mac OS X, so you can use it both before and after the upgrade!

**Figure 1-7:**  
Prepare a backup with Retrospect — feel the joy.




### *Snuff out disk errors*

Before you upgrade, I recommend using the Mac OS 9 Disk First Aid utility (see Figure 1-8) one last time — upgrading a disk with errors will take longer. You'll find Disk First Aid in the Utility folder.



# DropBooks

On the plus side, Mac OS X comes with its own disk check-up program, called *Disk Utility*, which I cover later in the book in Book I, Chapter 6. Ain't technology grand?



**Figure 1-8:** Checking the disk one final time before liftoff.

## Plug it, Road Warrior

You're on the road with your iBook, and you've just bought your copy of Mac OS X. You're thinking of installing your brand-spanking new operating system. . . . Stop! *NOW*.



Before you decide to upgrade your Mac notebook, consider what will happen if that magical vessel containing all your files should flicker and. . . . No, on second thought, don't even *visualize* it. (Even if the battery is fully charged.) If you're installing a Mac OS X upgrade on a PowerBook or iBook, make sure that it's plugged in and receiving its share of good, clean AC power from a handy, nearby wall socket. The installation process may take an hour, and there'll be constant hard drive and CD-ROM activity — think "Attack of the Energy Draining Installation from Planet Lithium." You **don't** want to try this while your notebook is operating on battery power.

Heck, a techno-purist would probably recommend that you attach your Macintosh to an uninterruptible power supply (UPS) for the installation process, but I'm not quite *that* paranoid about power outages.



If you can't install Mac OS X with your current start-up hard drive, restart your Mac and hold down the C key during the boot sequence. This forces your Macintosh to use the disc as your start-up volume — in this case, the Mac OS X Install disc — which should allow you to launch the install program without any headaches.



# DropBooks

Keep one thing in mind while installing Mac OS X: If you format the *destination drive* — the drive where you’ll be installing Mac OS X — you’ll lose everything that it stored. No big surprise there, and the installation program will warn you profusely about this beforehand. There’s really no reason to do so unless you just crave a *clean* installation (which is an installation of a new operating system on a newly-formatted drive, compared with an upgrade of your existing Mac OS System files). Oh, and don’t forget to use Mac OS Extended format.

## *Personalizing the Big X*

After the installation has completed and you’ve rebooted the beast, stand back and watch those beautiful rounded edges and liquid colors appear. But wait — you’re not quite done yet! Mac OS X needs to be personalized for you, just like your toothbrush or your SUV’s six-way power seat; therefore, use what I call the *First Use Wizard* steps the first time that you boot Mac OS X.

These wizard screens change periodically — and they’re completely self-explanatory — so I won’t march you through each one step by step. However, here are a few tips that will provide a bit of additional over-the-shoulder help while you’re setting things up.

- ◆ **How rude!** If you’re outside the United States or other English-speaking countries, you should know that Mac OS X hides “foreign” country names and keyboard layouts. Rest assured, though, because Mac OS X does indeed provide full support for other languages and keyboard configurations. To display these options in the list boxes, click the Show All button at the bottom of the wizard screen.
- ◆ **Accounts are important.** When Mac OS X asks you to create your account, don’t forget your password — oh, and they’re case-sensitive, too, so *THIS* is different from *this* or *ThiS*. It’s a good idea to enter a password hint, but don’t make that hint too easy to guess. For example, *My first dog’s name* is probably preferable to *Plays Frasier on TV*. Mac OS X will use the name and password that you enter to create your account, which you’ll use to log in if you set up a multi-user system for several people. (More on this later in Book II, Chapter 4.) *Never* write down your passwords, either; such crib sheets work just as well for others as for you.
- ◆ **I need to fix that.** You can click the Back button at any time to return to previous wizard screens. Mac OS X, being the bright child that it is, automatically saves your choices for you, so when you click Continue to return, everything is as you left it.

## DropBooks



- ◆ **Extra stuff.** Whether you decide to accept the news, offers, and related-product information from Apple is your decision. However, it's only right that I point out that you can find this same information on the Apple Web site, so there's no need to engorge your e-mail Inbox unless you so desire. (In other words, I turned this off.)
- ◆ **Local area network (LAN) connections.** If you're connecting your Mac to a *Transmission Control Protocol/Internet Protocol* (TCP/IP) network (or you're using an Internet router that uses *Dynamic Host Configuration Protocol* [DHCP]), it's a good idea to click Yes when you're asked whether you should use the configuration supplied by the existing server.

DHCP automatically provides the computers on the network with all the settings that they need to connect. If that sounds like ancient Sumerian, find out more in Book V, Chapter 1.

- ◆ **Do create your .Mac account!** Apple's .Mac service just plain rocks — especially the iDisk storage that you receive. Again, more on this in Book IV, Chapter 4, but take my word for it. Join up, trooper. (The trial subscription is free, and it's easy to upgrade to a full membership if you decide that you like the .Mac benefits.)
- ◆ **Have your Mail settings handy.** If you set up your trial .Mac account, you can set up an @mac.com address without any bother — again, this is a good thing. However, if you're setting up an existing account, make sure you have all those silly settings and numbers and names that your ISP supplied you with when you signed up. This stuff includes your e-mail address, mail server variety, user account ID, password, and outgoing mail server.

# DropBooks



# DropBooks

## Chapter 2: Navigating and Running Programs

---

### *In This Chapter*

- ✓ Restarting, sleeping, and shutting down Mac OS X
- ✓ Using windows
- ✓ Using menus
- ✓ Recognizing and selecting icons
- ✓ Using the keyboard
- ✓ Running applications
- ✓ Switching between programs
- ✓ Opening, saving, and quitting within an application

As the folks in Cupertino will tell you, “It’s all about the graphics.” They’re right, of course — Mac OS X is a highly visual operating system, and using it without a mouse is like building Hoover Dam with a pocketknife. (And not a particularly sharp pocketknife, either.) Therefore, most of this chapter will require you to firmly grasp the little rodent — I introduce you to little graphical bits like icons and menus, and you discover how to open windows that can display anything from the contents of a document to the contents of your hard drive.

On the other hand, any true Macintosh power user will tell you that the keyboard is *still* a useful piece of hardware. Because I want you to be a bona fide, well-rounded Mac OS X power user, I also demonstrate those key combinations that can save you time, effort, and possible tennis elbow from all that mouse-wrangling.

Finally, I lead you through the basic training that you’ll need to run your programs: how to start them, how to open and save documents, and how to quit an application as gracefully as Fred Astaire on his best day.

## *Restarting, Sleeping, and Shutting Down*

# DropBooks

First things first. As the guy on the rocket sled probably yelled, “This is neat, but how do you stop it?” Call ’em *The Big Three* — Sleep, Restart, and Shut Down are the Mac OS X commands that you use when you need to take care of other business. All three appear on the friendly Apple menu at the top-left corner of your Desktop (as shown in friendly Figure 2-1).

Each of these options produces a different reaction from your Mac:


- ◆ **Sleep:** There’s no need for a glass of water or a bedtime story when you put Mac OS X to *Sleep*, which is a power-saving mode that allows you to quickly return to your work later. (“Waking up” from Sleep mode is much faster than booting or restarting your computer, and it can conserve battery power on laptops.) Depending on the settings that you’ve chosen in System Preferences — which I discuss in Book II, Chapter 3 — your Mac can power-down the monitor and spin-down the hard drives to save wear and tear on your hardware. You can set Mac OS X to automatically enter Sleep mode after a certain amount of inactivity. To awaken your slumbering supercomputer, just click the mouse or press any key on the keyboard. PowerBook and iBook owners might be able to wake their machines by simply opening the computer.
- ◆ **Restart:** Use Restart if your Mac has suddenly decided to work “outside of the box” and begins acting strangely — for instance, if your Universal Serial Bus (USB) ports suddenly lock up or your FireWire drive no longer responds. Naturally, you’ll need to save any work that’s open. You also elect to restart Mac OS X when you switch start-up volumes. (Many applications and Apple software updates require a restart after you’ve installed them.)
- ◆ **Shut Down:** When you’re ready to return to the humdrum, real world and you’re done with your Mac for the time being, use the Shut Down option. Well-behaved Mac applications will automatically prompt you to save any changes that you’ve made to open documents before the computer actually turns itself off. If you’ve configured your Mac with multiple accounts, you can shut down Mac OS X from the login screen as well.

Besides the Apple menu command, many Macs have a Power key on the keyboard that you can press to display the dialog that you see in Figure 2-2. If you change your mind and decide to tie up loose ends before you leave, click the Cancel button to return to Mac OS X.




If your Mac has a Drive Open key that you use to load and eject discs (like the new G4 iMacs and G5 Power Macs), you can hold down the Control key and press the Drive Open key to display the same options.

# DropBooks



**Figure 2-1:** You can choose your path from the Apple menu.



**Figure 2-2:** Will that be Restart, Sleep, or Shut Down?



# DropBooks

## Actually, we're not finished just yet. . . .

I should probably also mention the other guys: the Log Out command (which you can find under the Apple menu) and the User Switch menu (at the right side of the Finder menu).

- ✓ Choose Log Out when you're running your Mac with multiple users and you want to completely pass control over to another person — all your programs will quit, and the other person can take over by logging in with their account. Mac OS X will reconfigure itself with the other user's preferences.

- ✓ If you've enabled *Fast User Switching* (new to Panther), another user can log in from the User Switch menu. However, your applications do not quit, you don't have to formally log out, and you can take control back when the other user is finished. (Hence the words *Fast* and *Switching* in the name.) To turn on this feature, display the Accounts panel in System Preferences, click Login Options, and then select the Enable Fast User Switching check box.

## A Window Is Much More Than a Frame

“And in the beginning, there was the window.” Like older Mac operating systems, most of what you'll do in Mac OS X occurs within these fancy rectangular frames. And, as you might imagine, a number of controls are at your disposal that you can use to control the size, shape, and appearance of these potent portals. In this section, I'll — well, to be blunt, I'll do windows. (No squeegee jokes, if you please.)

### *Opening and closing windows*

Windows are generally opened automatically. Usually, a window gets opened by an application (when you first run it or it needs to display a document) or by Mac OS X itself (when the Finder opens a window to display the contents of your hard drive). The *Finder*, by the way, is the application that Mac OS X runs to display the operating system's menus and windows.

Some programs even let you open new windows on the fly: For example, Figure 2-3 illustrates a window in its purest form: a new Finder window. To display this window on your own Mac, choose File⇨New Finder Window or press ⌘+N. From here, you can reach any file on your Mac or even venture onto the Internet.






The Command key has an Apple (🍏) and a rather strange-looking symbol (⌘) on it that I often call *the Spirograph*.

# DropBooks

**Figure 2-3:**  
A new  
Finder  
window  
allows you  
to navigate  
your system.



When you're finished with a document or you no longer need a window open, you can close it to free that space on your Desktop. To close a window in Mac OS X, move your mouse pointer over the *Close button*; it's the red circular button at the top-left corner of the window, as shown in Figure 2-3. An X appears on the button when you're in the zone. When the X appears, just click the mouse. (By the way, if you've been living the life of a hermit in a cave for the last decade or so, pressing the mouse button is called *clicking* the mouse. In the Apple universe, a standard mouse has only one button.)

Most Mac applications don't want you closing a window willy-nilly if you've changed the contents without saving them. For example, try to close a document window in Word or AppleWorks without saving the file first. The program will ask you for confirmation before it closes the window containing your Great American Novel. Most programs also have a Close command on their File menu.



To close all windows that are displayed by a particular program, hold down the Option key while you click the Close button on one of the windows. Whoosh! They're all gone.


### *Scrolling windows*

# DropBooks

Often there's more stuff in a document or more files on your hard drive than you can see in the space available for a window. Guess that means it's time to delete stuff. No, no, *just joking!* You don't have to take such drastic measures to see more in a window.

Just use the scroll bars that you see in Figure 2-4 to move through the contents of the window. You can click on the scroll bar and *drag* it — for the uninitiated, that means clicking on the bar and holding down the mouse button while you move the mouse in the desired direction. Alternatively, you can click in the empty area above or below the bar to scroll pages one at a time.

Depending on the type of application that you're using, you might be able to scroll a window with your arrow keys as well — or perhaps use the Page Up and Page Down keys to move through a window.



**Figure 2-4:** You can use the scroll bars to boldly go — well — anywhere in a window.

### *Minimizing and restoring windows*

The multitasking Figure 2-4 also displays another control that you can use with a window: the Minimize button. When you minimize a window, you eliminate it from your Desktop and store it safely in the *Dock* — that strip of

# DropBooks


icons that appears along the bottom (or the side) of your Mac OS X Desktop. In fact, a minimized window appears as a miniature icon in the Dock, so you can actually keep an eye on it (so to speak). Figure 2-5 illustrates a minimized window from Safari, which is actually displaying my Web site at [www.mlcbbooks.com](http://www.mlcbbooks.com). To minimize a window, move your mouse pointer over the yellow Minimize button at the top-left corner of the window — a minus sign appears on the button — and then click.



You're gonna love this "Easter Egg" hidden in Mac OS X — if you hold down the Shift key whilst you minimize, the window shrinks in *cool* slow motion. (Who says operating systems have to be totally serious, anyway?)

When you're ready to display the window again on your Desktop — a process called *restoring* the window — simply click the thumbnail icon representing the window in the Dock, and Mac OS X automatically returns it to its former size and location.

By the way, some — note that I said *some* — applications will continue to run when minimized, while others will simply stop or pause until you return them to the Desktop. Such is the crazy world we live in.



**Figure 2-5:** Note the miniature Web page in the Dock — minimizing at work.

# DropBooks

## Zooming windows

*Zooming windows* has a kind of Flash Gordon sound to it, don't you think? It's nothing quite that exciting — no red tights or laser guns — still, when you're trying to view a larger portion of a document, zooming is a good thing because it expands the window to the maximum practical size for the application that you're using. In some cases, zooming a window fills the entire screen; at other times, the extra space would be wasted, so Mac OS X only zooms the window to a larger portion of the Desktop. In fact, the Zoom button can even be disabled by an application that doesn't want you to muck about with the window; for example, I own a game or two that don't allow zooming.

To zoom a window, move your mouse pointer over the green Zoom button at the top-left corner of the window. Again, Figure 2-4 struts its stuff and illustrates the position. (Man, that is one versatile figure.) A plus sign appears on the Zoom button. Click to expand your horizons.



After you've finished with a zoomed window, you can return it to its previous dimensions by clicking the Zoom button again.

## Toggle toolbars

If you're wondering what that little lozenge-shaped button is at the right corner of many Mac OS X application windows, I won't leave you in suspense: It toggles the display of the window's toolbar on and off. A *toolbar* is a strip of icons that appears across the top of a window that you can click to perform common commands, like changing the display format or printing the current document. (The toolbar in Figure 2-4, for example, features icons to move Back and Forward, among others.) You'll encounter more toolbar technology throughout the book.

## Moving windows

Unlike the rather permanent windows in your home, you can pick up a window and cart it to another portion of the Desktop — typically, this is done when you're using more than one application at a time and you need to see the contents of multiple windows. To grab a window and make off with it, click the window's *title bar* — the strip at the top of the window that usually bears a document or application name — and drag the window to the new location. Then release the mouse button to plant it firmly in the new location.



By the way, most applications allow you to arrange multiple windows in a graceful swoop with a single click on a menu. Click the Window menu and choose Arrange All to perform this magic.



I talk about *Exposé* later in the section, “Switching ’TwiXt Programs with Aplomb.” This new feature helps you organize a large number of open windows on your Desktop. You can use it to display all open application windows so that you can pick the one you want . . . or even display all the windows opened by a specific application.

## Resizing windows

Next, consider how to change the width or height of your window. To change the dimensions of a window to your exact specifications, move your mouse pointer over the lower-right corner of the window (which is usually marked with a number of slashed lines to indicate its status as a control), click, and drag until the window is the size that you prefer.

## Switching windows

Before I move to other graphical wonders of Mac OS X, it’s important that you master how to switch between windows on your Desktop. First, remember this old Norwegian saying (or is it one of Mark’s Maxims?):


**Only one can be active at once.**<sup>TM</sup>

What our Oslo friends are communicating is that only one window can be *active* at any time. The active window appears on top of other windows, and it’s the one that you can edit by typing or by moving your mouse. (It also sports Close, Minimize, and Zoom buttons in color.) Other windows that you have open might be minimized, as I describe earlier in “Minimizing and restoring windows,” or they can be *inactive* (mere ghosts of themselves) and remain on your Desktop. Mac OS X dims inactive windows so that you can tell they’re hanging around . . . but you can’t use them at the moment. Figure 2-6 illustrates a number of open windows, with the iPhoto window active.

I know you’re going to get tired of hearing me say this, but here I go again: Certain applications will continue to run while their windows are inactive, like File Transfer Protocol (FTP) clients and such. Most programs, however, stop or pause until you make their window active.

And how do you switch to — *activate* — a different window in Mac OS X? Again, *Exposé* allows you to activate another window, but if the window is currently visible, you can simply click on any part of that window. I generally click the window’s title bar if it’s visible, but any part of the inactive window will do. The window that you click leaps like a proud stallion to the fore, and the previously active window now skulks in the background.

## DropBooks



**Figure 2-6:** How much is that active little window?



You can still use a window's Close, Minimize, and Zoom buttons even when it's inactive.

## *Menu Mysteries Explained*

Next, I move on to menu control in Mac OS X. *Menus* are handy drop-down controls that allow you to select commands that are grouped together logically. For example, an application's File menu will usually allow you to create or open a document, save a document to disk, or quit the program. To *pull down* a menu, click the desired menu group name on the bar at the top of the screen and then click the desired menu option from the extended menu.

Figure 2-7 illustrates the Safari menu: Note the *submenus* designated by right-arrow icons. When you move your mouse pointer over a submenu command, you get another set of even more specific menu commands — in this case, the Services submenu command displays commands like Mail and Grab.




Some applications allow you to create your own custom menus; naturally, configuring a new menu system takes some time to learn, but imagine the productivity gains that you'll enjoy! For example, my menus in Microsoft Word v. X feature only the commands that I use often — they're sleeker and easier to navigate. (However, you have to stop short of claiming that you

wrote the application — I already checked with Microsoft. They got downright snippy about it.)

Mac OS X also provides another type of menu: contextual. The *contextual menu* appears when you hold down the Control key and click certain items on the screen, revealing commands that relate specifically to that item. (Unfortunately, the items that sport contextual menus vary from application to application, so it's best to check the documentation for a program before you spend countless hours Control+clicking everything onscreen.)

Many manufacturers sell mice, trackballs, and other pointing things that include a secondary mouse button. This is decidedly a Windows trait — remember, both Apple and I agree that a second mouse button is mere filigree — but if you have one, the device might display contextual menus when you click the secondary button. (This is often called *right-clicking* because the left mouse button is typically the primary button.) Then again, you might launch Aunt Harriet into a geosynchronous orbit, so double-check the manual for your pointing thing on the default button assignment (and how to change it, if necessary).



**Figure 2-7:**  
Drilling  
deeper into  
Safari's  
Services  
menu.

You'll note that many commands in menus have keyboard shortcuts — because I'll be holding forth on this subject later in “Keyboard Shortcuts for the True Power User,” I'll hold off on describing them here.


# DropBooks

## *Icons 'R Us*

Icons are more than little pictures, they're . . . well . . . actually, I guess they *are* little pictures. However, these graphical WUDs (that's short for *Wonderful User Devices*) are really representations of the components of your Mac OS X system, and therefore they deserve a section of their own.



For complete details on what any icon is, what it represents, and what it will do, click the icon once to highlight it and then press ⌘+I. This displays the Info dialog that you see in Figure 2-8, which tells you what kind of icon it is, where the item it represents is actually located, and how big it is. You'll also see a version number for applications — a handy way of quickly checking what version of a program you're running — and when the file was created and last modified. The Info dialog also offers other settings and options that you can display by clicking in the General drop-down list box, and I cover them in other parts of the book.



**Figure 2-8:**  
The complete information on my Adobe Acrobat Reader icon.




## Hardware

Mac OS X uses icons to represent the various hardware devices in your computer, including your

- ◆ Hard drive
- ◆ CD or DVD drive
- ◆ Printer
- ◆ Zip drive

You get the idea. Just double-click a hardware icon to display the folders and files that it contains, like with your hard drive and CD/DVD drive.

Generally, you'll only encounter hardware icons on your Desktop or in Finder windows. Figure 2-9 illustrates some of the hardware icons that live in my system.



**Figure 2-9:**  
A wealth of  
different  
hardware  
icons.

## *Programs and applications*

These are the fancy icons, folks — most applications have their own custom icons, and double-clicking one will typically whisk you on your way. Mac OS X also includes a generic icon or two for applications that don't include their own custom icon. Figure 2-10 illustrates a number of my favorite program icons from all sorts of Mac OS X applications.

**Figure 2-10:**  
Most Mac OS X applications are represented by custom icons.




Running a program in Mac OS X can be as simple as double-clicking the application icon — more on this later in the section, “Houston, We’re Go to Launch Programs.”

## *Files*

Your hard drive will contain many thousands of individual files, and the Big X tries to make it as easy as possible to visually identify which application owns which file — therefore, most applications use a special icon to indicate their data files. For example, Figure 2-11 illustrates several documents and data files created by a range of applications: Microsoft Word, AppleWorks, QuickTime, Safari, and Adobe Acrobat. Some cheeky applications even use more than one icon to differentiate between different file types, like documents and templates in Microsoft Word.

There are also a number of generic file icons that indicate text files, including RTF (short for rich text format) documents and PDF (Portable Document File) documents, which use the Adobe Acrobat format.

## DropBooks



**Figure 2-11:** File icons generally give you a visual clue as to their origin.



You can open most documents and data files by double-clicking them, which automatically launches the proper application and loads the document.

## Folders

Folders have a 3-D look in Mac OS X — and, as you can see in Figure 2-12, some applications even customize their folder icon!


To open a folder within Mac OS X, just double-click it. (Alternatively, you can click it once to select it and then press  $\text{⌘}+\text{O}$ .) Discover more about how to control the look of folder contents in Book II, Chapter 1.

## Aliases


An *alias* is a strange beast — although it might look like a standard icon, upon closer examination, you'll notice that an alias icon sports a tiny curved arrow at the base, and the tag `alias` appears at the end of the icon name. Figure 2-13 has roped in a variety of aliases for your enjoyment, along with one or two actual icons for comparison.

# DropBooks

**Figure 2-12:**  
A selection  
of different  
generic and  
custom  
folder icons.



**Figure 2-13:**  
An alias is a  
pointer to  
another  
application,  
file, or  
folder.



Essentially, an *alias* is a link to something else on your system. For example, a Photoshop alias can run Photoshop just like the actual program icon, but it only takes up a scant few bytes on your hard drive. (If you're a *Switcher* who's just crossed over from the Windows Wilderness, think *shortcut* — Windows shortcuts work in a similar manner.) The alias file is just big enough to hold the location of the actual file or folder, allowing it to yell at Mac OS X: "Hey, the Human actually wants you to run *this* or open *that thing* over there!"

Aliases come in handy for a number of reasons:

- ◆ **They allow you to launch applications and open files and folders from anywhere in your system.** For example, you might want an alias icon in your MP3 folder that runs Roxio Toast so that you can launch Toast and burn an audio CD without laboriously navigating to the Roxio folder, which could be nested in goodness-knows-how-many layers of subfolders.
- ◆ **They can be easily deleted when no longer needed without wreaking havoc on the original application, file, or folder.** If you decide that you'd rather use iTunes to burn audio CDs, you can simply delete the Toast alias without trashing Toast itself.
- ◆ **Their tiny size allows you to add multiple aliases (and mucho convenience) for a single application without gulping down hard drive space.**



You might be wondering, "Why use aliases when I can just copy the actual application, file, or folder to the desired spot?" Well, indeed you can do that. However, the application might not work in its new location because you didn't copy any of the supporting files that most applications need to run. (An alias actually runs the original application or opens the original file or folder, so things should work just as if you double-clicked the original icon.) Additionally, remember that copying applications willy-nilly throughout your hard drive will eat up territory like a horde of angry vikings.



If you dislike the *alias* hanging off the end of the icon name, feel free to rename it (as I show you in the next chapter). The alias will continue to function nicely no matter what moniker you give it. (If you create an alias by holding down  $\mathbb{W}$ +Option whilst dragging the original icon to a new location, the alias name won't include the *alias* appendage.)

If the original file no longer exists, an alias naturally no longer works, either. However, Mac OS X is sharp enough to automatically "fix" an alias if you rename or move the original file, pointing it to the new location. *Slick!*

## Selecting Icons for Fun and Profit

# DropBooks

You'll often find yourself performing different actions on one icon — or a number of icons at one time. For example, you can copy or move files from one location on your hard drive to another or delete a group of files that you no longer need. (The idea of drag-and-drop file management using icons originated on the Macintosh, but I'll wait until the next chapter to describe these operations in detail.) For now, focus on the basics of selecting one or more icons, which specifies which files and folders that you want to use for whatever you're going to do next.

### Selecting a single icon

First, here are the various ways that you can select a single icon for an impending action:

- ◆ **Place your mouse pointer over the file and click once.** Mac OS X darkens the icon to indicate that it's selected — a mysterious process called *highlighting*.
- ◆ **Type the first few letters of the icon's name.** After you type enough characters to identify the icon uniquely (whether it be one or a dozen), Mac OS X highlights the icon that matches the text string.
- ◆ **If an icon in a window is already highlighted, you can move the highlight to the next icon across by pressing the right-arrow key.** Likewise, the other three directional arrow keys move the highlight in the other directions. To move through the icons alphabetically, press Tab to go forward and Shift+Tab to go backward.

### Selecting multiple icons

To select a gaggle of icons for an action, use one of these methods:

- ◆ If the icons are next to each other, click and drag within the window (and not directly on a specific item) to highlight them all. While you drag, Mac OS X displays a selection box, and any icons within that box will be highlighted when you release the mouse button (as shown in Figure 2-14). Think “lasso,” and you'll get the picture.
- ◆ You can also select multiple adjacent icons by clicking the first item to highlight it and then holding down the Shift key while clicking the last icon in the series that you want to select.
- ◆ If the icons are *not* next to each other, you can hold down the ⌘ key while you click on each item that you want to select.



Selecting an icon doesn't launch or do anything . . . you're just marking your territory.

# DropBooks



**Figure 2-14:** Dragging a selection box in Mac OS X.

## Keyboard Shortcuts for the True Power User

Virtually all Mac OS X applications have their own *keyboard shortcuts* — a ten-cent term for a key combination that performs the same operation as a menu command or a toolbar button. Although the mouse might seem the easier path when controlling your Mac, it’s not always the fastest — those hardy souls who venture to learn common keyboard shortcuts can zip through a spreadsheet or warp through a complex outline at speeds that no mere rodent-wrangler could ever hope to attain.

With that in mind — and with the goal of “pumping you up” into a power user — I hereby present the most common keyboard shortcuts for the Big X in Table 2-1. I’ve also sprinkled other keyboard shortcuts liberally through the book when I discuss other applications, but these combinations are the classics that appear virtually everywhere.

**Table 2-1** Common Mac OS X Keyboard Shortcuts

<i>Key Combination</i>	<i>Location</i>	<i>Action</i>
⌘+A	Edit menu	Selects all (works in the Finder too)
⌘+C	Edit menu	Copies the highlighted item to the Clipboard
⌘+H	Application menu	Hides the application
⌘+M	Window menu	Minimizes the active window to the Dock (works in the Finder, too)
⌘+O	File menu	Opens an existing document, file, or folder (works in the Finder, too)

(continued)

# DropBooks

**Table 2-1 (continued)**

<i>Key Combination</i>	<i>Location</i>	<i>Action</i>
⌘+P	File menu	Prints the current document
⌘+Q	Application menu	Exits the application
⌘+V	Edit menu	Pastes the contents of the Clipboard at the current cursor position
⌘+X	Edit menu	Cuts the highlighted item to the Clipboard
⌘+Z	Edit menu	Reverses the effect of the last action you took
⌘+?	Help menu	Displays the Help system (works in the Finder, too)
⌘+Tab	Finder	Switches between open applications
⌘+Option+M	Finder	Minimizes all Finder windows to the Dock
⌘+Option+W	Finder	Closes all Finder windows

By the way, I should mention that many keyboard combinations use three different keys instead of just two — when these shortcuts appear in a menu, they look something akin to Egyptian hieroglyphics, but you need only hold down the first two keys simultaneously and press the third key. Common “strange” key symbols that you’ll see in both the Finder and most applications are shown in Table 2-2.

**Table 2-2 Arcane Key Symbols**

<i>Action</i>	<i>Symbol</i>
Control	⌘
Command	⌘
Del	⌫
Option	⌥
Shift	⇧

## *Houston, We're Go to Launch Programs*

The next stop on your introductory tour of Mac OS X is the launch pad for your applications — although the Finder is useful, you’ll likely want to actually *do* something with your Mac as well.

### *Running applications from your hard drive*

You can launch an application from your hard drive by




# DropBooks

- ◆ Navigating to the corresponding application folder — by either clicking or double-clicking drive and folder icons — and double-clicking the application icon.
- ◆ Double-clicking a document or data file that's owned by the application. For example, double-clicking an MP3 audio file will run iTunes.
- ◆ Double-clicking an alias that you've created for the application. (Get the skinny on aliases in the earlier section, "Aliases." I'll wait.)
- ◆ Clicking the application's icon in the Dock (more on adding items to the Dock in Book II, Chapter 2).
- ◆ Selecting the application icon and pressing the  $\text{⌘}+\text{O}$  keyboard shortcut.
- ◆ Adding the application to your Startup items list. (I cover this in more detail later in Book II, Chapter 3.)

## Running applications from a CD-ROM or DVD-ROM

After you load a CD-ROM or DVD-ROM, you can display its contents by double-clicking the disc icon that appears on your Desktop. A Finder window opens and shows the files that reside on the disc (see Figure 2-15).



**Figure 2-15:** The Finder shows the contents of a disc whose icon you've double-clicked.

After you locate the application you want to run on the disc, you can launch it by double-clicking it or selecting it and pressing ⌘+O.

## DropBooks

### *Switching 'Twixt Programs with Aplomb*

You might think that juggling multiple applications will lead to confusion, fatigue, and dry mouth, but luckily Mac OS X makes it easy to jump between programs that are running on your Mac. Use any of these methods to jump from open application to application:



- ◆ **Press ⌘+Tab.** If you've got a dozen windows open, this can get a bit tedious, which leads us to one of Panther's *sassiest* new features, brazenly named *Exposé* and shown in Figure 2-16. (Am I stretching things a bit? You say that technology doesn't compare to the glamour of Hollywood? Then take in a Steve Jobs keynote address at the yearly MacWorld convention!) You can specify which keys you want to use to control Exposé within System Preferences.
- ◆ **Press F9 to show all open application windows using Exposé; then click the one that you want.** Figure 2-16 illustrates the tiled window display on my Mac after I press F9. Your cursor changes into the traditional (and so very elegant) gloved hand. Move the cursor on top of the window that you want to activate — the window turns blue when it's selected — and click once to switch to that window.
- ◆ **Press F10 to show all open windows from the application that you're currently using; then click the one that you want to activate.** This Exposé function is great for choosing from all the images that you've opened in Photoshop or all the Safari Web pages littering your Desktop!
- ◆ **Click anywhere in the desired application window to make it the active window.**
- ◆ **Click the application icon in the Dock.** All applications that are running have an icon in the Dock, and the icon will have an up-arrow beneath it to indicate that the application is open.


Along with the window switch, an astute observer will notice that the application menu bar will also change to match the now-active application.




Besides the F9 and F10 hot keys that I just discussed, Exposé provides one more nifty function: Press F11, and all your open windows scurry to the side of the screen, as shown in Figure 2-17. (Much like a herd of zebras if you dropped a lioness in the middle.) Now you can work with drives, files, and aliases on your Desktop — and when you're ready to confront those dozen application windows again, just press F11 a second time.

# DropBooks

**Figure 2-16:**  
Exotic  
Exposé  
displays  
thumbnails  
of your  
active  
windows.



**Figure 2-17:**  
Scat,  
windows!  
I want my  
Desktop.



## *Opening and Saving Your Stuff in an Application*

# DropBooks

Almost all Mac OS X applications open and save documents in the same way, whether you're typing a quick letter to your mom with AppleWorks or expressing your artistic side with Painter. Therefore, I'm going to take a moment to outline the common procedures for opening and saving documents. Believe me, you will perform these two rituals dozens of times a week, so no nodding off.

### *Opening a document*

First, the simple way to load a document: Double-click that document in a Finder window, and . . . well, that's it. (This is my preferred method because I'm an ALT — short for *Admitted Lazy Techno-wizard* — who would rather use complex hand movements to pour myself another Diet Coke.)

To open a document the hard way — from inside an application — here's the plan:

**1. Choose File⇒Open or press that handy ⌘+O key combination.**

Your Mac OS X program is likely to display the attractive Open dialog that you see in Figure 2-18.

**2. Navigate to the location of the document that you want to open.**

The drop-down list allows you to jump directly to common locations — such as the Desktop, your Home folder, and your iDisk — as well as places that you've recently accessed (Recent Places).

If the target folder isn't in your drop-down list, move the slider at the bottom of the dialog to the far left to display your hard drives, CD-ROM/DVD drives, and network locations.

**3. Click the habitat where the file will be found.**


You'll note that the right column(s) will change to show you the contents of the item that you just clicked. In this way, you can cruise through successive folders to find that elusive document. (This somewhat time-consuming process is somewhat derisively called *drilling* — hence, the importance of using Recent Items, or dragging files, locations, and applications into the column at the left of the Finder.)

**4. When you sight the document that you want to load, either double-click it or click once to highlight the filename and then click Open.**



"Hey, the Open dialog can be resized!" That's right, good buddy — you can expand the Open dialog to show more columns and find things more easily. Click and drag the bottom-right corner of the Open dialog to resize it.

# DropBooks



**Figure 2-18:**  
The soon-  
to-be-quite-  
familiar  
Open dialog.

## *Saving a document*

To save a document, follow these steps:

- 1. Choose File⇨Save.**


If you've previously saved this document, your application should immediately overwrite the existing document with the new copy, and you get to return to work . . . end of story. If you *haven't* previously saved this document, the program will display a Save dialog that's usually very similar to the Open dialog; it generally has a few more options, however, so stay frosty.

- 2. Navigate to the location where you'd like to save the document and then type a filename.**

Often, you can use a default name that's already provided by the thoughtful folks who developed the software. Note that you might be given the chance to save the document in several different formats. For example, Figure 2-19 illustrates the AppleWorks Save dialog; you can click the File Format drop-down list to choose other formats, such as RTF, HyperText Markup Language (HTML), and even bargain-basement text.

# DropBooks

**Figure 2-19:**  
Saving a  
work of  
art in  
AppleWorks.



### 3. Click Save (or OK, depending on the application).



If an application offers a Save As menu option in the File menu, you can in effect copy the document by saving a new version of the document under another name. Save As comes in particularly handy when you want to retain the original version of a document.

## *Quitting Programs*

If I had a twisted and warped sense of humor, I'd simply tell you to quit applications by pulling your Mac's power cord from the wall socket. (Luckily, I don't.) There are, however, more sane ways to exit a program — use one of these methods instead:

- ◆ Press the  $\text{⌘}+\text{Q}$  keyboard shortcut.
- ◆ Choose File→Quit.
- ◆ Click the Close button on the application window — note, however, that this doesn't always completely close down the application. For example, Safari stays running even if you close the browser window.

# DropBooks

## Chapter 3: Basic OS X Housekeeping

---

### *In This Chapter*

- ✓ Copying, moving, and duplicating files
- ✓ Deleting and recovering files
- ✓ Renaming files
- ✓ Finding specific files
- ✓ Locking files
- ✓ Using Apple menu commands
- ✓ Using Services, the Go menu, and menu icons
- ✓ Listening to audio discs and recording data discs
- ✓ Printing within Mac OS X applications

**A**fter you master basic Mac spell-casting — things like selecting items, using menus, opening and saving documents, working with windows, and launching an application or two — it's time to delve deeper into Mac OS X. (Can you tell I'm a Dungeons & Dragons old-timer?)

In this chapter, I discuss file management, showing you the hidden power behind the friendly Apple menu. I also discuss some of the more advanced menu commands, how to print within most applications, and how to listen to an audio CD on your Mac. (It makes a doggone good stereo.) Finally, I introduce you to the built-in CD/DVD recording features within the Big X.

### *The Finder: It's the Wind beneath Your Wings*

So what exactly is the *Finder* anyway? It's a rather nebulous term, but in essence, the Finder gives Mac OS X the basic functions that you'll use for the procedures that I outline in this chapter. This UberOS has been around in one guise or another since the days of System 6 — the creaking old days when a Mac was an all-in-one, tote-able computer with a built-in screen. Come to think of it, some things never change.

# DropBooks

The Finder is always running, so it's always available — and you can always switch to it, even when several other applications are open and chugging away. Figure 3-1 illustrates the Dock with the rather perspective-crazy Finder icon at the far left side.

Is that icon supposed to be one face or two faces? I'm still confused, and I've been using the Mac now since 1991.



Don't forget that Mac OS X gives you a second method of doing everything I cover in this chapter: You can use Terminal to uncover the UNIX core of Mac OS X, employing your blazing typing speed to take care of things from the command line. Of course, that's not the focus of this book, but for those who want to boldly go where no Mac operating system has ever gone before, you'll find more in Book VII, Chapter 1. Despite what you might have been led to believe, power and amazing speed are to be found in character-based computing.



**Figure 3-1:** The Finder is always there, supporting you with a unique smile.

Finder icon



## Copying and Moving Files and Folders

# DropBooks

There's where drag-and-drop makes things about as easy as computing can get.

- ◆ **To copy a file or folder from one window to another location on the same drive:** Hold down the Option key and click and drag the icon from its current home to the new location. (*Note:* You can drop files and folders on top of other folders, which puts the copy inside that folder.) If you're copying multiple items, select them first (read how in Book I, Chapter 2) and then drag and drop the entire crew.



“Is the Desktop a valid target location for a file or folder?” You're darn tootin'! I recommend, though, that you avoid cluttering up your Desktop with more than a handful of files — instead, create a folder or two on your Desktop and then store those items within those folders. If you work with the contents of a specific folder often, drag it into the column at the left side of any Finder window, and you can open that folder from the Finder with a single click — no matter where you are!

- ◆ **To copy items from one window to a location on another drive:** Click and drag the icon from the window to a window displaying the contents of the target drive. Or, in the spirit of drag-and-drop, you can simply drag the items to the drive icon, which places them in the root folder of that drive.
- ◆ **To move items from one window to another location on the same drive:** Simply drag the icon to the new location, whether it be a window or a folder.



Mac OS X provides you with a number of visual cues to let you know what's being copied or moved. For example, dragging one or more items displays a ghost image of the items (check out Figure 3-2), and when you've positioned the mouse pointer over the target, Mac OS X highlights that location to let you know that you're in the zone. If you're moving or copying items into another Finder window, the window border is highlighted to let you know that Mac OS X understands the game plan.




In case you move the wrong thing or you port it to the wrong location, press  $\text{⌘}+\text{Z}$  to undo the previous action.


If the item that you're dragging already exists in the target location, you get a confirmation dialog like the one you see in Figure 3-3. You can choose to replace the file, leave the existing file alone, or stop the entire shooting match.

# DropBooks

**Figure 3-2:** Icons appear in ghostly form when you're dragging them.



**Figure 3-3:** To replace, or not to replace — the choice is yours.



## *Cloning Your Items — It's Happening Now!*

No need for sci-fi equipment or billions in cash — you can create an exact duplicate of any item within the same folder. (This is often handy when you need a simple backup of the same file in the same folder or when you're going to edit a document but you want to keep the original intact.)

# DropBooks

Click the item to select it, and then choose **Finder**⇨**File**⇨**Duplicate**. To distinguish the duplicate from the original, Mac OS X adds the word *copy* to the end of the duplicate's icon name; additional copies have a number added to the name as well.

Alternatively, aficionados of the keyboard can hold down the Option key and drag the original item to another spot in the same window — when you release the button, the duplicate appears.

Heck, if you prefer the Control key, you can hold it down while clicking the item, and then choose Duplicate from the contextual menu that appears. Decisions, decisions. . . .



Oh, and don't forget that Action button (it looks like a little gear with a downward-pointing arrow) on the Finder toolbar (refer to Figure 3-1) — you could also click it and choose Duplicate from the drop-down list.



When you duplicate a folder, Mac OS X automatically duplicates all the contents of the folder as well. Remember that this could take some time if the folder contains a large number of small files (or a small number of large files). Groucho would've loved computers!

## Deleting That Which Should Not Be

Even Leonardo da Vinci made the occasional design mistake — his trash can was likely full of bunched-up pieces of parchment. Luckily, no trees will be wasted when you decide to toss your unneeded files and folders; this section shows you how to delete items from your system.



By the way, as you'll soon witness for yourself, moving items to the Trash doesn't necessarily mean that they're immediately history.

### *Dragging unruly files against their will*

In Mac OS X, the familiar Macintosh Trash can has been moved to the right edge of the Dock — in fact, it's now a spiffy-looking wire can instead of the old clunker that the Mac faithful remember. You can click and drag the items that you've selected to the Trash and drop them on top of the wire can icon to delete them. When the Trash contains at least one item, the wire can icon changes to appear as if it were full of trash.



You can also add a Delete icon to your Finder toolbar — for all the details, see Book II, Chapter 1.

## *Deleting with the menus and the keyboard*

The mouse isn't absolutely necessary when deleting items. Your other options for scrapping selected files include

- ◆ Choosing File from the Finder menu and choosing the Move to Trash menu item
- ◆ Pressing the ⌘+Delete keyboard shortcut
- ◆ Clicking the Action button on the Finder toolbar and selecting Move to Trash from the drop-down list
- ◆ Holding down Control while clicking the item to display the contextual menu and then choosing Move to Trash from that menu

## *Emptying That Wastepaper Basket*

As I mention earlier, moving items to the Trash doesn't actually delete them immediately from your system — believe me, this fail-safe measure comes in handy when you've been banging away at the keyboard for several hours and you stop paying close attention to what you're doing. (I usually also blame lack of Diet Coke.) More on how to rescue files from the Trash in the next section.



Like any folder, you can check the contents of the Trash by clicking the Trash icon in the Dock.

After you double-check the Trash contents and you are indeed absolutely sure you want to delete its contents, use one of the following methods to nuke the digital Bit Bucket:

- ◆ **Choose Finder from the Finder menu and choose the Empty Trash menu item.**
- ◆ **Choose Finder from the Finder menu and choose Secure Empty Trash.**



Believe it or not, if you use the standard Empty Trash command, you haven't completely zapped that refuse! Some third-party hard drive repair and recovery programs will allow an uncool person to restore items from the Trash. Use the new Secure Empty Trash method for those sensitive files and folders that you want to immediately and irrevocably delete — the data is overwritten with random characters, making it impossible to recover. (A great idea for that Mac you want to sell on eBay, no?)

- ◆ **Press the ⌘+Shift+Delete keyboard shortcut.**
- ◆ **Click the Trash icon in the Dock, hold down the mouse button, and choose Empty Trash from the menu that appears.**

- ◆ **Hold down Control while clicking the Trash icon in the Dock and then choose Empty Trash from the contextual menu that appears.**

Depending on the method that you select and the settings that you choose in System Preferences (which I cover in Book II, Chapter 3), Mac OS X might present you with a confirmation dialog to make sure that you actually want the Trash emptied.

## *WAIT! I Need That After All!*

In the adrenaline-inducing event that you need to rescue something that shouldn't have ended up in the scrap pile, first click the Trash icon in the Dock to display the contents of the Trash. Then rescue the items that you want to save by dragging them to the Desktop or a folder on your hard drive. (This is roughly analogous to rescuing your old baseball glove from the family garage sale.)

Feel free to gloat — if someone else is nearby, ask her to pat you on the back and call you a lifesaver.

## *Renaming Your Items*

You wouldn't get far in today's spacious virtual world without being able to change a moniker for a file or folder. To rename an item in Mac OS X, use one of these two methods:

- ◆ **With the mouse:** Click once on an icon's name (or just press Return). Mac OS X highlights the text in an edit box — type the new name and then press Return when you're done.


You want to wait a few seconds between clicks, as opposed to a rapid-fire double-click.

- ◆ **From the Info dialog:** Select the item and press  $\mathbb{A}+I$  to display the Info dialog; then click the triangle next to Name & Extension to display the field that you see in Figure 3-4. Click in the name field, drag the mouse to highlight the text that you want to change, and type the replacement text.

Naturally, the first method is the easiest, and it's the one that I use most often.



## DropBooks



**Figure 3-4:**  
Rename a  
file from the  
Info dialog.

## Adding a Dash of Color



The release of Panther also heralds the return of a popular feature from the days of Mac OS 9 that had fallen by the wayside: the ability to color-code files and folders to help you organize and recognize your data in a hurry. For example, why not assign the green label color to the files and folders that make up your current project? Or, if you need to mark a file for immediate attention, assign it the red label color.

To assign a label color to selected files and folders, you have three options:


- ◆ Click the Action button on the Finder toolbar and then click the desired color.
- ◆ Hold down Control while you click on the selection and then choose the color from the pop-up menu.
- ◆ Click File and choose that perfect shade from the menu.

## Displaying the Facts on Files and Folders

Speaking of the Finder's Info dialog, it's the place to view the specifics on any highlighted item (including drives and aliases). Select an item and press  $\mathbb{C}+I$ , click the Action toolbar button and select Get Info from the list, or click the Finder's File menu and choose Get Info (see the results in Figure 3-5). If you select more than one item, the Info dialog combines as many properties as possible to give you a summary.

# DropBooks

**Figure 3-5:** The General information panel appears first when you display the Info dialog.



Mac OS X displays the General information panel when you first open the Info dialog, but other panels are usually available (depending on the type of selected items). To display the other panels, click the panel that you want to see.

For most types of files and folders, the Info dialog can tell you

- ◆ **Kind:** What type of item it is — for example, whether it's a file, folder, drive, or alias — and what program automatically launches when you open the selected item
- ◆ **Size:** The total size of the item (or items) that you select
- ◆ **Where:** The actual path on your hard drive where the item is located
- ◆ **Dates:** The date when the item was created and was last modified
- ◆ **Version:** The application version number
- ◆ **Permission:** The privileges that control who can do what to the file — more on this later in Book II, Chapter 6 — and whether a file is locked in read-only mode

Some of this information you can change, and some can only be displayed. To banish the Info dialog from your Desktop, click the dialog's Close button.

For the rest of this section, I describe a number of tasks that you can accomplish from the Info dialog.

## DropBooks

### Hey, Martha Stewart — Make stationery with Mac OS X!

If you use a specific document over and over as a basis for different revisions, you can enable the *Stationery Pad* check box on the General information panel to use the file as stationery. Opening a stationery file automatically creates a new, untitled version of the file in the linked application; this can save you steps compared with duplicating the file or using the Save As procedure that I show you in Book I, Chapter 2.

Here's an example: Suppose that you save a blank shipping invoice in AppleWorks because

you have to create and print a new invoice for everything that you buy for your company — but you don't need to keep a separate copy on your hard drive of each invoice that you handle. You can simplify everything by creating a blank invoice document file and then turning that document file into stationery. Now all you need to do is double-click the file, make your changes, print, and then close AppleWorks without saving anything. Neat!

### *Adding comments*

Mac OS X provides you with a comment field where you can add additional text that's stored along with the file. I use this feature to record the version number of manuscript chapters and programs that I create during the course of writing books.

To add a comment, follow these steps:

1. **Display the Info dialog for the item by pressing ⌘+I or choosing File⇨Get Info.**
2. **Click in the Comments box and type the comment text.**

If you need to expand the Comments section of the Info dialog, click the triangle next to the Comments heading — the arrow rotates and the Comments box appears.

3. **Close the Info dialog to save the comment.**

### *Displaying extensions*

*Extensions* are alien creatures to most Mac owners — however, these three- or four-character add-ons that follow a period at the end of a filename have been a mainstay in the DOS, Windows, and UNIX environments for years. An *extension* identifies what program owns a specific file, and therefore which application launches automatically when you double-click that file's icon. Examples of common extensions (and the applications that own them) include



- ◆ .pdf: Adobe Acrobat
- ◆ .doc: Microsoft Word
- ◆ .swk: AppleWorks
- ◆ .psd: Adobe Photoshop
- ◆ .jpeg or .jpg: Preview, or your image editor
- ◆ .tiff or .tif: Preview, or your image editor
- ◆ .htm and .html: Safari, or your Web browser of choice

Why would someone want to see a file's extension? It comes in handy when a number of different types of files are linked to the same application — for example, if you install Adobe Photoshop, both JPEG and TIFF images have the same icon, so you can't tell one from the other. With extensions displayed, it's easy to tell what type of file you're looking at.

Follow this procedure to hide or display extensions with your filenames:

- 1. Display the Info dialog for the item by pressing  $\mathbb{A}+I$  or choosing **File**→**Get Info**.**
- 2. If you need to expand the Name & Extension section of the Info dialog, click the triangle next to the Name & Extension heading.**
- 3. To display the extension for the selected file, clear the Hide Extension check box to disable it.**
- 4. Close the Info dialog to save your changes.**

### *Choosing the application to launch with a file*

So what's the plan if the wrong application launches when you double-click a file? Not a problem: You can also change the linked application from the Info dialog as well. (I told you this was a handy toy box, didn't I?) Follow these steps to choose another application to pair with a selected file:

- 1. Click the Action button on the Finder toolbar and click **Show Info** to display the Info dialog for the item.**
- 2. Click the triangle next to the Open With heading, which expands to show the information that you see in Figure 3-6.**
- 3. Click the drop-down list button, and Mac OS X displays the applications that it feels are best suited to open this type of document.**
- 4. Select the application that should open the file.**

# DropBooks




To go completely hog-wild and choose a different application, select Other from the drop-down list. Mac OS X opens a Choose Other Application dialog where you can navigate to and select the program you want. After you highlight the application, click Add.

5. To globally update all the documents of the same type to launch the application that you chose, click the **Change All** button.

Mac OS X displays a confirmation dialog asking whether you're sure about making this drastic change. Click Continue to update the other files of the same type or click Cancel to return to the Info dialog.

6. Close the Info dialog to save your changes.



**Figure 3-6:** Making sure that iTunes doesn't open automatically when you double-click a photograph.

## *Locking files against evildoers*

“Holy Item Insurance, Batman!” That’s right, Boy Wonder: Before I leave the friendly land of the Info dialog, every Mac owner needs to learn how to protect files and folders from accidental deletion or editing. By locking a file, you allow it to be opened and copied — but not changed, renamed, or sent to the Trash. Locked items appear in the Finder with a small padlock attached to the icon.

To lock or unlock a file, you have to have ownership of the file — I cover privileges in Book II, but on a Mac where you've configured only one administrator account, you should already have ownership. Follow this procedure:

1. **Display the Info dialog for the item.**
2. **Select the Locked check box to enable it.**
3. **Close the Info dialog to save your changes.**

The Locked check box is in the General section of the dialog.



## Creating an Alias

I mention aliases in Book 1, Chapter 2. As I discuss in that chapter, an *alias* acts as a link to an application or document that actually exists elsewhere on your system (a handy trick to use when organizing items on your hard drive). You have a number of different ways to conjure an alias after you select an item:

- ◆ Choose File from the Finder menu and choose the Make Alias menu item. (You have to move the alias yourself.)
- ◆ Press the ⌘+L keyboard shortcut. (Again, you have to move the new alias to its new location.)
- ◆ Click the Action button on the Finder toolbar and then click Make Alias.
- ◆ Hold down Control while clicking the selected item and then choose Make Alias from the contextual menu that appears.

In addition, you can hold down the ⌘+Option key combination and drag the item to the location where you want the alias.



Although Mac OS X does a great job in tracking the movements of an original and updating an alias, some actions can break the link — for example, if you delete the original, the alias is left wandering in search of a home. However, all is not lost — when you double-click a broken alias, Mac OS X offers to help you fix the alias. This involves browsing through your system to locate a new original.

## Using the Apple Menu

The Apple menu is a familiar sight to any Mac owner — although Apple contemplated removing it during the original development and beta cycle for Mac OS X version 10.0, the ruckus and cry from beta-testers ensured that it remains today. It's amazing how reassuring that little fellow can be when you boot the Big X for the first time.

In this section, I cover the important things that are parked under the Apple menu.


## DropBooks

### *Using Recent Items*

If you're like most of us — and I think I'm safe in assuming that you are — you tend to work on the same set of applications and files during the day. Normally, this would be somewhat of a pain because each time you sit down in front of the keyboard, you have to drill down through at least one layer of folders to actually reach the stuff that you need. To make things easier on yourself, you *could* create a set of aliases on your Desktop that link to those files and applications . . . but as you move from project to project, you'd find yourself constantly updating the aliases. As Blackbeard the Pirate was wont to exclaim, “Arrgh!”

Ah, but Mac OS X is a right-smart operating system, and several years ago Apple created the Recent Items menu to save you the trouble of drilling for applications and files. Figure 3-7 illustrates the Recent Items menu from my system — note that the menu is thoughtfully divided into both Applications and Documents. When you open documents or launch applications, they're added to the list. (Accountants will revel in this *First In, First Out* technology.) To launch an application or document from the Recent Items menu, just click it.

**Figure 3-7:** The Recent Items menu makes it easy to open a document or application you've been using.



To wipe the contents of the Recent Items menu — for example, if you’ve just finished a project, and you want to turn over a new digital leaf — click Recent Items and choose the Clear Menu item.

You can specify the number of recent items that will appear in the menu from System Preferences; display the Appearance settings and click the Applications and Documents list boxes in the Number of Recent Items field. (More on this in Book II, Chapter 3.)

Also, remember the trick that I mention earlier: You can drag any folder into the Location column at the left of the Finder window, adding it to that exclusive club that includes your Home folder, Applications folder, and media folders.

## Playing with the Dock

You know how Air Force One acts as the mobile nerve center for the president? And how The Chief can jet all around the world and take all his stuff along with him? Well, the Dock is kind of like that. Sort of.

If you want your Dock to go mobile as well, click the Apple menu and choose the Dock item to display the submenu that you see in Figure 3-8. Here’s a rundown of the options that you’ll find:

- ◆ **Magnification:** Click Turn Magnification On/Off to toggle icon magnification when your pointer is selecting an icon from the Dock. With magnification on, the icons in the Dock get really, *really* big . . . a good thing for Mr. Magoo or those with grandiose schemes to take over the world. Check out the rather oversized icons in Figure 3-9. (The amount of magnification can be controlled from the System Preferences Dock settings, which I explain in Book II, Chapter 3.)
- ◆ **Hiding:** Click Turn Hiding On/Off to toggle the automatic hiding of the Dock. With hiding on, the Dock disappears off the edge of the screen until you move the mouse pointer to that edge. (This is great for those who want to make use of as much Desktop territory as possible for their applications.)
- ◆ **Position:** Click one of three choices (Position on Left, Bottom, or Right) to make the Dock appear on the left, bottom, or right of the screen, respectively.
- ◆ **Dock Preferences:** Click this to display the System Preferences Dock settings, which I explain in Book II, Chapter 3.




You can press  $\mathring{A}$ +Option+D to toggle Dock hiding on and off from the keyboard.

## DropBooks




# DropBooks

**Figure 3-8:** Use the Dock submenu to fine-tune the operation of your friendly neighborhood icon strip.



**Figure 3-9:** Now those, my friend, are some pumped-up icons.



## Bad program! Quit!

Once in a while, you're going to encounter a stubborn application that locks up, slows to a crawl, or gets stuck in an endless loop — although Mac OS X is a highly advanced operating system, it can still fall prey to bad programming or corrupted data.

Luckily, you can easily shut these troublemakers down from the Apple menu. Just choose Force Quit to display the Force Quit Applications dialog that you see in Figure 3-10. (Keyboard types can press  $\text{⌘}+\text{Option}+\text{Esc}$ .) Select the application that you want to banish and then click the Force Quit button; Mac OS X requests confirmation, after which you click the Force Quit button again.

If you select Finder in the Force Quit Applications dialog, the button changes to Relaunch — this allows you to restart the Finder, which comes in handy if your system appears to be unstable. (This is much faster than actually restarting your Mac.)



**Figure 3-10:**  
Forcing a  
program to  
take a hike.



Forcing an application to quit will also kill any open documents that you were working with in that application, so save your work (if the program will allow you to save anything). If you relaunch the Finder, some programs might restart as well.

## Tracking down your version

This isn't a big deal, but if you choose About This Mac from the Apple menu, Mac OS X displays the About This Mac dialog that you see in Figure 3-11. In case you need to check the amount of memory or the processor in an unfamiliar Mac, the About This Mac dialog can display these facts in a twinkling —

however, I primarily use it to check on the Mac OS X version and build number as well as to launch the Apple System Profiler (which I discuss in full in Chapter 6 of this mini-book). Click the More Info button to launch the Profiler.

**Figure 3-11:** Display your Mac's memory, processor, and Big X version.



Apple added a button that launches Software Update to both the About This Mac dialog and the Apple menu . . . sheesh, they must really want you to keep your Big X up to date, I guess.

### *Specifying a location*

Mac OS X allows you to create multiple network locations — think of a *location* as a separate configuration that you use when you connect to a different network from a different locale. For instance, if you travel to a branch office, you'd assign a location for your desk and a location for the remote branch. A student might assign one location for her home network and another for the college computer lab network.

A location saves all the specific values that you've entered in the System Preferences Network settings, including IP address, AppleTalk Zones, proxy servers, and the like. If all this means diddly squat to you, don't worry — I explain this in Book V, Chapter 1. For now, just remember that you can switch between locations by choosing Location from the Apple menu, which displays a submenu of locations that you can choose from.



## Availing Yourself of Mac OS X Services

In Mac OS X, *Services* allow you to merge information from one application with another. To Mac old-timers, that might sound suspiciously like the Clipboard; however, services can also include functionality from an application, so you can create new documents or complete tasks without running another program! Services can be used in both the Finder and Mac OS X applications.

To illustrate, here's a fun example:

1. **Launch TextEdit (you'll find it in your Applications folder) and type these words:** Hello from your Macintosh!
2. **Highlight those words.**
3. **Click the TextEdit menu — don't switch to the Finder, use the TextEdit Application menu — and choose Services.**
4. **From the Services submenu, choose Speech and then choose Start Speaking Text.**

After you've chuckled a bit at your Mac's accent, consider what you just did — you ran the Speech application from *within* TextEdit, using the selected words! Pretty slick, eh?

A glance at the other Services that show up from within most applications gives you an idea of just how convenient and powerful Mac OS X Services can be — I often use Services to take care of things like

- ◆ **Sending an e-mail message** from an e-mail address in a text file, AppleScript document, or the Address Book (via the Mail Service)
- ◆ **Capturing a screen snapshot** within an application (using the Grab Service)
- ◆ **Checking the availability of an Internet server** by pinging it (using the Network Utility Service)

Remember, you can access the Services menu from a Mac OS X application by picking that program's Application menu (sometimes called the *named* menu). For instance, in the demonstration earlier, I use the TextEdit menu that appears on the TextEdit menu bar. In Microsoft Word, I would click the Word menu.

Geez, I think the computing world needs another word for *menu* — don't you?

Many third-party applications that you install under Mac OS X can add their own commands under the Services menu, so be sure to read the documentation for a new application to see what Service functionality it adds.




## *Get Thee Hence: Using the Go Menu*

Remember the transporter from *Star Trek*? Step on the little platform, assume a brave pose, and whoosh! — you're transported instantaneously to another ship or (more likely) to a badly designed planet exterior built inside a soundstage. Talk about convenience . . . that is, as long as the doggone thing didn't malfunction.

The Finder's Go menu gives you the chance to play Captain Kirk: You can jump immediately to specific spots, both within the confines of your own system as well as external environments like your network or the Internet. (You can leave your phaser and tricorder in your cabin.)

Figure 3-12 illustrates the Go menu and the iDisk submenu. The destinations that you can travel to include the following:



**Figure 3-12:**  
The Go menu — just go there.

- ◆ **Back/Forward/Enclosing Folder:** I lump these three commands together because they're all basic navigation commands. For example, Back and Forward operate just like they do in Safari, or your favorite Web browser. If you're currently inside a folder, you can return to the parent folder by clicking Enclosing Folder.
- ◆ **Computer:** This window includes your hard drives, CD and DVD drives, and your network — the same places that appear when you open a new Finder window with the  $\mathbb{C}+N$  key shortcut.
- ◆ **Home:** This window displays the home directory for the user currently logged in.
- ◆ **Network:** Did you guess this displays a window with all of your network connections? Dead giveaway, that.
- ◆ **iDisk:** This window displays the contents of your Internet iDisk storage. (More on the coolness that is iDisk in Book IV, Chapter 4.)
- ◆ **Applications:** This window includes all the applications that appear in your Mac OS X Applications folder (a neat *Just the programs, ma'am* arrangement that really comes in handy).
- ◆ **Utilities:** This window displays all the utilities in your Mac OS X Utilities folder.
- ◆ **Recent Folders:** This window displays a submenu that allows you to choose from the folders that you've recently opened.

You can also type the path for a specific folder (use the Go to Folder command) or connect to a specific network server (use the Connect to Server command).

Note that most of the Go menu commands include keyboard shortcuts, proving once again that *the fingers are quicker than the mouse*.

## Monkeying with the Menu Bar

Ever stared at a menu bar for inspiration? Fortunately for Mac owners like you and me, people in Cupertino are paid to do just that, and these designers get the big bucks to make the Mac OS X menu bar the best that it can be. Thus were born menu bar icons, which add useful controls in what would otherwise be a wasted expanse of white.

## Using menu bar icons

Depending on your hardware, Mac OS X might install several menu bar icons. The Volume icon is always there by default, along with the Clock display, which is actually an icon in disguise. Figure 3-13 illustrates these standard icons.

Clicking the Displays menu bar icon (it looks like a monitor) allows you to choose from the recommended resolutions and color depth settings for your graphics card and monitor. For example, Figure 3-14 illustrates the recommended settings for my G4 iMac, which has an LCD monitor: I can choose from 640 x 480, 800 x 600, or 1024 x 768 resolutions, and my display can be set to thousands or millions of colors. Typically, it's a good idea to choose the highest resolution and the highest color depth. You can also jump directly to the System Preferences Display settings by clicking Displays Preferences.


To quickly change the audio volume level within Mac OS X, click the Volume icon (it looks like a speaker with emanating sound waves) once to display its slider control; then click or drag the slider to adjust the level up or down. After you select a level by releasing the mouse button, your Mac thoughtfully plays the default system sound to help you gauge the new volume level.

Depending on the functionality that you're using with Mac OS X, these other menu bar icons might also appear:


- ◆ **Modem status:** You can turn on the display of the Modem status icon from the Internal Modem panel of the Internet Connect application, which I discuss in Book IV, Chapter 1. Click this icon to connect to or disconnect from the Internet by using a modem. You can open the Internet Connect application from the menu bar icon, and the icon can be set to show the time that you've been connected to the Internet as well as the status of the connection procedure.
- ◆ **AirPort:** If you've installed an AirPort or AirPort Extreme card in your Mac, you can check the status of the AirPort connection; click the AirPort icon to toggle AirPort on or off. The icon displays the relative strength of your AirPort signal, whether you're connected to a Base Station or a peer-to-peer computer network, or whether AirPort is turned off.
- ◆ **PPoE:** The display of this icon is controlled from the Ethernet panel of the Internet Connect application. Click this icon to connect to or disconnect from the Internet using *Point-to-Point over Ethernet* (PPoE), which is a type of Internet connection offered by some digital subscriber line (DSL) providers.

# DropBooks

**Figure 3-13:** Adjust your Mac with a click on these menu bar icons.



**Figure 3-14:** The settings offered by my Displays menu bar icon.



## Mark's totally unnecessary Computer Trivia 1.0

"Where the heck did *mounting* come from, anyway? Sounds like a line from a John Wayne Western!" Well, pardner, the term dates back to the heyday of Big Iron — the Mainframe Age, when giant IBM dinosaurs populated the computing world. Sherman, set the WayBack Machine. . . .

At the time, disks were big, heavy, removable cartridges the diameter of dinner plates (and about as tall as a 100-count spindle of CD-Rs). The acolytes of the mainframe, called *computer operators*, would have to trudge over to a cabinet and swap disk cartridges whenever the program stopped and asked for them — that's right, those mainframes would actually

stop calculating and print, "I need you to *mount* cartridge 12-A-34, or I can't go any further. Have a nice day." (Can you imagine what it would be like loading and unloading a hard drive every time you needed to open a folder?)

Anyway, even though eons passed and mini-computers appeared — which were only the size of a washing machine — the terms *mounting* and *unmounting* still commonly appeared in programs. This time, the removable volumes were 8-inch floppy disks and tape cartridges. Because UNIX and its offspring Linux date from the Minicomputer Age, these operating systems still use the terms.

### *Doing timely things with the Clock*

Even the Clock itself isn't static eye candy on the Mac OS X menu bar — I told you this was a hardworking operating system, didn't I? Click the Clock display to toggle the icon between the default text display and a miniature analog clock.

You can also open the System Preferences Date & Time settings from the icon. From within the Date & Time settings, you can choose whether the seconds or day of the week are included, whether the separators should flash, or whether Mac OS X should display the time in 24-hour (military) format. More on this in Book II, Chapter 3.

## *Eject, Tex, Eject!*

Mac OS X makes use of both *static volumes* (your Mac's hard drive, which remains mummified inside your computer's case) and *removable volumes* (like Zip disks, DVD-RAM cartridges, and CDs/DVD-ROMs). Mac OS X calls the process of loading and unloading a removable volume by old-fashioned terms — *mounting* and *unmounting* — but you and I call the procedure *loading* and *ejecting*.

I won't discuss loading/mounting a removable volume — the process differs depending on the computer because some Macs need a button pushed on

the keyboard, others have buttons on the drive itself, and some drives have just a slot, with no button at all. However, there are a number of standard ways of unloading/unmounting/ejecting a removable volume:


- ◆ **Drag the Volume icon from the Desktop to the Trash**, which changes to an Eject icon to help underline the fact that you are *not* deleting the contents of the drive (see Figure 3-15). Let me underline that with a Mark's Maxim because *Switchers* from the Windows world are usually scared to death by the concept of dragging a volume to the Trash.

**Have no fear — drag removable volumes to the Trash with aplomb.™**

- ◆ **Click the Volume icon and use the ⌘+E keyboard shortcut.**
- ◆ **Click the File menu and choose Eject.**
- ◆ **Hold down Control and click the Volume icon to display the contextual menu; then choose Eject.**
- ◆ **Press your keyboard Eject key (if it has one) to eject a CD or DVD from your built-in optical drive. (If you're using a keyboard without a Media Eject key, press F12 instead.)**



You can't unmount a static volume from the Desktop — you have to use the Disk Utility application — so your internal hard drive icon will stay where it is.



**Figure 3-15:**  
Eject a volume by dragging it to the Trash.

## Common Tasks Aplenty

# DropBooks

Okay, I admit it — this section is kind of a grab bag of three very common tasks. However, I want to walk you through these three procedures early in the book. Most Mac owners will want to listen to and record CDs as soon as Mac OS X is installed, and you'd be amazed how much information still flows across the Internet in plain, simple text.

Therefore, hang around and take care of business.

### *Opening and editing text files*

Text files would seem to be another anachronism in this age of formatted Web pages, rich text format (RTF) documents, and word processors galore — however, virtually every computer ever built can read and write in standard text, so text files are often used for

- ◆ **Information files** on the Internet, like FAQs (Frequently Asked Question files)
- ◆ **README and update** information by software developers
- ◆ **Swapping data** between programs, like comma-delimited database files

Here's the quick skinny on opening, editing, and saving an existing text file:

1. **Navigate to your Applications folder and launch TextEdit.**
2. **Press ⌘+O to display the Open dialog.**
3. **Navigate to the desired text file and double-click the filename to load it (see Figure 3-16).**



You can also open an existing text file by dragging its icon from the Finder window to the TextEdit icon.

4. **Click the insertion cursor anywhere in the file and begin typing — or, to edit existing text, drag the insertion cursor across the characters to highlight them and type the replacement text.**




TextEdit automatically replaces the existing characters with those that you type. To simply delete text, highlight the characters and press Delete.

5. **After you finish editing the document, you can overwrite the original by pressing ⌘+S (which is the same as choosing File⇨Save), or you can save a new version by choosing File⇨Save As and typing a new, unique filename.**
6. **To exit TextEdit, press ⌘+Q.**



## DropBooks

**Figure 3-16:**  
A text file  
open in  
TextEdit.



## Listening to an audio CD

By default, Mac OS X uses iTunes to play an audio CD — although I cover iTunes in complete detail in Book III, Chapter 2, take a moment to see how to master the common task of playing an audio CD (just in case you want to jam while reading these early chapters). Follow these steps:

1. **Load the audio CD into your Mac's CD-ROM/DVD-ROM drive.**  
An Audio CD volume icon appears on your Desktop.
2. **Mac OS X automatically loads iTunes and displays the spiffy window that you see in Figure 3-17.**

In this case, I've loaded an old favorite of mine: the James Brown blockbuster album *Live at the Apollo*. And here's a piece of killer Mac trivia to stump even the hardest silicon warrior: James Brown performed at the Mac OS 8 rollout party. Get funky with it!

3. **Click the Play button at the upper left of the iTunes window to begin playing the disc at the beginning. To play an individual track, double-click the track name in the iTunes window.**

## DropBooks

**Figure 3-17:**  
Listening to  
the hardest-  
working  
man in  
show  
business  
with iTunes.



4. To adjust the volume from within iTunes, drag the Volume slider to the left or right — it's under the Play button.
5. To eject the disc and load another audio CD, click the Eject CD button at the lower-right of the iTunes window.
6. To exit iTunes, press **⌘+Q**.



The first time that you run iTunes, you're asked to configure the program and specify whether Mac OS X should automatically connect to the Internet to download the track titles for the disc you've loaded. I recommend that you accept all the default settings and that you allow automatic connection. Is simple, no?

### ***Recording — nay, burning — a data CD***

Mac OS X offers a built-in CD recording feature that allows you to burn the simplest form of CD: a standard Mac format data CD-ROM that can hold up to approximately 660MB of files and folders, or an audio CD that can hold up to about 78 minutes of music. Naturally, you'll need a Mac with a CD or DVD recorder.



If you're interested in recording *all* the exotic CD and DVD formats available today, I can heartily recommend the best book on CD and DVD recording on the shelves: *CD and DVD Recording For Dummies*, 2nd Edition, written by (surprise!) yours truly and published by Wiley Publishing, Inc. *CD and DVD Recording For Dummies* is a comprehensive recording guide that shows you how to burn all types of audio, data, and video by using the latest PC and

Mac hardware and the best software on the planet (Roxio Easy CD Creator for the PC and both iDVD and Toast for the Mac). I can honestly say that it's a good read.

Back to the story! To record a disc, follow these steps:

**1. Load a blank CD-R or CD-RW into your drive.**

Mac OS X displays an Untitled CD volume icon on your Desktop. (It's marked with the letters *CDR* so you know that the disc is recordable.) You'll be prompted for permission to format it.

**2. Double-click the Untitled CD icon to display the contents — it'll be empty, naturally.**

The window tells you that you have 660.7MB of space remaining on the disc.

**3. Click and drag files and folders to the CD window as you normally do.**

**4. Rename any files or folders as necessary — remember, after you've started recording, this stuff is etched in stone, so your disc window should look just like the volume window should look on the finished CD-ROM.**

**5. Click File on the Finder menu and choose Burn CD.**

**6. The Big X displays a confirmation dialog — if you've forgotten something, you can click the Cancel or Eject button.**

Otherwise, click the Burn button and sit back and watch the fun.



## Adding the perfect font with Font Book

Need to install a font in Mac OS X, or perhaps you'd like to organize your fonts into collections based on their theme or their designer? If so, you're talking about *Font Book*, which is the new font organizer that ships with Panther. To open Font Book, visit your Applications folder and double-click the Font Book icon.

Press **⌘+O** (or choose File⇨Add Fonts) to import a new font into your system, or simply drag the font file from a Finder window into the Font Book window. **Remember:** Panther can accept both TrueType and OpenType PostScript

fonts. When it's been added, your new font can be categorized by dragging it into one of your *collections*, thus making that font easier to locate and display. Individual fonts and entire collections can be enabled or disabled (by using the plus and Disable buttons at the bottom of the Font Book window), so that you can "turn on" only those fonts that you need for a specific application or project. The Font Book window also comes fully equipped with a Search box, so you can find any font by name.



# DropBooks

Unfortunately, Mac OS X doesn't support recording from the Finder for many of the external and third-party drives available for the Macintosh. If you can't burn from the Finder, I recommend that you buy a copy of Roxio FastRecording software ([www.roxio.com](http://www.roxio.com)).

In Book III, Chapter 2, you discover how to burn an audio CD with iTunes.

## *All You Really Need to Know about Printing*

To close out this chapter, I turn the attention to another task that most Mac owners need to tackle soon after installing Mac OS X: printing documents. Because basic printing is so important (and in most cases, so simple), allow me to use this final section to demonstrate how to print a document.

Most of us have a Universal Serial Bus (USB) printer — the USB being the favored hardware connection within Mac OS X — so as long as your printer is supported by Mac OS X, setting it up is as easy as plugging it in to one of your Mac's USB ports. The Big X does the rest of the work, selecting the proper printer software driver from the Library/Printers folder and setting your printer as the default power of the universe.



Before you print, preview! Would you jump from an airplane without a parachute? Then why would you print a document without double-checking it first? Click Preview, and Mac OS X opens the Preview application to show you what the printed document will look like. (Once again, some upstart programs have their own built-in Print Preview mode.) When you're done examining your handiwork, close the Preview application to return to your document.

To print from within any application using the default page characteristics — standard 8½-x-11 inch paper, portrait mode, no scaling — follow these steps:

1. **Within your application, click File and choose Print — or press the ⌘+P keyboard shortcut.**

2. **Mac OS X displays the Print dialog that you see in Figure 3-18.**

Some applications use their own custom Print dialogs, but you should see the same general settings.

3. **Click in the Copies field and enter the number of copies that you need — you can also enable or disable collation, just like those oh-so-fancy copiers.**


4. **To print the entire document, use the default Pages radio button setting of All — to print a range of selected pages, select the From radio button and enter the starting and ending pages.**



Each Mac OS X application provides different panes so that you can configure settings that are specific to that application — it's not necessary to display any of these extra settings to print a default document, but the power is there to change the look dramatically when necessary. To display these settings, click the drop-down list box in the Print dialog and choose one of these panes. For example, if you're printing from the Address Book, you can choose the Address Book entry from the drop-down list and elect to print a phone list or an e-mail list.

**5. When everything is go for launch, click the Print button.**

Of course, there are more settings and more functionality to the printing system within Mac OS X, and I cover more complex printing topics in much more detail in Book VI, Chapter 4 — however, I can tell you from my experiences as a consultant and hardware technician that this short introduction to printing will likely suffice for 90 percent of the Mac owners on earth. 'Nuff said.



**Figure 3-18:** The familiar Mac OS X Print dialog, available from any application with any real guts.

# DropBooks



# DropBooks

## Chapter 4: Using Sherlock 3: It's Elementary

---

### *In This Chapter*

- ✓ Using channels
- ✓ Locating a business
- ✓ Searching for movie listings
- ✓ Checking the definition of a word
- ✓ Following eBay auctions
- ✓ Searching with Internet search engines
- ✓ Tracking stock prices
- ✓ Translating words and phrases
- ✓ Looking up flight schedules

One of the things that the Internet is *supposed* to provide is (almost) instantaneous access to all sorts of information: news, reference and research material, e-mail addresses, shopping, streaming live video, and even maps that help you chart your way to Grandma's house from wherever you happen to be on the planet. And yes, all that stuff is there, just waiting to be used.

However, actually *finding* anything in the organized chaos that is the Internet is a completely different matter. A favorite e-mail tagline of mine reads as follows:

What good is a Web search engine that returns 324,909,188 "matches"? That's like saying, "Good news, I've located the information you want. It's on Earth."

In this chapter, I introduce to you to the famous sleuth who makes it easy to search for the proverbial needle in the Internet haystack: Sherlock 3, which is included in Mac OS X. (**One note:** If you don't have an Internet connection, you can skip this chapter because Sherlock 3 depends entirely upon the Internet while searching for the information that you need. There's always a caveat, right?)

## *Sherlock Is Just Plain Neat*

# DropBooks

Like Conan Doyle's character Sherlock Holmes — he's one of my favorite fictional figures in literature, as a matter of fact — but even the Bloodhound of Baker Street would be hard pressed to keep up with the great flood of information available online. Apple's Sherlock, on the other hand, was built to do precisely that. To wit:

- ◆ **Help me, Mr. Wizard!:** Sherlock simplifies the major search engines and allows you to access them all from a single location — no longer do you have to open your Web browser and laboriously visit search engine sites like Lycos. If you find something on a Web site that you want to explore, a simple double-click of the item automatically launches your Web browser and displays that page.
- ◆ **Real-time, really:** You can also display real-time information by using Sherlock: Access stock prices, news and headlines, your eBay auctions, and such.
- ◆ **Plug it in:** Sherlock can provide additional services through the use of *plug-ins* — software add-ons offered by companies, libraries, and Apple itself that expand the functionality of Sherlock.
- ◆ **Show me:** Depending on the type of information you're seeking, Sherlock can display text, graphics, and even video.


## *Looking for the Scent with the Great Detective*

"By Jove, Watson, the game is afoot!" You can run Sherlock by simply clicking its icon in the Dock, which features Holmes' hat and magnifying glass. To begin, take a look at the Sherlock window itself — Figure 4-1 does the job nicely. The most common window configuration (for the Internet channel) is divided thusly:

- ◆ Use the **Channel buttons** displayed along the top of the window to quickly switch between different types of searches. To display all the channels on a single page — complete with descriptions — click the Channels button on the toolbar.
- ◆ In the **Topic or Description box**, type whatever you're searching for. The fields in this area can change depending on the type of search that you're conducting.
- ◆ Click the **Search button** — the button bearing the suave-looking magnifying glass — to start searching the selected sites. (Alternatively, you can just poke the Return key.)



## DropBooks



**Figure 4-1:**  
Start the hunt here from the Sherlock main window.

- ◆ The fruits of your search appear in the **results section** — for more information on an item, double-click it.
- ◆ Clicking an item once often displays a quick summary of the information in the **summary section**.



Several channels alter the basic look of the Sherlock window, so not every channel will offer all these controls.

Note the *handles* — the double lines — that appear in the separator bars. You can click and drag these handles to resize the dimensions of the channel button display and the results section.

To sort a column in Sherlock, just click the column's heading button. For example, if you're looking at your stock portfolio, click the Name column

heading to sort the sites in ascending order. Click again to sort in descending order (so that the triangle at the corner of the column header points down). You can also click and drag the right edge of each column's heading button to resize the width of the column.

## DropBooks

### You Don't Need a Remote for These Channels

As I mention earlier in this chapter, Sherlock calls each different type (or genre, or class) of search that you can perform a *channel*. For example, the default Sherlock channels include

- ◆ **Internet:** Click this channel to display popular Web search engines.
- ◆ **Pictures:** Click this channel to search and select content from the Getty Images online image collection.
- ◆ **Stocks:** Use this channel to keep track of your stocks and recent headlines concerning each company.
- ◆ **Movies:** Switch to this channel for movie listings and times in your area or watch the latest movie trailers — now that's techno-sassy!
- ◆ **Phone Book:** Use this channel to search for brick-and-mortar businesses — just like that ponderous paper phone book — and even display a map with directions to help you reach a business.
- ◆ **eBay:** Click this channel and hang onto your wallet as you traverse the auction place to hang out — search and track your auctions with aplomb.
- ◆ **Flights:** Check the major airline schedules by departure and arrival city, as well as flight information like plane type, altitude, and speed — you can even pinpoint the location of a plane in flight!
- ◆ **Dictionary:** If you use the Internet for research, this channel is, quite simply, your Holy Grail. From this one location, you can peruse the online versions of the *American Heritage Dictionary*, *Webster's Revised Unabridged Dictionary*, and *Roget's II Thesaurus*.
- ◆ **Translation:** Need to know the word for *taxi* in Portuguese? You can translate phrases and words to and from different languages with this channel.
- ◆ **AppleCare:** Clicking this channel brings you to the Apple Knowledge Base — a virtual gold mine for Sherlock searches — the Macintosh Product Guide and the Apple Web site.



When troubleshooting a Mac OS X issue, fire up Sherlock and use the AppleCare channel to check out keywords potentially related to your problem.

As I mention earlier, you can display all the default channels and a short description of each channel by clicking the Channels button on the Sherlock toolbar. From this Channel panel — yes, I actually wrote that — click a channel icon to begin your search.

To switch channels, just click the desired channel icon at the top of the Sherlock window.

## Tracking Businesses, Movies, Definitions, and Auctions

To demonstrate the Fine Art of Search, I show you in this section how to locate a business, how to check movie listings, the definition of the word *sleuth*, and how to locate a print of Old London on eBay. (Something for everyone there, wouldn't you agree?)

### *Let your mouse do the walking*

First, use Sherlock to locate the address and telephone number for a popular local pizza restaurant. Follow these steps:

1. **Launch Sherlock 3 and then click the Phone Book channel button to display the window that you see in Figure 4-2.**
2. **Type the name Shakespeare's Pizza into the Business Name or Category box.**
3. **Type the city and state Columbia, MO into the Find Near (Name, City & State or Zip) box and then click the Search button (the magnifying glass button).**

Figure 4-3 illustrates the results. The business address and phone number is listed, along with the approximate distance in miles from your location.



By default, Sherlock provides directions starting from your home address (as provided by your card in the Address Book). However, you can click the Driving Directions From drop-down list box to select another starting point for the directions.


The map display at the lower-right corner can be zoomed by dragging the Zoom slider in the desired direction. To move the map so that you can see additional territory, click the desired direction on the Pan control.

4. **If the search matches more than one business, click a name in the results section to display the information for that business.**


To print the results of your search, click the Print button.

# DropBooks

**Figure 4-2:**  
Search for a business with Sherlock.



**Figure 4-3:**  
Eureka!  
We've struck pizza.



## Scoping local movies

To search local theaters for information on a movie and watch the trailer to boot, follow these steps:

1. Click the **Movies** channel button to display the window that you see in Figure 4-4.
2. To search by movie name, click the **Movies** button at the top-left corner of the window; to search by theater name, click the **Theaters** button.
3. Click the **Showtime** drop-down list box and then select the date for your listings.




By default, today's date is shown.

If necessary, you can also enter a different city/state combination or Zip code in the Find Near box.


4. **Hey, there's one that looks good** — click the **Terminator 3** entry to display the summary text (see Figure 4-5).

Sherlock automatically begins downloading the poster and QuickTime movie trailer for the film. After the movie downloads, click the Play button in the QuickTime viewer window to watch the trailer.



**Figure 4-4:**  
Cinema  
searching  
simplified.

# DropBooks



**Figure 4-5:**  
More information on a film is a click away.

5. To display the show times for the selected film, click the desired theater in the center column.

## *Consulting Sherlock's dictionary*

One of the tasks that I perform most often with Sherlock is searching for word definitions. Follow these steps to find the definition of a word:


1. Click the Dictionary channel button.
2. Type the word sleuth into the Word to Define box and then click the Search button.

The definition and synonyms appear, and you didn't have to turn a single page.

3. To display the definition of any synonyms, click the desired word in the Thesaurus column, and Sherlock provides you with the definition in the summary section, as shown in Figure 4-6.

Happy hunting!

## DropBooks



**Figure 4-6:**  
Ferret out  
the meaning  
of words.

## Scouring eBay for Old London

To locate a print of London on eBay, follow these steps:

1. Click the eBay channel button and then click the rectangular Search button (below the Item Title box and to the left of the Track button) to look for items.  
To track specific auctions, click the Track button instead.
2. Click the Categories drop-down list to narrow your search to specific categories or leave it set to All Categories to search all of eBay.
3. Click the Regions drop-down list to show items from a particular area or leave it set to All Regions to search from any locale.
4. To limit the price range for matching items, enter values in the Priced Between boxes.


# DropBooks

5. Type the words **London print** into the **Item Title** box and then click the **Search** button (the one with the magnifying glass).

To display matching items by the newest items first or in a particular price order, click the **Items Ending First** drop-down list box and choose the desired order.

6. Click any item, and **Sherlock** updates the summary section with the specific auction information (see Figure 4-7).

- **To track this item**, click the **Track Listing** button at the bottom right of the Sherlock window.
- **To bid on the item**, double-click the item entry, and Sherlock launches Safari and displays the eBay bidding page for that item.



**Figure 4-7:**  
Good luck  
on your  
bidding.



## Using Internet Search Sites

# DropBooks

needed for the specialized searches that I present earlier in this chapter, Sherlock can make use of existing Internet search engines. Follow these steps to search the Internet for Web sites:

1. Click the Internet channel button.
2. Type the phrase **Scanners For Dummies** into the Topic or Description box and then click the Search button.
3. When you find the perfect match for your search, click that entry to display the summary text (see Figure 4-8).

Hey, that's quite a coincidence — or is it an obvious plug for another of my books?

4. To display the entire Web page in all its glory, double-click the entry, and Sherlock launches Safari.



**Figure 4-8:** Finding what you need is easy with the Summary section.

## Minding Your Portfolio

# DropBooks

Next, focus your magnifying glass on your stock portfolio. To display information on a stock, follow these steps:


1. Click the **Stocks** channel button.
2. Type the word **Apple (or its ticker symbol AAPL)** into the **Company Name or Ticker Symbol** box and then click the **Search** button.

Sherlock displays the latest stock quotation and relevant news headlines concerning the company itself.

3. To display the text of a news item (or a link to the story on the Web), click the desired headline.

Sherlock provides you with the text in the summary section, as shown in Figure 4-9.

4. To specify a time period for the chart display, click the **Chart** drop-down list box and pick the desired period.



**Figure 4-9:**  
Tracking  
your Apple  
stock is a  
breeze with  
Sherlock.


## Translating, 'Twixt Languages

# DropBooks

4. All right, Sherlock can't help you with the word for *bathroom* when you're in the middle of the street in Berlin, you can use the Translation channel to translate words and phrases from the comfort of your computer desk. (And come to think of it, if you have a wireless Internet connection and an iBook, I guess you *could* use it in the middle of a foreign street!)

Follow these steps to translate words and phrases:

1. Click the Translation channel button.
2. Type the word or phrase that you want to translate into the Original Text box.  
(Sorry about the very silly line from *Monty Python and the Holy Grail*, but how could I possibly resist?)
3. Click the *language-to-language* drop-down list box to specify the starting and ending language for the translation.
4. Click the Translate button to translate the text, as shown in Figure 4-10.



**Figure 4-10:**  
I'll bet even  
Holmes  
himself  
wasn't  
fluent in all  
these  
languages!



You can highlight and copy the translated text into the Clipboard and then paste it into your word processor or e-mail application.

Want to experience what I call the *Tower of Babel Effect* (or TBE)? Start with an English phrase, translate it into a second language, and then continue to translate the results to another language or two. Finally, translate the end result back to English and — *voilà!* You'll likely be surprised by just how imprecise different languages can be.


## *Finding Flight Information*

Finally, allow me to demonstrate how you can track flight schedules by using Sherlock — truly, gentle reader, this program is as versatile as Apple claims! Follow these steps:

- 1. Click the Flights channel button.**
- 2. Click the Airline drop-down list to narrow your search to specific airlines.**  
To display information on a particular flight, type the flight number into the Flight Number box.
- 3. To search by departure city, click the Departure City or Airport Code drop-down list and then click the desired location.**  
Note that you can also type a city name or airport code directly into the Departure City or Airport Code list.
- 4. To search by arrival city, click the Arrival City or Airport Code drop-down list and then click the desired location.**  
Note that you can also type a city name or airport code directly into the Arrival City or Airport Code list.
- 5. Click the Search button.**
- 6. Click any flight entry, and Sherlock updates the summary section with the specific flight information, as shown in Figure 4-11.**

To display any leg of the flight, click the Leg drop-down list box.

## DropBooks



**Figure 4-11:** Keep track of your arrivals and departures with the Flights channel.

# DropBooks



# DropBooks

## Chapter 5: Keeping Track with the Address Book

---

### *In This Chapter*

- ✓ Adding contact cards
- ✓ Editing contacts
- ✓ Using contact information throughout Mac OS X
- ✓ Creating groups
- ✓ Sending e-mail to a group
- ✓ Printing contacts
- ✓ Importing and exporting vCards

*Do you have a well-thumbed address book stuck in a drawer of your office desk? Or do you have a wallet or purse stuffed with sticky notes and odd scraps of paper, each of which bears an invaluable e-mail address or phone number? If so, you can finally set yourself free and enjoy the “Paperless Lifestyle” of the new millennium with the revolutionary new Rauncho Digital Address Book! As seen on TV! Only \$29.95 — and it doubles as an indestructible garden hose! But wait! If you order now, we’ll also send you. . . .*

**O**f course, you and I would tune that stuff out as soon as we heard, “As seen on TV” — but, believe it or not, the Rauncho Digital Address Book does exist (after a fashion), and you already have one if you’ve installed Mac OS X. It’s called the *Address Book*, and in this chapter I show you how to store and retrieve all your contact data, including iChat information, photographs, and much more.

(And before you ask, operators are *not* standing by.)

### *Hey, Isn’t the Address Book Just a Part of Mail?*


It’s true — in older versions of Mac OS X, Address Book was relegated to the minor leagues and usually appeared only when you asked for it within Mail. Although it could be run as a separate application, there was no convenient route to the Address Book from the Desktop, so most Mac owners never launched it standalone.

# DropBooks

In Mac OS X Panther, however, the Address Book arrives in the limelight, earning a default location in the Dock and available whenever you need it. Although the Address Book can still walk through a meadow hand-in-hand with Mail, it also flirts with other Mac OS X applications and can even handle some basic telephony chores all by itself through the use of Services.

Figure 5-1 illustrates the default face of the Address Book, complete with a personal address card: your own contact information, which you enter within the First Use Wizard that I mention in Book I, Chapter 1. This card carries a special me tag indicating that it's your personal card, as well as a suave-looking silhouette next to your name in the Name column. Other Mac OS X applications use the data in your card to automatically fill out your personal information in all sorts of documents. (In Figure 5-1, I've added a number of well-known friends as well . . . a few TV characters, a composer or two. You know the drill.)

Click to Show and Hide Group and Name columns.



**Figure 5-1:**  
Greetings  
from the  
Mac OS X  
Address  
Book!

Drag to resize columns.



Note those cool little dimples that mark the Group and Name column dividers — click and drag on the dimples, and you can resize the Group and Name columns as well as the display window on the right. Plus, you can click the two buttons at the upper-left corner (underneath the window controls) to hide or show the Group and Name columns.

## Entering Contact Information

Unless you've actually met and hired a group of DataElves — see the sidebar “I gotta type (or retype) that stuff?” — you'll have to add contacts to your Address Book manually. Allow me to demonstrate here how to create a new contact within your Address Book:

### 1. Launch Address Book from the Dock by clicking its icon.

The icon looks like an old-fashioned paper Address Book with an @ symbol on the cover.

### 2. Press the $\mathcal{K}+N$ shortcut to create a new contact. Alternatively, choose File⇒New Card or click the Add a New Person button at the bottom of the Name column.

Address Book displays the template that you see in Figure 5-2, with the First name field highlighted and ready for you to type.

### 3. Enter the contact's first name and press Tab to move to the Last name field.

### 4. Continue entering the corresponding information in each field, pressing Tab to move through the fields.

If a field is not applicable (for example, if a person has no home page), just press Tab again to skip it. You can press Return to add extra lines to the Address field.

When you complete certain fields — like the Address field — a plus symbol pops up to the left of the field. That's the Address Book telling you that there are additional versions of the field that you can enter as well. (Think home and work addresses.) Click this plus sign, and you can enter the other version. For example, if you enter an iChat address for the contact at home, the plus sign appears; click it, and then you can enter the contact's work iChat address, too.


### 5. To add a photograph to the card, just double-click the thumbnail square next to the person's name.

Address Book displays an Open dialog that you can use to select the image.



## DropBooks

**Figure 5-2:**  
“Hey, I don’t  
know  
anyone  
named *First  
Last!*”



Click to add a new person.

**6. When you’re done, click the Edit button (bottom-center) to save the card.**

You can edit the contents of a card at any time by displaying it and clicking the Edit button at the bottom (or by pressing  $\text{⌘}+L$ , or even by clicking Edit and choosing the Edit Card menu item). You can also add new fields to a card, such as birthdays, anniversaries, and the like.



No need to edit a card to add information to the Note field — just click and type.

You can also add contact cards directly to your Address Book from the Mac OS X Mail application — go figure. Within Mail, click the message (to highlight it) from the person whom you want to add, click the friendly Message menu, and then click Add Sender to Address Book. (Naturally, this doesn’t add supporting information — just the person’s name and e-mail address. Once again, your nimble fingers will have to manually enter the rest.) For more on Mail, see Book IV, Chapter 2.

## DropBooks

## “I gotta type (or retype) that stuff?”

In my two decades of travel through the personal computing world, one lovely recurring fantasy shared by computer users keeps cropping up over and over: I call it the *DataElves*. You see, DataElves are the hard-working, silicon-based gnomes in tiny green suspenders who magically enter all the information that you want to track into your database (or Address Book, or Quicken, or whatever). They burrow into your papers and presto! — out pops all that data, neatly typed and . . . whoa, Nellie! Let’s stop there.

For some reason, computer users seem to forget that *there are no DataElves*. I wish I had a dime for every time I’ve heard a heartbroken computer user say, “You mean I have to *type* all that stuff *in*?” (My usual retort is, “Affirmative . . . unless you want to pay me a hideous amount to do it for you.”) Make no mistake — adding a lifetime’s worth of contact information into your Address Book can be several hours of

monotonous and mind-bendingly boring work, which is another reason why many computer owners still depend on paper to store all those addresses. But take my word for it, dear reader, your effort is worth it — the next time that you sit down to prepare a batch of Christmas cards or you have to find Uncle Milton’s telephone number in a hurry, you *will* appreciate the effort that you made to enter contact information into your Address Book. (Just make sure that you — repeat after me — **back up your hard drive.**)

By the way, if you’ve already entered contact information into another PIM (short for Personal Information Manager), you can re-use that data without retyping everything — that is, as long as your old program can export contacts in vCard format. After you export the records, just drag the vCards into the Address Book window to add them, or import them by pressing ⌘+I. (More on this at the end of this chapter.)



Don’t forget to add those fax numbers! Panther can fax from any application — just click File and choose Print (or press ⌘+P) like you always have, and then click the Fax button at the bottom of the Print dialog. Mac OS X now automatically fills in the address for you, but only if the contact has a fax number entered as a part of the contact card.

If someone sends you a vCard (look for an attachment with a .vcf extension), consider yourself lucky. Just drag the vCard from the attachment window in Mail, drop it in your Address Book, and any information that the person wants you to have will be automatically added!

To delete a card, click the unlucky name to display the card, click Edit, and then choose Delete Person.

## Using Contact Information


# DropBooks

Okay, now that you've got your contact information in Address Book, what can you actually *do* with it? Often, all you really need is a quick glance at an address. To display the card for any contact within Address Book, just double-click the desired entry in the Name column. You can move to the next and previous cards by using the directional arrow buttons at the bottom-right corner of the Address Book window.


But wait, there's more! You can also

- ◆ **Copy and paste:** The old favorites are still around — you can copy any data from a card (press  $\text{⌘}+\text{C}$ ) and paste it into another open application (press  $\text{⌘}+\text{V}$ ).
- ◆ **Send an e-mail message:** If you've already read through Chapter 3 of this mini-book, you'll remember the Mac OS X services feature that I tell you about. Click and drag to select any e-mail address on a card; then click the Address Book menu and click the Services menu. Choose Mail from the submenu and then choose Mail To. Bingo! Depending on the information that you select, other services might also be available.
- ◆ **Add an iChat buddy:** From within iChat, click the Buddies menu and then click Add a Buddy to display the dialog that you see in Figure 5-3. From here, you can select a contact card that has an Instant Messenger address and add it to your Buddy List.

**Figure 5-3:** Add a new buddy within iChat using the Address Book.



- ◆ **Export contacts to your iPod (or other applications):** From within the Address Book, select the contacts that you want to export, click File, and then choose Export vCards. Address Book displays a standard Mac OS X Save dialog. Navigate to the location where you want to save the cards (for an iPod connected as a FireWire drive, that's the Contacts folder) and click Save.
- ◆ **Search amongst your contacts:** If you're searching for a specific person and all you have is a phone number or a fragment of an address, click in the Search field at the top right of the Address Book window and type the text. While you continue to enter characters, Address Book shows you how many contacts contain matching characters and displays just those entries in the Name column. Now that's *sassy!* (And convenient. And fast as all get-out.) Check out Figure 5-4, where many of the characters from my favorite TV shows are gathered — note that a number of very familiar folks share the same address in Gotham City, and I found them by using the Search field.



**Figure 5-4:**  
Holy Text  
Match,  
Batman!

## Arranging Your Contact Cards


# DropBooks

Address Book also provides you with a method of organizing your cards into groups. A *group* usually consists of folks with a common link, like your family, friends, co-workers, and others who enjoy yodeling.

To create a group, choose File⇨New Group or press ⌘+Shift+N. (Using the Hollywood method, click the plus sign button at the bottom of the Group column.) Address Book creates a new entry in the Group column, with a highlighted text box so that you can type the group name (see Figure 5-5). After you type the group name, press Return to save it, and then click and drag the entries that you want to add to the New Group icon.



If you've already selected the entries for those contacts that you want to add to the group, choose File⇨New Group from Selection instead. This saves you a step because the group is created and the members are added automatically.



**Figure 5-5:**  
Create a New Group . . . go ahead.

Click to add a new group.

After you create a New Group, you can instantly display members of that group by clicking its icon in the Group column. To return to the display of all your contacts, click the All group button.



To further organize your groups, you can drag and drop a group on top of another group. It becomes a *subgroup*, which is handy for things like branch offices within your company, or relatives whom you're not speaking to at the moment.


Here's another handy feature of an Address Book group: You can send all the members of a group the same e-mail message at once. Within Mail, simply enter the Group name in the To field in the Compose window, and the same message is sent to everyone. Even Gandalf couldn't do that (but my copy editor bets that Dumbledore could).

## Using Network Directories

I know, I know, I said earlier that you'd have to enter all your contacts yourself — but I was talking about your *personal* contacts! You can also access two types of external directories from within Address Book:

- ◆ If you're a member of a company NetInfo network — and if you don't know, ask your wizened network administrator — you can search network directory servers from within Address Book. These servers are available automatically, so there's no configuration necessary. Sweet.
- ◆ You can search Internet-based LDAP directories. Sorry, folks, I know that's pretty cryptic, but others have written entire books on this technology. Again, suffice it to say that your network guru can tell you whether LDAP servers are available to you. (In another blazing display of techno-nerd acronym addiction, LDAP stands for *Lightweight Directory Access Protocol*.) With LDAP, you can search a central company directory from anywhere in the world as long as you have an Internet connection. To configure this feature, click Address Book from the menu and choose the Preferences menu item; click the LDAP tab, and then click the button with the plus sign to enter the specific settings for the server that you want to access (see Figure 5-6). Your network administrator or the LDAP server administrator can supply you with these settings.

To search either type of network directory, click the Directories entry in the Group column and use the Search field like you normally would. Matching entries will display the person's name, e-mail address, and phone number.



**Figure 5-6:** Enter LDAP server information into Address Book.



“But hey, Mark, what if I’m not online? My company’s LDAP directory isn’t much good then, right?” Normally, that’s true. If you’re a mobile user, LDAP information is only available to you when you’re online and the LDAP server is available. Ah, but here’s a *rocking* power user Tip that’ll do the trick for iBook and PowerBook owners: To make a person’s information always available, search the LDAP database and drag the resulting entry from the Directories window to the All group. You’ll import the information to your local Address Book — and you’ll see it even when you’re not online!

## *Printing Contacts with Flair*

Next, consider how to print your contacts (for those moments when you need an archaic hard copy). Address Book offers two different formats.



By default, Address Book prints on standard US letter-size paper (8½-x-11 inches) in portrait orientation. To change these settings, choose File⇨ Page Setup or press ⌘+Shift+P. From the Page Setup dialog that you see in Figure 5-7, you can choose exotic settings such as legal-size paper or landscape orientation. Click OK to return to Address Book.



Follow these steps to print your contacts:

**1. Choose File⇨Print or press ⌘+P.**


Address Book displays the Print dialog.

If you need more than one copy, click the arrows next to the Copies field to specify the desired number.

Need labels? We've got 'em! Click the Style drop-down list box and choose Mailing Labels to specify what type of label stock you're using on the Layout panel. Click the Label button to sort your labels by name or postal code, choose a font, select a text color, and add an icon or image to your labels. To switch back to a standard contact list, click Style again and then click Lists.



**Figure 5-7:** Configure basic page characteristics from the Page Setup dialog.



**2. Select the desired Attributes check boxes to specify which contact card fields you want to appear in your list (see Figure 5-8).**


The Attributes list appears only if you're printing contacts in Lists style.

**3. Click the Preview button to check the appearance of the list or click the Print button to send the job to the selected printer.**

Alternatively, you can create a PDF file in a specified location — a handy trick to use if you'd rather not be burdened with paper, but you still need to consult the list or give it to others. (*PDF files* are a special document display format developed by Adobe; they display like a printed document but take up minimal space and can't be edited.) To display the contents of a PDF file in Mac OS X, you need only double-click it in the Finder window, and the built-in Preview application will be happy to oblige.

## DropBooks

**Figure 5-8:**  
Select data  
fields for  
your list.



## Swapping Bytes with vCards


A *vCard* is a standard file format for exchanging contacts between programs like Address Book, Microsoft Entourage, Eudora, and the Palm computer desktop. (Heck, if you're lucky enough to have an iPod, you can even store vCard data there.) Think of a vCard as an electronic business card that you can attach to an e-mail message, send via File Transfer Protocol (FTP), or exchange with others by using your cellular phone and palmtop computer. vCard files end with the extension `.vcf`.

In Address Book, you can create a single vCard containing one or more selected entries by clicking File and choosing Export vCards. Then, like any other Mac OS X Save dialog, just navigate to the spot where you want the file saved, give it a name, and click Save. Figure 5-9 illustrates the Get Info window with information about my vCard, saved from my Address Book to my Desktop.

To import vCards into Address Book:

- ◆ Drag the vCard files that you've received to Address and drop them in the application window.
- ◆ Alternatively, choose File⇨Import vCards or press ⌘+I. From the Open dialog, navigate to the location of the vCard files that you want to add, select them, and then click Open.

# DropBooks



**Figure 5-9:** A business card on my Desktop — the virtual way.

# DropBooks



# DropBooks

## Chapter 6: The Joys of Maintenance

---

### *In This Chapter*

- ✓ Deleting applications
- ✓ Using Apple System Profiler
- ✓ Using Activity Monitor
- ✓ Using Disk Utility
- ✓ Updating Mac OS X
- ✓ Backing up your system
- ✓ Using a disk defragmenter
- ✓ Using start-up keys in Mac OS X
- ✓ Updating your drivers

**T**he title of this chapter really sounds like a contradiction in terms, doesn't it? The concepts of *joy* and *maintenance* will likely be mutually exclusive to you — and it's true that most Mac OS X owners would rather work or play than spend time under the hood, getting all grimy. I understand completely; maintenance is far less sexy than WarCraft III or PowerPoint.

However, if you do want your work or play uninterrupted by lockups and crashes — yes, believe it or not, the Big X can indeed take a dive if it's not cared for — and you'd like your Mac to perform like Lance Armstrong, you've got to get your hands dirty. That means performing regular maintenance on your hardware, Mac OS X, and your all-important applications, documents, and folders.

Like most techno-types, I actually *enjoy* pushing my system to the limit and keeping it running in top form. And who knows — after you become a Panther power user, you could find yourself bitten by the maintenance bug as well. In this chapter, I cover how to take care of necessary tune-up chores, step-by-step.

### *Deleting Applications the Common Sense Way*

Nothing lasts forever, and that includes your applications — you might no longer need an application or maybe you need to remove it to upgrade to a

# DropBooks

new version or to reinstall it. Unlike Windows XP, Mac OS X doesn't have an Add or Remove Programs utility for uninstalling software — nor does it need one because virtually all Macintosh applications are self-contained in a single folder or series of nested folders. (And not by accident . . . it's always been a rule for Apple software developers since the first days of the Macintosh.) Therefore, removing an application is usually as easy as deleting the contents of the application folder from your hard drive.




Always check the application's README file and documentation for any special instructions before you delete any application folder. If you've created any documents in that folder that you want to keep, don't forget to move them before you trash the folder and its contents!



Some programs can leave preference files, start-up applications, or driver files in other spots on your disk besides their home folder. When you're uninstalling a program that has support files in other areas, use the Search box in the Finder toolbar to locate other files that might have been created by the application. (I cover this feature in Book II, Chapter 1.)

For example, Figure 6-1 illustrates a search that I've run on Microsoft Office v. X. By searching for the word *office*, I've found a number of files created in other folders, like the settings file that's in my Preferences folder. Typically, you'll want to delete the main application folder first and then remove these orphans.



**Figure 6-1:** Locate support files before deleting an application.



# DropBooks

Spring Cleaning, from Aladdin Systems ([www.aladdinsys.com](http://www.aladdinsys.com)), also has the ability to uninstall a program, as well as a feature that can find and remove orphaned files left from past applications.

## *Popping the Hood: Using the Apple System Profiler*

Need hard information about your hardware? You might need to determine precisely what hardware is installed in your Mac for the following reasons:

- ◆ **If you're working with a technical support person to solve a problem:** This person will usually request information about your system, such as what processor you're running and how much memory you have.
- ◆ **If you're evaluating an application before you buy it:** You'll want to check its minimum system requirements against the hardware on your Mac.
- ◆ **If you're considering an upgrade to your Mac:** You'll likely need to determine how much memory you have, what type it is, and which memory slots are filled. (The same goes for your hard drive and your video card, for those Macs with video card slots.) For more on upgrading your Mac, thumb through Book VI, Chapter 2.


Apple provides Mac OS X with an all-in-one hardware and software display tool, aptly named *Apple System Profiler*, which you can find in the Utilities folder within your Applications folder. (You can also reach the Profiler through the Apple menu — click About This Mac and then click the More Info button.) As you can see from Figure 6-2, there's a lot to digest from the System Profiler window.

Like the folders in a Finder window in list view mode, you can expand or collapse each major heading that appears in a Profiler screen. Just click the triangle that appears to the left of each Contents heading to expand or collapse that heading.


The System Profiler major headings include

- ◆ **Overview:** The heart of the Profiler, this is the screen that you'll use the most (again, feast your eyes on Figure 6-2). It includes information about your Mac OS X version, an overview of your system hardware, a description of the physical memory in your Mac, and an overview of the network connections that you're currently using.
- ◆ **Hardware:** This heading tells you volumes about your hard drives — forgive me — as well as specifics concerning your CD and DVD drives, modem, AirPort hardware, and any FireWire and USB devices connected to your system. Figure 6-3 illustrates the information from my USB screen, with many of the devices expanded so that you can see them.

# DropBooks




**Figure 6-2:** Find your system overview in System Profiler.



**Figure 6-3:** See information about the ports and connections on your Mac.



- ◆ **Network:** This heading shows a listing of your network configuration, active network connections, and other assorted network paraphernalia. You'll probably only need this screen when asked by a technical support person for the network protocols that you're using, but it's handy nonetheless.
- ◆ **Software:** Okay, this heading shows something useful to the average human being! This screen lists all the applications recognized on your start-up volume, along with their version numbers (see Figure 6-4). If you're wondering whether you need to update an application with a *patch file* (to fix bugs in the software) or update a file from the developer, you can look here to check the current version number for the application. You also get a rather boring list of the *extensions* (or drivers) used by Mac OS X applications.
- ◆ **Logs:** Although interesting, the highly complex listings displayed under this heading are usually valuable only to tech support personnel. They document recent lockups, application crashes, and even system crashes.



**Figure 6-4:**  
View all  
your  
applications  
and version  
numbers.

## Tracking Performance with Activity Monitor

# DropBooks

Your next stop in Maintenance City is a useful little application called *Activity Monitor*, which is specially designed to show you just how hard your CPU, hard drives, network equipment, and memory modules are working behind the scenes. To run Activity Monitor, open the Utilities folder in your Applications folder.

To display each different type of usage, click the buttons in the lower half of the window; the lower panel changes to reflect the desired type. For example, if you click System Memory, you see the amount of unused memory; click CPU or Network to display real-time usage of your Mac's CPU and network connections.

You can also display a separate window with your CPU usage; choose Monitor→Show CPU Usage or press ⌘+2. Figure 6-5 illustrates the two different types of central processing unit (CPU, which is commonly called the “brain” of your Macintosh) displays available from Activity Monitor:

- ◆ **Floating CPU window:** (Bottom-left of Figure 6-5.) This is the smallest display of CPU usage; the higher the CPU usage, the higher the reading on the monitor. You can arrange the floating window in horizontal or vertical mode from the Activity Monitor menu.
- ◆ **Standard window:** (Above the floating window in Figure 6-5.) This is the standard CPU monitoring window, which uses a blue thermometer-like display. The display works the same as the floating window.

### Processes For Dummies

“Mark, what’s that arcane-looking list doing in the middle of the Activity Monitor window in Figure 6-5?” I’m glad you asked. A *process* is a discrete task (either visible or invisible) that Panther performs in order to run your applications. (Some processes are executed by Panther just to keep itself running.) For example, the Dock and Finder are actually processes, as are Adobe Acrobat and iPhoto.


You can delete a specific process within Activity Monitor. Just click the offending

process in the list and then click the Quit Process button on the Activity Monitor toolbar. But tread carefully, Mr. Holmes, for there’s danger afoot. For example, deleting a system process (like the Dock or Finder) can result in **all** of Mac OS X locking up! Therefore, delete a process *only if instructed to do so by a support technician*. From the Apple menu, choose Force Quit to terminate a misbehaving application instead.

Whichever type of display you choose, you can drag the window anywhere that you like on your Mac OS X Desktop. Use the real-time feedback to determine how well your system CPU is performing when you're running applications or performing tasks in Mac OS X. If this meter stays peaked for long periods of time while you're using a range of applications, your processor is running at full capacity.



You can even monitor CPU, network, hard drive, or memory usage right from the Dock! Choose Monitor → Dock Icon; then choose what type of real-time graph you want to display in your Dock. (Feeling like a Panther power user yet? I thought so.) When you're monitoring CPU usage from the Dock, the green portion of the bar indicates the amount of processor time used by application software, and the red portion of the bar indicates the CPU time given to the Mac OS X operating system.



**Figure 6-5:**  
How hard  
is your  
processor  
really  
working?

Floating window


REMEMBER

DropBooks

Note, however, that seeing your CPU capacity at its max *does not* necessarily mean that you need a faster CPU or a new computer. For example, when I'm running applications such as Photoshop or Premiere, the Activity Monitor on my G4 iMac is often pegged (indicating maximum use) for several seconds at a time. The rest of the time, it barely moves. Whether a computer is actually fast enough for you and the applications that you run is more of a subjective call on your part.

## Fixing Things with the Disk Utility

Another important application in your maintenance toolbox is the Disk Utility, which you'll find — no surprise here — in the Utilities folder within your Applications folder. When you first run this program, it looks something like Figure 6-6, displaying all the physical disks and volumes on your system.




**Figure 6-6:**  
The familiar  
face of the  
Mac OS X  
Disk Utility.

## Displaying the goods on your disks


The volume tree structure on the left of the Disk Utility window lists both the physical disks and the partitions that you've set up. A *partition* is nothing more than another word for *volume*, which is the formatted section of a disk that contains data. A single physical hard drive can contain several partitions. The information display at the bottom of the Disk Utility window contains data about both the volumes and the partitions on your hard drive.

To illustrate: On my system, clicking the drive labeled *38.2 GB* (the physical hard drive at the top of the tree) displays a description of the drive itself, including its total capacity, interface (connection type), and whether the drive is internal or external. (See Figure 6-7.) Clicking the tree entry for *Disk Wolfgang*, however — that's the name of the partition that I created when I formatted the drive — displays information about the type of formatting, the total capacity of the partition and how much of that is used, and the number of files and folders stored on the partition (as shown in Figure 6-8).



**Figure 6-7:**  
Display  
data on a  
physical  
disk.

## DropBooks



**Figure 6-8:**  
Display data  
on a volume.

### *Playing doctor with First Aid*

Click the First Aid tab to display the controls that you see in Figure 6-9. Disk Utility can be used to *verify* (or check) any disk (well, almost any disk) for errors, as well as repair any errors that it finds. Here are the two exceptions when the buttons are disabled:

- ◆ **The start-up disk:** Disk Utility can't verify or repair the *start-up disk* — that's Mac talk for the boot drive that contains the Mac OS X system that you're using at the moment — which makes sense if you think about it because that drive is currently being used!




If you have multiple operating systems on multiple disks, you can boot from another Mac OS X installation on another drive to check your current start-up disk. Or, you can boot your system from the original Mac OS X installation CD and run Disk Utility from the Installation menu.

Your start-up disk is *automatically* verified and repaired (if necessary) during the boot procedure, so you really don't need to worry about checking the start-up disk.

- ◆ **Write-protected disks:** Although you can use the Disk Utility to verify CDs, DVDs, and write-protected removable disk drives (like a write-protected Zip disk), it can't repair them. (Sound of my palm slapping my forehead.)

You also can't repair a disk that has *open* files that are currently being used. If you're running an application from a drive or you've opened a document that's stored on that drive, you won't be able to repair that drive.

You can also elect to verify and repair *permissions* (also called *privileges*) on a disk; these are the read/write permissions that I discuss in detail in Book II, Chapter 6. If you can't save or move a file that you should be able to access, I recommend checking that drive for permissions problems. Unlike fixing disk errors, you can verify and repair permissions on any volume that contains a Mac OS X installation (whether it was used to boot your Mac or not).



**Figure 6-9:**  
The Disk  
Utility First  
Aid controls.

# DropBooks



# DropBooks

In order to verify or repair, you must be logged in as an administrator.

To verify or repair a drive, first select the target volume/partition in the list at the left. To check the contents of the drive and display any errors, click the Verify Disk button. Or, to verify the contents of the drive and fix any problems, click the Repair Disk button. (I usually just click Repair Disk because an error-free disk will need no repairs.) Disk Utility displays any status or error messages in the scrolling list; if you've got eagle eyes, you'll note that the window can be resized so that you can expand it to display more messages. (You can also drag the dot between the left and right panes to expand the list.)



I generally check my disks once every two or three days. If your Mac is caught by a power failure or Mac OS X locks up, however, it's a good idea to immediately check disks after you restart your Mac. (**Remember:** The start-up volume is automatically checked and repaired, if necessary.)

A number of very good commercial disk repair utilities are on the market. My favorite is Drive 10 from Micromat ([www.micromat.com](http://www.micromat.com)), shown in Figure 6-10. However, Disk Utility does a good job on its own, and it's free.



**Figure 6-10:** Drive 10 is a great Mac OS X native disk repair utility.

## *Erasing without seriously screwing up*

“Danger, Will Robinson! Danger!” That’s right, Robot, it is indeed *very* easy to seriously screw up and get *Lost in Erase*. (Man, I can’t believe I actually typed such a bad pun. I have no shame.) Anyway, it’s time for another of Mark’s Maxims. To paraphrase the rules for handling a firearm responsibly:

**Never click this button unless you mean to use it.™**




Figure 6-11 illustrates the Erase controls within Disk Utility. You need only erase a disk or volume when you want to **completely wipe** the contents of that existing disk or volume. You can also erase a rewriteable CD (CD-RW) or DVD (DVD-RW, DVD+RW, or DVD-RAM) from this tab.

- ◆ Erasing an *entire disk* deletes **all volumes** on the disk and creates a single new, empty volume.
- ◆ Erasing a *volume* only wipes the *contents of that specific volume*, leaving all other volumes on the physical disk untouched.

To erase, follow these steps:

1. From the Erase panel within Disk Utility, click the disk or volume icon that you want to erase from the list on the left side of the screen.
2. Click the format that you want to use from the Volume Format drop-down list.



**Figure 6-11:**  
The Disk  
Utility Erase  
controls.



DropBooks



# DropBooks

Always choose Mac OS Extended entry from the Volume Format list unless you have a specific reason to use the MS-DOS File System (for compatibility with PCs running Windows) or the UNIX File System (for compatibility with UNIX/Linux machines). In some cases, Disk Utility will force you to choose the Mac OS Extended (Journaled) entry instead, but the end result is the same. Note that you do *not* need to format a disk or volume with the MS-DOS File System just to read or write a floppy or a Zip disk from a PC system — Mac OS X recognizes MS-DOS removable media without a problem.



### 3. In the Name field, type the name for the volume.

If you're erasing an existing volume, the default is the existing name.

### 4. If you're erasing a disk, enable the Install Mac OS 9 Disk Driver check box to specify whether you want to install drivers for native Mac OS 9 machines.

Without these drivers, the disk can't be used with Mac OS 9 on another Mac or if you reboot your Mac by using Mac OS 9. (Note that these drivers are not required to use the disk in Classic mode.)

### 5. Click the Erase button.

In the sheet that appears, click Erase to confirm that you do actually want to do the deleterious deed.

## *Partitioning the right way*

From time to time, just about everyone wishes they had additional volumes handy for organizing files and folders — or at least a little extra space on a particular partition. If you find yourself needing another volume on a disk — or if you need to resize the total space on existing volumes on a disk — click the Partition tab within Disk Utility to display the controls that you see in Figure 6-12. (Make sure you've selected a disk, not a partition.) From here, you can choose a volume scheme, creating anywhere from 1 to 16 volumes on a single disk.




You can't monkey around with the partitions on a start-up disk because Mac OS X is currently running on that disk — think about removing your own appendix, and you'll get the idea.

To set up the partitions on a disk, follow these steps:

1. From the Partition panel within Disk Utility, click the disk icon (left side of the pane) that you want to partition.
2. Click the first volume block in the partition list (under the Volume Scheme drop-down list) to select it.

## DropBooks



**Figure 6-12:**  
The Disk  
Utility  
Partition  
controls.

3. Click the Volume Scheme drop-down list and choose the total number of volumes that you want on the selected disk.
4. Click in the Name field and enter the name for the first volume.
5. From the Format drop-down list, choose a format for the volume.



**Always** use Mac OS Extended or Mac OS Extended (Journaled) from the Format list unless you have a specific reason to use the MS-DOS File System (for compatibility with PCs running Windows) or the UNIX File System (for compatibility with UNIX/Linux machines).

6. Type a total size for this volume in the Size field.
7. To install Mac OS 9 drivers on this disk, enable the Install Mac OS 9 Disk Drivers check box.



Without these drivers, the disk can't be used with Mac OS 9 on another Mac or if you reboot your Mac by using Mac OS 9. (Again, Classic mode doesn't require these drivers.)

8. **After you set up your first volume partition, mark the Locked for Editing check box to prevent any further changes to that volume.**
9. **If you're creating multiple volumes, click the next volume block to select it and repeat Steps 4–8.**
10. **To delete a partition from your new scheme, click the unwanted volume and then click the Delete button to remove it.**
11. **To split a partition from your new scheme into two volumes, click the desired volume and then click the Split button.**
12. **When everything is set to your liking, click the Partition button to begin the process.**



If you suddenly decide against a partition change, click the Revert button to return to the original existing partition scheme — however, the Revert button is only available before you click the Partition button!

Check out the bar(s) with a handle separating the volumes in the partition list. If you leave all your partitions unlocked (by leaving the Locked for Editing check box disabled), you can click and drag these separator bars to dynamically resize the volumes. This makes it easy to adjust the individual volume sizes for the disk until you get precisely the arrangement you want. If a volume is locked, it can't be resized dynamically in this fashion.

### ***RAID has nothing to do with insects***

The final stop on the Disk Utility hayride isn't for everyone — as a matter of fact, only a Mac OS X power user with a roomful of hardware is likely to use it. RAID, *Redundant Array of Independent/Inexpensive Disks*, is actually what it says. In normal human English, a *RAID set* is a group of multiple separate disks, working together as a team. Using RAID can

- ◆ Improve the speed of your system
- ◆ Help prevent disk errors from compromising or corrupting your data

The RAID controls within Disk Utility are illustrated in Figure 6-13. You'll need at least two additional hard drives on your system besides the start-up disk, which I don't recommend that you use in a RAID set.


To set up a RAID array in Mac OS X, follow these steps:

1. **From the RAID tab of Disk Utility, click and drag the disks from the list at the left to the Disk box.**

- Click the RAID Scheme drop-down list to specify the type of RAID that you need.

- Stripe:** Choosing this can speed up your hard drive performance by splitting data between multiple disks.
- Mirror:** Choosing this increases the reliability of your storage by creating a mirror backup of that data across multiple disks.

- Click in the RAID Set Name field and type the name for your RAID set.



**Figure 6-13:**  
The Disk  
Utility RAID  
controls.

- From the Volume Format drop-down list, choose a format for the volumes.



**Always** use Mac OS Extended or Mac OS Extended (Journaled) from the Volume Format list unless you have a specific reason to use the MS-DOS File System (for compatibility with PCs running Windows) or the UNIX File System (for compatibility with UNIX/Linux machines).

5. Click the Create button.

# DropBooks

## Updating Mac OS X

As any good software developer should, Apple constantly releases improvements to Mac OS X in the form of software updates. These updates can include all sorts of fun stuff, like

- ◆ Bug fixes
- ◆ Improvements and new features
- ◆ Enhanced drivers
- ◆ Security upgrades
- ◆ Firmware upgrades

Apple makes it easy to keep Mac OS X up-to-date with the Software Update controls in System Preferences (see Figure 6-14). Alternatively, you can click the Apple menu and click Software Update. To check for new updates periodically, enable the Check for Updates check box. Then from the drop-down list box, choose how often you want these updates. (I suggest at least weekly, if not daily.) For a manual check, make sure that you're connected to the Internet and then click the Check Now button.

To download updates automatically, mark the Download Important Updates in the Background check box to enable it; the Big X politely downloads the updates behind the scenes and then alerts you that they're ready to be installed. (With automatic downloading disabled, Mac OS X displays any available updates with short descriptions, and you can toggle the installation of a specific update by enabling or disabling the check boxes next to it.)




I recommend installing all updates, even for hardware that you don't have yet. For example, I always install AirPort updates even though I don't use an AirPort connection at home. The reason? Often, the functionality covered by an update may include system software that you *do* use, so you'll still benefit from installing it.

After you specify the updates that you want to install, click the Install button to begin the update process. You might have to reboot after everything has been installed.

# DropBooks

**Figure 6-14:** Keep Mac OS X up-to-date with Software Update.



To see which updates you've already installed, click the Installed Updates tab.


## *I Demand That You Back Up Your Hard Drive*

I know we're friends, but there's *no* excuse for not backing up your data. The more valuable and irreplaceable that your documents are, the more heinous it is to risk losing them. (I don't get to use the word *heinous* in many of my books, but it fits really well here.)

Although Apple does include the ability to create disk images and restore them in the Disk Utility, I'm not going to recommend that you use disk images for backups. (Insert sound of stunned silence here.) That's because the restore process can be confusing, and the disk image method doesn't offer the level of control that you need when it comes to backing up individual files and folders (or selectively backing up by date or recent use). Only a bona fide backup application gives you such flexibility and convenience . . . and that's why Panther power users turn to true-blue backup software for help.

If you've subscribed to Apple's .Mac service, a back-up utility is included, but it's not a part of the default Mac OS X package. Therefore, if you're not a .Mac member, you can turn to a commercial back-up application for your salvation — my personal recommendation is Retrospect, shown in Figure 6-15, from Dantz ([www.dantz.com](http://www.dantz.com)). This well-written "software bungee cord" has saved my posterior more than once.

## DropBooks



**Figure 6-15:**  
The face of  
back-up  
security —  
Retrospect  
Backup  
from Dantz.



Using Retrospect is cheap security, but if you can't afford it at the moment, take a second to at least back up your most important documents by copying them to a rewriteable CD or a Zip disk. Don't trust a floppy (if your Mac is actually old enough to sport a floppy drive); they're far too unreliable. With this poor man's backup, even if you lose your entire hard drive, you can still restore what matters the most.

## *1 Further Demand That You Defragment*

Defragmenting your hard drive can significantly improve its performance. Using a *defragmenter* scans for little chunks of a file that are spread out across the surface of your hard drive and then arranges them to form a contiguous file. After a file has been optimized in this way, it's far easier and faster for Mac OS X to read than reassembling a fragmented file.

However, Apple dropped the ball on this one and didn't include a defragmenter with Mac OS X. Luckily, the latest version of Micromat Drive 10 also includes a defragmenting feature (see Figure 6-16), as does Speed Disk from Norton ([www.norton.com](http://www.norton.com)). If you have a defragmenter, I recommend that you use it once a month.



## DropBooks

**Figure 6-16:**  
Defragment a drive with  
Drive 10.



## Special Start-Up Keys for Those Special Times

Mac OS X includes a number of special keys that you can use during the boot process — these keys really come in handy when you need to force your operating system to do something that it normally wouldn't, like boot from a CD instead of the hard drive.

- ◆ **To boot from a CD or DVD:** Restart your Mac while pressing the C key. This is a great way to free up your start-up volume when you want to test it or optimize it using a commercial utility.
- ◆ **To eject a recalcitrant disc that doesn't show up on the Desktop:** Restart Mac OS X and hold down the mouse button — or if you have a late-model Mac, press the Media Eject key as soon as you hear that magnificent startup chord.
- ◆ **To force your Mac to boot in Mac OS X:** Hold down the X key while restarting or booting the Mac.
- ◆ **To display a system boot menu:** Hold down the Option key while restarting or booting the Mac, and you can choose which operating system you want to use.
- ◆ **To prevent start-up applications from running during login:** Hold down the Shift key while you click the Login button on the Login screen. If you don't see the Login screen during startup, just hold down Shift while Mac OS X boots until the Finder menu appears.

## *Crave the Newest Drivers*

# DropBooks

No chapter on maintenance would be complete without a reminder to keep your hardware drivers current. *Drivers* are simply programs that allow your Mac to control hardware devices, like a video card or a Small Computer System Interface (SCSI) card that you've added to your Mac. The Mac OS X Software Update feature that I discuss earlier in the section "Updating Mac OS X" provides most of the drivers that you'll need for things like printers, USB and FireWire peripherals, and digital cameras, but it's still very important to check those manufacturer Web sites.

Like the software updates from Apple, updated drivers can fix bugs and even add new features to your existing hardware, which is my definition of *something for nothing*.



## Chapter 7: Using Classic Mode

---

### *In This Chapter*

- ✓ Understanding how Classic mode works
- ✓ Locating Classic applications, files, and folders
- ✓ Configuring Classic mode
- ✓ Restarting in Mac OS 9.2

To someone as familiar as you are with Mac OS X, using applications in Mac OS 9 is like watching an evening of Lawrence Welk — you know that this music *used* to be cutting-edge, and that tap-dancer *used* to be cool, but now it all seems . . . well . . . horribly *wrong*. (I don't mean to offend the champagne-music crowd — Lawrence and the band were really quite good. Perhaps it's those unspeakable robin's-egg blue tuxedos that give me such a headache.)

We're lucky because most of the popular Mac applications have been updated for the Big X, but the process isn't yet complete. Not every program will run natively in Mac OS X — some popular applications still run only in Classic mode — so it's practically a sure thing that sooner or later you'll launch a program, see the bouncing number 9 in the Dock, and realize that means Classic is revving up. For those times, this chapter will prove a soothing balm.

### *Classic Mode Explained*

Let's start with a definition: *Classic mode* is actually an implementation of Mac OS 9 that runs in Mac OS X. Think of it as a virtual session of Mac OS 9 that runs whenever you need it — although you won't actually see the Mac OS 9 session after it boots up. Instead, Classic runs in the background, providing breathing space for applications that wouldn't otherwise run in Mac OS X.

## DropBooks

## Of Carbon and Cocoa . . .

First, a word about why Classic mode is required in the first place — you can politely brush past this section if you’re not interested in the Grand Design, and I’ll catch up with you in a paragraph or two.

Still here? Okay. Here’s the chop. Mac OS X applications are written by using two software development APIs (nerdspeak for *Application Program Interfaces*). An *API* specifies the way that a program communicates with the operating system.

Mac OS X recognizes two programming APIs: Carbon and Cocoa. A *Carbon* application runs in both Mac OS 9.2 and Mac OS X; common Carbon applications include Adobe Photoshop 7

and Roxio Toast. A *Cocoa* application runs only under Mac OS X, such as Microsoft Office v. X. Cocoa applications perform significantly better than Carbon under Mac OS X, and Cocoa’s structure allows software developers to finish an application faster.

If a program supports either Carbon or Cocoa, it’ll work within Mac OS X (with a Cocoa application providing the better performance) — however, if the program is older and was exclusively written for earlier versions of Mac OS without Carbon, it won’t run in Mac OS X, and Classic mode automatically launches to run the application in a comfortable environment.

The beauty of Classic is that virtually all older applications run fine in Classic mode, and they have absolutely no idea that they’re actually working under Mac OS X. Any problems that you’re likely to experience in Classic mode stem from “confused” hardware that can’t communicate through ports that are still controlled through Mac OS X, or the same “shared” memory problems that plagued older versions of Mac OS. (Sigh.) In other words, if a lockup could happen in a “real” Mac OS 9 session, it can also happen in Classic mode . . . but luckily, the only thing that would crash is the Classic environment itself, so the rest of your Mac OS X applications should continue working without a hitch. (In fact, you can launch Classic from System Preferences, as I show you later in this chapter, and try to run the Classic application again without wreaking havoc on the rest of Mac OS X.)



**TIP** If you need to use an application from time-to-time that simply won’t run correctly under Classic mode at all, you might be able to take drastic measures and restart under Mac OS 9, which I demonstrate at the end of this chapter. (Some newer Macintosh models won’t boot into Mac OS 9.)

## Cranking Up Classic

The four methods of running Classic mode are

- ◆ **Double-click on an application without Cocoa or Carbon support.** In other words, launch an older program. As I mention earlier, you’ll see


## DropBooks



the sprightly bouncing Classic mode icon appear in the Dock, and a minimal progress bar appears (as shown in Figure 7-1). Click the arrow next to the progress bar to expand the Classic window and watch the boot process, just as if you were actually staring at Mac OS 9. After Classic mode has loaded, the Classic icon disappears from the Dock, the Mac OS 9 boot window/progress bar disappears, and the application menu and window appear.

Note that applications running in Classic use the Mac OS 9 menu bar, and Classic mode windows have the older Mac OS 9 window controls (see Figure 7-2). In fact, there's an easy way to tell whether an application is running in Classic mode: Just to look at the Apple logo in the top-left corner of the screen! If it's a solid-colored Apple, the active application is a native Mac OS X application. On the other hand, if the Apple appears as the traditional six-color logo, the active application is running in Classic mode.

**Figure 7-1:**  
Starting  
Classic  
mode with  
just the  
progress  
bar.



- ◆ **Launch Classic from System Preferences.** Click the System Preferences icon in the Dock and choose Classic settings to display the dialog that you see in Figure 7-3. Click the Start button.
- ◆ **Launch Classic from the Mac OS X Finder menu bar icon.** If you've enabled the Show Classic Status in Menu Bar check box (on the same Classic settings panel in System Preferences), you get a nifty Classic icon on your menu bar — a new feature in Panther. You can click this menu bar icon to start, stop, or restart Classic mode — or you can click Open Classic Preferences to display the Classic settings panel. When Classic is running, the menu bar icon is displayed in color; when Classic isn't running, the menu bar icon is displayed in gray.
- ◆ **Configure Classic to run automatically.** To start Classic automatically when you log in to Mac OS X — on a system where you're the only user, that means when you boot your computer — click the System Preferences icon in the Dock and choose Classic settings. Mark the Start Classic When You Log In check box to enable it, and then press  $\mathring{A}+Q$  to exit System Preferences and save the change.



The six-color Apple means your machine is running in Classic mode.

# DropBooks



**Figure 7-2:**  
A Classic application is easy to spot in Mac OS X.




Mac OS X version 10.3 Panther introduces the ability to hide Classic in the background when it runs automatically — mark the Hide Classic While Starting check box to enable it, and you'll never know that your little friend is alongside you. With this check box disabled, you get the standard Classic startup mode with the progress bar. (Oh, and one more caveat to the “hidden” Classic mode: If you've enabled the Classic icon on the Finder menu bar, the icon will always let you know that Classic is starting up. The little snitch. . . .)

After Classic mode is running on your Mac, any number of Mac OS Classic applications can use it — you only have to launch Classic once, and it remains running until you log out, Mac OS X is restarted, or Classic mode goes to sleep (more on this nocturnal behavior later in the section “Configuring Classic Mode”).

To stop Classic mode — thus freeing up both system RAM and your processor, as well as improving the performance of other Mac OS X applications — open System Preferences, choose Classic settings, and click Stop on the Start/Stop pane. (Alternatively, if the Classic icon is displayed in your Finder menu bar, just click it and choose Stop Classic from the menu.)

## DropBooks



**Figure 7-3:**  
The Classic  
settings  
within  
System  
Preferences.

## Reaching That Antique Software

If you upgraded from Mac OS version 8 or 9 to Mac OS X, you'll be happy to know that all those legacy applications that you used before are still available. You can find them in a number of places on your system:

- ◆ **Applications (Mac OS 9) folder:** Mac OS X places all the applications that existed on your drive in the old Applications folder into this new folder — and, in turn, all the new Mac OS X applications added to your system are stored in the Applications folder. Although slightly schizophrenic, it's a great solution that actually works. After you upgrade to Mac OS X, simply look in the Applications folder for your Mac OS X native applications and open the Applications (Mac OS 9) folder for your older stuff.



Many new Mac OS X native applications that use the Carbon API will also install an *alias* (also known as a *shortcut* to the Windows crowd) in your Applications (Mac OS 9) folder so that you can easily run them when you've restarted in Mac OS 9. If a Mac OS X application will run under Mac OS 9 but didn't automatically create an alias (how rude!), it

# DropBooks

only takes a second to add the alias yourself in the Applications (Mac OS 9) folder. (For more about aliases, see Book I, Chapter 2.)

◆ **The Mac OS 9 Desktop:** Yep, you heard right, you can still reach the icons and programs on your Mac OS 9 Desktop, including folders and aliases. Double-click the Desktop (Mac OS 9) icon on your Mac OS X Desktop to display it, as illustrated in Figure 7-4, and you can run applications or work on documents to your heart's content. (Any changes that you make to this “Desktop in a Folder” in Mac OS X will naturally be reflected when you restart in Mac OS 9.)

**Figure 7-4:** Hey, aren't those my Mac OS 9 Desktop items?



To reach your Mac OS 9 Desktop items from within the Finder window, open the System Folder — remember, this is your Mac OS 9 **System Folder**, not the Mac OS X **System** folder (note the whomping big loss of the word *Folder* there; it's important). Within, you'll find the Desktop Folder, which contains the same Mac OS 9 items as the folder on your Desktop. Hang on, I need more Diet Coke . . . it always helps me when I'm nearing a state of confusion.

## Configuring Classic Mode


The default System Preferences settings for the Classic environment can be tweaked to enhance performance or to change when Classic starts or how it operates. These settings include the following:

- ◆ **Startup and Other Options:** Click the Advanced tab to display the options that you see in Figure 7-5. By using the drop-down list box, you can elect to start Classic with extensions off, or to start the Classic



Extensions Manager to individually toggle Control Panels and Extensions on or off. Select the Use Key Combination option and type up to five keys — one at a time — that should be simultaneously pressed when you start Classic (which allows you to simulate Mac OS 9 startup keys). **Note:** These Advanced startup options work only when you launch Classic manually from this panel using the Start Classic button.

- ◆ **Putting Classic to sleep:** Click and drag the slider to specify the amount of inactivity that will trigger the Classic Sleep option. When Classic is asleep, it uses much less system memory and doesn't bog down your Mac's CPU — when a Classic application is launched, it takes Mac OS X far less time to activate Classic from Sleep mode than it does to start Classic from scratch. To disable the Classic Sleep option, move the slider to Never. After it's running, Classic will continue to remain active in the background until you manually stop it (as I describe earlier in this chapter).




**Figure 7-5:**  
The  
Advanced  
configu-  
ration  
options for  
Classic  
mode.

## DropBooks

- ◆ **Rebuilding your Classic Desktop:** Click the Rebuild Desktop button to regenerate the Classic Desktop file, which stores data on which icons go with which Classic applications as well as which types of documents link to which Classic applications. Normally, you need only do this if your Classic applications no longer have the proper icons or if double-clicking a document created with a Classic application no longer launches the proper application.



To see what's running in the Classic environment — something roughly akin to asking, “I wonder how refrigerant is circulated in my central air conditioning system?” — click the Memory/Versions tab of the Classic System Preferences dialog. Figure 7-6 illustrates two programs running, showing the amount of memory that they're actually using and the maximum amount of memory that they're allowed to have. To show what's running in the background in Classic mode, mark the Show Background Processes check box to enable it. This dialog also displays the version of Mac OS that Classic is using. (If you're not interested in what's happening behind the curtain in the Classic environment, you can gleefully forget that this tab ever existed in the Classic System Preferences settings.)



**Figure 7-6:** Display memory information for Classic applications.

## Returning to Your Mac OS 9 Roots

# DropBooks

If you need to take the plunge and travel back in time, you *might* be able to restart your Mac in Mac OS 9 for as long as you like — simply change the system Startup Disk! (Remember, this ability to restart using Mac OS 9 depends on what model of Macintosh you own — many newer Macs can only run Mac OS 9 in Classic mode.)

Follow these steps in Mac OS X to return to the days of yore:

1. Click the System Preferences icon in the Dock.
2. Click the Startup Disk icon to display the settings that you see in Figure 7-7.



**Figure 7-7:** Choose a Mac OS 9 System Folder to use.

3. Click the Mac OS 9 System Folder to select it.

Note that if you have multiple installations of Mac OS 9 on your system on different hard drives — as I do — you'll have to choose the proper System Folder on the proper drive. For those with only one Mac OS 9 System Folder, all is well.

4. Click the Restart button and then click the Save and Restart buttons on the confirmation sheet that appears.

After you finish your fun in Mac OS 9.2 and you want to return to Mac OS X, follow these steps:

1. Click the Apple menu and choose the Control Panels menu item.
2. Click the Startup Disk submenu item.
3. Click the Mac OS X System Folder to select it.



If you have multiple Mac OS X installations or multiple drives, you can click the triangle next to a drive to expand the display.

4. Click the Restart button.

Voilà! You've returned to Wonderland. Say hello to the White Rabbit for me.



Mac OS X also provides two neat “Choose your operating system weapon” startup keys you can use when booting or restarting your system. If you hold down the X key while booting or restarting, your Mac boots into Mac OS X — in fact, the Startup Disk choice in System Preferences is actually changed to the Mac OS X System folder on the current boot drive, so this eliminates the need to follow the steps that I just outlined! (Pretty catchy, huh? Holding down X to start the Big X, I mean.) Alternatively, if you hold down the Option key while booting or restarting, your Mac displays a menu of all the available operating systems on your system, and you can pick one. Note, however, that the Option key does not change your Startup Disk setting, so the next time that you reboot or restart, you revert to the startup operating system that you selected in System Preferences.

# DropBooks

## Chapter 8: Getting Help for the Big X

---

### *In This Chapter*

- ✓ Using the Mac OS X Help Center
- ✓ Searching for specific help
- ✓ Getting help in applications
- ✓ Finding other help resources

Whether the voice echoes from a living room, a home office, or a college computer lab, it's all too familiar: a call for help. No matter how well written the application or how well designed the operating system, sooner or later you're going to need support. That goes for everyone from the novice to the experienced Mac owner to the occasional e-mail user to the most talented software developer.

In this short but oh-so-important chapter, I lead you through the various help resources available within Mac OS X as well as native Mac OS X applications. I show you how to tap additional resources from Apple, and I also point you to other suppliers of high-quality (and even questionable) assistance from sources on the Internet and in your local area.

### *Displaying the Help Viewer Window*

Your first line of defense is the Mac OS X Help Viewer, as shown in Figure 8-1. To display the Help Viewer from the Finder menu, click Help and choose Mac Help or press the ⌘+? keyboard shortcut. This Help menu is context-sensitive, so it contains different menu items when you're working inside an application.

As shown in Figure 8-1, the Help Viewer is divided into three sets of controls:

- ◆ **Toolbar:** You can hide or display the toolbar from the View menu. The default toolbar includes navigational controls (Back and Help Center buttons) and the Ask a Question (or Search) text box.

# DropBooks

- ◆ **Quick Clicks:** Clicking these links takes you directly to some of the most frequently asked Help topics for the Finder (or the application you're using), such as "Connecting to the Internet" and "Setting up e-mail." To use a Quick Click, just click once on the question that you want to pursue.
- ◆ **Apple Web site link:** Click this link to display the latest Mac OS X news and the latest Help topics from the Apple Web site.

I know that the Help Viewer looks a little sparse at first glance. However, when you realize how much information has to be covered to help someone with an operating system — check out the size of the book you're holding, for instance — you get an idea of why Mac OS X doesn't try to cover everything on one screen. Instead, you get the one tool that does it all: the Ask a Question text box.




**Figure 8-1:**  
The reservoir of Mac OS X assistance: The Help Viewer.

## Searching for Specific Stuff

# DropBooks

To search for the help topic you need, click in the Ask a Question text box, type one or two words that sum up your question, and press Return. (Although you can ask a full sentence question, I've found that the shorter and more concise your search criteria is, the better the relevance of your return.) For example, typing **Playing a DVD** displays the topics that you see in Figure 8-2.



**Figure 8-2:**  
The results  
of your first  
search in  
Help  
Viewer.


Note that the topics are sorted by approximate relevance first — for example, because the topic *Using DVD Player* is smack-on accurate, it appears first because it has the highest relevance. The next topic, *Types of recordable CD and DVD media*, is somewhat more distantly related, so the relevance is lower.



To sort the topics alphabetically or by their location within the Help system, click the Topic or Location column headings, respectively. You can click a column heading again to toggle the sort order between ascending and descending.

Because the topic *Using DVD Player* sounds quite promising, double-click it to display the topic text — this particular topic displays the text that you see in Figure 8-3. (You can also single-click on a line to display a summary at the bottom of the window.)

# DropBooks



**Figure 8-3:**  
Help result  
for *Playing  
a DVD*  
query.

To move back to the previous topic that you chose, click the Back button on the Help Viewer toolbar.

## *Prodding Apple for the Latest Gossip*

As I mention in the earlier section “Displaying the Help Viewer Window,” I heartily recommend that you visit the Apple Web site at [www.apple.com](http://www.apple.com) and surf wildly to and fro. You’ll often pick up on news and reviews that you won’t find anywhere else on the Internet.

From the opening Web screen, you should click these two tabs during every visit to the Apple site: the Hot News tab and the Mac OS X tab. These pages give you

- ◆ Articles about the latest news from Cupertino
- ◆ Downloads of the latest Mac OS X freeware, shareware, and demo-ware
- ◆ The Knowledge Base (an online searchable troubleshooting reference)
- ◆ News about upcoming versions of Mac OS X and Apple applications galore




You'll also find Mac OS X product manuals in Adobe Acrobat PDF format and online discussion forums that cover Mac OS X.

# DropBooks

## Calling for Help Deep in the Heart of X

A number of different help avenues are available within Mac OS X applications as well. They include


- ◆ **The Help button:** A number of otherwise upstanding Mac OS X windows and dialogs include a Help button, as shown in Figure 8-4. Click the button marked with ? to display the text for the settings in that dialog or window.
- ◆ **Pop-up help for fields and controls:** Most Mac OS X applications display a short line of help text when you hover the mouse pointer on top of a field or control, as shown in Figure 8-5 when I hover my mouse pointer over the Equalizer button in iTunes. Sometimes it's just the name of the item; sometimes it's a full descriptive line. Them's the breaks.



**Figure 8-4:**  
Notice the not-so-well-camouflaged Help button.


The Help button

# DropBooks



**Figure 8-5:** Displaying pop-up help within an application.

◆ **Application-specific help:** Applications typically have their own Help system, which may use the Help Viewer, a separate Help display program, or a HyperText Markup Language (HTML; read that *Web-based*) Help system. Figure 8-6 illustrates the standalone online Help system for Microsoft Internet Explorer.



**Figure 8-6:** Most major applications include their own Help system.

## Other Resources to Chew On

# DropBooks

Although the Help Viewer can take care of just about any question that you might have about the basic controls and features of Mac OS X, you might also want to turn to other forms of help when the going gets a little rougher. In this last section, I cover resources that you can call on when the Help Viewer just isn't enough.

### Voice support

As of this writing, Apple provides voice technical support for Mac OS X at 1-800-275-2273 — however, exactly when you qualify for voice support and exactly how long it lasts depends on a number of different factors, like whether you received Mac OS X when you bought a new machine, or whether you purchased a support plan from Apple.

You can also try the general online support site at [www.info.apple.com](http://www.info.apple.com) — it's a great starting point for obtaining Mac OS X help.

### Mac publications

You can refer to a number of great Mac-savvy publications, both printed and online, for help. My favorites include

- ◆ *Macworld* ([www.macworld.com](http://www.macworld.com)) and *MacAddict* ([www.macaddict.com](http://www.macaddict.com)) magazines, both in archaic hard copy and oh-so-slick online versions
- ◆ MacGamer ([www.macgamer.com](http://www.macgamer.com)), the online gaming resource for the Macintosh
- ◆ MacFixIt ([www.macfixit.com](http://www.macfixit.com)), a well-respected troubleshooting site devoted to the Mac that offers downloads, news, and discussion areas

**TIP**

In most of my books, I mention specific Internet newsgroups that cater to the topic I'm discussing — however, virtually all the Mac-specific newsgroups around are devoted to illegally swapping pirated games and applications, so I won't be covering them. Also, the help that you receive from individuals in newsgroups is sometimes misguided — and sometimes downright wrong, so take any claims with a grain of salt.

**WARNING!**

As a general rule, *never* identify yourself or provide your snail-mail or e-mail addresses in a newsgroup post! These messages are public, and they remain “hanging around” in cyberspace on newsgroup servers for years — you'll be a prime target for spam (or even worse).

### ***Local Mac outlets and user groups***

Finally, you can find local resources in any medium- to large-sized town or city. A shop that's authorized by Apple to sell and repair Macintosh computers can usually be counted upon to answer a quick question over the phone or provide more substantial support for a fee. (For example, my local Mac outlet sponsors inexpensive classes for new Mac owners.)

You may also be lucky enough to have a local Macintosh user group that you can join — members can be counted on for free answers to your support questions at meetings and demonstrations. To find a group near you, visit the Apple User Group Support site at [www.apple.com/usergroups](http://www.apple.com/usergroups) and use the locator.



## Chapter 9: Troubleshooting the X

---

### *In This Chapter*

- ✓ Mastering the scientific approach
- ✓ Using troubleshooting techniques
- ✓ Performing the radical solutions
- ✓ Checking troubleshooting resources

**M**ac OS X is rugged, stable, and reliable — and as you can read earlier in this mini-book (in Chapter 6), practicing regular maintenance can help eliminate problems caused by everything from power failures to faulty drivers to cats upon the keyboard. However, sooner or later you *will* encounter what I like to call *The Dark Moments* . . . a blank screen, a locked Mac, or an external device that sits there uselessly like an expensive paperweight.

How you handle The Dark Moments defines you as a true Mac OS X power user because most folks seem to fall into one of two categories: Either you panic and beat your head against the wall (which really has little effect on the computer, when you think about it), or you set your brow in grim determination and follow the troubleshooting models that I provide in this chapter to locate (and hopefully fix) the source of the problem.

### *Don't Panic!*

My friend, this is the first — and most important — rule of troubleshooting, and yet another of Mark's Maxims:

**Whatever the problem, you *can* fix it.**<sup>™</sup>

Most computer owners seem to forget the idea that a hardware or software error can be fixed because they panic — they simply see The Problem, and somehow they feel that they'll never be able to use their computer again.

Although the situation might look grim, don't ignore these facts:

## DropBooks

- ◆ **You don't need to scrap your Mac.** As long as you haven't taken a hammer or a chainsaw to your Mac, the problem is only temporary. Sure, individual components do fail over time — heck, so do people — but the problem is certainly something that can be tracked down and fixed without scrapping your entire computer.
- ◆ **Don't beat yourself up.** As long as you haven't installed a virus on purpose or deleted half your system files to spite yourself, the problem *isn't* your fault. Sure, it's possible that you might have done something by accident, but don't blame yourself unnecessarily.
- ◆ **Trust your Apple dealer.** As long as an Apple dealer is in your area, you can always get your computer repaired professionally if a component has gone south. (In some cases, professional help is a necessity: For example, I'd be a fool to try to fix a power supply or a monitor on my own because both can pack a heavy electrical punch.)
- ◆ **Rely on your backup.** As long as you've made a backup — you *did* back up your hard drive, didn't you? — you won't lose much (if any) work. (I harp about backups further in Chapter 6 of this mini-book.)

Commit these facts to head and heart, and you can rest easy while you track down and attack the *real* enemy — whatever's causing the problem.

## *The Troubleshooting Process*

When I first conceived this chapter, I had originally decided to divide this section into separate hardware and software troubleshooting procedures. However, that turned out to be impractical because often you won't know whether a problem is caused by hardware or software until you're practically on top of it.

Therefore, here's the complete 12-step troubleshooting process that I designed while working as a consultant and Macintosh hardware technician for more than a decade. Feel free to add your own embellishments in the margin or include reminders with Post-it Notes.



If you're not sure quite what's producing the error, this process is designed to be *linear* — meaning that it's meant to be followed in order — but if you already know that you're having a problem with one specific peripheral or one specific application, feel free to jump to the steps that concern only hardware or software.

### Step 1: Always try a simple shut down

You'd be amazed at how often a *reboot* (the process of shutting down and restarting) can cure a temporary problem. For example, this can fix the occasional lockup in Mac OS X or a keyboard that's not responding because of a power failure. If possible, make sure that you first close any open documents, or you might lose unsaved work. When troubleshooting, always do a shutdown instead of simply restarting the computer because when Mac OS X shuts down, all the hardware components that make up your system are reset.



If your Mac is locked tight and you can't use the Shut Down command from the Apple menu, you have two choices. First, press and hold the Power button on your Mac for a few seconds (which turns your computer off). If this doesn't work — and, from time to time, it actually doesn't — you'll have to physically pull the power cord from the wall (or turn off the surge suppressor, if you're using one).

### Step 2: Check all cable connections

Check all connections: the AC power cord and the keyboard cord, as well as any modem or network connections and all cable connections to external peripherals. Look for loose connectors — and if you've got a cat or dog, don't forget to check for chew marks. (Yep, that's the voice of experience talking there.) If you've recently replaced a cable — especially a network, Universal Serial Bus (USB), or FireWire cable — replace it with a spare to see whether the problem still occurs.

### Step 3: Retrace your steps

If the problem continues to occur, the next step is to consider what you've done in the immediate past that could have affected your Mac. Did you install any new software or have you connected a new peripheral? If your Mac was working fine until you made the change to your system, the problem likely lies in the new hardware or software.

- ◆ **If you added an external device:** Turn off your Mac and disconnect the peripheral. Then turn on the computer to see whether all proceeds normally. If so, then check the peripheral's documentation and make sure that you correctly installed the *driver* — the software provided by the device manufacturer — and that you connected it properly to the right port. (You can also use System Profiler, which I discuss later in this chapter, to check to see whether your Mac recognizes the external device.) To verify that the cable works, substitute another cable of the same type or try the peripheral on another Mac.

# DropBooks



Make it a practice to check the manufacturer's Web site for the latest driver when you get new hardware. The software that ships in the box with your new toy could have been on the shelf for months before being sold, and the manufacturer has probably fine-tuned the driver in the interim.

- ◆ **If you installed new software or applied an update/patch:** Follow the guidelines in Chapter 6 of this mini-book to uninstall the application and search for any files that it might have installed elsewhere. (Searching by date created and date modified can help you locate files that you recently installed.) If this fixes the problem, it's time to contact the developer and request technical support for the recalcitrant program; you can always re-install the program after the problem has been solved by the developer.



Not all versions of Mac OS X are created equal. If you've recently upgraded to a major or minor new release of Mac OS X, some of the applications that you've been using without trouble for months can suddenly go on the warpath and refuse to work (or exhibit quirky behavior). If this happens, visit the developer's Web site often to look for a patch file that will update the application to work with the new version of Mac OS X.

- ◆ **If you've recently made a change within System Preferences:** It's possible that you've inadvertently "bumped" something. For instance, you might have accidentally changed your modem or network settings or perhaps made a change to your login options. Verify the settings screens that you visited to make sure that everything looks okay. Other locations to check include the Printer Setup Utility (which I discuss in Book VI, Chapter 4) and your Web browser's Preference dialog. (I cover Safari in Book IV, Chapter 5.)

## *Step 4: Run Disk Utility*

Next, run Disk Utility (as shown in Figure 9-1) to check for disk errors and permissions errors — especially permissions errors, which can wreak absolute havoc on just about any application on your hard drive. (Click the Disk Utility icon in the Utilities folder inside your Applications folder. Chapter 6 of this mini-book provides all the details.)

## *Step 5: Run antivirus software*

Run your antivirus software and scan your entire system for viruses, including all system disks and removable disks. Although Mac OS X doesn't come with antivirus protection built in, the world-class program Norton AntiVirus ([www.symantec.com](http://www.symantec.com)) that you see in Figure 9-2 constantly scans each file that you open or download for infections.





Download the latest virus update — usually called a *signature file* or *data file* — to keep your virus protection current.


## DropBooks

### Step 6: Check the Trash

Check the contents of your Trash to make sure that you haven't inadvertently tossed something important that could be causing trouble for an application. Click the Trash icon in the Dock to open the Trash window and peruse its contents. (*Hint:* Switch to list mode to see the file types.) To restore items to their rightful place, drag them from the Trash back to the correct folder on your hard drive.

### Step 7: Check online connections


If you're connected to an Ethernet network, a cable modem, or a digital subscriber line (DSL), check your equipment to make sure that you're currently online and receiving packets normally. Your network system administrator will be happy to help you with this, especially if you're blood relatives.



**Figure 9-1:**  
Use Disk Utility to check the integrity of your hard drives.

## DropBooks

**Figure 9-2:**  
Scan your  
Mac for  
viral  
 nastiness  
with Norton  
AntiVirus.



### ***Step 8: Disable troublesome Startup items***

Disable any Startup items that might be causing trouble. As you can read in Book II, Chapter 3, Startup items are automatically launched as soon as you log in. For example, an older application that doesn't fully support Mac OS X can cause problems if used as a Startup item. You can do this from the Startup Items settings in the System Preferences Accounts panel (as shown in Figure 9-3); click the Apple menu, choose System Preferences, click Accounts, and then click the Startup Items button.

Unfortunately, if a Startup item doesn't display an error message, your old friend Trial-and-Error is just about the only sure-fire way to detect which item (if any) is causing the problem. Click an item to select it, click the Remove button (marked with a minus sign), and then press  $\text{⌘}+\text{Q}$  to quit System Preferences. Shut down and reboot your Mac to see whether the problem has been solved. (If not, don't forget to add the item again to the Startup Items list.)



You can also disable Startup items entirely when you reboot. If the login window appears when you reboot your computer, hold down the Shift key and then click the Login button. If you don't see the login window when you reboot, hold down the Shift key when you see the progress bar in the startup window and continue to hold down the key until the Finder appears.

## DropBooks

**Figure 9-3:**  
A misbe-  
having  
Startup item  
can cause  
you a world  
of grief.



### ***Step 9: Turn off your screen saver***

Another candidate for intermittent lockups is your screen saver, especially if you're running a shareware effort written by a 12-year-old with a limited attention span. Display your System Preferences, choose Desktop & Screen Saver, and click the Screen Saver button. You can deactivate the saver entirely (by moving the Start Screen Saver slider to Never) or choose the Computer Name saver (which is provided by Apple) from the Screen Savers list.


### ***Step 10: Check for write-protection***

If you're running a multi-user ship, check to make sure that another user with administrator access hasn't accidentally write-protected your documents, your application, or its support files. If possible, log in with an administrator account yourself (as I describe in Book II, Chapter 5) and then try running the application or opening the document that you were unable to access under your own ID.

### ***Step 11: Check your System Profiler***

If you've reached this point in the troubleshooting process and haven't found the culprit, you've probably experienced a hardware failure in your Macintosh. If possible, display the Hardware category within the Apple System Profiler (see Figure 9-4) and make sure that it's able to recognize and use all the internal drives, ports, and external devices on your Mac. To start the System Profiler, click the Apple menu, choose About This Mac, and then click the More Info button.

# DropBooks



**Figure 9-4:** Use System Profiler to check the devices and ports on your system.

### ***Step 12: Reboot with the Mac OS X Installation CD***


In case your Mac is in sad shape and won't even boot from its hard drive, here's a last step that you can take before you seek professional assistance: Reboot your Mac from the Mac OS X Installation CD-ROM. Hold down the C key immediately after you hear the startup chord (which boots your system from the CD-ROM or DVD-ROM drive) and then run Disk Utility from the Installation Apple menu that appears. Because you've booted the system from the CD-ROM, you can verify and repair problems with your startup hard drive. After you're done, restart your system.

## ***Troubleshooting Problems with Classic Mode***

If you encounter problems running your older Mac OS 9 applications under Classic mode, here are suggestions that you can follow that might help:

# DropBooks

- ◆ **Check memory allocations:** Classic applications sometimes need additional memory. If a Classic application gets snooty and demands more memory, select the Classic application in the Finder and then press  $\mathcal{C}+I$  to display the Mac OS 9.2 Info dialog. Click the drop-down list box and choose Memory to display the settings that you see in Figure 9-5; I usually double the suggested size, using that amount for both the Preferred Size and Minimum Size values. Exit the Info dialog to save your changes and then try running the application again.



**Figure 9-5:** Try bumping up the memory allocation for a Classic application.

- ◆ **Disable extensions:** If a Classic mode extension is wreaking havoc on your system, you can disable extensions entirely from the Classic settings in System Preferences. Usually, this will also end up disabling a significant number of features, perhaps even including FireWire and USB support in Classic mode. However, it might help you get Classic running, which will allow you to disable the extension that's causing the problem (or even deleting it entirely from your computer). You can use the Classic Extensions Manager to toggle individual extensions on and off, which makes it easy to test Classic mode to see which specific extension is causing the problem. Reboot in Mac OS 9 and select the Extensions Manager control panel from the Apple menu.

- ◆ **Move startup and shutdown files:** If a Classic mode startup or shutdown application is causing problems, you can move the file from the Startup Items and Shutdown Items folders in your Mac OS 9 System folder. (The file itself is usually an alias, so you can simply delete it if you like.)

## *Do I Need to Reinstall Mac OS X?*

To be honest, this is a difficult question to answer. Technically, you should never *need* to reinstall the Big X, but there's also no reason why you *can't*.

I can only think of two scenarios where reinstalling the operating system will likely solve a problem: namely, if your system files have been so heavily corrupted — by a faulty hard drive or a rampaging virus, for example — that you can't boot Mac OS X at all; or if the operating system displays the death-dealing kernel panic on a regular basis. A *kernel panic* displays several lines of unbelievably technical UNIX terminology on your screen, usually overwriting whatever's on the monitor at the time, ending with the option to Reboot or Continue. (This is analogous to the infamous Windows Blue Screen of Death — I've grown to hate that color of blue with a passion.)



If you receive kernel panics on an ongoing basis, something is really, *really* wrong. Make sure that your documents are copied to a rewriteable CD or network drive and don't overwrite any existing backup that you have with a new backup because the back-up application is likely to lock up as well.

To reinstall, you must reboot from your Mac OS X Installation CD-ROM. Hold down the C key immediately after you hear your Mac's startup chord. (Read the earlier section "Step 12: Reboot with the Mac OS X Installation CD.")

## *It's Still Not Moving: Troubleshooting Resources*

As I mention earlier in this chapter, you can pursue other avenues to get help when you can't solve a troubleshooting problem on your own. Mind you, I'm talking about professional help from sources that you can trust. Although you can find quite a bit of free advice on the Internet (usually on privately run Web sites and in the Internet newsgroups), most of it isn't worth your effort. In fact, some of it is downright wrong. That said, here are some sources that I *do* recommend.

## ***The Mac OS X Help Viewer***

Although most Mac OS X owners tend to blow off the Help Viewer when the troubleshooting gets tough, that's never the best course of action. Always take a few moments to search the contents of the Help Viewer — click Help from the Finder menu — to see whether any mention is made of the problem that you've encountered.

## ***The Apple Mac OS X Support site***

Home to all manner of support questions and answers, the Mac OS X Support section of the Apple Web site ([www.info.apple.com/usen/macosex/](http://www.info.apple.com/usen/macosex/)) should be your next stop in case of trouble that you can't fix yourself. Topics include

- ◆ Startup issues
- ◆ Classic mode problems
- ◆ Internet and networking problems
- ◆ Printing problems

You can search the Apple Knowledge Base, download the latest updates and electronic manuals, and participate in Apple-moderated discussion boards from this one central location.

## ***Your local Apple dealer***

Naturally, an Apple dealer can provide just about any support that you're likely to need — for a price — but you can usually get the answers to important questions without any coinage changing hands. Your dealer is also well versed in the latest updates and patches that can fix those software incompatibility problems. Check your telephone book for your local dealer.

# DropBooks






DropBooks

Book II

# Customizing and Sharing

The 5<sup>th</sup> Wave

By Rich Tennant



"Oh - I like this background much better than the basement."

## *Contents at a Glance*

<b>Chapter 1: Building the Finder of Your Dreams .....</b>	<b>169</b>
<b>Chapter 2: Giving Your Desktop the Personal Touch .....</b>	<b>189</b>
<b>Chapter 3: Peeking Under the Hood with System Preferences.....</b>	<b>201</b>
<b>Chapter 4: You Mean Others Can Use My Mac, Too?.....</b>	<b>237</b>
<b>Chapter 5: Setting Up Multi-User Accounts .....</b>	<b>245</b>
<b>Chapter 6: Sharing Documents for Fun and Profit .....</b>	<b>259</b>

DropBooks



# DropBooks

## Chapter 1: Building the Finder of Your Dreams

---

### *In This Chapter*

- ✓ Choosing a view mode
- ✓ Modifying the toolbar
- ✓ Searching for files from the toolbar
- ✓ Searching for files with the Find command
- ✓ Changing view options
- ✓ Changing Finder preferences

**T**he Finder is the heart of Mac OS X — and we all know how heart surgeons like to tinker, don't we? (*Ouch. Start again, shall we?*)

The Finder is the heart of Mac OS X, and as you might expect, it's highly configurable. You can customize the Finder to present icons, or you can peruse folders with a column view that can pack much more information onscreen at one time. Some folks prefer the default Finder toolbar, and others like to customize it with the applications and features that they use most often.

Decisions like these can help you transform Mac OS X into *Your Personal Operating System* — and every Mac OS X power user worth the title will take the time to apply these changes because an operating system that presents visual information the way that *you* want to see it is easier and more efficient to use.

No need for a hammer or saw — when you're building the Finder of your dreams, the only tool that you need is your mouse!

### *Will That Be Icons or Buttons . . . or Even Columns?*

The default appearance of a window in Mac OS X uses the familiar large-format icons that have been a hallmark of the Macintosh operating system since Day One — but there's no reason why you *have* to use them. (In fact, most Mac OS X power users whom I know consider the icon view mode rather inefficient and slow.) Besides the icon view shown in Figure 1-1, Mac OS X offers two other window view modes: list and column.

# DropBooks



**Figure 1-1:**  
A Finder window in icon view mode.


- ◆ **List view:** List view displays the folders on the volume in a hierarchical fashion. To display the contents of a folder, you can either click the right-facing small triangle next to the folder name — it rotates downward to indicate that you’ve expanded the folder — or you can double-click the folder icon to display the contents in a Finder window. To collapse the contents of the folder, click the small triangle again; it rotates back to face the right. Figure 1-2 illustrates the same Finder window in list view.



You can resize a column by dragging the right edge of the column heading.

- ◆ **Column view:** Figure 1-3 shows the same window in column view, in which the volumes on your Mac OS X system are displayed on the left. Each column on the right represents a lower level of subfolders. Click the volume, click the desired folder in the first second column to display its contents, and so forth. (Personally, this is my favorite view — thanks, Apple! It’s efficient and fast as all get-out.) As you drill deeper, the columns automatically shift to the left. When you click an item (instead of a folder), the Finder displays a preview and a quick summary of the selected item in the rightmost column.

## DropBooks



**Figure 1-2:**  
The  
contents of  
a volume in  
list view  
mode.

Book II  
Chapter 1

Building the Finder  
of Your Dreams


Each column has its own individual scroll bar (for those really, really big folders), and you can drag the column handle at the bottom of the separators to resize all the columns. When you hold down Option and drag a column handle, only the column width to the left is adjusted.



Another of my pet peeves is cluttered disks. If you're continually having problems locating files and folders, ask yourself, "Self, do I need to organize? Am I — gasp — *cluttered*?" If your answer is yes, take an hour and organize your files logically into new folders. (Remember, I'm talking your documents and such — not your applications, which are usually where they need to be — in your Applications folder.) Often, documents that you create end up as stragglers, usually located in the root folder of your hard drive, which sooner or later ends up looking like a biker bar after Ladies Night. (The same can be said of many Mac OS X Desktops, too.) By keeping your root folder and Desktop clean and saving your files in organized folders, you'll end up wasting less time searching for files and more time actually *using* them.

To switch between the three modes, click one of the three view mode buttons on the Finder window toolbar (the current view is highlighted) or click the View menu and choose As Icons, As List, or As Columns. Mac OS X places a helpful check mark next to the current view mode.

## DropBooks



**Figure 1-3:** Mac OS X's column view requires very little scrolling.

## *Doing the Toolbar Dance*

You can work your customization magic on the Finder toolbar as well! In this section, I show you how to customize that strip of icons across the top of the Finder window that's affectionately called the *toolbar*. Or, if you like, you'll discover how to dismiss it entirely to gain additional real estate for the contents of your Finder window.

### *Hiding and showing the toolbar*

You can toggle the display of the toolbar in an active Finder window in one of three ways:

- ◆ By clicking the toolbar button located at the upper-right corner of the Finder window
- ◆ By pressing  $\mathbb{C}$ +Option+T
- ◆ By choosing View from the Finder menu and then choosing Hide (or Show) Toolbar

## Hiding and showing the status bar

# DropBooks

The status bar at the bottom of the Finder window displays a number of helpful informational-type tidbits about the window's contents. Depending on what you've opened, the status bar can include

- ◆ **Statistics:** See the number of items in the window and the amount of free space remaining on the volume.
- ◆ **A write-protect icon:** This icon looks like a pencil with a line running through it, as shown in Figure 1-4. This indicates that you don't have write permissions for the contents of the window — or the volume where the contents reside. (Note that this does not necessarily mean that folders at a lower level are write-protected as well.) You'll typically see this icon when you're viewing the contents of a CD or DVD, where everything is write-protected.

Book II  
Chapter 1

Building the Finder  
of Your Dreams



**Figure 1-4:** Check the status bar for write permissions.

## DropBooks



- ◆ **The current automatic icon view setting:** For windows in icon view, the status bar can display either a grid icon (indicating that the icons are set to snap-to-grid) or four tiny icons (indicating that the icons are displayed in a sorted order). You'll discover more about these settings later in the section "Configuring the View Options."

To toggle the display of the status bar, choose View from the Finder menu and then choose Show/Hide Status Bar.

### *Giving your toolbar big tires and a loud exhaust*

The default icons on the toolbar include

- ◆ **Back and Forward:** Like a Web browser, clicking the Back button moves you to the previous window's contents. If you use the Back button, the Forward button appears. Click this to return to the contents that you had before clicking the Back button.
- ◆ **View:** Click this control to toggle between the three view modes (icon, list, or column).
- ◆ **Action:** Click this drop-down list box to display context-sensitive commands for the selected items — in plain English, you'll see the commands that you would see if you held down Control and clicked the selection.
- ◆ **Search:** Okay, I know it's not technically an icon — but the Search box is a member of the default toolbar family nonetheless. You can search for a file or folder using this box — more on this later in the section "Searching for Files from the Toolbar."



But, as one of my favorite bumper stickers so invitingly asks, "Why be normal?" Adding or deleting items from the toolbar is a great way to customize Mac OS X. Follow these steps:

1. **From the active Finder window menu, choose View⇨Customize Toolbar to display the window that you see in Figure 1-5.**

Along with controls like Back, Forward, and View, you'll find a number of system functions, like Eject and Burn.

2. **To add items to the toolbar, drag them from the Customize Toolbar dialog up to the toolbar at the top of the window.**



To add an item between existing buttons, drop it between the buttons, and they obligingly move aside. If you get exuberant about your toolbar and you add more icons than it can hold, a double-right arrow appears at the right side of the toolbar — a click on the arrow displays a pop-up menu with the icons that won't fit.



## DropBooks



**Figure 1-5:** Changing the toolbar status quo in Mac OS X.



In fact, the Customize Toolbar dialog isn't necessary for some toolbar modifications: You can also drag files, folders, and disk volumes directly from the Desktop or other Finder windows and add them to your toolbar at any time. To remove a file, folder, or disk volume from the toolbar, hold down Control and click the icon on the toolbar; then click Remove Item from the pop-up menu — it vanishes like a CEO's ethics.

You can always drag a file or folder into the Sidebar column at the left of the Finder window — the Sidebar column is a separate entity entirely from the toolbar.

3. To remove an item from the toolbar, drag it off to the center of the window, amongst the other icons.
4. Naturally, you can swap item positions — just click an item, drag it to its new spot, and then release the mouse button.
5. To choose the default toolbar configuration or to start over, drag the default bar at the bottom of the window to the toolbar at the top.  
This is the toolbar equivalent of tapping your ruby slippers together three times and repeating, "There's no place like home."
6. To toggle between displaying the icons with accompanying text (the default), the icon only, or a text button only, click the Show drop-down list box at the bottom of the Customize Toolbar dialog.
7. After you arrange your toolbar as you like, click the Done button.

## Searching for Files from the Toolbar

# DropBooks

Need to find a file fast? The default toolbar has just what you need — the *Search field*, which offers the ability to search for a string of text within your filenames. (In fact, it's a subset of the Find dialog that you see when you press  $\text{⌘}+\text{F}$ ; I cover the Find dialog in the next section.) To locate a file with the Search field, follow these steps:

1. **Click the drop-down list button at the left of the Search field and select the locations that you want to search.**


The button carries a magnifying glass. (The folks at Apple are really, *really* into Sherlock Holmes . . . so am I!)

To search only a single folder or a group of folders, select them first and then choose Selection from the Search field list.

2. **Click in the Search box on the toolbar and type the text that you want to find.**

If you need to clear the field and start over again, click the circular X button, which only appears when there's text in the Search field.

Hey, who needs to press Return? The Finder immediately displays the files with names that include the text, as shown in Figure 1-6.



**Figure 1-6:** Locate a file with the toolbar Search feature.



3. To display the location of a file, click it once or launch it by double-clicking the entry.

Files can also be moved or copied from the Search results list with the standard drag and Option+drag methods.

4. To perform a new search, click the circular X button and type new text in the Search field.


To return to your original location in the Finder window, click the Back button on the toolbar.

## Searching for Files from the Find Dialog

Although the Search box on the toolbar is all that you'll need to find most files and folders, sometimes you need a little more flexibility and power to locate what you need on your system. To do so, enter the Find dialog, where you can create custom filename searches with more complex criteria or even search *within* certain files themselves for the text that you specify. To locate a file by using the Find dialog, follow these steps:

1. With the Finder active, display the Find dialog by pressing  $\mathbb{C}+F$  (or choose File from the Finder menu and then click Find).

Mac OS X displays the Find dialog that you see in Figure 1-7.



**Figure 1-7:** The Find dialog is ready to pinpoint text within your files.

2. Click the Search In drop-down list box to specify where you want to search.

You can choose Everywhere (your entire system, including network volumes), Local Disks (just the volumes actually inside or connected to

## DropBooks

your Mac), your Home folder, or Specific Places. When you choose Specific Places, the Find dialog presents you with Add and Remove buttons that you can use to add particular volumes and folders. Typically, you can leave this field set to Everywhere, which is the default.

3. **To search for a specific filename, click in the text box to the right of the Name and the Contains drop-down criteria lists and then type all or part of the filename.**
4. **If you want to search for a text string within the document itself, click in the text box to the right of the Content drop-down criteria list and then type that text.**



The text must appear just as you've typed it, so it's always a good idea to restrict what you're searching for to a minimum of words that you're fairly sure will cause a match. (Content searching is not case-sensitive, though.) Content searching works only when you've generated an index, which I explain later in this section.

5. **To include additional search criteria lines for either filename or content, click the button with the plus sign next to the last criteria line.**

You can limit your results based on the date that the file or folder was last modified, when it was created, the file type, the size, the extension, or whether the file or folder is marked visible or hidden (such as a system file). Figure 1-8 illustrates the Find dialog with all search criteria active — if Mac OS X can't find it with all this information, it's just plain not on your system!



You can also remove a search criteria line by clicking the button with the minus sign.

6. **After you add more specific search parameters, click the Search button to begin the hunt.**

Your search results appear, as shown in Figure 1-9.

You can click an entry name to reveal the location of a matching file or folder, or double-click it to launch it.

7. **Close this dialog to return to the Find dialog, where you can perform another search if you wish.**
8. **Click the Close button in the Find dialog to return to the Finder.**


As I mention earlier, searching by content requires that you index your files. Essentially, this is a humongous database that Mac OS X builds that contains cross-references to words in all the file types with decipherable text. (This includes most word processing documents, text files, and Web pages.) To generate an index for a folder or a disk volume, follow these steps:

1. **Select the item in a Finder window and press ⌘+I to display our old friend, the Info dialog.**

# DropBooks



**Figure 1-8:** The Find dialog revealed in all its full glory.




**Figure 1-9:** I've struck gold! (Literally.)

# DropBooks

2. Click the triangle next to the Content Index heading to expand that section of the dialog (see Figure 1-10).

3. Click the Index Now button to begin the indexing process.

After indexing completes, the Info dialog displays the time and date when the item was last indexed.



**Figure 1-10:** This folder hasn't been indexed ... yet.



On a full hard drive, indexing can take forever and a day (and another week after that), so I recommend indexing only the folders that you need to search — like those folders that contain your documents. You can delete an index and re-index at any time, which will freshen the index with the latest changes to your files.

## *Configuring the View Options*

As I discuss at the beginning of the chapter, you've got a lot of control over how Mac OS X presents files and folders in the Finder. In this section, I cover how you can make further adjustments to the view from your windows. (Pardon me for the ghastly cliché posing as a pun.)

### *Setting icon view options*

First, allow me to provide a little detail on housekeeping in the Big X. After a few hours of work, a Finder window in icon mode can look something like a teenager's room: stuff strewn all over the place, as demonstrated with my Applications folder in Figure 1-11. To restore order to your Desktop, click in any open area of the active window and then choose View⇨Clean Up. This command leaves the icons in approximately the same position but snaps them to an invisible grid so that they're aligned, as shown in Figure 1-12.

# DropBooks


**Figure 1-11:**  
Will someone please clean up this mess?



Book II  
Chapter 1

Building the Finder  
of Your Dreams

**Figure 1-12:**  
Tidying up is no problem with the Clean Up menu command.



## DropBooks


Now that things are in alignment, work with the icon view options. (Naturally, you'll want the active Finder window in icon view first, so click **View** and choose **As Icons**, or press  $\mathbb{A}+1$ .) From the Finder menu, choose **View** | **Show View Options** — or press that swingin'  $\mathbb{A}+J$  shortcut — to display the View Options dialog that you see in Figure 1-13. (Remember that these are the options available for icon view; I discuss the options for list and column view later in this chapter.)

Note these first two radio buttons, which also appear in the list View Options dialog:

- ◆ **This Window Only:** Select the This Window Only radio button to apply the changes that you make only to the Finder window that opens when you open the selected item — in other words, the item that appears in the window's title bar.

For example, any changes made to the settings in Figure 1-13 will affect only my Applications folder because it was the active Finder window when I pressed  $\mathbb{A}+J$ . (**Note:** The window name also appears as the title of the View Options dialog.)

- ◆ **All Windows:** Select the All Windows radio button to apply the changes that you make to *all* Finder windows that you view in your current mode.



**Figure 1-13:**  
The settings  
available for  
icon view.

Of course, Mac OS X remembers the changes that you make within the View Options dialog, no matter which view mode you're configuring. Now, on to the other changes that you can make from this dialog, which include




- ◆ **Resizing your Desktop icons:** Click and drag the Icon Size slider to shrink or expand the icons on your Desktop. The icon size is displayed in pixels above the slider.
- ◆ **Resizing icon label text:** Click the up- and down-arrows to the right of the Text Size drop-down box to choose the font size (in points) for icon labels.
- ◆ **Moving icon label text:** Select either the Bottom (default) or the Right radio button to choose between displaying the text under your Desktop icons or to the right of the icons.
- ◆ **Snap to Grid:** Enable this check box to automatically align icons to a grid within the window, just as if you had used the Clean Up menu command.
- ◆ **Show Item Info:** With this check box enabled, Mac OS X displays the number of items within each folder in the window.
- ◆ **Show Icon Preview:** If you enable this check box, the Finder displays icons for image files using a miniature of the actual picture. (A cool feature for those with digital cameras — however, this does take extra processing time because Mac OS X has to load each image file and shrink it down to create the icon.)
- ◆ **Keep Arranged By:** To sort the display of icons in a window, enable this check box and choose one of the following criteria from its drop-down list: by name, date modified, date created, size, or item type.
- ◆ **Choosing a background:** To select a background for the window, select one of three radio buttons here:
  - **White:** This is the default.
  - **Color:** Click a color choice from the color block that appears if you make this selection.
  - **Picture:** Select this radio button and then click the Select button to display a standard Open dialog. Navigate to the location where the desired image is stored, click it once to select it, and then click Open.

After all your changes are made and you're ready to return to work, click the dialog's Close button to save your settings.

### *Setting list view options*

If you're viewing the active window in list view, choose View⇧Show View Options to display the View Options dialog that you see in Figure 1-14.

# DropBooks



**Figure 1-14:**  
List view  
settings.


Like in icon view, select from one of the two top radio buttons to apply the changes that you make in this dialog to this window only or to all windows that you view in list mode. The settings include

- ◆ **Resizing your Desktop icons:** You can choose from two sizes of Desktop icons.
- ◆ **Resizing icon label text:** Click the up- and down-arrows to the right of the Text Size drop-down box to choose the font size (in points) for icon labels.
- ◆ **Show Columns:** Enable the check boxes under this heading to display additional columns in list view, including the date that the item was modified, the creation date, the size, the item type, the version (supplied by most applications), the label color, and any comments that you've added in the Info dialog for that item. (In my personal opinion, the more columns that you add, the more unwieldy the Finder gets, so I advise disabling the display of columns that you won't use.)
- ◆ **Use Relative Dates:** Enable this check box to display modification dates and creation dates with relative terms, such as *Today* or *Yesterday*. If this freaks you out, disable this check box to force all dates to act like adults.
- ◆ **Calculate All Sizes:** Enable this check box to have Mac OS X display the actual sizes of folders, including all the files and subfolders they contain. (Handy for figuring out where all your disk space went, no?) **Note:** Using this option takes processing time, so I recommend that you avoid using it unless you really need to see the size.

To save your settings, click the dialog's Close button.

## Setting column view options

To make changes to view options in column view mode, choose View⇨Show View Options to display the View Options dialog that you see in Figure 1-15.



**Figure 1-15:**  
Column  
view  
settings.

You only have three column view options, and any changes that you make to this dialog are always reflected in every column view:

- ◆ **Resizing icon label text:** Click the Text Size drop-down box to choose the font size (in points) for icon labels.
- ◆ **Show Icons:** Enable this check box to display icons in the columns — if this option is disabled, the icons don't appear, and you'll gain a little space.
- ◆ **Show Preview Column:** If this check box is enabled, clicking a file in column mode will display a *thumbnail* (reduced image) and preview information in the right-most column, as shown in Figure 1-16.




If you store a slew of QuickTime movies and digital images on your drive, the Preview column is great. (You can even play a QuickTime movie from the Preview column.)

Click the dialog's Close button to save your settings and return to the Finder.

## DropBooks

**Figure 1-16:**  
The Preview column provides more information on the selected file.



## Setting Finder Preferences


Finally, you can change a number of settings to customize the Finder itself. From the Finder menu, click **Finder** and choose the **Preferences** menu item to display the Finder Preferences dialog that you see in Figure 1-17.

In the **General** section, the preference settings include

- ◆ **Displaying icons on the Desktop:** Enable these check boxes to display your hard disks, removable volumes (including CDs, DVDs, and Zip disks), and connected network servers.
- ◆ **New Finder Windows Open:** Click the drop-down list box to specify the spot where a new Finder window should open. By default, a new window displays the contents of your Home folder.
- ◆ **Always Open Folders in a New Window:** When this check box is enabled, double-clicking a folder will open it in a new Finder window, as did earlier versions of Mac OS. (If disabled, the contents of the folder appear in the same Finder window, which makes it easier to focus on just the folder you need at the moment.)

## DropBooks

**Figure 1-17:**  
Configure  
Finder  
preferences  
here.



- ◆ **Open New Windows in Column View:** When you enable this check box, each new Finder window that you open automatically uses column view. (If disabled, the new window uses the last view mode you used.)
- ◆ **Spring-loaded Folders and Windows:** It sounds a little wacky, but using this feature can definitely speed up file copying! If this check box is enabled, you can drag an item on top of a folder — *without* releasing the mouse button — and after a preset time (controlled by the Delay slider), a spring-loaded window appears to show you the folder's contents. At that point, you can either release the mouse button to drop the file inside the folder (upon which the window disappears), or you can drag the icon on top of another subfolder to spring it forth and drill even deeper.



The Labels preference panel is a simple one — just click next to each label color to type your own text for that label. (I've gotta recommend red for deadlines and green for contracts . . . call me sentimental.)



From the Sidebar preferences panel, you can choose which default items should appear in the Finder window Sidebar column. Your choices include locations (like your Home and Applications folders), network servers, removable media, the Desktop itself, and — naturally — your hard drives. To add a default item to the Sidebar column, select the corresponding check box to enable it, or disable the check box to banish that item forthwith.


The Advanced preference settings include

- ◆ **Always Show File Extensions:** If this check box is enabled, the Finder displays the file extensions at the end of filenames, à la Windows. This

comes in handy for some applications, where everything from a document to a preference file to the application itself all share the same icon. However, I find extensions distasteful and leave things set with the default of extensions off.

- ◆ **Show Warning Before Emptying the Trash:** By default, this check box is enabled, and Mac OS X will display a confirmation dialog before allowing you to — in the words of Mac OS X patrons around the world — *toss the Bit Bucket*. If you're interested in speed and trust your judgment (and your mouse finger), you can disable this setting.
- ◆ **Languages for Searching File Contents:** Click the Select button under this heading to specify which languages the Finder should use when indexing files for the Find dialog — naturally, the fewer the languages you choose, the faster the entire indexing process becomes.

When you've made the desired changes to the Finder Preferences, click the dialog's Close button to save your settings and return to the Finder.



# DropBooks

## Chapter 2: Giving Your Desktop the Personal Touch

---

### *In This Chapter*

- ✓ Picking your own background
- ✓ Adding and selecting a screen saver
- ✓ Choosing menu colors and highlights
- ✓ Keeping track of things with Stickies
- ✓ Customizing the Dock
- ✓ Cleaning and sorting the Mac OS X Desktop

**“T**weak! Tweak!” It’s not the cry of some exotic bird — that’s the call of the wild Mac Power User. Power users like to tweak their Mac OS X Desktops just so, with *that* menu color, *this* background, and *those* applications in the Dock. Non-computer types just can’t understand the importance of the proper arrangement of your virtual workplace: When things are familiar and customized to your needs, you’re more productive, and things get done faster. In fact, if you’ve set up multiple users on your computer under Mac OS X, the Big X automatically keeps track of each user’s Desktop and restores it when that person logs in. (For example, when you use the Mac, you get that background photo of Farrah Fawcett from the ’70s while your daughter gets Britney Spears.)

In this chapter, I show you what you can do to produce a Desktop that’s uniquely your own, including tweaks that you can make to the background and your Desktop icons. I’ll also show you how to use Desktop Stickies instead of a forest of paper slips covering your monitor.

With your Mac OS X Desktop clad in the proper harmonious colors — yes, that can be your favorite photo of Elvis himself — and your new Dock icons ready for action, you are indeed prepared for whatever lies ahead in your computing world!


### *Changing the Background*

You might be asking, “Mark, do I really need a custom background?” That depends completely on your personal tastes, but I’ve yet to meet a computer

owner who didn't change his or her background when presented with the opportunity. Favorite backgrounds usually include

- ◆ Humorous cartoons and photos that can bring a smile to your face (even during the worst workday)
- ◆ Scenic beauty
- ◆ Photos of family and friends (or the latest Hollywood heartthrob)
- ◆ The company logo — I'm not sure it does much for morale, but it does impress the boss

If you do decide to spruce up your background, you have three choices: You can select one of the default Mac OS X background images, choose a solid color, or specify your own image. All three backgrounds are chosen from the Desktop & Screen Saver panel, located within System Preferences (as illustrated in Figure 2-1).



**Figure 2-1:**  
To select a background, get thee hence to System Preferences.

DropBooks





You can also hold down Control, click on the Desktop, and choose Change Desktop Background from the pop-up contextual menu (or right-click, if you're using a heathen mouse with multiple buttons).

## DropBooks

### *Picking something Apple*

To choose a background from one of the collections provided by Apple, click one of these groups from the list at the left:

- ◆ **Apple Background Images:** These default backgrounds range from simple patterns to somewhat strange and ethereal flux shapes. (You'll have to see them to understand what I mean.)
- ◆ **Nature:** Scenic beauty: blades of grass, sand dunes, snowy hills . . . that sort of thing.
- ◆ **Abstract:** Even weirder twisting shapes in flux, this time with bright contrasting colors. Good for a psychiatrist's office.
- ◆ **Solid Colors:** For those who desire a soothing solid shade — more on this in the next section.
- ◆ **Pictures Folder:** This displays the images saved in the Pictures folder by the active user.
- ◆ **Choose Folder:** You can open a folder containing images and display them instead. (I discuss this in more detail in a page or two.)

If you see something you like, click the thumbnail, and Mac OS X displays it in the well and automatically refreshes your background so that you can see what it looks like. (By the way, in the Apple universe, a *well* is a sunken square area that displays an image — in this case, the background image that you've selected.)

Mac OS X can manipulate the way that the background appears on your Desktop. Click the drop-down list box next to the well and you can choose to

- ◆ **Tile the background:** This repeats the image to cover the Desktop. (This is usually done with pattern images to produce a smooth, creamy, seamless look.)
- ◆ **Fill the screen:** This can be used with a solid color to get uniform coverage.
- ◆ **Stretch the background to fit the Desktop:** If your Desktop image is smaller than the Desktop acreage, this works — but be warned, if you try to stretch too small of an image over too large a Desktop, the pixelated result can be pretty frightening. (Think of enlarging an old Kodak Instamatic negative into a 16 x 20 poster. Dots, dots, dots.)
- ◆ **Center the image on the Desktop:** This is my favorite solution for Desktop images that are smaller than your resolution.

## DropBooks

**How to annoy friends and confuse co-workers**

Never let it be said that I can't dish out revenge when necessary. I don't know whether I should call this a *Tip* or a *Devilish Practical Joke That Will Drive People Nuts*— anyway, it's fun as all get-out. Right before you go to lunch, use the Grab utility in your Applications/Utilities folder to take a snapshot of your Desktop with a number of windows open (or an error dialog with an OK or Close button) and then save the

image to your Pictures folder. Select the image as your Desktop background and then watch others go crazy trying to click those faux windows, buttons, and icons. For an archenemy, try the same trick on *his* Mac! Arrange a slightly embarrassing Desktop on his computer, specify it as the background, and sit back while the fun begins. (Perhaps a Web browser open to a somewhat unusual Web site?)

Note that this drop-down list appears only if the Desktop picture that you select is not one of the standard Apple images. All the pictures in the Apple Background Images, Nature, Abstract, and Solid Colors categories are automatically scaled to the size of your screen.



To change your Desktop background automatically on a regular basis, enable the Change Picture check box and then choose the delay period from the drop-down list box. To display the images in random order, also enable the Random Order check box; otherwise, Mac OS X displays them in the order that they appear in the folder.

***I just gotta have lavender***

As I mention earlier, for those who want their favorite color without the distraction of an image, one can choose from a selection of solid colors. You can choose from these colors the same way that you'd pick a default Mac OS X background image (as I mention in the previous section).

***Selecting your own photo***

Finally, you can drag your own image into the well from a Finder window to add your own work of art. To view thumbnails of an entire folder, click the Pictures Folder (to display the contents of your personal Pictures folder) or click Choose Folder to specify any folder on your system. (Alternatively, you can drag a folder from the Finder to the thumbnail window.) Click the desired thumbnail to embellish your Desktop.

***Changing the Screen Saver***

Screen savers are another popular item. Because I cover the Screen Saver preferences in Chapter 3 of this mini-book, I'll simply illustrate how to




choose one here. Open System Preferences and click the Desktop & Screen Saver icon; then click the Screen Saver tab to display the settings that you see in Figure 2-2.

To add a third-party, screen saver module so that everyone can use it on a multi-user system, copy it into the Screen Savers folder within the top-level Library folder.

Click one of the entries in the Screen Savers column to display a thumbnail of the effect — enabling the Use Random Screen Saver check box, naturally, runs through 'em all. You can also test the appearance of the saver module by clicking the Test button; the screen saver runs until you move the mouse or press a key.

Many screen savers allow you to monkey with their settings — if the Options button is enabled, click it to see how you can change the effects.




**Figure 2-2:** A good screen saver can cancel the effects of a bad boss.

## Changing Colors in Mac OS X

# DropBooks

I can't understand it, but some people just don't appreciate menus with purple highlights! (You can tell a Louisiana State University graduate a mile away.) To specify your own colors for buttons, menus, and windows, follow these steps:

1. Open System Preferences and click the Appearance icon to display the settings in Figure 2-3.
2. Click the Appearance drop-down list and choose the main color choice for your buttons and menus.
3. Click the Highlight Color drop-down list and pick the highlight color that will appear when you select text in an application or select an item from a list.
4. Press  $\text{⌘}+\text{Q}$  to exit System Preferences and save your changes.



**Figure 2-3:** Okay, then, set up your own school colors in the Appearance settings!

## Adding Stickies

# DropBooks

Stickies are interesting little beasts — I don't know their genus or phyla, but they're certainly handy to have around. To be technical for a moment, a *Sticker* is actually nothing more than a special type of application window, but these windows remain on your Desktop as long as the Stickies application is running.

I use Stickies for anything that a Post-it Note can handle, including

- ◆ Reminders that you don't want to misplace
- ◆ Snippets of text that you want to temporarily store while your Mac is turned off (without launching a behemoth like Word or digging for TextEdit)
- ◆ *Boilerplate* (repeated and standard) text that you're constantly including in your documents, like your address
- ◆ A quick note that includes someone's e-mail address or phone number
- ◆ Today's Dilbert cartoon from [www.dilbert.com](http://www.dilbert.com)

A Sticker can contain data pasted from the Clipboard, or you can simply type directly into the Stickies application window. Sticker windows can include graphics and different fonts and colors. You can even locate specific text from somewhere in your vast collection of Stickies by using the Find command. (And you don't use up our bark-covered friends of the forest, either.)



In Book I, I discuss the Mac OS X Services menu — you can make a Sticker note from the Finder Services menu, as well.

Follow these steps to stick your way to success:

1. **Open your Applications folder and run the Stickies application to display the new window that you see in Figure 2-4.**

The text cursor is already idling in the new window. (The other windows are Stickies, too, but they contain display text from the application. If you like, you can close them.)

2. **Type text in the window or press  $\text{⌘}+V$  to paste the contents of the Clipboard into the window.**

You can also import the contents of an existing file into a Sticker — just click File and then choose Import Text to display a standard Open dialog.

3. **You can add text formatting, change the text font, and change the color of the font from the Font menu.**

From the Note menu, you can also choose to make the Sticker translucent. (No pressing reason, they just look cool.)



## DropBooks

4. To change the Stickie's color, click the Color menu and choose the appropriate hue.

5. Resize and drag the Stickie window to the desired location.


To shrink and expand the Stickie window, click the icon at the upper-right corner or press  $\mathbb{M}+M$  to toggle between a miniaturized view (showing only the title bar) and the expanded view.



To automatically run the Stickies application each time that you log on, open the Accounts settings in System Preferences and click your account in the list. Click the Startup Items button and add Stickies to the list by clicking the plus button.

To delete a Stickie, simply click the Close button at the upper-left corner of the Stickie window. Or, click on the Stickie to make it the active note and then click Close. Stickies display a dialog to confirm that you want to close the note; click Save to save the contents in a file or click the Don't Save button to close the note and discard its contents.

To close the Stickies application completely, click any note and press  $\mathbb{M}+Q$  — the application will remember the position and contents of each note until you launch it again.



**Figure 2-4:**  
“Look, Ma!  
It’s a  
Stickie!”

## Customizing the Dock

# DropBooks

In terms of importance, the *Dock* — the launch pad for applications and documents that appears on your Desktop — ranks right up there with the command center of a modern nuclear submarine. As such, it had better be easy to customize, and naturally, Mac OS X doesn't let you down.

### Adding applications and extras to the Dock

Why be satisfied with just the icons that Apple places in the Dock? You can add your own applications, files, and folders to the Dock as well.



- ◆ **Adding applications:** You can add any application to your Dock by simply dragging its icon into the area to the *left* of the separator line (which appears between applications and folders or documents); the existing Dock icons will obligingly move aside to make a space for it wherever you like.


Attempting to place an application on the right of the separator line will send it to the Trash (if the Trash icon is highlighted when you release the button), so beware.

- ◆ **Adding files and folders:** Folders and volume icons can be added to the Dock by dragging the icon into the area to the *right* of the separator line. (Attempting to place these to the left of the separator line will open an application with the contents, which usually doesn't work.) To open the location in a Finder window, click and hold the mouse button (or press Control when you click) to display a Dock menu like the one you see in Figure 2-5, where you can open documents and run applications. Now that, my friends, is genuine *sassy!*
- ◆ **Adding Favorites:** You can drag any URL from Safari directly into the area to the right of the separator line. Clicking that icon automatically opens your browser and displays that page. (Safari gets the treatment in Book IV, Chapter 5.)

To remove an icon from the Dock, just click and drag it off the Dock — you get a rather silly (but somehow, strangely satisfying) animated cloud of debris, and the icon is no more. Note, however, that the original application, folder, or volume is *not* deleted — just the Dock icon is permanently excused. If you like, you can delete *almost* any of the default icons that Mac OS X installs in the Dock; only the Finder and Trash icons must remain in the Dock.

# DropBooks

**Figure 2-5:** Click and hold on a folder in the Dock to display a Dock menu with its contents.



If you can't delete items from the Dock, you're using a *Managed* account — that's a Standard user account with certain limitations set. (In this case, your account is set to Some Limits, and your administrator has disabled the Modify the Dock check box in your account.) You'll need an Admin-level user to log in; then visit the Accounts panel in System Preferences and enable the check box again. For more information on user accounts, see Chapter 5 of this mini-book.

## *Resizing the Dock*

You can change the size of the Dock from the Dock settings in System Preferences — I explain this in more detail in Book II, Chapter 3 — but here's a simpler way to resize the Dock, right from the Desktop.

Move your mouse cursor over the separator line in the Dock, and the cursor turns into a funky line with arrows pointing up and down. This is your cue to click and drag while moving the mouse up and down, which will expand and shrink the Dock, respectively.



You can also hold down the Control key and click when the funky line cursor is visible — this allows you to change your Dock preferences without the hassle of opening System Preferences and displaying the Dock settings.




## Arranging Your Precious Desktop

# DropBooks

Finally, consider the layout of the Desktop itself. You can set the options for icon placement from the Finder View menu. Just like the options for Finder windows that I cover in Chapter 1 of this mini-book, you can clean up and arrange your Desktop by name, date, size, or kind.

The View Options for the Desktop are slightly different than the View Options for a Finder window in icon view. (Garner the scoop on setting these preferences in Chapter 1 of this mini-book.) First, you choose a background for the Finder from System Preferences. Also, you don't have to worry about whether the options are global or not . . . you only have one Desktop, after all.



# DropBooks



# DropBooks

## Chapter 3: Delving Under the Hood with System Preferences

---

### *In This Chapter*

- ✓ **Displaying and customizing settings in System Preferences**
- ✓ **Saving your changes**
- ✓ **Changing settings**

**L**ike the Mac OS 9 Control Panel before it, the System Preferences window is the place to practice behavior modification in Mac OS X. The settings that you specify in System Preferences will affect the majority of the applications that you use as well as the hardware that you connect to your Mac, your Internet and network traffic, the appearance and activity on your Desktop, and how Mac OS X handles money, dates, and languages. Oh, and don't forget your screen saver.

In this chapter, I discuss the many settings in System Preferences — you'll discover what does what and how you can customize the appearance and operation of Mac OS X.

### *The Preferred Way to Display the Preferences*


Apple has made it easy to open the System Preferences window. Just click the System Preferences icon (looks like a wall light switch, next to the Apple logo) in the Dock, and the window shown in Figure 3-1 appears. You can also open the window by clicking the Apple menu and selecting the System Preferences item.

Note that the System Preferences window has its own toolbar, which you can customize with the icons that you use the most. Simply drag the desired icon from the System Preferences window and drop it on the toolbar to add it. To display all the System Preferences panels at any time, click the Show All button in the toolbar's upper-left corner.



You can also display all the System Preferences panes in alphabetical order, which can make it easier to choose a pane if you're unsure what group it's in. Choose View⇨Organize Alphabetically. (Note that you can also select any pane directly from the View menu.)

# DropBooks



**Figure 3-1:**  
Set your  
System  
Preferences  
here.

## *Saving Your Preferences*

You'll note that there's no Save or Apply button on the System Preferences window. Illustrating the elegant design of Mac OS X, simply quitting System Preferences automatically saves all the changes that you make. (However, some panes in System Preferences have an Apply Now button that you can click to apply your changes immediately.) Like any other Mac OS X application, you can quit the System Preferences window by pressing  $\text{⌘}+\text{Q}$  or by choosing System Preferences  $\Rightarrow$  Quit System Preferences.


## *Let's Get Personal*

The first stop on your tour of the System Preferences window is the Personal section. No singles ads here — this section is devoted to settings that you make to customize the appearance and operation of your Desktop and login account.

### *Appearance preferences*

The Appearance group appears in Figure 3-2.

## DropBooks



**Figure 3-2:**  
The  
Appearance  
settings are  
generally  
pretty  
mundane.

These settings are

- ◆ **Appearance:** From this drop-down list, choose a color to be used for buttons, menus, and windows.
- ◆ **Highlight Color:** From this drop-down list, choose a color to be used to highlight selected text in fields and drop-down list boxes.
- ◆ **Place Scroll Arrows:** Select either radio button here to put the scroll bar arrow buttons together (at the bottom of the scroll bar, in the lower-right corner of the window) or at the top and bottom of the scroll bar.
- ◆ **Click in the Scroll Bar To:** By default, Mac OS X jumps to the next or previous page when you click in an empty portion of the scroll bar. Mark the Scroll to Here radio button to scroll the document to the approximate position in relation to where you clicked. (You can also choose smooth scrolling, which looks cool — but many folks think that it's too slow compared with the default scrolling speed.) If you enable the Minimize When Double Clicking a Window Title Bar check box, you can minimize a Finder or application window by simply double-clicking the window's title bar.

## DropBooks

- ◆ **Number of Recent Items:** The default number of recent applications and recent documents — available from the Recent Items item in the Apple menu, which you can read more about in Book I, Chapter 3 — is 10. To change the default, click either of the drop-down list boxes here and choose up to 50. (Personally, I like 20 or 30 for each.)
- ◆ **Font Smoothing Style:** Click this drop-down list for choices to make the text on your monitor or flat-panel appear more like the printed page. The best choices are Standard (for a typical CRT monitor) and Medium (for a typical flat-panel LCD display).
- ◆ **Turn Off Text Smoothing for Font Sizes:** Below a certain point size, text smoothing isn't much good for most on-screen fonts. By default, any font displayed at 8 points or smaller isn't smoothed, which is suitable for a high-end video card and monitor. If you have an older monitor or a low-end video card, you can speed up the display of text by turning off text smoothing for fonts up to 12 points.


### *Desktop and screen saver preferences*

Figure 3-3 illustrates the settings in the Desktop & Screen Saver group.

The settings here are

- ◆ **Current Desktop Picture:** You can drag a picture from the thumbnail field at the bottom half of the screen and drop it into the well (the square empty box in Figure 3-3) to use it as your Desktop background. To display a different image collection or open a folder of your own images, click the Choose Folder entry in the left column and browse for your heart's desire. (To add an entire folder of images as a collection, drag a folder to the well.)
- ◆ **Arrangement:** As I explain in Chapter 2 of this mini-book, you can tile your background image, center it, and stretch it to fill the screen. The Arrangement control appears only when you're using your own pictures, so you won't see it if you're using a desktop image supplied by Apple.
- ◆ **Change Picture:** Enable this check box to change the Desktop background automatically after the delay period that you set, including each time that you log in and each time that your Mac wakes up from sleep mode.
- ◆ **Random Order:** To display screens randomly, enable the Random Order check box — otherwise, the backgrounds are displayed in the sequence in which they appear in the thumbnail strip.

## DropBooks



**Figure 3-3:** Change your Desktop picture and screen saver with these settings.

Click the Screen Saver tab and you'll see the following settings:


- ◆ **Screen Savers:** In the Screen Savers list at the left, click the screen saver that you want to display an animated Preview of on the right. To try out the screen saver in full-screen mode, click the Test button. (You can end the test by moving your mouse.) If the screen saver module that you select has any configurable settings, click the Configure button to display them. (You can tell whether it has configurable settings by whether the Configure button is enabled or disabled.) Finally, click the Open Energy Saver button to jump to the Energy Saver System Preference settings, where you can control how and when Mac OS X enters sleep mode.
- ◆ **Activation:** Click and drag the slider here to specify the period of inactivity that will trigger the screen saver. To disable the screen saver, choose the Never setting at the far right of the slider.
- ◆ **Use Random:** Just what it says — if this check box is enabled, a different screen saver module is used each time that the screen saver is activated.

## DropBooks

- ◆ **Hot Corners:** You can click any of the four drop-down list boxes at the four corners of the screen to specify that corner as an *activation hot corner* (which immediately activates the screen saver) or as a *disabling hot corner* (which prevents the screen saver from activating). As long as the mouse pointer stays in the disabling hot corner, the screen saver will not kick in — no matter how long a period of inactivity passes. Note that you can also set the Exposé activation corners from here.

## Dock preferences

The Dock group is shown in Figure 3-4.



**Figure 3-4:** These settings are useful for monkeying with the Dock.

Settings here are

- ◆ **Dock Size:** Move this slider to change the overall size of the Dock.
- ◆ **Magnification:** With this check box enabled, a Dock icon will magically expand like the national deficit when you move your mouse cursor over it. You can move the Magnification slider to specify just how much magnification is right for you.



This feature is useful for helping you click a particular Dock icon if you've resized the Dock smaller than its default dimensions, or if you have a large number of items in the Dock.



# DropBooks



- ◆ **Position on Screen:** Choose from three radio buttons to make that crazy Dock appear at the left, bottom, or right edge of your Desktop.

◆ **Minimize Using:** By default, Mac OS X animates a window when it's shrunk into the Dock (and when it's expanded back into a full window). From the Minimize Using drop-down list, you can choose from a genie-in-a-bottle effect or a scale-up-or-down-incrementally effect. To demonstrate, choose an effect and then click the Minimize button (the yellow button in the upper-left corner) on the System Preferences window.

If you don't like these minimizing effects or you're running on an older G3 Mac, you can turn minimizing effects off to save processing time and speed up Mac OS X.

- ◆ **Animate Opening Applications:** By default, Mac OS X has that happy, slam-dancing feeling when you launch an application: The application's icon bounces up and down in the Dock two or three times to draw your attention and indicate that the application is loading. If you find this effervescence overly buoyant or distracting, disable this check box.

- ◆ **Automatically Hide and Show the Dock:** If you like, the Dock can stay hidden until you need it, thus reclaiming a significant amount of Desktop space for your application windows. Enable this check box to hide the Dock whenever you're not using it.

To display a hidden Dock, move your mouse pointer over the edge of the Desktop where it's hiding.



## *Exposé preferences*


Figure 3-5 illustrates the Exposé settings — new in Panther — that you can configure in this group.

The settings here are

- ◆ **Active Screen Corners:** These four drop-down list boxes operate just like those in the Screen Savers panel, but they control the operation of Panther's Exposé feature. Click one to specify that corner as an All Windows corner (which displays all windows on your desktop), an Application Windows corner (which displays only the windows from the active application), or a Desktop corner (which moves all windows to the outside of the screen to uncover your Desktop). Note that you can also set the Screen Saver Start and Disable corners from here.
- ◆ **Keyboard:** Click each drop-down list box to set the key sequences for all three Exposé functions (as I just explained): All Windows, Application Windows, and Desktop.

## DropBooks

**Figure 3-5:**  
Selecting  
corners  
makes  
Exposé  
even easier  
to use!



## *International preferences*


The International group appears in Figure 3-6.

- ◆ **Language tab:** Choose the preferred order for language use in menus and dialogs as well as the standards that Mac OS X will use for each script style.
- ◆ **Formats tab:** Find these settings here:
  - **Date:** You can select a region and use its date conventions (month-day-year versus day-month-year), or you can build a custom format for both the long date (Saturday, September 28, 2003) and short date (9/28/2003) used throughout Mac OS X. The changes that you make are immediately reflected in the sample box at the bottom of the window.
  - **Time:** Like Date, you can select a region to use the preset time conventions. You can choose 12-hour or 24-hour (military) time formats,

change the time separator (colons, a period, or a dash), and specify different suffixes for morning (a.m.) and evening (p.m.).

**Numbers:** These convention settings determine the separators used for large numbers or numbers with decimals, as well as the currency symbol that you want to use and where it appears in a number. You can also choose between standard (US) and metric measurement systems.

- ◆ **Input Menu tab:** Each check box toggles the keyboard layouts available from the Input menu. You can click the Options button to toggle the shortcuts for switching layouts and input methods, as well as toggle automatic synchronization between the active font (where the input cursor is onscreen) and the keyboard layout that Mac OS X uses.



**Figure 3-6:** The International settings in Mac OS X.


## Security preferences

The Security group is shown in Figure 3-7.

Settings here are



- ◆ **FileVault:** These controls allow you to set the Master Password for FileVault encryption within the current user's Home folder — which makes it virtually impossible for others to access those files. Only an Admin-level user can set the Master Password. After the Master Password has been set, you can click the Turn On FileVault button to enable FileVault encryption for the user who's currently logged in; the user's Login password becomes their FileVault password as well.
- ◆ **Require Password to Wake This Computer from Sleep or Screen Saver:** If you enable this check box, Mac OS X will require that you enter your Login password before the system will return from a sleep state or exit a screen saver.



**Figure 3-7:** Change your system's security preferences here.

- ◆ **All Accounts on This Computer:** If you're an Admin-level user, you can set these global security features that affect all user accounts — you can choose to disable the automatic logon feature, force Mac OS X to require a Login password each time that a System Preference pane is opened, or automatically log off any user after a certain amount of inactivity.

## It's All about the Hardware

The next category, Hardware, allows you to specify settings that affect your Macintosh hardware.

### CDs and DVDs preferences

The CDs & DVDs group is shown in Figure 3-8.



**Figure 3-8:** Change the automatic launch of CDs and DVDs.

Choices here are


- ◆ **When You Insert a Blank CD:** Click this drop-down list box to specify the action that Mac OS X should take when you load a blank CD-R or CD-RW. You can choose to be prompted or to open the Finder, iTunes, or Disk Copy. Additionally, you can open another application that you select, run an AppleScript that you select, or ignore the disc.

# DropBooks

- ◆ **When You Insert a Blank DVD:** Use this feature to specify the action that your Mac should take when you load a recordable DVD.
- ◆ **When You Insert a Music CD:** Choices from this drop-down list specify what action Mac OS X should take when you load an audio CD. By default, iTunes is launched.
- ◆ **When You Insert a Picture CD:** Choices from this drop-down list specify what action Mac OS X should take when you load a picture CD. By default, iPhoto is launched.
- ◆ **When You Insert a Video DVD:** Choices from this drop-down list specify what action Mac OS X should take when you load a DVD movie. By default, DVD Player is launched.

## *Displays preferences*

The Displays group is shown in Figure 3-9.



**Figure 3-9:** Control your display with these settings.

The two panels here are

## DropBooks



◆ **Display:** Click the resolution that you want to use from the Resolutions list on the left and then choose the number of colors (from the Colors drop-down list) to display. In most cases, you'll want to use the highest resolution and the highest number of colors. You can also choose a refresh rate (from the, ahem, Refresh Rate drop-down list). Again, generally the higher the refresh rate, the better. Move the Brightness slider to adjust the brightness level of your display. (Note that these settings are different depending on what type of display you're using — for example, a Mac with a CRT monitor will have more settings to choose from than a flat-panel LCD system.)

Enable the Show Displays in Menu Bar check box if you'll be switching resolutions and color levels often. You can also set the number of recently used modes that will appear in the Displays menu.

- ◆ **Color:** Click a display color profile that will control the colors on your monitor. To create a custom ColorSync profile and calibrate the colors that you see on your monitor, click the Calibrate button to launch the Display Calibrator. (You can also launch it from your Utilities folder within your Applications folder.) This easy-to-use assistant will walk you step-by-step through the process of creating a ColorSync profile matched to your monitor's gamma and white-point values.


### *Energy Saver preferences*

The Energy Saver group is shown in Figure 3-10.

The three tabs here are

- ◆ **Sleep:** Move the Put the Computer to Sleep When It Is Inactive For slider to specify when Mac OS X should switch to sleep mode — the Never setting disables sleep mode entirely. To choose a separate delay period for blanking your monitor, enable the Put the Display to Sleep When the Computer Is Inactive For check box and move the delay slider. You can also power-down the hard drive to conserve energy and prevent wear and tear (an especially good feature for laptop owners).
- ◆ **Schedule:** If you want to start your Mac at a scheduled time, enable the Start Up the Computer check box; then choose the desired schedule. Click the up and down arrows next to the time display to set the startup time. If you like, you can also set your Mac to shut down or sleep by using the Shut Down drop-down list.

## DropBooks



**Figure 3-10:**  
Put your Mac to sleep with these settings.

- ◆ **Options:** These settings can toggle events that can wake Mac OS X from sleep mode, including a ring signal from the modem or a network connection by the network administrator. If you'd like to put your Mac into sleep mode by pressing the Power button, enable the Allow Power Button to Sleep the Computer check box. You can also set Mac OS X to restart automatically after a power failure, which is a good idea if you'll be running a Web or File Transfer Protocol (FTP) server on your machine. (Read more about this in Book VII, Chapter 4.)

## *Keyboard and mouse preferences*


The Keyboard & Mouse group is shown in Figure 3-11.

The three panels here are

- ◆ **Keyboard:** Move the Key Repeat Rate slider to alter the rate at which a keystroke will repeat. You can also adjust the Delay Until Repeat slider to alter how long a key must be held down before it repeats. To test your settings, click in the sample box and hold down a single key.



## DropBooks



**Figure 3-11:**  
Be the master of your keyboard and pointing thing.

- ◆ **Mouse:** Drag the Tracking Speed slider to determine how fast the mouse tracks across your Desktop. You can also drag the Double-Click Speed slider to determine how fast you must click your mouse to cause a double-click — feel free to click in the sample box to test your settings.
- ◆ **Keyboard Shortcuts:** If you're a power user who appreciates the lure of the keyboard shortcut, you can edit your shortcuts here.




Looking for even more keyboard customizing possibilities? Enable the Turn On Full Keyboard Access check box on the Keyboard Shortcuts panel — this gives you additional keys to use.

### *Printing and fax preferences*

Figure 3-12 illustrates the Print & Fax preferences.

## DropBooks




**Figure 3-12:**  
Setting  
printer  
defaults in  
System  
Preferences.

Click the Set Up Printers button to launch the Printer Setup Utility (no great shocker there). The other settings here are

- ◆ **Selected Printer in Print Dialog:** Click this drop-down list box to select the installed printer that should act as the default printer throughout your system. If you choose Last Printer Used, Mac OS X uses the printer that received the last print job.
- ◆ **Default Paper Size in Page Setup:** Will that be US Letter or Tabloid? Click this drop-down list box to specify the default paper size for future print jobs.

This panel also offers a one-click method of sharing your printers across your network: Enable the Share My Printers with Other Computers check box, and Mac OS X takes care of the rest. *Nice.*

Click the Faxing tab to display the settings that you see in Figure 3-13.



**Figure 3-13:**  
Time to set  
those fax  
defaults.

To receive faxes on your Mac, you must first enable the Receive Faxes on This Computer check box. After faxing has been turned on, you can configure the other settings, which include

- ◆ **My Fax Number:** Enter the phone number that others will call to reach your Mac.
- ◆ **When a Fax Arrives:** You can determine how many times the phone will ring before your Mac answers the incoming call. By default, Mac OS X saves the incoming fax to your Shared Faxes folder, but you can change that location — or, if you like, you can select an e-mail address where the fax will be sent, or you can choose to print the incoming fax on the printer that you specify. And check it out: If you like, you can send your fax to all three destinations (a disk folder, an e-mail address, and a printer)!


If you want others on your network to be able to send faxes using your Mac, enable the Let Others Send Faxes through This Computer check box.

## Sound preferences

The Sound group is shown in Figure 3-14. To set the overall system audio volume, drag the Output Volume slider. To mute all sound from your Mac, enable the Mute check box. I recommend that you enable the Show Volume in Menu Bar check box, which displays a convenient volume slider menu bar icon.

The three tabs here are

- ◆ **Sound Effects:** From this panel, you can choose the system alert sound and the volume for alerts. You can also choose to mute application and Finder menu sound effects, as well as toggle the sample sound effect when the volume keys are pressed on your Mac's keyboard (or from the Volume slider).
- ◆ **Output:** Use these settings to choose which audio controller your Mac should use for playing sound. Unless you've installed additional audio hardware, this should remain set to your Built-in Audio Controller. You can adjust the balance between the left and right channels for the selected output controller.



**Figure 3-14:** Specify how your Mac sounds from this group.

- ◆ **Input:** These settings allow you to specify an input source. Unless you've added an input source, leave this set to your Internal Microphone. Drag the Input Volume slider to increase or decrease the input signal volume — the input level display provides you with real-time sound levels.

# DropBooks

## Sharing the Joy: Internet & Network

Your Internet & Network connections are controlled from the settings in this category.

### *.Mac preferences*

The .Mac group is illustrated in Figure 3-15.

The two panels are

- ◆ **.Mac:** In the .Mac Member Name and the Password text boxes, respectively, type your .Mac member name and password. If you'd like to subscribe, click the Sign Up button to launch your Web browser — you'll be whisked to the .Mac sign-up page. For more information about joining Apple's .Mac service, see Book IV, Chapter 1.



**Figure 3-15:** Everything .Mac resides in this System Preferences group.

## DropBooks




- ◆ **iDisk:** This tab displays your current iDisk usage and allows you to subscribe for additional space with the Buy More button. You can set your access privileges for your public folder to Read-Only or Read-Write, and you can add a password that others have to enter before they can access your public folder. For a complete description of iDisk, see Book IV, Chapter 4.

I recommend that you enable the Create a Local Copy of Your iDisk and Choose the Synchronize Automatically option; this will allow iDisk to run much faster because Mac OS X can read and write by using your local iDisk copy on your hard drive. Your Mac will regularly synchronize the data on your local hard drive across the Internet with the iDisk on the Apple server.

### *Network preferences*

The Network group is shown in Figure 3-16.



**Figure 3-16:**  
Fine-tune  
Network  
settings  
here.

## DropBooks

You can create a new Location by clicking the Location drop-down list at the top of the dialog — Mac OS X prompts you for a name — or you can edit your existing Locations by choosing Edit Locations from this list. (Automatic is the default, and it does a pretty good job of figuring out what settings you need.) As I mention earlier in the book (Book I, Chapter 3), creating Locations makes it easy to completely reconfigure your Network preferences when you connect your computer to other networks: for example, when you take your laptop to a branch office. You can also set up Locations to accommodate different ISP dial-up telephone numbers in different towns.



If you need to create a new Location that's very similar to an existing Location, click the Location drop-down list box and choose Edit Locations. Then select the Location that you want to copy and click the Duplicate button. The new Location that you create will contain all the same settings (without several minutes of retyping), so you can easily edit it and make minor changes quickly.

When you select Built-in Ethernet from the Show drop-down list box, the tabs displayed are

- ◆ **TCP/IP:** These settings are provided either automatically (by using Dynamic Host Configuration Protocol [DHCP]) or manually (by using settings provided by your network administrator). For more details on TCP/IP settings, see Book IV, Chapter 1 and Book V, Chapter 2.
- ◆ **PPPoE:** The settings that you enter here — if necessary — are used for *Point-to-Point over Ethernet* connections. If you're not using PPPoE to connect to your ISP, you can forget about the settings in this dialog; if you are using PPPoE, see Book IV, Chapter 1 for more details.
- ◆ **AppleTalk:** If you're connecting your Mac to older Macs via an AppleTalk network, enable the Make AppleTalk Active check box and choose an active Zone to join from the AppleTalk Zone drop-down list box. Automatic configuration should work in nearly every AppleTalk environment, but if you want to specify the Node ID and Network ID for your computer manually, choose Manually from the Configure drop-down list box.

Note that AppleTalk can only be active on one port within a location — for example, if you have AppleTalk active for Ethernet, you can't select AppleTalk for the wireless port in the same location. (You can, however, define different locations for AirPort and Ethernet, both with AppleTalk active.)

- ◆ **Proxies:** Network proxy servers are used as part of a firewall configuration to help keep your network secure, but in most cases, changing them can cause you to lose Internet functionality if you enter the wrong settings.



# DropBooks

Most folks using a telephone modem, cable modem, or digital subscriber line (DSL) connection should leave these settings alone. Enable and change these settings only at the request of your network administrator.

If you've enabled your Mac OS X firewall and you use FTP to transfer files, enable the Passive FTP Mode check box on the Proxies tab — I recommend that you enable this setting to allow downloading from some Web pages as well.

- ◆ **Ethernet:** From this panel, you can configure the settings for your Ethernet network interface card. I *strongly* recommend that you leave the Configure drop-down list box set to Automatically (unless specifically told to set things manually by your system administrator or that nice person from Apple tech support).

When you select Internal Modem from the Show drop-down list box, the tabs displayed are

- ◆ **TCP/IP:** You can configure your Internet connection for Point-to-Point Protocol (PPP), AOL dialup, or enter the settings manually — the Transmission Control Protocol/Internet Protocol (TCP/IP) dial-up connection that you choose determines what fields are available. Your ISP will supply you with these settings.
- ◆ **PPP:** These settings are used for a *Point-to-Point Protocol* connection over a telephone modem. Again, your ISP will provide you with the right values to enter here. If you're supplied with a secondary telephone number to dial when the primary is busy, enter it into the Alternate Number field.

If you're concerned about who's using your Internet connection — or you want to add an extra layer of security when you dial out — disable the Save Password check box, and Mac OS X will prompt you each time for your Internet account password.

- ◆ **Proxies:** Some ISPs use proxy servers for their dialup accounts to maintain security, but (as I mention earlier in this section) changing these settings willy-nilly is inviting disaster. Leave them disabled unless given specific instructions on what to set by your ISP.
- ◆ **Modem:** Click the drop-down Modem list box and choose the brand and model of your modem. If Mac OS X detects an internal modem, it's used by default.



I strongly recommend that you enable both the Enable Error Correction and Compression in Modem and the Wait for Dial Tone Before Dialing check boxes because they will provide you with the best performance and the fastest speeds.



## DropBooks

You can also select tone or pulse dialing and whether you want to hear the two modems conversing. (If the caterwauling bothers you, turn off the Sound option.) If you like, Mac OS X can notify you with an alert sound if you receive an incoming call while you're connected to your ISP — just enable the Connection check box. If you live outside the United States, click the Change button to select the proper Country Setting; this governs how your modem dials your ISP. Finally, I recommend that you enable the Show Modem Status in Menu Bar check box, which gives you a visual reference on your connection status.

To enable and disable your network ports, click the Show drop-down list box and choose Network Port Configurations. You can enable the On check box to toggle individual ports — for instance, if you don't use your internal modem, you can turn it off. And you can drag configurations into any desired order to specify which ports Mac OS X should use first when connecting.

### *QuickTime preferences*

The QuickTime group is shown in Figure 3-17. For complete details on QuickTime, streaming media, and viewing movies downloaded from the Web, see Book III, Chapter 6.



**Figure 3-17:**  
Tweak  
QuickTime  
settings  
here.

If you've purchased a registration code for QuickTime Pro or Player Pro, click the Registration button to enter it.

The five panels here are

- ◆ **Plug-In:** These settings determine how QuickTime acts when it's used as a Web browser plug-in. Enable the Play Movies Automatically check box to toggle automatic playback of movies that you've downloaded from the Web. If you'll be viewing downloaded QuickTime movies often, it's a good idea to enable the Save Movies in Disk Cache check box — this improves the playback performance.



When the Enable Kiosk Mode check box is enabled, the options available from the Player window no longer include the ability to save movies or change QuickTime settings — this is a good idea when your kids will be downloading and watching movies from the Web.

If you need to change the MIME file types that QuickTime will play from a Web page, click the MIME Settings button. (These are the different types of multimedia files that you'll encounter on the Web, like video, audio, and photographs.) However, I recommend that you use the default settings because otherwise you might end up downloading a file type that you can't use because you've disabled it.

Often, third-party media players will, in effect, take over the MIME file types from QuickTime — naturally, this is what you want, *if* you like the new player application. However, if you decide that the new player is not your style, you can return QuickTime to its rightful place as Kahuna of the Web Downloads by displaying the MIME settings, clicking the Use Defaults button, and then clicking OK.

- ◆ **Connection:** Click the Connection Speed drop-down list to choose the data transfer speed closest to your connection rate. This optimizes QuickTime's streaming video performance to match your connection. If you're not using DSL, a network Internet connection, or a cable modem connection, make sure that you disable the Allow Multiple Simultaneous Streams check box.



Click the Instant-On button to enable or disable streaming playback the moment that you start to receive the media (without queuing a significant amount first, which takes time). The faster your Internet connection is, the less time you'll need to queue a media stream.

If you receive protocol error messages from QuickTime, click the Transport Setup button and then click the Auto Configure button. Mac OS X will choose the correct transport protocol and port ID for your connection.

- ◆ **Music:** You need only visit this panel if you've added a software-based music synthesizer (such as Deck or VST) to Mac OS X — if so, you can click its entry here and click Make Default to use it instead of QuickTime's built-in synthesizer.


# DropBooks

# DropBooks

- ◆ **Media Keys:** If you play MP3 or MOV files that require secure media keys, you can click the Add button and enter the category and key from this panel. To edit a key, select it from the list and click the Edit button. To remove a key from the list, select it and click the Delete button.
- ◆ **Update:** By default, QuickTime checks for new updates automatically, but you can check for new updates immediately by clicking the Update Now button. You can also add QuickTime enhancement software from other companies by clicking the Install New 3rd-Party QuickTime Software button and then clicking the Update Now button.

## Sharing preferences

Figure 3-18 illustrates the Sharing preferences.



**Figure 3-18:** These settings control file sharing, FTP access, and printer sharing (among others).

Click in the Computer Name text field to change the default network name assigned to your Mac during the installation process. Your current network address is listed, but you can change your network settings by clicking the Edit button.

The three tabs here are

- ◆ **Services:** Each entry in the services list controls a specific type of sharing, including Personal File Sharing (with other Macs), Windows Sharing (with PCs running Windows), Personal Web Sharing, Remote Login, FTP Access, Apple Remote Desktop, Remote Apple Events, and Printer Sharing. To turn on any of these services, enable the On check box for that service. To turn off a service, choose it from the list and click the Stop button that appears.



From a security standpoint, I highly recommend that you enable only those services that you will actually use. A Mark's Maxim to remember:

**Poking too many holes in your firewall is not a good thing.**<sup>TM</sup>

- ◆ **Firewall:** As I discuss in Book IV, Chapter 6, Mac OS X includes a built-in firewall. You can enable the firewall from this panel — when the firewall is on, communication to any service not allowed in the list is blocked. (In firewall-speak, these entries are called *rules* because they determine what's allowed to pass through to your Mac.)

To enable communications with a service, select the entry in the list and enable the On check box. Click the New button to specify a new rule by entering a port and assigning it a name. After you create a new rule, it appears in the list, and you can toggle it on and off like any of the default rules. Click the Edit button to edit the selected rule; click the Delete button to remove the selected rule.



If you're using an Internet or network connection, I strongly urge you to enable the firewall (but only after you've reviewed Book V, Chapter 2). However, if you suddenly can't connect to other computers or share files that you were originally able to share, it's time to review the rules that you've enabled from this panel.

- ◆ **Internet:** If you want to share the Internet connection from this Macintosh, click the port to use — this will almost always be the Built-in Ethernet option — and then click Start.

## *Tweaking the System*

The last section of the System Preferences window covers system-wide settings that affect all users and the overall operation of Mac OS X.

## Accounts preferences


The Accounts group is illustrated in Figure 3-19.

Each user on your system has an entry in this list. The panels here change, depending on the access level of the selected account. They can include

- ◆ **Password:** Click in these text fields to enter or edit the account name, password, and password hint for the selected user.



Click the Address Book Card button to edit the card that you've marked in the Address Book as My Card. Mac OS X launches the Address Book, and you can edit your card to your heart's content. (For the complete scoop on the Mac OS X Address Book, see Book I, Chapter 5.)



**Figure 3-19:** Manage user accounts with these settings.

## DropBooks

- ◆ **Picture:** From the Picture panel, you can either choose one of the thumbnail images provided by Apple to represent you or click Edit to drag a new image from the Finder.
- ◆ **Security:** Click the Security tab to enable or disable FileVault encryption protection for the files in your Home folder, as I discuss earlier in this chapter.
- ◆ **Limitations:** This panel is only available when you're adding or editing a Standard level account — you can choose to assign no limitations, or you can click Some Limits to disable certain features within Mac OS X. Click Simple Finder to strictly limit this user's access, as well as assign that person the Simple version of the Finder. For more information about assigning limitations, refer to Book II, Chapter 5.
- ◆ **Startup Items:** The applications that you add to this list will launch automatically each time that the current user logs in to Mac OS X. To add an application, click the Add button (which carries a plus sign), navigate to the desired application and select it, and then click the Add button. (Alternately, you can simply drag an item from a Finder window into the Startup Items list.) To remove an application from the list, click to select it and then click the Remove button (which has a minus sign). Each application can be launched in a hidden state — meaning that its window doesn't appear on the Desktop. To toggle an item as hidden or visible, enable the Hide check box next to the desired application.



The order that Startup Items are launched can be changed by dragging entries in the list into the desired sequence.

A word about the Login Options button — click it to set a number of global options that control how users log in. For example, you can choose to display either a Name field (followed by a Password field) on the Login screen (which means that the user must actually type in the correct username) or a list of users, from which a person can select a user ID. (If security is a consideration, use the Name and Password option.)

If you choose, you can log in automatically as the selected user by clicking the Login Options button and enabling the Automatically Log in As *<Username>* feature. The Login Options panel also allows you to enable or disable Fast User Switching, which I discuss in Book II, Chapter 5.




You can prevent anyone from restarting or shutting down the Mac from the Login screen by enabling the Hide the Restart and Shut Down Buttons check box.

### *Classic preferences*

Figure 3-20 shows the Classic System Preferences settings. For all the background on Classic, read Book I, Chapter 7.

## DropBooks



**Figure 3-20:**  
Set up  
Classic  
settings  
here.

Book II  
Chapter 3

Delving Under the  
Hood with System  
Preferences

The three panels here are

- ◆ **Start/Stop:** You can select from multiple Mac OS 9 System folders when launching Classic, and you can elect to start Classic automatically when the current user logs in. (Personally, I don't use Classic often, so I don't run it automatically at login — therefore saving those system resources for my other applications.) If you'd rather be prompted before Classic is launched, enable the Warn Before Starting Classic check box. You can launch Classic manually from this panel by clicking Start; if Classic is encountering problems, you can click the Restart or the Force Quit buttons as well.



Note that you can monitor the status of Classic mode by enabling the Show Classic Status in Menu Bar check box — this can be a boon for those who use many legacy applications from the days of Mac OS 9.

- ◆ **Advanced:** Three special start-up options are available from the drop-down list — and *only* when you use the Start Classic button on this panel. (As you might expect, these options are typically only for debugging and troubleshooting.) You can elect to start Classic with all extensions turned off, or you can open the Extensions Manager to toggle

## DropBooks


individual extensions on and off within Classic. Finally, you can choose Use Key Combination from the drop-down list to start or restart Classic when you press a shortcut sequence of up to five keys.

To use preferences from the current user's Home folder, enable the Use Mac OS 9 Preferences from Your Home check box. If this is disabled, preferences from the System folder that you choose on the Start/Stop panel are used. You can specify the amount of inactivity before Classic switches to sleep mode, and you can rebuild the Classic Desktop, which is a good idea if custom icons disappear or documents that once had recognized file types are no longer recognized.

- ◆ **Memory/Versions:** This panel displays information on both Classic and the applications that it's running. To show background processes that would normally be invisible, mark the Show Background Applications check box to enable it.

### *Date and time preferences*

Click the System Preferences Date & Time icon to display the settings that you see in Figure 3-21.



**Figure 3-21:**  
Keep track  
of Date &  
Time  
settings.



The three tabs here are

## DropBooks



◆ **Date & Time:** To set the current date, click the date within the mini-calendar; to set the system time, click in the field above the clock and type the current time.

You can't set these values manually if you use a network time server. To automatically set your Mac's system time and date from a network time server, enable the Set Date & Time Automatically check box and then choose a server from the drop-down list that corresponds to your location. (Of course, you need an Internet connection to use a network time server.)

- ◆ **Time Zone:** Click your approximate location on the world map to choose a time zone or click the Closest City drop-down list and choose the city that's closest to you (and shares your same time zone).
- ◆ **Clock:** If you enable the Show the Date and Time check box, you can choose to view the time in text or icon format. The clock can appear on the menu bar or in its own window. You can also optionally display seconds, AM/PM, and the day of the week; have the time separator characters flash; or use a clock based on 24 hours. If you choose a clock window, you can even specify the transparency of that window so that it won't interfere with applications behind it.



Personally, I get a big kick out of my Mac announcing the time on the hour . . . plus, it helps pull me back into the real world. (You've got to eat sooner or later.) Anyway, if you'd like this helpful reminder as well, enable the Announce the Time check box on the Clock tab, and click the drop-down list to select an hour, half-hour, or quarter-hour announcement.


### Software Update preferences

The Software Update settings are shown in Figure 3-22.

The two panels here are

- ◆ **Update Software:** I recommend enabling the Check for Updates check box — and I also recommend that you choose Daily or Weekly from the drop-down list box. (You can also elect to download critical updates in the background automatically while you continue working.) To check immediately, click the Check Now button.
- ◆ **Installed Updates:** Click this tab to display a list of the updates that you've already applied to Mac OS X. You can open the list as a log file as well, which will allow you to cut and paste text.

## DropBooks



**Figure 3-22:** Check for operating system updates on a regular basis.

## Speech preferences

Figure 3-23 illustrates the Speech settings — for a discussion of how these settings are used, visit Book VII, Chapter 3.

The three panels here are

- ◆ **Speech Recognition:** This tab has three tabs of its own: On/Off, Listening, and Commands. From the Recognition System drop-down list box, you can choose from either the Apple Speakable Items system or a third-party system that you've installed — if you go with a third-party system, the tabs will vary according to the recognition software that you select.

- **On/Off:** With this feature toggled on (by selecting the On radio button next to Apple Speakable Items), you can control Mac OS X with spoken commands. If you're going to use Apple Speakable Items, enable the Turn On Speakable Items at Login check box.

Click the self-named button to open the Speakable Items Folder from this panel. (I discuss speech in Book VII, Chapter 3.) From the Play Sound drop-down list, you can indicate what sound effect Mac OS X will play when it recognizes a speech command. (Optionally, Mac OS X can confirm the command by speaking it if you enable the Speak Confirmation check box.)

## DropBooks

- **Listening:** Here you can change the Speakable Items Listening key (Esc by default) and specify whether your Mac should listen only while the key is pressed or whether the Listening key toggles listening on and off. You can also change the name of your computer and whether that name is required before a command. If you have more than one microphone, you can select which one you want to use as well as set the input volume. Otherwise, leave these settings as they are.
  - **Commands:** Here you can select which types of commands that will be available as well as whether exact wording of command names is required. Read more about these settings in Book VII, Chapter 3.
- ◆ **Default Voice:** Here's a fun panel — click a voice in the list at the left, and Mac OS X will use that voice to speak to you from dialogs and applications. You can set the Rate (from Slow to Fast) and play a sample by clicking the Play button. (Try Zarvox, Bubbles, and Pipe Organ.)
- ◆ **Spoken User Interface:** These settings specify when Mac OS X will talk to you. The Talking Alerts feature actually speaks the text within alert dialogs — to toggle it on, enable the Speak the Alert Text check box.



**Figure 3-23:** Control speech features settings here.



# DropBooks

You can also optionally add a phrase before the text, which you can choose from the Speak the Phrase drop-down list box. To add a phrase to the list, like *Don't Panic!*, choose Edit Phrase List from the list.

Move the Wait Before Speaking slider to specify how much time your Mac should wait before reading the dialog to you. You can also optionally announce when an application wants your attention, the text that's under the mouse pointer, and the selected text when you press a key that you specify.

## Startup Disk preferences

Figure 3-24 illustrates the Startup Disk settings.



**Figure 3-24:**  
Select a  
start-up disk  
here.

To select a start-up disk, click the desired start-up folder from the scrolling icon list.



Mac OS 9 System folders have a 9 icon, and Mac OS X folders have the familiar blue X logo. Mac OS X displays the version numbers of each system and the physical drives where each system resides.

If you're planning on rebooting with an external Universal Serial Bus (USB) or FireWire start-up disk, that disk must already be connected, powered on, and recognized by the system before you display these settings.

Select the Network Startup icon if you'd like to boot from a System folder on your local network — typically, such a folder is created by your network administrator.

After you click a folder to select it, click the Restart button. Mac OS X confirms your choice, and your Mac reboots.


## DropBooks

### Universal Access preferences

The final group, Universal Access, is shown in Figure 3-25. These settings modify the display and sound functions within Mac OS X to make them more friendly to disabled users. Note that if you choose the Enable Text-to-Speech for Universal Access Preferences check box, Mac OS X will speak the text for all text and buttons onscreen.



If you have an assistive device that's recognized by Mac OS X, click the Enable Access for Assistive Devices check box to allow it to be used throughout the operating system.



**Figure 3-25:** You can adjust Universal Access settings here.

The four panels here are

## DropBooks

◆ **Seeing:** These settings make it easier for those with limited vision to use Mac OS X. To turn on the display Zoom feature, click the Turn On Zoom button or press  $\mathbb{C}$ +Option+\* (asterisk). To specify how much magnification should be used, click the Zoom Options button. From the sheet that appears, you can set the minimum and maximum Zoom magnification increments. From the keyboard, use  $\mathbb{C}$ +Option++ (plus sign) to zoom in and  $\mathbb{C}$ +Option+- (minus sign) to zoom out. Optionally, you can display a preview rectangle of the area that will be included when you zoom.

Mac OS X can also smooth images to make them look better when zoomed. If you prefer white text on a black background, click the Switch to White on Black button. Note that depending on your display settings, it might be easier on the eyes to use grayscale display mode by clicking the Set Display to Grayscale button.

- ◆ **Hearing:** If you need additional visual cues to supplement the spoken and audio alerts in Mac OS X, click this tab and enable the Flash the Screen Whenever an Alert Sound Occurs check box. To raise the overall sound volume in Mac OS X, you can click the Adjust Sound button to display the Sound System Preferences settings, where you can drag the Volume slider to the right.
- ◆ **Keyboard:** These settings help those who have trouble pressing keyboard shortcuts or those who often trigger keyboard repeats (repetition of the same character) accidentally. If you mark the Sticky Keys radio button, you can use *modifier keys* individually that will be grouped together automatically as a single keyboard shortcut. (You can optionally specify that Mac OS X should sound a beep tone when a modifier key is pressed and whether the modifier keys should be displayed onscreen.)

Sticky Keys can be toggled on from the keyboard by pressing the Shift key five times. Turn Slow Keys on to add a pause (of the length that you specify) between when a key is pressed and when it's actually acted upon within Mac OS X. You can optionally add a key-click sound each time that you press a key. To turn keyboard repeat off entirely, click the Set Key Repeat button, which opens the Keyboard preference settings that I discuss earlier.

- ◆ **Mouse:** With Mouse Keys active, you can use the numeric keypad to move the mouse pointer across your screen. Mouse Keys can be toggled on and off by pressing the Option key five times. Drag the delay and speed sliders to specify how long you must hold down a keypad key before the pointer starts to move as well as how fast the pointer should move across the screen. You can also click the Open Keyboard Preferences button to turn on Full Keyboard Access, which I mention earlier in the section on keyboard settings.

# DropBooks

## Chapter 4: You Mean Others Can Use My Mac, Too?

---

### *In This Chapter*

- ✓ Understanding how multi-user systems work
- ✓ Configuring login settings
- ✓ Changing the appearance of the login screen
- ✓ Tightening security during login
- ✓ Starting applications automatically when you log in

Whether you're setting up Mac OS X for use in a public library or simply allowing your 12-year-old to use your Mac in your home office, configuring Panther for multiple users is a simple task. However, you must also consider the possible downsides of a mismanaged multi-user system: files and folders being shared that you didn't want in the public domain, users logging in as each other, and the very real possibility of accidental file deletion (and worse).

Therefore, in this chapter, I show you how to take those first steps before you open Pandora's box — setting login options, configuring the personal account that you created when you first installed the operating system, and protecting your stuff. (Network administrators call this security check-up *locking things down*.)

### *How Multi-User Works on Mac OS X*

When you create multiple users in Mac OS X, each person who uses your Macintosh — hence the term *user* — has a separate *account* (much like an account that you might open at a bank). Mac OS X creates a Home folder for each user and saves that user's preferences independently from other users. When you log in to Mac OS X, you select (or provide) a username and a password, which identifies you and tells Mac OS X which user has logged on — and therefore, which preferences and Home folder to use.

Each account also carries a specific *level*, which determines how much control the user has over Mac OS X and the computer itself. Without the proper account, for example, a user might not be able to display many of the panels in System Preferences.

The three account levels are

## DropBooks



◆ **Root:** Also called *System Administrator*, this uber-account can change *anything* within Mac OS X — and that’s usually A Bad Thing, so it’s actually disabled as a default. (This alone should tell you that the Root account shouldn’t be toyed with.) For instance, the Root account can seriously screw up the UNIX subsystem within Mac OS X, or a Root user can delete files within the Mac OS X System Folder.

Enable the System Administrator account and use it only if told to do so by an Apple technical support technician. To enable the Root account, you must launch NetInfo Manager, which is stored in the Utilities folder inside your Applications folder.



- ◆ **Administrator:** (Or Admin for short.) This is the account level that you were assigned when you installed Mac OS X. **Note:** The Administrator account should *not* be confused with the System Administrator account!

It’s perfectly okay for you or anyone you assign to use an Administrator account. An Administrator can install applications anywhere on the system, create/edit/delete user accounts, and make changes to all the settings in System Preferences. However, an Administrator can’t move or delete items from any other user’s Home folder, and Administrators are barred from modifying or deleting files in the Mac OS X System Folder.

A typical multi-user Mac OS X computer will only have one Administrator — like a teacher in a classroom — but technically, you can create as many Administrator accounts as you like. If you do need to give someone else this access level, assign it only to a competent, experienced user whom you trust.

- ◆ **Managed:** A Managed user account (often called a *Standard* account) is the default in Mac OS X. Standard users can install software and save documents only in their Home folders and the Shared folder (which resides in the Users folder), and they can change only certain settings in System Preferences. Thus, they can do little damage to the system as a whole. For example, each of the students in a classroom should be given a Standard-level account for the Mac OS X system that they share.

You can also use the Limitations feature to fine-tune what a Standard account user can do. (I discuss Limitations at length in the next chapter.)

The next chapter of this mini-book covers the entire process of creating and editing a user account.



## Configuring Your Login Screen

# DropBooks

Take a look at the changes that you can make to the login process. First, Mac OS X provides three methods of displaying the login screen:

- ◆ **Logging in with a list:** To log in, click your account username in the list, and the login screen displays the password prompt. Type your password — Mac OS X displays bullet characters to ensure security — and press Return (or click the Log In button).
- ◆ **Logging in with username and password:** Type your account username in the Name field and press Tab. Then type your password and press Return (or click the Log In button).
- ◆ **Auto Login:** With Auto Login set, Mac OS X automatically logs in the specified account when you reboot. In effect, you never see the login screen unless you click Log Out from the Apple menu. (Naturally, this is an attractive option to use if your computer is in a secure location — like your office — and you'll be the only one using your Mac.)

To specify which type of login screen you see — if you see one at all — head to System Preferences, click Accounts, and then click the Login Options button.


- ◆ To set Auto Login, display the Login Options settings and select the Automatically Log in As check box to enable it. Click the account name drop-down list box and choose the account that should automatically log in. When Mac OS X displays the user Name and Password sheet that you see in Figure 4-1, type the corresponding password and then click OK.

**Never** set the Auto Login feature to an Admin-level account unless you're sure to be the only one using your Mac — if the computer is rebooted, you're opening the door for anyone to simply sashay in and wreak havoc!

- ◆ To determine whether Mac OS X uses a list login screen, you must again visit the Login Options settings panel (see Figure 4-2). Select the List of Users radio button for a list login screen or select the Name and Password radio button for a simple login screen where you must type your username and password.



## DropBooks




**Figure 4-1:**  
Configure  
Auto Login  
from the  
Accounts  
panel.




To change settings specific to *your* account — no matter what your access level — log in with your account, open System Preferences, and click Accounts. From here, you can change your account password and picture, the card marked as yours within the Address Book, and the Startup Items launched automatically when you log in. (Peruse more information on the Address Book in Book I, Chapter 5.)

To log out of Mac OS X without restarting or shutting down the computer, choose the Apple menu and then either choose Log Out or just press  $\text{⌘}+\text{Shift}+\text{Q}$ . You'll see the confirmation dialog shown in Figure 4-3. Although Mac OS X will display the login screen after two minutes, someone can still saunter up and click the Cancel button, thereby gaining access to your stuff. Therefore, make it a practice to always click the Log Out button on this screen before your hand leaves the mouse!

# DropBooks



**Figure 4-2:**  
Will that be a list login screen?



**Figure 4-3:**  
Always click Log Out before you leave your Mac.

Book II  
Chapter 4

You Mean Others  
Can Use My  
Mac, Too?



# DropBooks

You can also enable *Fast User Switching* from the Login Options panel. This new feature allows another user to sit down and log in while the previous user's applications are still running in the background. When you enable switching, Panther displays the currently active user's name at the right side of the Finder menu bar. Click the name and a menu appears; click Login Window, and another user can then log in as usual. Even though you're playing musical chairs, the Big X remembers what's running and the state of your Desktop when you last left it. (When you decide to switch back, Panther prompts you for that account's login password . . . *just* in case, you understand.)

## *Locking Things Down*

If security is a potential problem and you still need to share a Mac between multiple users, lock things down. To protect Mac OS X from unauthorized use, take care of these potential security holes immediately:

- ◆ **Disable the Sleep, Restart, and Shut Down buttons:** Any computer can be hacked when it's restarted or turned on, so disable the Restart and Shut Down buttons on the login screen. (After a user has successfully logged in, Mac OS X can be shut down normally by using the menu item or the keyboard shortcuts that I cover earlier.) Open the Accounts panel in System Preferences, click the Login Options button, and enable the Hide the Sleep, Restart, and Shut Down Buttons check box. Press  $\mathbb{S}+Q$  to quit and save your changes. (You can find more about restarting and shutting down in Book I, Chapter 2.)
- ◆ **Disable list logins:** With a list login, any potential hacker already knows half the information necessary to gain entry to your system — and often the password is easy to guess. Therefore, set Mac OS X to ask for the username and password on the Login screen, as I describe earlier. This way, someone has to guess both the username and the password, which is a much harder proposition.
- ◆ **Disable Auto Login:** A true no-brainer. As I mention earlier in the chapter, Auto Login is indeed very convenient. However, all someone has to do is reboot your Mac, and the machine automatically logs in one lucky user! To disable Auto Login, display the Accounts panel in System Preferences and click the Login Options button; then disable the Automatically Log In As *<username>* check box.
- ◆ **Disable the password hint:** By default, Mac OS X obligingly displays the password hint for an account after three unsuccessful attempts at entering a password. Where security is an issue, this is like serving a hacker a

piece of apple pie. Therefore, head to System Preferences, display the Accounts settings, click each user's account in the list, and make sure that the Password Hint box is empty.

◆ **Select passwords intelligently:** Although using your mother's maiden name for a password might seem like a great idea, the best method of selecting a password is to use a completely random group of mixed letters and numbers. If you find a random password too hard to remember, at least add a number after your password, like *dietcoke1* — and no, that is not one of my passwords. (Nice try.)

For even greater security, make at least one password character uppercase.



## Starting Applications Automatically After Login

Here's one other advantage to logins — each account can have its own selection of applications that run automatically when that user logs in. These applications are *Startup Items*. (For the Mac OS 9 old-timers, these are the same as the Startup Items in days gone by.) A caveat or two:


- ◆ **The users setting their Startup Items must be logged in.** Only the user can modify his or her own Startup Items.
- ◆ **Users must have access to System Preferences.** If the person is using a Standard-level account, it must be set to No Limits, or Some Limits with the Open All System Preferences check box enabled.

Ready? Let's begin. Open System Preferences and click Accounts. Then click an Admin account to select it, and finally, click Startup Items (see Figure 4-4).

Including an application in your Startup Items list is easy: Click the button with the plus sign to navigate to the desired application, select it, and then click Add. (Alternatively, you can just drag items from a Finder window and drop them directly into the list.) Note that items in the list are launched in order — if something needs to run before something else, you can drag the item entries into any sequence.

To launch the application in hidden mode — which might or might not display it in the Dock, depending on the application itself — click the list entry for the desired item and enable its Hide check box.

# DropBooks



**Figure 4-4:** Hey, why not launch iCal every time you log in?

# DropBooks

## Chapter 5: Setting Up Multi-User Accounts

---

### *In This Chapter*

- ✓ Adding, modifying, and deleting users
- ✓ Setting Limitations
- ✓ Avoiding keychains

**I**n the previous chapter, I introduce you to the different Mac OS X multi-user account levels and the login process. If you're ready to share your Mac with others, you discover here how to add new accounts and edit existing accounts in this chapter. Oh, and yes, I also show you how to *frag* — that's multiplayer game-speak for *delete* — accounts that you no longer need. I also demonstrate how to add optional powers (*capabilities*) to an individual user account and how to avoid using a keychain to make it easier to store that pocketful of passwords that you've created on the Internet.

Yes, that's right. Mac OS X actually has a feature that I *don't* want you to use. Read on to find out more.

### *Adding, Editing, and Deleting Users*

All multi-user account chores take place in a single System Preferences pane. (Cue James Bond theme song.) The Accounts pane is the star of this chapter, so open System Preferences and click the Accounts icon.

If you haven't added any users to your system yet, the Users list should look like Figure 5-1. You should see only your account, which you set up when you installed Mac OS X, set to Administrator (Admin) level.

### *Adding an account*

To add a new user account, follow these steps:

- 1. In the Accounts pane in System Preferences, click the New User button — which carries a plus sign — to display an empty user record that you see in Figure 5-2.**

## DropBooks




2. In the Name text box, type the name that you want to display for this account (both in the Accounts list and on the Login screen) and then press Tab to move to the next field.

Mac OS X automatically generates a short name for use in iChat AV and various network applications — it's also the name of the folder that Mac OS X creates on the computer's hard drive for this user. You can keep the default short name or type a new one, but it must not contain any spaces. For more on iChat AV, jump to Book IV, Chapter 3. (I'll wait for you here.)


3. Press Tab again.
4. In the Password text box, type the password for the new account.

As always, Mac OS X displays bullet characters for security.



**Figure 5-1:**  
A typical first look at the Accounts settings in System Preferences.





**Figure 5-2:**  
Time to set  
up a new  
user  
account.

5. Press **Tab**, type the password again in the **Verify** text box, and press **Tab** again.
6. If you decide to use the password hint feature that I describe in the previous chapter, you can enter a short sentence or question in the **Password Hint** text box. (Remember, it's optional.)

The hint is displayed after three unsuccessful attempts at entering the account password.

I recommend that you **do not** use this option — if you do, make sure that the hint is sufficiently vague! Press **Tab** to continue.

7. Click the **Picture** tab to specify the thumbnail image that will appear in the **Login list** next to the account name.

Apple provides a number of good images in the scrolling strip — just click one to select it.



- 8. To add your own picture, click Edit to drag a new image from the Finder into the Images well; then click Set.**

Alternatively, you can click the Take Video Snapshot button to grab a picture from your iSight or other video camera connected to your Mac. *Most cool.*

- 9. Click the Security tab to specify whether the new user will have Admin or Standard access.**

Note that you can also set FileVault security from this pane — for the details, see the sidebar “So you like your privacy . . .”.

- 10. To grant this account Administrator-level access, enable the Allow User to Administer This Computer check box.**

- 11. If the new user will have Standard access, you can click the Limitations button to block access to certain Mac OS X functions.**

- *No Limits:* Click this button to allow the user complete Standard-level access.
- *Some Limits:* Click this button to disable the check boxes as necessary to restrict the forbidden functionality. Mac OS X displays the label *Managed* under the user’s name and image in the Accounts list.
- *Simple Finder:* Click this button to limit a user account to the Simple Finder and specific applications. The label *Simplified* appears under that account in the list.

More on these limits in the later section, “Setting Limitations.”

- 12. After all the fields are correct (and you’ve selected just the right image to capture the user’s personality — a more difficult task than you might think), click OK to finish and create the account.**

The new account now shows up in the Accounts list and in the Login screen.

### *Editing an existing account*

If you have Administrator access, it’s a cinch to make changes to an existing account from the Accounts panel in System Preferences. Follow these steps:

- 1. Click the account that you want to change in the Accounts list.**
- 2. Edit the settings that you need to change.**
- 3. After you make the changes, press ⌘+Q to save them and close the System Preferences dialog.**


## DropBooks So you like your privacy . . .

These days, everyone's interested in securing their personal files from prying eyes — granted, this isn't a problem if you're the only one using your Mac. However, if you're sharing a computer in a multi-user environment, you might want a little more protection for those all-important Fantasy Football formations that you'll unleash next season.

Never fear, Panther is here with a new feature called *FileVault*, which provides Home folder encryption that should prevent just about anyone except the NSA or FBI from gaining access to the files in your Home folder. You can enable the FileVault feature from the Accounts panel in System Preferences; click the desired account, and then click the Security tab to display the settings that you see here. Two passwords control access to your Home folder when FileVault is active:

- ✓ The *Master Password* can unlock any Home folder for any user. Only someone with an Admin account can set the Master Password. The Master Password must be set before you can turn on the FileVault feature for any account on your system.
- ✓ Your *Login Password* unlocks your Home folder.

Personally, I love this feature, and I use it on all my Macs running Panther. Yet there is a risk involved — insert ominous chord here. To wit: ***DO NOT* forget your Login Password, and make *doggone* sure that your Admin user remembers that all-important Master Password!** Mac OS X displays a dire warning for anyone who's considering using FileVault: If you forget these passwords, you can't retrieve any data from your Home folder. *Period.* As Jerry Reed says, "It's a gone pecan."




## Deleting an existing account

To wipe an account from the face of the earth, follow these steps:

1. Click the account that you want to delete in the Accounts list.
2. Click the Delete User button (which is smartly marked with a minus sign).

Mac OS X displays the confirmation sheet that you see in Figure 5-3.



**Figure 5-3:**  
Are you sure that you want to delete this user account?



Note that the contents of the user's Home folder are saved in a file in the Deleted Users folder (just in case you need to retrieve something). If you're absolutely sure you won't be dating that person again, click the Delete Immediately button (which doesn't save anything in the Deleted Users folder).

3. Click OK to verify and delete the account or click Delete Immediately to zap it completely. Click the Cancel button to abort and return to the Accounts list.

## Setting Limitations

Administrators are special people. Just ask one; you'll see. Anyway, when an administrator creates or edits the account for a Standard-level user, Mac OS X offers two other levels of specific rights — *Limitations* — that can be assigned on an individual account basis. **Note:** Limitations are available only for Standard-level users; administrators don't need them because an Administrator-level account already has access to everything covered by Limitations.

When do you need Limitations? Here are three likely scenarios:


- ◆ You're creating accounts for corporate or educational users, and you want to disable certain features of Mac OS X to prevent those folks from doing something dumb. Just tell 'em you're *streamlining the operating system*. (Yeah, that's it.) For example, you might not want that one particular kid making CD copies of *The Illustrated Anarchist's Cookbook* in the classroom while you're gone. Therefore, you disable the ability for that account to burn CDs or DVDs.
- ◆ In the same environment, you might want to give a specific Standard-level account the ability to view all the settings in System Preferences. If Roger in Accounting is both helpful and knowledgeable — oh, and add *trustworthy* in there, too — you might want to give him this capability so that he can make necessary changes to the system while you're on vacation.
- ◆ You want one or more users to access one — and *only* one — application on the system, or perhaps just two or three applications. To illustrate: In my years as a hospital hardware technician, we had a number of computers that were used solely to display patient records. No Word, no e-mail, nothing but the one program that accessed the medical records database. We called these machines *dumb terminals*, although they were actually personal computers. (This trick also works well if you're a parent and you'd like to give your kids access without endangering your valuable files. Just don't call your computer a *dumb terminal* lest your kids take offense. That's experience talking there.) If you want to allow access to a specified selection of applications, you can set them in that account's Limitations.

Time to review what each of the settings does. To display the capabilities for a Standard account, click the account in the list and click the Limitations tab; then click the Some Limits tab (see Figure 5-4).

The settings are

- ◆ **Open All System Preferences:** When this check box is enabled, this option allows the user to change any setting throughout System Preferences, just as if the account were Administrator-level.
- ◆ **Modify the Dock:** Enable this check box, and the user can remove applications, documents, and folders from the Dock in the Full Finder. (If you don't want the contents of the Dock changing according to the whims of other users, it's a good idea to disable this check box.)
- ◆ **Change Password:** Enable this check box to allow the user to change the account password. If the user isn't allowed to open all System Preferences settings, this check box is disabled.

## DropBooks



**Figure 5-4:** You can restrict access to all sorts of functions within a Standard account.



If you're creating a single Standard-level account for an entire group of people to use — for example, if you want to leave the machine in kiosk mode in one corner of the office or if everyone in a classroom will use the same account on the machine — I recommend disabling the ability to change the account password. (Oh, and please do me a favor . . . **don't** create a system with just one Admin-level account! Instead, keep your one Admin-level account close to your bosom and create a Standard-level account for the Unwashed Horde.)

- ◆ **Burn CDs and DVDs:** Disable this check box to prevent the user from recording CDs or DVDs via the built-in disc recording features in Mac OS X. (Note, however, that if you've loaded a third-party recording program like Toast, the user can still record discs with it.)
- ◆ **This User Can Only Use These Applications:** When this option is enabled, you can select the specific applications that will appear to the user. These restrictions are in effect whether the user has access to the Full Finder or just the Simple Finder (which I cover in a second).


## DropBooks



To allow access to all the programs in the specified folders — Applications, Utilities, and Applications (Mac OS 9) — click the Allow All button. To restrict access to all applications, click the Uncheck All button. You can also toggle the restriction on and off for specific applications that Mac OS X finds in these folders; click the right-arrow icon to expand the list and then either mark or clear the Allow check box for the desired programs.

To add a new application to the Allow list, drag its icon from the Finder and drop it in the list. Alternatively, click the Locate button and navigate to it, click the application to select it, and then click Add. After you add an application, it appears in the Others section of the Allow list, and you can toggle access to it on and off like the applications in the named folders.

You can restrict your Standard-level users even further by assigning them the Simple Finder set of limitations. The default Simple Finder, as shown in Figure 5-5, is a highly simplified version of the regular Mac OS X Finder. The simplified Dock contains only the Finder icon, the Trash, and folders for the user's approved applications, documents, and shared files.



**Figure 5-5:** Whoa! It's the Simple Finder — less filling, still runs great!

This is the network administrator's idea of a foolproof interface for Mac OS X: A user can access only those system files and resources needed to do a job, with no room for tinkering or goofing off.




# DropBooks

Note that a Standard-level user can still make the jump to the full version of the Finder — click Finder and choose Run Full Finder. The user will have to enter a correct Administrator-level username and password.

You can also change the Auto Login account from the Accounts panel. Click the Login Options button under the Accounts list, and then enable the Automatically Log in As *<username>* check box to enable it (see Figure 5-6). Click the drop-down list box to choose the account that will automatically log in when Mac OS X starts up. This is yet another good feature for those preparing a Mac for public use — if you set the Auto Login to your public Standard-access account, Mac OS X automatically uses the right account if the Mac is rebooted or restarted.

You can always choose Log Out from the Apple menu to log in under your own account. If you need to temporarily disable the Auto Login feature without changing which account it uses, disable the Automatically Log in As *<username>* check box.



**Figure 5-6:**  
Switch Auto  
Login to  
a new  
account.



## Using Keychains — NOT

## DropBooks

Before I leave this chapter, I'd like to discuss a Mac OS X feature that's been around since the days of Mac OS 9: the *keychain*. Your account keychain stores all the username/password combinations for Web sites, file servers, File Transfer Protocol (FTP) servers, and the like, allowing you to simply waltz in and start using the service (whatever it is). Sounds handy, doesn't it? And it can be, but you'd better watch your step.

I will be perfectly honest here: I **hate** account keychains. With a passion, mind you. As a consultant, Webmaster, and the SYSOP (an ancient Bulletin Board Service acronym meaning *System Operator*) of an Internet-based online system, I know what a hassle it is for users to remember separate passwords, and I feel that pain. However, three *massively* big problems are inherent with using keychains:


- ◆ **Anyone can log on as you.** If your keychain is unlocked, which happens automatically when you log in, all someone has to do is sit at your desk, visit a site or connect with a server, and *bam!* They're on. As *you*. Think about that. And then think how many times you get up from your desk, just for a second, to grab another Diet Coke or a doughnut.
- ◆ **You'll forget your passwords.** If the keychain file is corrupted — and it can happen — your passwords have gone to Detroit without you. Either you've got them on paper hidden somewhere, they're on your recent backup, or it's time to change your online persona.
- ◆ **Keychains need yet another stinkin' password.** Yep, that's right — your keychain can be locked (either manually or, with the right settings, automatically), and you have to remember yet another password/passphrase to unlock your keychain. "When, oh when will the madness end?"



From a security standpoint, keychains should be **completely off-limits** for anyone who's interested in maintaining a well-locked-down machine. After all, most folks can completely take care of all their Internet and network connections with a handful of passwords, and that's no big deal for anyone to remember. Unfortunately, Panther creates a keychain automatically for every user, so you have to monitor (and delete) your keychain data manually. (Sigh.)

However, if you're the only person using your Mac and it resides in your home — personally, I'd prefer a bank vault — and you absolutely must use keychains, you can display them all for the current account from the Keychain Access application (see Figure 5-7), conveniently located in Utilities within your Applications folder. Click the Attributes tab and then click an item in the keychain list to display or edit all its information.

## DropBooks



**Figure 5-7:**  
Take my  
advice —  
stay away  
from the  
allure of  
keychains.




Heck, just think about what I just wrote — anyone can display and *edit* server and site information just by launching this application! That includes your nephew Damien — you know, the one who considers himself the hacker extraordinaire. (While I'm at it, I should mention that it's just as bad to set the Auto Login feature — which I discuss earlier in this chapter — to an Admin-level account. One reboot, and you're rolling out the red carpet for the little rascal.)

Click the Access Control tab to display the settings that you see in Figure 5-8, one of which I strongly recommend. To minimize the damage that someone can do with your keychain, you can enable the Confirm Before Allowing Access radio button (and for yet another level of security, enable the Ask for Keychain Password check box). Of course, you're probably thinking, "Well, Mark, that pretty much eliminates the purpose of quick, convenient access without passwords, doesn't it?" Yes, indeed it does, but at least your online identity is somewhat safeguarded.

Click the Password toolbar button to add a new password. Type a name for the item, the username that you typically type to gain access, and the password for that server or site. Then click Add and cross your fingers.


## DropBooks



**Figure 5-8:** Safe-guarding a keychain rather dilutes its usefulness.

To create a new keychain, choose File⇨New⇨New Keychain. Mac OS X prompts you for the filename for your new keychain file, as shown in Figure 5-9. In the New Keychain dialog that appears, enter a catchy name in the Save As text box. By default, the keychain file is created in the Keychain folder — a good idea — but if you'd like to store it elsewhere, click the down-arrow button next to the Where list box and navigate to the desired folder. When you're ready, click the Create button. Now you need to enter yet another password, type it again to verify it, and click OK.

**Figure 5-9:** Create a brand new, ultra-secure keychain. Right.



To lock or unlock a keychain — which, by the way, forces you to enter the password/passphrase that you use when you create the keychain — select the desired keychain in the list (refer to Figure 5-8) and then click the Lock button on the toolbar.

You might be saying to yourself, “Geez, this guy is more than a little paranoid.” And yes, dear reader, I suppose that I am. But then again, who’s been uploading all those questionable images and MP3 files to the company server . . . using *your* account?



# DropBooks

# DropBooks

## Chapter 6: Sharing Documents for Fun and Profit

---

### *In This Chapter*

- ✓ Comparing network sharing with multi-user sharing
- ✓ Setting and changing permissions
- ✓ Sharing documents in Microsoft Office v. X
- ✓ Sharing documents in AppleWorks

Now here's a topic that any Mac OS X power user can sink fangs into — the idea that a document on a multi-user system can be *everyone's* property, allowing anyone in your family, workgroup, or highly-competitive mob to make whatever changes are necessary, whenever they like.

Of course, potential pitfalls lurk — even in the Apple world, there's no such thing as an operating system that's both powerful *and* perfectly simple. However, I think you'll find that our dear friends from Cupertino have done just about as well as can be expected and that the settings that you use to share documents are fairly easy to understand and use.

Prepare to share!

### *Sharing over a Network versus Sharing on a Single Mac*

First, allow me to clear up what I've found to be a common misconception by using another of Mark's Maxims.

**Sharing documents on a single computer is fundamentally different from the file sharing that you've used on a network.<sup>TM</sup>**

True, multiple users can share a document over a network, which is a topic that you'll find covered in Book V. But although the results are the same, the way that you share that same document on a single machine betwixt multiple users is a completely different turn of the screw. In this section, I discuss the factoids behind the matter.

# DropBooks

## ***No network is required***

Although reiterating that no network is required is seemingly the most obvious of statements, many otherwise knowledgeable Mac OS X power users seem to forget that sharing a document over a network requires an active network connection. (Note the word *active* there.) Unless you physically copy the document to your hard drive — which defeats the purpose of document sharing — any loss of network connectivity or any problem with your network account will result in a brick wall and a brightly painted sign reading, “No luck, Jack.” (Or perhaps it’s flashing neon.)

On the other hand, a document shared on a multi-user Mac in the home or classroom is available whenever you need it. As long as the file is located in the Shared folder, the file privileges are set correctly, and you know the password (if one is used), then — as they say on *Star Trek* — “You have the conn” whether your network connection is active or not.

## ***Relying on a guaranteed lock***

Sharing documents over a network can get a tad hairy when multiple users open and edit the document simultaneously. Applications such as Office v. X and AppleWorks have methods of locking the document (giving one person exclusive access) when someone opens it or saves it. However, you always face the possibility that what you’re seeing in a shared network document is not exactly what’s in the document at that moment.

A multi-user system doesn’t need such exquisite complexity. *You’re* the one sitting at the keyboard, and *you* have control: This is what network administrators call a *guaranteed lock* on that document file. Refreshing, isn’t it?



Ahh, but now Panther introduces a new feature, called *Fast User Switching* — I discuss it in Book I, Chapter 2 — that allows other users to remain logged in “behind the scenes” while another user is at the keyboard. Therefore, if you enable Fast User Switching, it’s conceivable that two users could have the same document open at the same time. To prevent this, you can simply turn off Fast User Switching from the Accounts panel in System Preferences. (Click Accounts, click Login Options, and clear the Enable Fast User Switching check box.)

## ***Most places are off limits***

Network users are often confident that they can blithely copy and move a document from one place to another with the greatest of ease, and that’s true. Most shared network documents created by an application — such as a project outline created in Word, for example — carry their own sharing information and document settings internally. Thus, you can move that

same file to another folder on your hard drive, and the rest of the network team can still open it. (Um, if they have the network rights to access the new folder, of course.)

This isn't the case when it comes to multi-user documents. As you can read in Chapters 4 and 5 of this mini-book, Mac OS X places a rather tight fence around a Standard-level user, allowing that person to access only the contents of certain folders. In this case, your document must be placed in the Shared folder for every Standard-level user to be able to open it. If everyone using the document has Administrator access, you can then store the file in other spots on your system; as long as the permissions are set, you're set. And speaking of permissions. . . .

## Permissions: Law Enforcement for Your Files

Files are shared in Mac OS X according to a set of rules called *permissions*, the *ownership* of the file (typically the person who saved the document the first time), and an access level specified as a *group*. The combination of privileges, ownership, and group determines who can do what with the file.



When you (or the person with the administrator account on your Mac) created your user account, you were automatically granted ownership of your Home folder and everything that it contains as well as any files or folders that you store in the Shared folder or another user's Public folder.

Three possible actions are allowed through permissions:

- ◆ **Read Only:** This action allows the user to open and read the file, which includes copying it to another location.
- ◆ **Read & Write:** This permission grants full access to the file, including opening, reading, editing, saving, and deleting. Read & Write permission also allows the user to copy or move the file to another location.
- ◆ **No Access:** This is just what it sounds like — the user can't open the file, copy it, or move it.




No matter what permissions you've set, only the System Administrator (or Root user) can copy items into another user's Home folder. Take my word on this one: Simply consider that this can't be done. (Trust me on this.) Read all about the perils of enabling the System Administrator account in Chapter 4 of this mini-book.

These permissions are set in the Info dialog for a file or folder. If you're setting the permissions for a folder, you can also elect to apply those same settings to all the enclosed items within the folder.

To set permissions, follow these steps:

1. Click the item to select it, press **⌘+I** (or choose **Finder**→**File**) and then choose the **Get Info** menu item.


Mac OS X displays an Info dialog like you see in Figure 6-1.



**Figure 6-1:**  
The  
compressed  
Info dialog.

2. Click the right arrow next to the **Ownership & Permissions** heading to expand it, as shown in Figure 6-2.

If necessary, click the right arrow next to the **Details** subheading to expand it as well.



**Figure 6-2:**  
The  
expanded  
Info dialog.





# DropBooks

Because I've selected a folder, the Apply to Enclosed Items button appears at the bottom of the section.

**If you're the file's owner, you can click the lock icon to change the owner.**

Typically, the Owner drop-down list box is disabled.

The drop-down list box displays all the users with accounts on this machine, as well as some less savory choices such as *nobody*, *system*, and *unknown*. Don't choose any of these.



Perhaps I should be a little less tactful here: **Never** choose an owner other than yourself or another recognized Standard-level user — you can potentially prevent yourself from accessing the file in the future!

#### 4. The first Access drop-down list box determines the access level for the file's owner.

This will likely be set to Read & Write, and it's a good idea to leave it alone. If you're the file's owner, you're likely not a security risk.

#### 5. Assign permissions for an entire group — this is a good idea for limiting specific files and folders to only Administrator access.

Choose the group from the Group drop-down list and select the desired access permission from the second Access drop-down list box. If you have only Administrator accounts, the drop-down list is disabled.

#### 6. Set the permission for the Others drop-down list (otherwise known as "I'm going to lump everything else into this category").

If a user isn't the owner of an item and doesn't fit into any group that you've selected, this access permission setting for this file applies to that user.

#### 7. If you're setting permissions for a folder, Mac OS X can automatically change the permissions for all the items contained in the folder to the same settings. Click the Apply to Enclosed Items button, and Mac OS X displays the confirmation dialog that you see in Figure 6-3.

Generally, it's a good idea not to override the permissions for all the items in a folder, so click the Apply to Enclosed Items button only when necessary.



#### 8. Click OK to proceed or click Cancel to abort the process.

#### 9. After all the permissions are correct, click the Close button to save your changes and return to your friendly Finder.

**Figure 6-3:**

Mac OS X wants to make sure you're not going permission-crazy.



## *Permission and Sharing Do's and Don'ts*


After you get the basics of sharing files and assigning permissions under your belt, you need to master when to change permissions and why you should (and shouldn't) modify them. Follow these common-sense guidelines when saving documents, assigning permissions, and choosing access levels:

- ◆ **Do use your Shared folder.** The Shared folder is the center of proper document sharing. I know there's a strong urge to create a new document in your Home folder, but you're just making more work for yourself because you'll end up copying that document from your Home folder to the Shared folder. Instead of an extra step, store a document that's intended to be shared in the Shared folder — where it belongs in the first place.
- ◆ **Don't assign permissions just to protect a file from deletion.** Remember, if all you need to do is prevent anyone (including yourself) from deleting an item, you don't need to go to all the trouble of changing permissions. Instead, just display the Info dialog for the item and select the Locked check box to enable it, which prevents the item from being deleted from the Trash until the Lock status is disabled.
- ◆ **Do review the contents of a folder before changing permissions for enclosed items.** That confirmation dialog doesn't appear just for kicks. For example, if you set a highly sensitive, private document with permissions of No Access for everyone but yourself and then you apply less-restrictive permissions globally to the folder that contains the document, you've just removed the No Access permissions, and anyone can open your dirty laundry. (Ouch.) Therefore, make sure that you open the folder and double-check its contents first before applying global permissions to the items it contains.
- ◆ **Don't change permissions in the Applications or Utilities folders.** If you have Administrator-level access, you can actually change the permissions for important applications like Mail, Address Book, iTunes,

and Internet Explorer, as well as their support files. This spells havoc for all users assigned to the Standard-access level. Be polite and leave the permissions for these files alone.

✚ **Definitely don't change System ownership.** Mac OS X is stable and reliable. Part of that stability comes from the protected state of the System folder, as well as a number of other folders on your hard drive. As you can see in Figure 6-4, displaying the Info dialog for the System folder shows that the Owner is set to *system*, and the Group is set to *wheel* (a term from the UNIX world that encompasses all administrator accounts).

**Do not change any permissions for any files owned by the System unless specifically told to do so by an Apple support technician. Do not monkey with System-owned items.**



**Figure 6-4:**  
Don't do it — just leave these permissions locked.


## Sharing Stuff in Office v. X

Many Mac OS X applications offer their own built-in document-sharing features. For example, Microsoft Office v. X includes both file-level and document-sharing features. Because Office v. X is the most popular productivity suite available for Mac OS X, I discuss these commands in this final section.

## Document-sharing features

You'll find a number of commands that help multiple users keep track of changes that have been made in a shared Office document. Probably the most familiar is the Word revision tracking features (heavily used during the development of this book), but there are others as well:

- ◆ **Revision marks:** If several users edit a document, how can you tell who did what? By using *revision marks*, which apply different colors to changes made by different editors, those additions and deletions can be accepted or rejected individually at a later date. If Johnson in Marketing adds incorrect material, you can easily remove just his changes. In a worst-case scenario, you can actually reject all changes and return the document to its pristine condition. Figure 6-5 illustrates revision marks in action.
- ◆ **Compare Documents:** Using this feature allows you to compare a revised document with the original (if, of course, you still have the original file handy). I use Compare Documents only if revision marks weren't turned on before editing began.




**Figure 6-5:**  
Hey, who's  
been  
tracking  
revisions  
in my  
document?

## DropBooks

- ◆ **Comments:** Editors can also converse within a document by using embedded Comments. These don't change the contents of the Word file like revision marks do but store commentary and notes in a behind-the-scenes kind of way. (Think of a Mac OS X Sticker that appears within a document.) Again, the author of each comment is listed, allowing for (sometimes heated) communication within the body of a document. Figure 6-6 illustrates the Comments pane in a Word document (see the lower portion of the document).
- ◆ **Highlighting:** You've heard the old joke about the secretary who. . . . Well, anyway, a traditional highlighter marker is pretty useless on a computer monitor (leaving a nasty mess for the next user to clean), but Word allows multiple highlighting colors for identifying text. (And for the occasional practical joke — nothing like adding eight different highlighting colors to that important proposal. Just make sure that your résumé is up-to-date.)

### File-level sharing features

Along with the document-level sharing commands, you'll also find that Office v. X applications also offer sharing features that control access to the document file itself.




**Figure 6-6:**  
Commentary  
is cheap in  
Word.

### Password protection

You can add password protection to any Office v. X document. Follow these steps with a document created within Word, Excel, or PowerPoint:

1. Choose **File**⇨**Save As**.
2. In the **Save As** dialog that appears, click **Options** to display the **Save Preferences** panel that you see in Figure 6-7.



**Figure 6-7:** Office v. X offers two types of document passwords.

3. To password-protect the document, enter a password in the **Password to Open** field.

This password must be provided when opening the document.

If you like, you can enter another password in the **Password to Modify** field. This second password would then also be required to modify the document.

Both passwords are case-sensitive.

4. Click **OK** to save the preference changes and return to your document.



### Versions

If you like, Word can save multiple versions of a document in a single file. Each version is identified by the date and time when it was saved, the user who saved it, and an additional comments line. Choose **File**⇨**Versions** to display the **Versions** dialog that you see in Figure 6-8. Note that you can choose

to automatically save a new version of the document whenever it's closed. To save a new version immediately, click the Save Now button.

# DropBooks


**Figure 6-8:** Different users can create different versions of the same shared document.



## Document protection

Figure 6-9 illustrates the Protect Document dialog in Word, where you can effectively write-protect certain elements. In this Office application, you can protect revision marks, comments, and sections of a document containing forms. A password can be added if desired. To display the Protect Document dialog, click Tools in any of the Office v. X applications and choose Protect Document from the drop-down list that appears.

**Figure 6-9:** Set certain elements of a Word document as off-limits.



## Password Protection in AppleWorks

Like with Office v. X, you can set a password to prevent other users from opening an AppleWorks document. With the document loaded in AppleWorks version 6, follow these steps:

1. Choose File→Properties to display the document Properties dialog, as shown in Figure 6-10.

# DropBooks

**Figure 10:**  
Password  
protect an  
AppleWorks  
document.



2. Click the Set Password button and type the password in the Password box that appears.
3. AppleWorks displays a verification box in which you need to type the password again.  
These document passwords are case-sensitive!
4. Click OK to save the password and then click OK to return to your document.



You can edit or remove the password by repeating this process. Use a blank password to remove password protection.




# Book III

DropBooks

# The Digital Hub

## The 5th Wave

By Rich Tennant



## *Contents at a Glance*

Chapter 1: The World According to Apple.....	273
Chapter 2: Jamming with iTunes and iPod .....	283
Chapter 3: Posting on iPhoto .....	307
Chapter 4: Making Magic with iMovie .....	327
Chapter 5: Burn Those DVDs! Using iDVD 3 .....	355
Chapter 6: No, It's Not Called "iQuickTime" .....	369
Chapter 7: Turning Your Mac into a DVD Theater.....	385

DropBooks



# DropBooks

## Chapter 1: The World According to Apple

---

### *In This Chapter*

- ✓ **Doing things the hub way**
- ✓ **Digitizing your life**
- ✓ **Making your digital devices work together**

**H**uzzah! After years of empty promises of professional-quality media features for home and school — most of them coming from that silly Gates person in Redmond — Apple has taken on the challenge and formulated a recipe for digital success.

By using tightly integrated hardware and software (where everything works smoothly together), Apple gives you the ability to easily organize and produce your own multimedia with the iLife suite of digital tools, which includes iMovie, iDVD, iPhoto, and iTunes. That same software also provides fantastic editing capabilities. Finally (and this is very important) — to paraphrase Will Smith in the movie *Men in Black*, “Apple makes these programs look good.”

### *First, Sliced Bread . . . and Now the Digital Hub*


In today’s overloaded world of personal electronic devices, people can try to juggle as many as five or six electronic wonders. Each device typically comes with its own software, power adapter, and connectors to the outside world. Although managing one or two devices isn’t terribly difficult, as the number of devices increases, so do the headaches. When you have a half-dozen cables, power adapters, and software to cart around, the digital life can become pretty bleak. (And quite heavy. You’ll need more than a fanny pack to lug all that gear around.)

To combat this confusion, Apple came up with the idea of a *digital hub*, whereby your Macintosh acts as the center of an array of electronic devices. By using standardized cables, power requirements, built-in software, and even wireless connections via *Bluetooth* (the new standard for short-range wireless communications between devices), the Macintosh — along with its operating system, Mac OS X — goes a long way toward simplifying your interaction with all the electronic gadgets that you use.

Given the hub terminology, think of the digital hub as a wagon wheel. (See Figure 1-1.) At the center of the wheel is your Macintosh. At the end of each spoke is a digital device. Throughout the rest of Book III, I give you the skinny on each device, but this chapter gives you the overview and tells you how they all work together.

## *What Does Digital Mean, Anyway?*

Computers are handy machines. They can process information very quickly and never get bored when asked to do the same task millions of times. The problem is that despite their propensity for reliability and speed, they aren't so hot in the intuition department. You have to tell them how to do *everything* (and most of them only talk to application developers and programmers). Computers know only one thing — numbers — although they do know numbers very, very well.



**Figure 1-1:**  
Mac OS X is  
the center  
of your  
digital hub.

In fact, *binary* (the language of computers) has only two values — one and zero, which represent *on* and *off*, respectively. (Think of a light switch that toggles. The earliest computers were simply banks of switches that filled up an entire room.) To work with a computer in meaningful ways, you have to describe everything to a computer with numbers — or, if you prefer, *digits*.

By describing audio in numerical digits, you suddenly have something that a computer can work with. Toss a computer as many numbers as you want, and it can handle it. The scientists who figured this out knew that they had a good thing going, so they proceeded to convert anything that they could get their hands on into . . . well . . . digits. (Sorry about that atrocious pun.) Anyway, this resulted in some interesting technologies, most of which you'll surely recognize:

- ◆ **Audio CDs:** The music is represented as numbers and is stored on a plastic disc.
- ◆ **Digital video:** Images and sound are stored together on your hard drive or a DVD as one really, *really* long string of numbers.
- ◆ **Digital fingerprints (no pun intended that time):** Your fingerprint is converted into numerical data, which a computer can use to compare against fingerprint data from other people.
- ◆ **Automated telephone operators:** When you call a phone operator these days, you often aren't speaking to a real person. Rather, the computer on the other end of the line converts your voice into digits, which it uses to interpret your words. (At other times, I think I'm talking to a real person, but it's hard to tell.)

## What Can I Digitize?

As you've probably guessed by now, practically anything can be digitized. As long as you can represent something as numbers, you can digitize that data. Whether it's photographs, video, or audio, your Mac is adept at digitizing data and processing it.

### Photographs

Perhaps the most popular of digital devices, the digital camera has transformed photography forever. By using sophisticated electronics, digital cameras convert the image that you see through the camera viewfinder into an image made purely of numbers.

# DropBooks

After this numeric information is transferred to your Macintosh, your computer can cut, twist, fade, label, and paint your digital images. Because numbers are the only materials involved, you won't need scissors, paint, or adhesive tape to edit images. (Advertising photographers can say good-bye to the old-fashioned airbrush.) Your Macintosh does it all by manipulating those numbers. It cuts down on the messy art supplies and gives you the comfort of being able to go back in time — something that anyone who's not so handy with scissors can appreciate.

## *Music*

As I mention earlier in this chapter, audio CDs are one application of music represented as digital data. The physical CD is just a piece of plastic with a metal coating, but you don't even really need CDs any longer. Your Macintosh can digitize audio for storage on your hard drive, too, which brings up another important point. Not only is digital information palatable to a computer, but it's also very portable. You can store it on any number of storage devices, such as an iPod or an external FireWire drive.

## *Video*

When you photograph a scene multiple times per second and then replay the sequence, you get (tah-dah!) moving pictures. In the analog (as opposed to digital) world, this would be a strip of celluloid film or a strip of magnetic tape. In the digital world, such a sequence of photographs is called *DV*, or *digital video*. After you take your digital video, you can transfer that data to your Macintosh to further manipulate it: You can edit it and add transitions, text, and other effects.

## *DVD*

Like a CD-ROM or a hard drive, a *DVD* is simply a means of storing digital data. Although you can use it to save many different kinds of data, its most common use is for presenting video content. The Macintosh digital hub can produce DVDs by using any digital information that you give it.

## *The Software That Drives the Hub*

At the heart of your digital hub is your Macintosh. To use and manipulate all the data that arrives at your Mac, your computer needs software, which provides instructions on what to do with the information that you send. Fortunately, Apple has fashioned some of the most attractive and easy-to-use software ever written to help you manipulate and manage your digital lifestyle. The list of software that belongs to the digital hub includes

## DropBooks

- ◆ **iPhoto:** Use iPhoto to download, manipulate, and organize your favorite digital photographs.
- ◆ **iTunes:** iTunes offers the ability to create and manage your music collection. You can purchase and download audio tracks from the Apple Music Store. iTunes can even burn CDs!
- ◆ **iMovie:** Every film director needs a movie-editing suite. iMovie gives you the chance to set up Hollywood in your living room with outstanding results.
- ◆ **iDVD:** As home video moves toward the digital realm, iDVD becomes an essential tool for authoring your own DVD media. Home movies will never be the same!
- ◆ **iCal:** To help keep your hectic digital lifestyle in order, iCal offers complete calendar features. Besides tracking your dates and appointments on your Mac, you can publish calendars on the Web or share them with different parts of the digital hub. (Or, if you've got an iPod like me, you can even download your appointments and carry 'em with you.)
- ◆ **iSync:** With so many digital devices at your disposal, it gets hard to keep them all straight. *iSync* is software for automatically synchronizing contact and calendar information between cellphones, your personal digital assistant (PDA), an iPod, the Mac OS X Address Book, and iCal.

*iPhoto*

What good is a camera without a photo album? *iPhoto*, Apple's photography software, serves as a digital photo album. Check out the cool contact sheet view in Figure 1-2. Use it to help you arrange and manage your digital photos. Beyond its functions as a photo album, iPhoto also gives you the ability to touch-up your images through cropping, retouching, scaling, rotating, and red-eye reduction (photographically speaking, not morning-after speaking).

Besides offering editing features, iPhoto also works automatically with your digital camera. Simply plug in the camera to your Mac's Universal Serial Bus (USB) port, and iPhoto knows it's there. Need to transfer photos from the camera to your photo album? iPhoto can do that, too.

When you complete a collection of photographs that you find interesting, use iPhoto to help you publish them on the Internet or even to create your very own coffee-table book. (The latest in high-tech: a paper book.) And for those of you who still want that nifty wallet print to show off at work or a poster to hang on your wall, you can print them with your own printer or order them online through iPhoto. Orders made with iPhoto show up in your mailbox a few days later.

## DropBooks

**Figure 1-2:**  
Use iPhoto  
to edit and  
manage  
your digital  
photo  
albums.



## iTunes

To help you wrangle your enormous music collection, Apple offers iTunes (see Figure 1-3). For starters, iTunes is a sophisticated audio player for all your digital audio files. But iTunes is also handy for converting audio tracks from audio CDs to a number of popular digital audio file formats, such as AAC, MP3, and AIFF. After you import or convert your music into computer files, iTunes helps you manage and maintain your music collection. You can even listen to streaming online “radio stations,” 24 hours a day.

The latest version of iTunes introduces the Apple Music Store, where you can preview hundreds of thousands of songs for up to 30 seconds each without spending a dime. If you hear something that you’d like to buy, you can use your credit card to purchase and download your music (either as individual tracks for 99 cents each, or as a complete album for a package price). After the music that you’ve bought is comfortably nestled in iTunes, you can play it on your Mac, burn it to an audio CD, or download it to your iPod.

Why do I keep harping on the iPod? Well, as a proud owner of one, I’m glad you asked: Apple’s *iPod* is a versatile, lightweight audio player with hidden extras that James Bond would covet. It has enough capacity to store your entire collection of music, but it’s small enough to fit into your shirt pocket. With iTunes, you can instantly exchange songs between your Macintosh and your iPod. You can also use iTunes to create audio and MP3 CDs for playback elsewhere. And the iPod even works as honest-to-goodness, back-up



storage . . . you see, it also functions as a standard external FireWire hard drive. It can display text files and play games; you can carry even your Address Book contacts and iCal appointments with you with aplomb. (For the lowdown on iPod, peruse Book III, Chapter 2.)

# DropBooks

## iMovie

You needn't restrict yourself to still images: Hook up your digital camcorder to your Mac as well. Use *iMovie*, the easy-to-use video editing application shown in Figure 1-4, to create and edit digital movies. With stunning video-editing candy like transitions, sound effects, and video effects, iMovie turns your home movies into professional productions that you'll be proud to share with friends and family. Finally, you can have a home movie night without putting everyone to sleep.

## iDVD

Of course, after you create a video masterpiece, you probably want to save it on a DVD for preservation and future viewing. To help you in your endeavors, use iDVD to create — or, as video professionals call it, *author* — DVD movies. With the preset templates, iDVD will have you cranking out stunning DVDs with interactive menus in no time, ready to use with any DVD player.

**Figure 1-3:** Use iTunes to create, organize, and play your favorite music.



# DropBooks



**Figure 1-4:** iMovie can turn you into Hollywood movie director material.

## *Can I Use All This Stuff at Once?*

What makes the digital hub idea even juicier is that it's an *interoperable* model. Let's pause to appreciate that. (What, you don't speak *engineer*? No problem!) In plain English, the digital hub allows you to use digital media from one part of the hub with another part of the hub. Thus, the individual parts of the digital hub can work together to complement each other. To illustrate, consider some digital sharing scenarios:

- ◆ You shoot a great photograph of your kids. It's so great, in fact, that you'd like to use it as the title page of your family's home movie. With the digital hub, you can use that same photograph in iMovie to create your home flick. When you're done with that, transfer the whole thing to a DVD by using iDVD, and your masterpiece is safe for decades of viewing. One image just worked its way through three parts of the digital hub.
- ◆ Your band just recorded a catchy song for its latest album. You use iTunes to convert the track from the demo CD to AAC format. From there, you add the song to the soundtrack of the music video that you're creating with iMovie. Then you burn the finished project to DVD to show prospective agents. Again, one piece of media has traveled through three parts of the digital hub!

# DropBooks

- ◆ Your band becomes popular and starts to play some impressive gigs. To document your band's rise to stardom, your friend films a concert with a DV camcorder. You use iMovie to transfer the video to your Macintosh and create clips of your favorite performances of the concert. After that, it's a simple matter to author to DVD with iDVD, extract the audio from the video for use as an MP3, and grab an image from the video for a band scrapbook that you're creating with iPhoto. Now you've attained honest-to-goodness DHH (shorthand for *Digital Hub Heaven*). You've traversed the entire hub, easily sharing the media along the way.



Lest I forget, I should mention the other advantage of the digital hub: The media that you swap between all your “iApplications” remains in digital form, so it *never loses quality!* In the previous example of shooting a concert, for instance, that concert footage never lost quality while it was being transferred to DVD, converted to MP3, or pasted into your iPhoto album. Unlike archaic VHS tape, you don't have to worry about whether your source is second-generation — and you can forget degradation and that silly tracking control.

# DropBooks



# DropBooks

## Chapter 2: Jamming with iTunes and iPod

---

### *In This Chapter*

- ✓ Playing music with your Mac
- ✓ Arranging and organizing your music collection
- ✓ Tuning into the world with Internet radio
- ✓ Creating eye candy with the Visualizer

**G**ood news! It's time to throw out your Dad's Hi-Fi (you know, the one with the four-inch speakers that you're embarrassed to show your friends). That's because every installation of Mac OS X comes with the newest gadget in town: a great stereophonic audio application called *iTunes* 4. With it, you can listen to your favorite songs, organize your music collection, listen to radio stations from around the world, buy music online, burn CDs, and much more! iTunes has so many features that you'll soon find yourself wondering why you even own a stereo at all. In no time, you'll be pondering how much new speakers with a subwoofer will cost for your Mac.

In this chapter, I show you how to play audio CDs and Internet downloads, but that's just the beginning. You discover how to use iTunes' Library to get one-click access to any song in your collection. I even show you how to tune into Internet radio, burn audio CDs (if you have the necessary hardware), plug in your iPod, and buy the latest hits from the Apple Music Store. (And I demonstrate how to make your iTunes interface look just as good as your music sounds.)

Just in case, though, keep your Dad's Hi-Fi . . . it might fetch a hefty sum as an antique on eBay.

### *What Can I Play on iTunes?*

Simply put, *iTunes* is an audio player; it plays audio files. These files can be in any of many different formats. Some of the more common audio formats that iTunes supports are

- ◆ **MP3:** The small size of MP3 files has made them popular for file trading on the Internet. You can reduce MP3 files to a ridiculously small size (at

## DropBooks

the expense of audio fidelity), but a typical CD-quality, three-minute pop song in MP3 format has a size of 3–5MB.

- ◆ **AAC:** A recent introduction from Apple, AAC is an audio format that's very similar to MP3; in fact, AAC files are a little smaller, with the same recording quality. However, the new format also supports a built-in copy protection scheme that prevents AAC music from being widely distributed on Macs. (Luckily, you can still burn AAC tracks to an audio CD, just like MP3 tracks.) The tracks that you download from the Apple Music Store are in AAC format.
- ◆ **AIFF:** The standard Macintosh audio format produces sound of the highest quality. This high quality, however, also means that the files are typically large. A typical pop song in AIFF format has a size of 30–50MB.
- ◆ **WAV:** Not to be outdone, Microsoft created its own audio file format (WAV) that works much like AIFF. It can reproduce sound at higher quality than MP3, but the file sizes are large, like AIFF.
- ◆ **CD audio:** iTunes can play audio CDs. Because you don't usually store CD audio anywhere but on an audio CD, file size is no big whoop.

## *Playing an Audio CD*

Playing an audio CD in iTunes is simple. Just insert the CD in your computer's disk tray, close the tray, start iTunes by clicking its icon in the Dock, and click the Play button. The iTunes interface resembles that of a traditional cassette or CD player. The main playback controls of the iTunes are Play, Previous Song, Next Song, and the Volume Slider, as shown in Figure 2-1.

Click the Play button to begin listening to a song. While a song is playing, the Play button toggles to a Stop button. As you might imagine, clicking that button again stops the music. If you don't feel like messing around with a mouse, you can always use the keyboard. The spacebar acts as the Play and Stop buttons. Press the spacebar to begin playback; press it again to stop.

Click the Next Song button to advance to the next song on the CD. The Previous Song button works like the Next Song button but with a slight twist: If a song is currently playing and you click the Previous Song button, iTunes will first return to the beginning of the current song (just like an audio CD player). To advance to the previous song, double-click the Previous Song button. To change the volume of your music, click and drag the volume slider.




Your mother was right: Listening to loud music can and will damage your hearing, especially considering that most computer speaker systems are much closer to your ears than a typical stereo. (Not to mention the punch provided by those iPod headphones.) Consider yourself warned, and turn that thing down!

# DropBooks

Playback controls

**Figure 2-1:**  
The main playback controls: Play, Previous Song, and Next Song.



Like other Macintosh applications, you can control much of iTunes with the keyboard. Table 2-1 lists some of the more common iTunes keyboard shortcuts.

**Table 2-1 Common iTunes Keyboard Shortcuts**

<i>Press This Key Combination</i>	<i>To Do This</i>
Spacebar	Play the currently selected song if iTunes is idle.
Spacebar	Stop the music if a song is playing.
Right-arrow key (→)	Advance to the next song.
Left-arrow key (←)	Go back to the beginning of a song. Press a second time to return to the previous song.
⌘+up-arrow key (↑)	Increase the volume of the music.
⌘+down-arrow key (↓)	Decrease the volume of the music.
⌘+Option+down-arrow key (⇩)	Mute the audio if any is playing. Press again to play the audio.

## Playing a Digital Audio File

# DropBooks

In addition to playing audio CDs, iTunes can also play the digital audio files that you download from the Internet or obtain from other sources in the WAV, AAC, AIFF, and MP3 file formats. Enjoying a digital audio file is just slightly more complicated than playing a CD. After downloading or saving your audio files to your Mac, open the Finder and navigate to wherever you stored the files — then simply drag them from the Finder into the Library entry in the iTunes Source list. (The added files appear in the iTunes Library. Go figure.) If you happened to drop the file on top of a Playlist name in the Source list, iTunes adds it to that particular *Playlist* as well as the main Library. (More about Playlists in a bit.) Think of the Library as a master list of your music. To view the Library, select it in the left-hand column of the iTunes player, as shown in Figure 2-2.

To play a song, just double-click it in the Library. Alternatively, you can use the playback controls (Play, Previous Song, Next Song) that I discuss earlier in this chapter (refer to Figure 2-1).



Note that the Source list of iTunes can list up to five possible sources for music:

- ◆ **Library:** I talk about this in this section.
- ◆ **iPod:** If you're lucky to enough have one connected.
- ◆ **Apple Music Store:** I discuss this later in this section, "Buying Music the Apple Way."
- ◆ **Audio CD:** A standard audio CD . . . anything from the Bee Gees to Foo Fighters.
- ◆ **iTunes Radio:** Think *Internet radio stations*, which I discuss further in the section "iTunes Radio."

Notice also that the Library lists information for each song that you add to it, such as

- ◆ **Song Name:** The title of the song
- ◆ **Time:** The length of the song
- ◆ **Artist:** The artist who performs the song
- ◆ **Album:** The album on which the song appears

If some of the songs that you're adding don't display anything for the title, album, or artist information, don't panic; most MP3 files have embedded data that iTunes can read. If a song doesn't include any data, you can always add the information to these fields manually. I show you how later in the section "Setting or changing the song information manually."



## DropBooks



**Figure 2-2:**  
The Library keeps track of all your audio files.



Clicking any of the column headings in the Library causes iTunes to reorder the Library according to that category. For example, clicking on the Song Name column heading will alphabetize your Library by song title — I click the Time heading often to sort my Library according to the length of the songs.

## Browsing the Library

After you add a few dozen songs to iTunes, viewing the Library can become a task. Although a master list is nice for some purposes, it becomes as cumbersome as an elephant in a subway tunnel if the list is very long. To help out, iTunes can display your Library in another format, too — besides one huge list, the Library also has a *browsing* mode. To view the Library in browsing mode, click the Browse button in the upper right-hand corner of iTunes, as shown in Figure 2-3.

The Browse mode of iTunes displays your library in a compact fashion, organizing your tunes into three sections:

- ◆ Artist
- ◆ Album
- ◆ Song Name

## DropBooks

**Figure 2-3:**  
Click  
Browse to  
view your  
Library in  
a more  
manageable  
form.



Selecting an artist from the Artist list causes iTunes to display that artist's albums in the Album list. Select an album from the Album list, and iTunes displays that album's songs in the bottom section of the Browse window. (Those Apple software designers . . . always thinking of you and me.)

### *Finding songs in your Library*

After your collection of audio files grows large, you might have trouble locating that Swedish remix version of "I'm Your Boogie Man." To help you out, iTunes has a built-in Search function. To find a song, type some text into the search field of the main iTunes interface. As you type, iTunes tries to find a selection that matches your search text. The search is quite thorough, showing any matching text from the artist, album, song title, and genre fields in the results. For example, if you type **Electronic** into the field, iTunes might return results for the band named *Electronic* or other tunes that you classified as *electronic* in the Genre field. (The section "Know Your Songs" later in this chapter tells you how to classify your songs by genre, among other options.) Click the magnifying glass at the left side of the Search field and you can restrict the search even more: by Artists, Albums, Composers, and Songs. Figure 2-4 shows the iTunes search function in action: I typed **love** into the search field, and iTunes returned every song title containing that word.

# DropBooks

## “Will I trash my Count Basie?”

And now a very special Mark’s Maxim for novice iTunes users:

**iTunes will watch your back when you trash tracks.™**

To illustrate: Suppose that you delete a song from the Library that is *only* located in the iTunes music folder (which you didn’t copy into iTunes from another location on your hard drive). That means you’re about to delete the song entirely, and there’ll be no copy remaining on your Mac at all. Rest assured, though, that iTunes will promptly prompt you to make sure

that you really want to move the file to the Trash. (I get fearful e-mail messages all the time from readers who are loath to delete *anything* from iTunes because they’re afraid they’ll trash their digital music files completely.)

**Remember:** If you delete a song from the Library that *also* exists elsewhere on your hard drive (outside the reach of the iTunes music folder), it won’t be deleted from your hard drive. In fact, if you mistakenly remove a song that you meant to keep, just drag it back into iTunes from the Finder. ‘Nuff said.



**Figure 2-4:** Use the Search feature to locate your favorite music.

## DropBooks

**Removing old music from the Library**

After you spend some time playing songs with iTunes, you might decide that you didn't really want to add 40 different versions of "Louie Louie" to your Library. (Personally, I prefer either the original or the cast from the movie *Animal House*.) To remove a song from the Library, click the song to select it and then press the Delete key on your keyboard.



You can also remove a song from the Library by dragging it to the Trash in your Dock. Cool!

**Keeping Slim Whitman and Slim Shady Apart: Organizing with Playlists**

As I mention earlier, the iTunes Library can quickly become a fearsomely huge beastie. Each Library can hold up to 32,000 songs: If your Library grows anywhere near that large, finding all the songs in your lifelong collection of Paul Simon albums is *not* going to be a fun task. Furthermore, with the Library, you're stuck playing songs in the order that iTunes lists them.


To help you organize your music into groups, use the iTunes Playlist feature. A *Playlist* is a collection of some of your favorite songs from the Library. You can create as many Playlists as you want, and each Playlist can contain any numbers of songs. Whereas the Library lists all available songs, a Playlist displays only the songs that you add to it. Further, any changes that you make to a Playlist only affect that Playlist, leaving the Library intact.

To create a Playlist, you can do any of the following:

- ◆ Choose File⇨New Playlist.
- ◆ Press ⌘+N.
- ◆ Click the New Playlist button in the iTunes window (the plus sign button in the lower-left corner). Figure 2-5 shows a newly created Playlist (the toe-tappin' *untitled playlist*) before any tunes have been added.

All Playlists appear in the Source list. To help organize your Playlists, it's a good idea to . . . well . . . *name* them. (Aren't you glad you've got this book?) For example, suppose that you want to plan a party for your polka-loving friends: Instead of running to your computer after each song to change the music, you could create a polka-only Playlist. Select and start the Playlist at the beginning of the party, and you won't have to worry about changing the music the whole night — you can concentrate on the accordion. To load a Playlist, select it in the Source list; iTunes displays the songs for that Playlist.

# DropBooks



**Figure 2-5:** Click the New Playlist button to create a Playlist.

The same song can appear in any number of Playlists because the songs in a Playlist are simply pointers to songs in the Library — not the songs themselves. Add and remove them at will to any Playlist, secure in the knowledge that the songs will remain safe in the Library. Removing a Playlist is simple: Select the Playlist and then press Delete.



Removing a Playlist does not actually delete all those songs from your Library.

## Know Your Songs

Besides organizing your music into *Elvis* and *non-Elvis* Playlists, iTunes gives you the option to track your music at the song level. Each song that you add to the Library has a complete set of information associated with it. iTunes displays this information in the Info dialog with the following fields:

- ◆ **Name:** The name of the song
- ◆ **Artist:** The name of the artist who performed the song
- ◆ **Composer:** The name of the astute individual who actually *wrote* the song

- ◆ **Album:** The album where the song appears
- ◆ **Year:** The year the artist recorded the song
- ◆ **Track Number:** The position of the song on the original album
- ◆ **Genre:** The classification of the song (such as rock, jazz, or pop)

You can display this information by clicking on a song name and pressing  $\mathbb{H}+I$  — the fields appear on the Info tab.

### *Setting the song information automatically*

Each song that you add to the iTunes Library might or might not have song information included with it. If you add music from an audio CD, iTunes will connect to a server on the Internet and attempt to find the information for each song on the CD. If you download a song from the Internet, it often comes with some information embedded in the file already; the amount of included information depends on what the creator supplied. (And believe me, it's often misspelled as well — think *Leenard Skeenard*.) If you don't have an Internet connection, iTunes can't access the information and will display generic titles instead.

### *Setting or changing the song information manually*


If iTunes can't find your CD in the online database or someone gives you an MP3 with incomplete or inaccurate information, you can change the information yourself. To view and change the information for a song, perform the following steps:

1. **Select the song in either the Library or a Playlist.**
2. **Press  $\mathbb{H}+I$  or choose File⇨Get Info.**
3. **Edit the song's information on the Info tab, as shown in Figure 2-6.**

Keep in mind that the more work you put into setting the information of the songs in your Library, the easier it is to browse and use iTunes. Incomplete song information can make it more difficult to find your songs in a hurry. If you prefer, you don't have to change all information about a song (it just makes life easier later if you do). Normally, you can get away with setting only a song's title, artist, and genre — the more information you put in, however, the faster you'll locate songs and the easier they'll be to arrange. iTunes tries to help by automatically retrieving known song information, but sometimes you have to roll up your sleeves and do a little work. (Sorry, but the DataElves are out to lunch.)

## DropBooks

**Figure 2-6:**  
Press ⌘+I  
to alter a  
song's  
information.



## Ripping Audio Files

You don't have to rely on Internet downloads to get audio files: You can create your own MP3, AIFF, and WAV files from your audio CDs with iTunes. The process of converting audio files to different formats is *ripping*. (Audiophiles with technical teeth also call this process *digital extraction*, but they're usually ignored at parties by the popular crowd.) Depending on what hardware or software you use, each has its own unique format preferences. For example, an iPod likes MP3 or AAC files, but your audio CDs are not in that format. Being able to convert files from one format to another is like having a personal translator in the digital world. You don't need to worry if you have the wrong format: You can simply convert it to the format that you need.

The most common type of ripping is to convert CD audio to MP3 format. To rip MP3s from an audio CD, follow these simple steps:

- 1. Launch iTunes by clicking its icon in the Dock.**  
Alternatively, you can locate it in your Applications folder.
- 2. Choose iTunes⇨Preferences.**
- 3. In the Preferences window that appears, click the Importing tab.**
- 4. Select MP3 Encoder from the Import Using pop-up menu and then click OK.**

## DropBooks

**5. Load an audio CD into your Mac.**

The CD title shows up in the iTunes Source list, which is on the left side of the iTunes interface. The CD track listing appears on the right side of the interface.

**6. Clear the check box of any song that you don't want to import from the CD.**

All songs on the CD have a check box next to their title by default. Unmarked songs will not be imported.

Notice that the Browse button changes to Import.

**7. After you select the songs that you want added to the Library, click the Import button.***Tweaking the Audio for Your Ears*

Besides the standard volume controls that I mention earlier in this chapter, iTunes offers a full equalizer. An *equalizer* permits you to alter the volume of various frequencies in your music, allowing you to boost low sounds, lower high sounds, or anything in between. Now you can customize the way that your music sounds and adjust it to your liking.

To open the Equalizer (as shown in Figure 2-7), do one of the following:

- ◆ Choose Window⇧Equalizer.
- ◆ Press ⌘+2.
- ◆ Click the Equalizer button (refer to Figure 2-1).

The Equalizer window has an impressive array of 11 sliders. The leftmost slider is for setting the overall level of the Equalizer, and the remaining sliders represent various frequencies that the human ear can perceive. Setting a slider to a position in the middle of its travel will cause that frequency to play back with no change. Move the slider above the midpoint to boost that frequency; conversely, move the slider below the midpoint to reduce the volume of that frequency.


Continue adjusting the equalizer sliders until your music sounds the way that you like it. When you close the Equalizer window, iTunes will remember your settings until you change them again. If you prefer to leave frequencies to the experts, the iTunes Equalizer has several predefined settings to match most musical styles. Click the pop-up menu at the top of the Equalizer window to select a genre, as shown in Figure 2-8.




After you adjust the sound to your satisfaction, close the Equalizer window to return to the iTunes interface and relax with those funky custom notes from James Brown.

# DropBooks

**Figure 2-7:** Use the Equalizer sliders to tweak your audio.



**Figure 2-8:** Use the iTunes preset equalizer settings or set them yourself.



## A New Kind of Radio Station


Besides playing back your favorite audio files, iTunes can also tune in Internet radio stations from around the globe. You can listen to any of a large number of preset stations, seek out lesser-known stations not recognized by iTunes, or even add your favorite stations to your Playlists. This section shows you how to do it all.

## iTunes Radio

Although it's not a radio tuner in the strictest sense, iTunes Radio can locate virtual radio stations all over the world that send audio over the Internet — a process usually called *streaming* amongst the “In” Internet crowd. iTunes can track down hundreds of Internet radio stations in a variety of styles with only a few mouse clicks.

To begin listening to Internet radio with iTunes, click the Radio icon located directly beneath the Library icon in the Source list. The result is a list of more than 20 types of radio stations, organized by genre, as shown in Figure 2-9.

When you expand a Radio category by clicking its triangle, iTunes queries a tuning server and locates the name and address of dozens of radio stations for that category, as shown in Figure 2-10. Whether you like Elvis or not-Elvis (those passing fads, like new wave, classical, or alternative), there's something here for everyone. The Radio also offers news, sports, and talk radio.



**Figure 2-9:**  
The iTunes  
Radio  
displays  
radio  
stations in  
specific  
categories.

# DropBooks

## “What’s with the numbers next to the radio station names?”

I’m glad you asked: They indicate the amount of data that each must send through your Internet connection for things to sound their best. The larger the number, the faster your connection needs to be to receive it: For example, users with cable modem (a fast network connection for the home), digital subscriber line (DSL; an even faster connection for the home), or T1 (a super-fast connection typically used by businesses)

connections can easily listen to the fastest streams, which typically rate at 128 Kbps. Analog dial-up modem users will want to aim for a station that transmits in slower streams, such as 56 or 24 Kbps. As the stream rate increases, the quality of the sound that you hear improves. Therefore, you should choose the fastest rate that your particular connection can handle for the best-sounding audio.

After iTunes fetches the names and descriptions of radio stations, double-click one that you would like to hear. iTunes immediately jumps into action, loads the station, and begins to play it.



**Figure 2-10:**  
Expand the Radio category to view its stations.


## DropBooks

***Tuning in your own stations***

Although iTunes offers you a large list of popular radio stations on the Web, it's by no means comprehensive — eventually, you might run across a radio station that you'd like to hear, but it's not listed in iTunes. Luckily, iTunes permits you to listen to other stations, too. To listen to a radio station that iTunes doesn't list, you'll need the station's Web address.

In iTunes, choose **Advanced**⇨**Open Stream** (or press ⌘+U). In the **Open Stream** dialog that appears (as shown in Figure 2-11), enter the URL of your desired radio station and then click **OK**. Within seconds, iTunes will tune in your station.

**Figure 2-11:** Press ⌘+U to hear a radio station by using its URL.

***Radio stations in your Playlists***

If you find yourself visiting an online radio station more than once, you'll be glad to know that iTunes supports radio stations in its Playlists. To add a radio station to a Playlist from the Radio, do the following:

1. **Open the category that contains the station that you want to add to your Playlist.**
2. **Locate the station that you would like to add to your Playlist and drag it from the Radio list to the desired Playlist on the left.**



If you haven't created any Playlists yet, see the section "Keeping Slim Whitman and Slim Shady Apart: Organizing with Playlists" earlier in this chapter to find out how.

Adding a radio station that doesn't appear in the Radio list is a bit trickier but possible nonetheless. Even though iTunes allows you to load a radio station URL manually, it doesn't give you an easy way to add it to the Playlist. Follow these steps to add a radio station to a Playlist:

1. **Add any radio station from the Radio to your desired Playlist.**
2. **Press ⌘+I or choose **File**⇨**Get Info** to bring up the information dialog for that station.**

3. Click the Summary section and change the URL by clicking the Edit URL button.

4. Enter the desired URL.

5. Name the station to your liking and then click OK.

This name is just a reminder for yourself. It doesn't change the actual name of the radio station.



## iSending iTunes to iPod

If you're lucky enough (like me) to own an iPod, you'll be happy to know that iTunes has features for your personal jukebox as well. The *iPod* is Apple's MP3 player, which is a portable device (about \$299) that can hold literally thousands of songs. This great gadget and those like it are likely to soon replace Sony Discman and Walkman as *the* preferred portable music player.

You connect your iPod to your Macintosh with a FireWire cable (which is included, natch). After the iPod is connected, it automatically synchronizes to the Playlists in iTunes. The iPod and the iTunes software communicate with each other and figure out what songs are in your iTunes Library (as compared with the iPod Library). If they discover songs in your iTunes Library that are missing from your iPod, the songs automatically transfer to the iPod. Conversely, if the iPod contains songs that are no longer in iTunes, the iPod automatically removes those files from its drive.



Go back and reread that last sentence above about the iPod automatically removing files from its drive. (I'll wait here.) Apple added this feature in an effort to be attentive to copyright concerns. The reasoning is that if you connect your iPod to your friend's computer, you won't be able to transfer songs from the iPod to that computer. Of course, you could always look at it from the marketing perspective as a feature that makes sure your Mac and iPod are always in total sync. Whatever the case, pay close attention and read all dialogs when connecting to a Mac other than your own, or you might wipe out your iPod's library.

The best thing I can say about the iPod and iTunes combination is . . . well . . . that there *isn't* anything else to say about them. The auto-sync feature is so easy to use, you forget about it almost immediately.

## *Burning Music to Shiny Plastic Circles*

# DropBooks

Besides being a great audio player, iTunes is adept at creating CDs, too. iTunes makes the process of recording songs to a CD as simple as a few mouse clicks — making the modern version of a compilation (or *mix*) tape is easier than getting a kid to eat ice cream. iTunes lets you burn CDs in one of three formats:

- ◆ **Audio CD:** This is the typical kind of commercial music CD that you buy at a store. Most typical music audio CDs store 700MB of data, which translates into about 80 minutes of music.
- ◆ **Data CD:** A standard CD-ROM is recorded with the MP3 files. This disc can't be played in any standard audio CD player (even if it supports MP3 CDs, which I discuss next). Therefore, you can only listen to these songs by using your Mac and an MP3 player like iTunes 4, or a PC running Windows.
- ◆ **MP3 CD:** Like the ordinary computer CD-ROM that I just described, an MP3 CD holds MP3 files in data format — however, the files are arranged in such a way that they can be recognized by audio CD players that support the MP3 CD format (especially boomboxes and car stereos). Because MP3 files are so much smaller than the digital audio tracks found on traditional audio CDs, you can fit as many as 160 typical 4-minute songs on one disc. These discs can also be played on your Mac via iTunes.



Keep in mind that MP3 CDs are not the same as the standard audio CDs that you buy at the store, and you can't play them in older audio CD players that don't support the MP3 CD format. Rather, this is the kind of archival disc that you burn at home for your own collection.

First things first: Before you burn, you need to set the recording format. Open the iTunes Preferences by choosing iTunes⇒Preferences; then click the Burning tab. Select the desired disc format by enabling the corresponding radio button. Click OK to close the Preferences window when you're finished.

The next step in the CD creation process is to build a Playlist. Create a new Playlist and add to it whatever songs you would like to have on the CD. (See the earlier section “Keeping Slim Whitman and Slim Shady Apart: Organizing with Playlists” if you need a refresher.) With the songs in the correct order, select the Playlist. When you do, the Browse button changes into a Burn Disc button, as shown in Figure 2-12. Click that button to commence the CD burning process. iTunes will let you know when the recording is complete.

## DropBooks



**Figure 2-12:**  
Burn, baby,  
burn.

## Changing iTunes Visuals

By now, you know that iTunes is a feast for the ears, but did you know that it could provide you with eye candy as well? With just a click or two, you can view mind-bending graphics that stretch, move, and pulse with your music, as shown in Figure 2-13.

To begin viewing iTunes visuals, choose **Visuals**⇨**Turn Visual On** (or press ⌘+T). Immediately, most of your iTunes interface disappears and begins displaying groovy lava lamp-style animations (like, *sassy, man*). To stop the visuals, choose **Visuals**⇨**Turn Visual Off** (or press ⌘+T again). The usual sunny, brushed aluminum face of iTunes returns. You can also turn visuals on or off by clicking the starburst button at the bottom right of the window, as shown in Figure 2-13.

You can also change the viewing size of the iTunes visuals in the **Visuals** menu. From the **Visuals** menu, select **Small**, **Medium**, or **Large** to alter the size of the visual presentation. Similarly, to view the graphics at full screen size, choose **Visuals**⇨**Full Screen** (or press ⌘+F). To escape from the Full Screen mode, click the mouse or press **Esc**.

## DropBooks

**Figure 2-13:**  
iTunes can display some interesting patterns for the band Sum 41!



Turn visuals on or off.



You can still control iTunes with the keyboard while the visuals are zooming around your screen. See Table 2-1 earlier in this chapter for a rundown on common keyboard shortcuts.

The iTunes Visualizer has many hidden features. While viewing the Visualizer, press H for Help to see a list of hidden Visualizer settings. Press H again, and the list changes to reveal more hidden functions. Table 2-2 shows the list of settings that you can change.

**Table 2-2** Visualizer Hidden Keyboard Features

<i>Press This Key</i>	<i>To Perform This Action</i>	<i>What This Action Does</i>
H	View a list of hidden features	Displays the list of shortcuts from this table on the screen.
I	Display song information	Displays the song's title, artist, and album.
D	Reset settings to default	Returns all Visualizer settings to a default state.
F	Toggle frame rate display	Displays how fast your screen is redrawing the animations.



# DropBooks

<i>Press This Key</i>	<i>To Perform This Action</i>	<i>What This Action Does</i>
T	Toggle frame rate capping	Lets you set the highest permissible frame rate.
M	Select config mode	Chooses between random, user configuration, and current modes.
0–9	Select user configuration (press Shift to set)	Do you like how a certain animation looks? Save the settings in a user configuration for later.
R	New random configuration	Creates the animations based on a random configuration.
C	Display current configuration	Shows which configuration is currently in use.

But wait, there are more Easter eggs to be found! Again, while viewing the Visualizer, press one of following keys:

- ◆ **A:** Changes the Visualizer pattern
- ◆ **Z:** Changes the Visualizer color scheme

Press either of these keys repeatedly to cycle through the various patterns and color schemes lurking deep within the Visualizer.

## Adding More Visuals to iTunes

Although the built-in Visualizer is cool, it's not the only kid on the block. You can expand iTunes' visual functionality with plug-ins. Many iTunes plug-ins are available for download, and most of them are completely free. Some of the more popular iTunes plug-ins include

- ◆ **ArKaos:** Perhaps the most advanced iTunes plug-in yet, ArKaos offers 60 real-time effects that bump and groove to the bass and percussion of your favorite music. This isn't your average visual effects engine, though. Used by top performers from Bowie to U2 to animate stage imagery, ArKaos provides slick and professional-grade effects that enhance your iTunes experience. Go to [www.arkaos.net/visualizer/index.html](http://www.arkaos.net/visualizer/index.html) to download.
- ◆ **Trinity Software:** Don't miss Trinity Software's two iTunes plug-ins, Vortex and EasyView. Both are free and offer something a little bit different. Available at [www.trinfinitysoftware.com/itunesplugins.shtml#screen](http://www.trinfinitysoftware.com/itunesplugins.shtml#screen).
- ◆ **Zoomify:** Use the Zoomify plug-in for iTunes to view your favorite images while you listen to music. Go to [www.zoomify.com/downloads/](http://www.zoomify.com/downloads/).

After you download iTunes plug-ins, you need to install them in a specific place to ensure that iTunes can find them. To install a plug-in, follow these steps:

1. **Open a Finder window.**
2. **Click your Home folder icon in the locations list at the left side of the window.**
3. **From the Home folder, navigate to the /Library/iTunes/iTunes Plug-ins folder.**
4. **Add any new plug-ins that you've downloaded to this folder.**
5. **Restart iTunes to use the new plug-in.**

Of course, some plug-ins have an actual installer application, in which case you don't need to locate the iTunes Plugins folder. The installer should place the necessary files in the appropriate place for you.

## *Buying Music the Apple Way*

Before we wave goodbye to the happy residents of iTunes iSland, I won't forget to mention the hottest spot on the Internet for buying music: the Apple Music Store, which you can reach from the cozy confines of iTunes. (That is, as long as you have an Internet connection. If you don't, it's time to turn the page to the next chapter.)

Figure 2-14 illustrates the “lobby” of this online audio store. Click the Music Store item in the Source list, and after a few moments, you'll be presented with the latest offerings. Click the Choose Genre drop-down list to browse through the store according to musical genre, or click the [Power Search](#) link to search by song title, artist, album, or composer. The Back/Forward buttons at the top of the Music Store window operate much like those in Safari, moving you backward or forward in sequence through pages that you've already seen. A click on the Home button (which, through no great coincidence, looks like a miniature house) takes you back to the Store's main page.

To display the details on a specific album or track, just click it. If you're interested in buying just certain tracks (for that perfect road warrior mix), you get to listen to several seconds of any track — for free, no less. To add a song or album to your Music Store shopping cart, click the Add Song or Add Album button. When you're ready to buy, click the Shopping Cart item in the Source list and then click the Buy Now button. (At the time of this writing, tracks are 99 cents a pop, and an entire album is typically \$9.99 . . . what a bargain!)

# DropBooks

Home button



**Figure 2-14:**  
Hmm . . .  
now  
where's that  
Liberace  
section?

The Music Store creates an account for you based on your e-mail address, and it also keeps secure track of your credit card information for future purchases. After you use the Music Store once, you never have to login or retype your credit card information again.

The tracks that you download are saved to a separate Playlist called *Purchased Music* — after the download is finished, you can play them, move them to other Playlists, burn them to an audio CD, or ship 'em to your iPod, just like any other track in your iTunes Library.

Remember all those skeptics who claimed that buying digital audio could never work over the Internet because of piracy issues and high costs? Well, bunkie, hats off to Apple: Once again, Apple has done something the *right* way!

# DropBooks



# DropBooks

## Chapter 3: Focusing on iPhoto

---

### *In This Chapter*

- ✓ **Importing pictures from your hard drive or digital camera**
- ✓ **Organizing images with iPhoto**
- ✓ **Tweaking the appearance of photographs**
- ✓ **Sharing photos with your friends**

**F**or years, the Macintosh has been the choice of professional photographers for working with digital images — not surprising, considering the Mac’s graphical nature. Apple continues this tradition with *iPhoto*, which is a photography tool for the home user that can help you organize, edit, and even publish your photographs. (It sports more features than a handful of Swiss army knives.) After you shoot your photos with a digital camera, you can import them into iPhoto, edit them, and publish them. You’re not limited to photos that you take yourself, either; you can edit, publish, and organize all kinds of digital image files. You can even create a photo album and use the iPhoto interface to order a handsome hard-bound copy shipped to you.

In this chapter, I walk you through an overview of what iPhoto can do. After that, I give you a brief tour of the controls within iPhoto so you can see what features are available to you, including features for managing, printing, and publishing your photos.

### *What iPhoto Can Do*

iPhoto performs many different types of tasks. From your camera to the printed page and everything in between, iPhoto steps you through the process of digital photography:

- ◆ **Import:** Digital cameras are everywhere these days, so it’s important for your Macintosh to quickly and easily connect with them. iPhoto takes the guesswork out of working with a digital camera. Simply plug any supported digital camera into your Mac’s USB port, open iPhoto, and click a button or two. (I give you the details later in the section “Importing Images 101.”) iPhoto automatically imports the images that you’ve taken. If iPhoto doesn’t recognize your camera, it’s likely either out of battery power or is not supported.

# DropBooks

- ◆ **Organize:** Ansel Adams would be shocked that a digital camera has no film (while your kids don't even raise an eyebrow). Instead, most of today's digital cameras use memory modules called *cards*, which are instantly reusable. For that reason, you might find yourself taking many more pictures than usual — and as your collection of photographs grows, you'll need some help keeping them all organized (perennial favorites like paper albums and shoeboxes are out). iPhoto is, at its core, a *digital* photo album that you can use to organize, sort, and search your photographs in seconds. iPhoto offers many great features to help you manage your digital equivalent of a shoebox full of photos. You'll never lose an important photo again.
- ◆ **Edit:** After you see the images from your camera on your computer monitor, you realize that your dog Lucifer has red eyes (no big surprise there), your ocean pictures are upside down, and the campfire photos are too dark. With a traditional film camera, you'd probably toss that campfire photograph in the trash; thankfully, iPhoto has an array of image-editing tools that make the bad photos good and the good ones better.
- ◆ **Publish:** With all these photographs on your computer, you decide that it would be nice to pass a few on to Grandma, post a couple on your Web site, and print the rest. iPhoto guides you through a number of ways to share your photographs with others. From print to the Internet to e-mail to CD-ROM, iPhoto takes away the hassle of working with images on a computer with a simple-to-use interface.

## *Delving into iPhoto*

The iPhoto interface continues in the vein of other iLife *iApps*, using only one window (plus the occasional dialog) to work all its magic. The main iPhoto window is split into three sections: its Toolbar, the Album List, and the Viewer. Figure 3-1 shows the three main sections of the iPhoto window.

- ◆ **Toolbar:** The iPhoto Toolbar is the main control center for iPhoto. At the top of the Toolbar is a row of buttons (see Figure 3-1). They give you one-click access to the various modes of iPhoto.

When you change modes, the Toolbar panel changes to reflect the functions available in that mode. For example, click the Edit button to view the editing functions, such as Crop, Brightness/Contrast, or B & W (black and white). Click the Book button to see the controls necessary to publish a hard-bound photo album.

- ◆ **Album List:** To the left side of the iPhoto interface is the Album List (refer to Figure 3-1). This is where you organize your photo albums or select them for viewing.

# DropBooks

- ◆ **Viewer:** The largest portion of the iPhoto interface is the Viewer (see Figure 3-1). The Viewer, where you see your photographs when you browse through photo albums, is also the main window for editing individual images and laying out photo books.



**Figure 3-1:**  
The iPhoto window has three main parts.

## Importing Images 101

After you have the iPhoto basics under your belt, it's time to get busy. Before you do anything else with iPhoto, you need to import some photographs into it. iPhoto provides a couple of ways to import photos, depending on the source of the image.

### Importing images from a digital camera

To import photographs from your digital camera, follow these simple steps:

**1. Connect your digital camera to your Macintosh.**

Plug one end of a USB cable into your camera and the other end into your Macintosh's USB port. Then prepare your camera to download images; for most models, that means simply turning on the camera.

**2. Launch iPhoto.**

## DropBooks

Launch iPhoto by clicking its icon in the Applications folder. The first time that you launch iPhoto, you have the option of setting its auto-launch feature. If you turn on auto-launch, iPhoto will launch whenever you connect a camera to your Mac. If you want to change the auto-launch setting at a later date, you can access it via the Preferences menu of Apple's Image Capture utility, also located in the Applications folder.

**3. Click the Import mode button on the iPhoto Toolbar, as shown in Figure 3-2.**

This sets iPhoto in Import mode. While in Import mode, the Toolbar panel changes to reflect import operations. At the rightmost side of the Toolbar panel is another Import button.

**4. Click the second Import button to import your photographs from the camera.**

While you import images from your camera, iPhoto displays a small preview in the Toolbar panel. iPhoto sticks the newly imported images in the Photo Library, which is the warehouse for all your images.



**Figure 3-2:**  
Import photos from your camera to iPhoto.

Click to bring up Import settings.



## Importing image files

Besides images that you shot with your digital camera, you can also import any image file on your system into the Photo Library. This could include images that friends have sent you, that you've downloaded off the Internet, or that you've created in a graphics program such as Photoshop. You can import image files in one of two ways:

- ◆ **Choose File⇒Import:** When you click on the menu, iPhoto displays the standard Open dialog. From there, you can choose your favorite image files for import.
- ◆ **Drag-and-drop:** Drag files from the Finder and drop them in the iPhoto window. iPhoto instantly adds them to the Photo Library.



If you drag a folder of images into iPhoto, it creates a film roll — a familiar method of organizing things, of course — with the folder name as the roll name. Within that roll are all of your images.

iPhoto recognizes a variety of popular graphics formats, so none of your image files will feel left out. You can add images with the following formats:

- ◆ JPEG
- ◆ GIF
- ◆ PICT
- ◆ TIFF

Note that the iPhoto Import function also works with removable hard drives, external CD/DVD drives, and USB Flash drives. If you can move to a location in the Open dialog, you can import from it. (Downright versatile, don't you agree?)

## Organizing with Photo Albums

After you build up your Photo Library by importing photographs with your camera, your hard drive, and other storage media, you might become overwhelmed with the volume of images at your disposal. The easiest way to organize your images for quick access is to use the iPhoto Photo Album feature.

## Creating a new Photo Album

To create a new Photo Album, do one of the following:

- ◆ Choose **File**⇒**New Photo Album**.

or

- ◆ Click the **+** button at the bottom of the Photo Album List.

Either method brings up the New Album dialog, as shown in Figure 3-3. Type the name for your new photo album and click OK.



**Figure 3-3:** Click the + button to create a new Photo Album.



Note that you can rename your Photo Album anything you like. Just click in the Album field — under the Album List, if you haven't noticed it yet — and edit the name.

## Adding photos to a Photo Album

After you have your newly created, empty Photo Album in place, add some photographs to it. Click the Photo Library icon in the Album List (refer to Figure 3-3) to view all the images in your collection. Drag any photograph that you want from the Photo Library to your new album in the Photo Album List; iPhoto instantly adds it to the album, without a single drop of glue.

# DropBooks



“Hey, Mark, isn’t this going to use more of my precious hard drive territory?” Don’t worry — you’re not making copies of the photograph: iPhoto simply creates a reference to the image in the Photo Library and adds it to your Photo Album.

To view the photographs that you’ve added to a Photo Album, click that album’s icon in the Photo Album List. The images instantly appear in the Viewer.



Note the size-changing slider at the lower right corner of the Viewer — you can use it to enlarge or reduce the size of the thumbnail images in the Viewer. (Gee, those good folks in Cupertino think of everything!)

## Removing photos from a Photo Album

If you suddenly discover that your boyfriend or girlfriend is now an ex-boyfriend or ex-girlfriend, you’ll probably want some way to remove those unwanted photographs from your Photo Album. (Or maybe your relationship is still rock-solid, but you just want to change the location of a photo from one Photo Album to another.) Whatever the case, iPhoto makes it a cinch to remove photographs from a Photo Album. Follow these steps:

1. **Select the Photo Album from the Photo Album list.**
2. **In the Viewer, select the photo that you want to remove from the Photo Album.**
3. **Press Delete.**



Keep in mind that removing a file from a Photo Album doesn’t remove it from the Photo Library. (Remember that the Photo Album is just an assortment of links to your photos.) To really remove that image of your “ex,” you need to navigate to the Photo Library and delete the picture there, too.

## Deleting a Photo Album

It’s just as easy to remove a Photo Album (and every image that it contains) from your collection as it is to remove photos from that Photo Album. To delete an entire Photo Album, here’s the overly complex, terribly involved process:

1. **Select the Photo Album in the Photo Album list.**
2. **Press Delete.**

Told you it was easy!

REMEMBER



## DropBooks


If you mistakenly delete a Photo Album, you can immediately use iPhoto's Undo feature — press  $\text{⌘}+\text{Z}$ , and your last action is reversed. However, if you've already gone too far and you can't use Undo to restore an album, you can always re-create it manually because the images within that Photo Album still reside in the Photo Library. Simply create the empty Photo Album again (as I demonstrate earlier), open the Photo Library folder in the Finder, and drag the files into the album again.

## The Art of Organizing with Keywords

Using Photo Albums is a great way to organize your photo collection, but it's just the start of what iPhoto can do: You can also assign *keywords* to images to help you organize your collection. Keywords give you the opportunity to quickly search through your photos later. You can use iPhoto's standard keywords or create your own. For example, you could organize your photos according to important family events. Birthday photos would get one keyword; graduation photos would get another. Later you can search for that birthday shot where the cake caught on fire or the graduation where the valedictorian fainted. When you use keywords, they're just a few keystrokes away. Remember this Mark's Maxim:

**Using keywords to organize your photos takes time, but it's worth it.™**

To begin using the keyword feature, select one or more photos in the Viewer. Then display the Keywords dialog by choosing  $\text{Edit} \rightarrow \text{Keywords}$  — or, for those who prefer fingers, press  $\text{⌘}+\text{K}$ . iPhoto displays the Keywords/Search dialog, as shown in Figure 3-4.



**Figure 3-4:**  
Hey,  
Archibald,  
check  
out the  
keywords!

Click the keyword that you want to attach to the selected images and then click Assign. Straightforward, just like I like it.

iPhoto comes stocked with a handful of useful preset keywords:

- ◆ Favorite
- ◆ Family
- ◆ Kids
- ◆ Vacation
- ◆ Birthday



The *Checkmark* keyword causes a small checkmark-in-a-circle icon to appear in the bottom right-hand corner of any image that gets that assignment. For example, you might temporarily mark your favorite photographs with the Checkmark keyword. Then it's a cinch to retrieve just your favorites by searching for the Checkmark keyword.

You can also display the keywords assigned to each photo in the Viewer. (Check out Figure 3-4 to see what this looks like.) Choose View→Keywords to toggle the display of Keywords on and off.


### *Customizing your own keywords*

Besides the keywords that are included in iPhoto by default, you can create a number of custom keywords . . . after all, not everything fits in Family or Birthday. To create your own keywords, follow these steps:

1. Press **⌘+K** to display the Keywords/Search dialog.
2. Select **New** from the drop-down list box at the top of the dialog.
3. Type your own custom keyword name into the edit box that appears (Figure 3-5).

Note that you can also rename existing keywords (by choosing **Rename** from the drop-down list), but keep in mind that they will affect all images that already use that keyword. You can also delete a keyword: Select it in the list, click the Keywords drop-down list, and then click **Delete from the list**.

## DropBooks



**Figure 3-5:**  
Look, Ma,  
my own  
keywords!

### Searching for keywords

As I mention earlier, the more keywords that you assign, the easier it is to use iPhoto. As your photo collection grows, it can become unmanageable — to help you out, iPhoto lets you search for photos by using the keywords that you assigned to the images. To search for images using keywords, do the following:

1. Press **⌘+K** to display the **Keywords/Search** dialog.
2. Hold down the **Command** key and click as many keywords as you would like to search by.
3. Click the **Search** button.



The Viewer displays only the photos that have *all* the keywords that you request. Figure 3-6 shows the keyword of *Automobiles* selected as well as the results from my album. However, if I had searched for *Automobiles* and *Airplane*, nothing would show because I don't have a single photo in my album that carries both the keywords *Automobiles* and *Airplane*.



Use the Search tool as a quick and easy way to build a Photo Album. To create a Photo Album of pictures of your wedding, for example, you could search for the keyword *Wedding* (assuming you assigned that keyword to your wedding pictures) and then drag the results of the search to a Photo Album in the Album List. Convenient and sassy to boot!

# DropBooks



**Figure 3-6:** Search to find images with keywords.

To search for a specific string of text within photo filenames or titles, click in the Search box and type the text. No need to press Return because iPhoto narrows the search while you type!

## Taking Care of Business: Basic Editing

Okay, let's face it: Sometimes mere mortals like you and I don't take the greatest photographs. For those times, iPhoto provides a helping hand with several important editing features — you can save your dark photos from the Trash and improve “keepers” into honest-to-goodness art.

To begin editing your photographs, select the photo that you want to edit and click the Edit button in the iPhoto Toolbar — this displays the Edit panel of the Toolbar, as shown in Figure 3-7. (And yes, that's my close personal friend James Brown . . . he likes my soulful '64 Cadillac.)

The editing tools include

- ◆ **Crop:** This lets you trim off any unwanted edges of the photo and focus on the photo's subject.
- ◆ **Enhance:** This is a one-click solution that automatically adjusts the color and contrast of the image.

## DropBooks

- ◆ **Red-Eye:** No more vampires! Remove the evil-looking red-eye phenomenon from your photos.
- ◆ **Retouch:** Remove minor imperfections in photographs by blending them into the surrounding area.
- ◆ **B & W (black and white):** For that vintage look, you can also convert color pictures to black and white.
- ◆ **Brightness/Contrast:** These controls allow you to fix photos that are too dark, too light, or washed-out.
- ◆ **Navigation arrows:** Click these to advance to the previous or next image.

**Figure 3-7:**  
Click the  
Edit button  
to start  
fixing your  
photos.



### *Constrain and crop*

Sometimes your photos have additional clutter around the edges. To get rid of this problem with traditional photographs, you'd resort to a pair of scissors to cut off the unwanted portion of the image. Professional photographers call this *cropping*. Digital image-editing software packages (including iPhoto) have borrowed this term. The Crop feature of iPhoto gives you the ability to remove unwanted stuff from around the edges of your otherwise perfect photographs, like the strange guy who blundered into the corner of your perfect Grand Canyon composition.



To crop a photo, you must first select what portion of the image that you want to keep by clicking and dragging on the image in the Viewer. As you drag, a rectangle appears indicating what part of the image you want to keep, as shown in Figure 3-8. Everything outside of this rectangle will disappear after a crop operation.

**Figure 3-8:** Click and drag to select the part of the image that you want to keep.



After you select the portion that you want to remain, click the Crop button in the Edit panel to remove the rest. If you would like to constrain your selection to a specific size, select that size from the Constrain pop-up menu to the left of the Crop button. This lets you resize a photograph according to a preset size. (For example, certain aspect ratios are better for certain media — a 4 x 3 ratio looks best in an iDVD project or a bound book, whereas a 4 x 6 is perfectly proportioned for printing a postcard.)



“Hey, I didn’t want *that* to happen!” (Yep, time to mention Undo again.) You can always remove any editing change you’ve just made to an image; just press **⌘+Z** or choose **Edit**⇨**Undo**. iPhoto offers a multiple Undo function, so you can press **⌘+Z** multiple times to backtrack through your changes.

## **Enhance**

Things can't get much easier than this — if the colors in your image look cruddy, you can click the Enhance button to automatically increase (or decrease) the color saturation and automatically improve the contrast within the photo. (Note that this is different from the manual contrast control that I discuss later.) Everything's done for you, so there are no settings to change. To compare the even fresher-smelling photo with the earlier version, press the Control key, and you'll see the un-enhanced image. When you release the Control key, the enhancement is applied again, so you can compare the results.

You can click Enhance more than once to continue improving the image, but sooner or later, iPhoto can make no additional adjustments.



The Enhance button only works when no part of an image has been selected with the rectangle (that way, the controls will affect the entire image). If you need to deselect a portion of the photo, just click anywhere in the image outside the selected area, and the selection rectangle disappears like beer at a football game.

## **Retouch**

Do you suffer from spots or specks in an otherwise-perfect image? Click the Retouch button and the cursor turns into a crosshair; click and drag the cursor across the imperfection in short movements to remove it. Again, you can hold down and release the Control key to compare the retouched version of the image with the fixed photo.

Naturally, Retouch won't add detail to an image, so it won't add highlights to your girlfriend's hair or fix the dented fender on your Harley — instead, it's best used to clean up specks within a solid band of color, like a photo of a sunset. I find Retouch especially handy with pictures that I've scanned from slides and existing photographs.

## **Brightness/Contrast**

Shooting photographs that look perfect is a tough task, and sometimes things don't work out the way that you plan. If your images turn out too dark or light, iPhoto can help you clean up after the fact. To adjust the brightness and contrast of an image, simply move the Brightness/Contrast sliders until the image looks the way that you want.



Like Enhance, the Brightness and Contrast sliders only work when nothing's been selected.

## Red-eye removal

Have you ever picked up your photographs from the local photo developer only to discover that the subjects in your photographs all look like rather unsettling red-eyed zombies? *Red-eye* is a phenomenon that occurs when the camera captures light reflecting off the retinas of eyeballs. This problem isn't limited only to human eyes, either. Even Spot, your loving canine pal, can have that "Demon Doggy" possessed look! To help exorcise these red-eye problems from your photographs, iPhoto gives you a Red-Eye filter.

To remove red-eye problem in your photographs, select the eyeball in question by clicking and dragging around the eyeball in the Viewer. Then click the Red-Eye button in the Edit panel. Your red-eye problem disappears in an instant.



Unlike Brightness and Contrast, the Red-Eye function only works when an image has a selection. (But hey, you can select anything red in a photo and apply the red eye filter . . . the results can be mind-blowing!)

## Black and white

In the old days, photographers had to cart around two rolls of film if they wanted to shoot in color and black-and-white. These days, you can simply shoot in color because iPhoto can do the black-and-white conversion for you. It's really simple, too! Just click the B & W button to convert an image from color to shades of gray.



If you change your mind and want to revert to a color image, choose Edit→Undo to see colors again. For an interesting artistic effect, you can select just a portion of a photo with the Crop tool and click the B & W button to turn just the selected area to black and white.

## Don't forget to rotate!

Although it's not technically an Edit mode feature, rotation is a sort of edit, so I discuss it here. This feature is useful for viewing those images where you held the camera sideways to fit that tall building into the viewfinder. To rotate an image, simply click the Rotate button at the left-hand side of the Toolbar, as shown in Figure 3-9. The default rotation is in a counter-clockwise direction. Hold the Option key while you click the rotate button to rotate in a clockwise direction.

## DropBooks

**Figure 3-9:**  
Click the  
Rotate  
button to  
spin an  
image in 90°  
increments.



## *Producing Your Own Coffee-Table Masterpiece*

Computerized photo albums are fun and all, but sometimes people long for the real photo albums of the past. They like to turn pages, put it on the shelf, and view it without a computer screen. For those folks, iPhoto offers a way to create and print your own professional-quality photo album. Use iPhoto to create a Photo Album (the digital kind), tweak its formatting until you're satisfied, and then transmit your finished product via the Internet to a vendor who will print, bind, and send you a copy of your finished album, for a small fee, of course. Here's how:



- 1. Create a new Photo Album in iPhoto by choosing New→Photo Album or clicking the + button at the left edge of the Toolbar.**

The name of the album is editable, so you can name it to your liking.

- 2. Click the Photo Library icon at the left side of the iPhoto interface and drag your favorite photos into the new Photo Album.**

These images will appear in your bound photo album.



When preparing a photo album that will be printed on paper, use the highest quality images available. It takes higher-resolution images to look good on paper (as compared with your Mac's monitor).

- 3. After you complete the preparation of your Photo Album in iPhoto, select that Photo Album in the Photo Album List by clicking it.**

The Photo Album List appears on the left side of the iPhoto interface.

4. Click the Book button in the Toolbar, as shown in Figure 3-10.

## DropBooks

**Figure 3-10:** Click the Book button to begin designing a bound photo album.



In Book mode, the Viewer changes in subtle ways. It displays the current image at the top of its display and adds a scrolling row of thumbnail images below it, as shown in Figure 3-10. This row of images represents the current order of the various pages in your book. Clicking any of these thumbnails causes the Viewer to load that image into its display area.

5. Rearrange the page order to suit you by dragging the thumbnail of that page from one location to another in the row.
6. In the Book panel below the Toolbar, you can adjust a variety of settings for the final book, including the book's theme, page numbers, and comments.
7. Make sure that the Show Guides check box is enabled in the Book panel.

Besides photos, you can also add text to the pages of your photo album. (Nothing on the order of Stephen King or Tom Clancy — more like captions with short descriptions.) Selecting Show Guides draws faint blue boxes in the Viewer that show where you can add text.

8. Click any one of the Guide boxes and begin typing to add text to that page.

# DropBooks

9. After you complete the design of your book, preview it by clicking the Preview button at the bottom right of the Book panel.

iPhoto displays the book, allowing you to scan through the pages of your creation to make sure that it looks exactly as you wish. When you're satisfied with the results of the photo book, it's time to publish it.

10. Click the Order Book button.

In a series of dialogs that appear, iPhoto guides you through the final steps to order a bound hardback book. (Don't forget your credit card.)

A fast connection to the Internet like cable or DSL is very handy for this process. The images that you must submit are too large for a slow dialup connection.

Remember, you can also save that book as a PDF file and print it later (either on your own inkjet printer, or a nicer one at the copy shop down the lane)!



## *Sharing Photos with Friends and Family*

Besides creating a photo book, iPhoto offers many other ways for you to share your photos. Click the Organize button in the Toolbar to see the possibilities, shown in Figure 3-11.



**Figure 3-11:**  
Distribute  
your photos  
in a myriad  
of ways.

Here are the different ways that you can share your photos with iPhoto:

## DropBooks

- ◆ **Print:** Don't forget about your computer's printer — it's mundane, I know, but you can print photographs from iPhoto with your inkjet or laser printer.
- ◆ **SlideShow:** Display a slide show presentation of your photos in iPhoto, complete with background music.
- ◆ **Email:** Send photos to your friends via e-mail. You'll need an active Internet connection. (Go figure, indeed.). iPhoto will launch your default e-mail client when you're ready to send your photographs.
- ◆ **Order Prints:** Order photographic quality prints of your favorite images. Kodak prints the photographs for you and will ship them wherever you want them to go.
- ◆ **Order Book:** Allows you to order a bound book, as I demonstrate in the previous section.
- ◆ **HomePage:** Publish your photos on your Web site.
- ◆ **.Mac Slides:** Publish your photos as a slide show on your iDisk, where others with .Mac accounts can view it.
- ◆ **Desktop:** Change your Desktop picture to one of your iPhoto images.
- ◆ **Burn:** Leads you through the process of recording your images on a blank CD or DVD.

Before I leave iPhoto 2, I'd be remiss if I didn't mention a comprehensive guide that goes into more detail than this chapter: *iPhoto 2 For Dummies*, written by Curt Simmons and published (naturally) by Wiley Publishing, Inc. You'll get more in-depth coverage of importing and editing, and it even walks you through all the steps required when ordering an iPhoto book.

# DropBooks





# DropBooks

## Chapter 4: Making Magic with iMovie

---

### *In This Chapter*

- ✓ Working with iMovie controls
- ✓ Adding media to your projects
- ✓ Applying text, transitions, photos, and effects to your movie
- ✓ Adding audio to your movies
- ✓ Sharing your movies in many different formats


**A**lfred Hitchcock, Stanley Kubrick, George Lucas, and Ridley Scott — those guys are amateurs! Welcome to the exciting world of movie making on your Mac, where *you* call the shots. With iMovie, you can try your hand at all aspects of the movie-creating process, including editing and special effects. Built with ease-of-use in mind, iMovie lets you perform full-blown movie production on your Macintosh with a minimum of effort.

Don't let iMovie's fancy buttons and flashing lights fool you: This application is a feature-packed tool for serious movie production. The iMovie controls work the same as many top-notch, movie-editing tools that professionals use. From basic editing to audio and video effects, iMovie has everything that you need to get started creating high-quality movies.

### *The iMovie Interface*

To launch iMovie, either navigate to the Application folder and double-click the iMovie icon or click the iMovie icon that's hanging out in the Dock. When you first launch iMovie, perhaps the first thing that you'll notice is that the window fills most of the screen, even when it's resized as small as possible (as shown in Figure 4-1). In fact, you can't run iMovie 3 at resolutions less than 1024 x 768.

## DropBooks



**Figure 4-1:**  
iMovie  
takes over  
most of your  
Desktop.



This seemingly rude behavior is actually a requirement. If you think about it, creating and editing a movie requires a *lot* of elbow room (both on your monitor and on your hard drive). To hide the iMovie window, press either  $\text{⌘}+\text{H}$  or  $\text{⌘}+\text{Tab}$  to switch to other applications that are running. (You can also use the Exposé key, F9.)

You'll notice that the interface consists of three main parts:

- ◆ **Monitor:** The Monitor is the big, black, square viewer where you watch movies.
- ◆ **Tool palettes:** The iMovie Tool palettes appear on the right side of the iMovie interface. They offer one-click access to an array of movie-building tools.

Just above the Tool palettes is the Clips pane. The contents of the Clips pane vary, depending on which of the Tool palette buttons you've selected. Clicking the Clips button displays the Clips pane, for example, which is where iMovie stores your movie clips for use in full-length movies that you create. Clicking the Audio button whisks you to a pane with audio files in it. iMovie stores your audio clips here, which you can

also use in any movie that you create. A click on Photos allows you to add still images from your iPhoto library (as demonstrated by the versatile Figure 4-1). The Transitions, Titles, and Effects tools let you twist, turn, and label your movies like the pros do. Finally, the iDVD button displays the Chapter List, which I discuss in Book III, Chapter 7 — it's used with iDVD 3, where you can build a DVD movie with your finished masterpiece.

- ◆ **Viewers:** The viewers are where you compose your movie masterpiece. There are two main tabs here: the Clips viewer and the Timeline viewer. I cover these in more detail later.

## The Powers of Three

The minimalist approach of iMovie provides power with simplicity (something that the average Joe can appreciate). Instead of the nested windows and cryptic film jargon of traditional movie-editing packages — which also, by the way, tend to cost hundreds or thousands of dollars a pop — iMovie reduces the clutter to three elements. Use this trio of tools, and you'll be on your way to movie-making bliss.


### Monitor

The Monitor is the largest of all the interface elements in iMovie — it functions just like the video monitor and control deck that a traditional film editor uses. You can think of it as iMovie's screen, where you view clips and preview your movie while you edit it. (Check it out in Figure 4-2.) When you launch iMovie for the first time, the Monitor appears black, indicating that you haven't created a movie yet. (Apple is, if anything, eminently sensible.) On subsequent launches of iMovie, it displays the most recent movie project.

Nestled directly beneath the iMovie Monitor are the playback controls (see Figure 4-2). Resembling buttons on a conventional CD player, the iMovie playback controls let you play, stop, and return to the beginning of movies that display in the Monitor.

In addition to the buttons that control playback, the Monitor sports other important controls. The *scrubber bar* contains the playback head, which tells you visually where you are in the movie. The *playback head* is a blue triangle positioned directly below the Monitor. While your movie plays, the playback head moves to indicate the current location of playback. The playback head isn't just a visual indicator, though: It also has an important function. You can also click and drag the playback head to move forward or back in the current movie.

## DropBooks



All the remaining Monitor button controls affect the playback head's position with one click. Table 4-1 lists the various playback controls and how they affect the playback head's position.

**Table 4-1** **iMovie's Playback Controls**

<i>Control</i>	<i>What It Does</i>
Home	Moves the playback head to the beginning of the movie.
Play	Click to begin playing a movie. Click again to stop playback.
Play Full Screen	Plays the current movie in full-screen mode.

The Monitor has two remaining controls that demand attention.

- ▶ **Volume slider:** Adjusts the volume during movie playback
- ▶ **DV Camera/Edit Mode switch:** Toggles between video from your camera and the movie that you're editing with iMovie

The DV Camera/Edit Mode switch affects how you import video from a camera. Read more about this in the upcoming section “Working with Clips (Not the Paper Kind).”

## Palettes

The palettes occupy the rightmost portion of the iMovie interface and offer a complete set of tools for creating movies. Divided into seven sections, the palettes house the building blocks that you need to construct your cinematic masterpiece as well as your connection to iDVD. (Refer to Figure 4-1.)


Throughout the creation process, you'll use the tools located in the palettes to build the content of your movie. Table 4-2 describes the role that each palette plays in the movie-making process.

Table 4-2	Palette Roles
<i>Palette</i>	<i>What It Does</i>
Clips	Stores movie clips from your hard drive in a visual library
Photos	Imports still images from your iPhoto collection
Audio files	Gives you audio effects, voiceover tools, and your iTunes audio
Titles	Offers text editing tools to label and title your movie
Trans	Adds useful video transitions to your movies for professional-looking edits
Effects	Adds stunning visual effects that give your movies an edge
iDVD	Exports your finished movie into iDVD 3

## Viewers

The final stops on the iMovie interface tour are the viewers — located at the bottom of the screen, your trusty *viewers* are the heart of editing operations in iMovie, where you add audio and video clips to construct the perfect movie. As shown in Figure 4-3, they offer a visual representation of the order in which the various clips appear in a movie.

## DropBooks



**Figure 4-3:** The viewers display audio and video clip sequences.

As you can see in Figure 4-3, the viewer interface has two modes:

- ◆ **Clip viewer:** Displays the sequence of video clips in a movie — this is the mode shown in Figure 4-3.
- ◆ **Timeline viewer:** Displays the duration and juxtaposition of the various audio and video clips in a movie. (I think it's safe to say that's the only appearance of the word *juxtaposition* in this particular tome.)

## *The Movie-Making Process*

After you're on friendly terms with the three main sections of the iMovie window, follow this simple six-step process to create professional looking movies in minutes. I go into more detail about each of these steps in the following sections.

**1. Import and edit your movie footage.**

The first step in creating a movie is to import movie clips into iMovie either from your digital video camcorder or from video clips already on your hard drive. You will use these clips to construct a full-length movie.

**2. Add clips from the Clips pane to the Timeline.**

After you prepare your movie clips, you can add them to the movie. By using drag-and-drop, it takes only a few seconds to add the movie segments found in the Clips pane to your full-length movie.

**3. Apply transitions, effects, photos, and text to the movie.**

With your movie clips in place, it's a snap to enhance them with visual effects and transitions. You might also want to spice up the movie with titles and credits.

**4. Import or record audio clips.**

Great movies look even better when accompanied by great audio. You can import audio into iMovie from MP3 files, audio CDs, your iTunes Playlists, or even what you've recorded yourself with a microphone.

**5. Add audio from the Audio pane to the Timeline.**

Drag audio clips from the Audio pane to the Timeline to arrange your movie's soundtrack. (And yes, you documentary fans will find it easy to add narration.)

**6. Preview, build, and burn the final product.**

After you build the next *Gone with the Windows* — sorry, couldn't help that one — iMovie makes it a snap to preview your creation. Then it's just a few clicks before your project becomes a movie. iMovie helps you distribute your completed movie as well: You can burn it to a CD-ROM, import it into iDVD for use on a movie DVD, or export it into QuickTime for online distribution.

The remainder of this chapter guides you through the details of these steps. Before you know it, you'll be showing that upstart Spielberg a thing or two without setting foot out of your home.

## Working with Clips (Not the Paper Kind)

The first step for creating a movie is to add video clips to the Clips pane. These clips usually form the bulk of the video that you use in the completed movie. iMovie is flexible in that it permits you to import video clips from more than one source:

# DropBooks



◆ **Import from a digital video camcorder:** Connect a DV camcorder to your Macintosh to transfer video.

◆ **Import from files:** Import any DV clip directly from your hard drive.

If your favorite movie clip isn't in DV Stream format, you can export it from QuickTime Pro. Then import it into iMovie. See Book III, Chapter 6 for more on QuickTime Pro.

After you import your video, you can perform a variety of editing functions on the clip: You can edit clips together to tell a story; edit out mistakes or bad footage; apply audio, transitions, and effects; and even add titles, for that cinematic touch.

## *Adding clips from media files*

iMovie allows you to import many different kinds of media files. From graphics to video to audio files, iMovie has you covered. Table 4-3 lists the most common file formats that iMovie can import into your project.

**Table 4-3** File Types That iMovie Understands

<i>File Type</i>	<i>What It's Used For</i>
AIFF	Audio from an audio CD
MP3	Compressed audio
JPEG	Standard for still images from the Web, scanners, or a digital camera
GIF	Standard for still images from the Web, scanners, or a digital camera
PSD	Images from Photoshop
DV	Video

The file type dictates what happens when you import that file. For example, when you import an image or video file, the file goes directly into the Clips pane. In contrast, importing an audio file automatically places it in the movie at the audio pointer's current location. To import an audio or video file, choose **File**⇧**Import**. Select a file to import in the Open dialog and click OK. The imported file appears in the Clips pane or the Audio pane, depending on the file type.



Still images can also be parked on the Clips pane — a holdover from earlier versions of iPhoto, where pictures were handled like static video clips. Therefore, photographs can actually be added to your movie from either the Clips pane (for imported photos) or the Photos pane (for pictures from your iPhoto collection).



## Adding clips from your camcorder

Adding clips from your DV camcorder is just as simple as playing a movie. To retrieve video from your camcorder, do the following:

1. **With a FireWire cable, connect a FireWire-compatible camera to your Macintosh and set it to VTR (or Playback) mode.**

If your camera is not FireWire compatible, you should be able to buy an adapter. Setting your camera to VTR mode allows remote control of the camcorder by iMovie. If you're not sure how to set VTR mode on your camera, consult its manual.

2. **In iMovie, slide the DV Camera/Edit Mode switch to the Camera position, which is labeled with a miniature camcorder icon (refer to Figure 4-2).**

This initiates the camera capture mode. When you set this mode, an Import button appears above the Play button.

### Who needs a camcorder?

If you're a serious couch potato — one of those folks who are permanently affixed to their living room furniture, constantly awaiting this TV show or that one — rejoice! Hardware devices are on the market that can capture your favorite programs as digital video, providing you with yet another source of iMovie video clips. (The signal can come from a cable-ready TV or from a standard analog video source like a VCR.) After you create a video clip by using one of these video capture devices, you can then import the clip into iMovie.

For example, the EyeTV unit from Elgato Software is practically a complete solution for digitizing analog video: It comes with a built-in, cable-ready TV tuner and a hardware MPEG *encoder* (the hardware that can create a DV stream from analog video). For around \$200, EyeTV can provide the somewhat mundane

convenience of watching TV on your Mac's monitor, along with the ability to "pause" a live TV show . . . but for me, the *real* treat is creating digital video from all those old VHS family reunion videos that are currently collecting dust in your closet. EyeTV is a Universal Serial Bus (USB) device, so it works with just about any Mac that can run Mac OS X. Each hour of video takes up about 650MB of hard drive space, so a high-capacity 200GB FireWire hard drive suddenly looks most attractive indeed.

For the complete details on EyeTV, visit the Elgato Software Web site at [www.elgato.com](http://www.elgato.com). And don't forget to honor the copyrights on the material you capture from TV broadcasts, commercial video tapes and DVDs — consult a lawyer if you plan on distributing any movies that include copyrighted material.

# DropBooks

**3. Find the video.**

Click the Monitor's playback buttons to locate the video on your camcorder that you wish to import, fast-forwarding or rewinding until you find the correct footage, watching your progress in the Monitor. When you find the video, stop the playback and position the playback head a few seconds prior to the place where the desired video begins. When you're ready, click the Play button again.


**4. When the video that you want to capture appears in the Monitor, click the Import button, as shown in Figure 4-4, to begin transferring that video from the camcorder to your Macintosh.**

**5. Stop the video.**

Click the Import button again to stop the video transfer.



Imported video from a camcorder transfer appears in the Clips pane.



**Figure 4-4:** Preview video and then import it.

Click the Import button.

## Editing video clips

iMovie gives you several different ways to edit your video clips. You can copy, trim, and crop your video clips to your heart's content; and if you mess up along the way, an instant fix is but a click away.

### Copying video clips

Sometimes you'll want to work on multiple copies of the same video clip. This gives you the ability to try out different edits on the same piece of footage without altering the original. To duplicate a video clip, do the following:

1. **Select a clip in the Clips pane.**
2. **Press  $\mathbb{C}$ +C or choose Edit⇨Copy.**
3. **Press  $\mathbb{C}$ +V or choose Edit⇨Paste.**

A new copy of the video clip appears in the Clips pane.



Of course, you can also follow the Macintosh convention of Option-dragging a clip from its cell on the pane to an empty cell or to the Timeline. Doing so makes a copy wherever you release the mouse.

### Cropping, splitting, and trimming video clips

Cropping, splitting, and trimming are three important editing functions that iMovie affords you. Here's the skinny on these functions:

- ◆ **Crop:** Deletes everything from the clip except a selected region
- ◆ **Split:** Breaks a single clip into multiple clips
- ◆ **Trim:** Deletes a selected region from the clip

To perform any of these functions, you must first select a region of a clip. Choose a clip in the Clips pane. This causes the clip to appear in the Monitor. Position the playback head at the beginning of the region that you wish to select. Then Shift+click anywhere on the scrubber bar to the right of the starting point. (iMovie places markers at the edges of the selection, and you can further adjust the selection by dragging them.) A region turns yellow when you select it. After you select a region, perform the editing operation.

- ◆ **Crop:** Choose Edit⇨Crop. Everything but the selected region disappears.
- ◆ **Split:** Choose Edit⇨Split Video Clip at Playhead. The clip instantly splits into two clips.
- ◆ **Trim:** Choose Edit⇨Clear. The selected region disappears. (If you have a section of video selected in the middle of a larger clip, two clips will remain: one with the video before the selection, and one with the video after the selection.)

### *Naming video clips*

As your movie project grows, you'll want to take care to label your clips. This helps to remind you when you return to the project later. It's also a godsend when you begin working on multiple copies of the same clip. Otherwise, you have no easy way to differentiate two identical clips because they appear the same in the Clips pane.

To edit the name of a clip, click the text of the clip name near the clip's bottom edge. When the text appears in a text edit box, type a new name for the clip — and then press Return to brand the clip with the new name, pardner. (You can also change the clip name from the Get Info dialog.)

## *Basic Composition the iMovie Way*

After you import and edit some video clips, it's finally time to begin creating a movie. Adding video to your movie is a simple drag-and-drop operation.


### *Adding clips to a movie*

Before you add clips to your movie, select the desired viewer tab. The Clip viewer displays clips in sequential order, with each clip occupying the same amount of space in the Timeline. The Timeline viewer displays clips with lengths that are relative to their duration. For example, a 30-second clip will appear as half the length of a 60-second clip when you view clips in the Timeline viewer. See Figure 4-5.

To add a clip to your movie, drag it from the Clips pane to the desired location in the Timeline. Constructing a movie is just a matter of repeating this step with the various clips that you want to add to your movie.

## DropBooks

**Figure 4-5:** Choose the Timeline viewer or Clip viewer based on your editing needs.



### Removing clips from a movie

Eventually you'll add a clip that you soon decide doesn't belong in your movie; to delete a clip from a movie, select the clip in the Timeline and press Delete. The clip disappears, and any clips that follow the deleted selection slide to the left to fill the void.



iMovie has its own Trash, which appears at the bottom of the application window — you can drag unwanted items from the pane or from the viewers and drop them on top of this icon to delete them. You can empty the iMovie Trash at any time by choosing File⇧Empty Trash.

If you mistakenly remove a clip that you intended on keeping, press ⌘+Z or choose Edit⇧Undo to cancel the delete operation.

### Rearranging clips in a movie

If you decide at some point that certain clips are in the wrong order, it's a cinch to change. Simply drag a clip in the Clip viewer. Release the mouse when the clip reaches the desired destination; clips in the Timeline will move apart to make room for the nomadic clip.

## Transitions for the Masses


Stringing together a bunch of video clips to make a movie is cool stuff, but that's only a small fraction of what iMovie can do. Beyond simple editing, iMovie offers a set of video transitions for you to use in your movies.

*Transitions* are video effects that perform their magic at the point where two clips connect. They help smooth out the joint between the two clips. If you're a television viewer, you see transitions all the time — any time that the screen fades to or from black, you're seeing a transition in action. (Remember the cool swirling bat from the old *Batman* TV series?)

iMovie gives you a small group of transitions from which to choose. These can be displayed by selecting the Trans button in the Tool palette, as shown in Figure 4-6.

Clicking on any one of the transitions in the Transitions pane causes a brief preview of the effect to automatically play in the preview window at the top of the pane. You can vary the duration of the transition with the Speed slider. The list of available transitions provided free with iMovie is short, but it covers most of the basic movie needs:

- ◆ **Circle Closing:** Video shrinks with a circular viewport (like a lens shutter) to the next clip.
- ◆ **Circle Opening:** Video expands with a circular viewport to the next clip.
- ◆ **Cross Dissolve:** Video dissolves from one clip to the next.
- ◆ **Fade In:** Video fades in from black.



**Figure 4-6:** A variety of transitions are available in iMovie's Transitions pane.

Click the Trans button.

## DropBooks

- ◆ **Fade Out:** Video fades out to black.
- ◆ **Overlap:** Video fades from one clip to another.
- ◆ **Push:** Video slides to an edge of the screen over time. Select which edge by clicking the directional arrows that appear when you select the Push transition.
- ◆ **Radial:** Video wipes in a circular motion around the center, like a radar screen.
- ◆ **Scale Down:** Video shrinks over time to reveal a clip behind it.
- ◆ **Warp Out:** Video wipes from the center outward to the next clip.
- ◆ **Wash In:** Video fades in from white.
- ◆ **Wash Out:** Video fades out to white.



For those who just can't get enough, Apple offers a number of additional transitions, effects, and audio clips for free at [www.apple.com/imovie](http://www.apple.com/imovie). You can also purchase many transitions and special effects as add-on packages from third-party developers.

To add a transition to your movie, drag the desired transition from the Transitions pane to the Timeline. A transition merges two clips together, so you'll want to drop the transition in an appropriate location — in between two clips. If you change any settings of a transition, make sure to click the Update button. It refreshes the preview of that transition in your movie.




Transitions are a wonderfully subtle way to improve the look of your movie. Use them judiciously to emulate professional movie and television editing. (Too many transitions within a movie can distract your audience from your message — unless, of course, you're filming an episode of *Laugh-In 2004*.) To give you a feel for how the pros do it, pay attention when you watch television or movies and focus on the transitions. Sometimes the simplest transition can have a dramatic effect on a movie.

## Even Gone with the Wind Had Titles

Besides transitions, professional movies and videos have text, and lots of it; from the title at the beginning of a movie to the litany of names that scroll by in the credits after the movie, movie editing clearly demands sophisticated text-editing abilities. With over a dozen title styles to choose from, iMovie can handle most text tasks that you throw at it.

The Titles pane is where you can find the text features of iMovie. Figure 4-7 shows you the basic layout of the Titles pane.

## DropBooks



**Figure 4-7:**  
The Titles  
pane has  
tons of great  
text effects.

The Titles pane changes to accommodate different amounts of text depending on which title style you choose. Otherwise, the controls for the title styles are identical for each effect. Table 4-4 lists the settings and functions that are common to all title styles.

<b>Setting</b>	<b>What It Does</b>
Speed	Slider that adjusts how quickly the text effect executes.
Pause	Slider that adjusts the length of time that the text remains on the screen after the effect has completed its animation.
Color	Palette pop-up that changes the color of the text in the title style. When you click the Color box, a palette of colors pops up that you can choose from.
Over Black	Check box that displays the text on a black background if checked. If not enabled, a movie appears behind the text.
Font menu	Drop-down list that changes the font that the Title style uses to display the text.
Font size	Slider that increases or decreases the size of the font.
QT Margins	Check box that alters the position of the text based on standardized QuickTime margins.




To begin working with Titles, select a text style from the pane. At the bottom of the Titles pane, you can change the text for any title style, as shown in Figure 4-7. When you alter the text of the style and any of its parameters, the miniature preview at the top of the Titles pane updates to reflect the changes. After you successfully adapt the text style to match your needs, you can add it to a movie by dragging the title style from the list to the Timeline (see Figure 4-8). When you do, the title appears in the Timeline as a movie segment.

Like deleting a movie clip, removing a title from your movie requires a click of the mouse and one key press. Click the title in the Timeline to select it and then press Delete to remove it from the movie. Should you delete a title accidentally, press  $\text{⌘}+\text{Z}$  to undo the operation.

### What Good Is a Movie without Special Effects?

Although iMovie can produce some nice transitions and titles, it doesn't stop there. It also comes stocked with a handful of cool video effects for you to use in your movies.



**Figure 4-8:** Drag a text effect from the Titles pane to the Timeline to make it part of your movie.

### *iMovie's stock effects*

Click the Effects button to reveal the Effects pane (see Figure 4-9), which houses the various video effects. Selecting an effect from the list causes that effect's controls to appear at the bottom of the Effects pane. The available controls vary based upon the effect.



**Figure 4-9:**  
Add movie effects here.

Table 4-5 lists the names and features of my favorite built-in iMovie effects. If these effects don't fit the bill for your movie, you'll be happy to know that you can find third-party effects on the Internet, too.

<b>Table 4-5</b>		<b>iMovie Effects</b>
<i>Effect</i>	<i>What It Does</i>	
Adjust Colors	Tweaks colors to reduce yellow or blue casts; also works great for spooky results.	
Aged Film	Gives you that great antique-footage look, with spots and distorted trails across your video.	
Black & White	Takes your movie back in time with the nostalgic look of black and white video; good for simulated security camera shots, too.	
Brightness & Contrast	Adjusts the brightness and contrast to lighten up a dark movie or to take the edge off harsh footage; when used creatively, also works well for special effects purposes.	

<i>Effect</i>	<i>What It Does</i>
Fog	A spooky effect especially made for those horror movie directors (or documenting a British vacation).
Letterbox	Move over, Harry Potter . . . my movie's an instant widescreen sensation.
N-Square	Tiles your clip into four smaller copies, with each taking up a quarter of the screen.
Sepia Tone	Adds a sepia-colored tint on your movie; can give movies rustic, old-fashioned, or romantic moods.
Sharpen	Defines edges in a blurry movie; makes everything look more crisp.
Soft Focus	Makes a movie blurry; fun for I-lost-my-eyeglasses shots.
Rain	Simulates raindrops — anyone for a downpour?

### *Adding Effects to a movie*

To work with Effects in your movies, follow these five easy steps:

**1. In the Timeline, click a movie clip.**

The clip changes to a yellow color to indicate that you selected it successfully.

**2. Open the Effects pane by clicking the Effects button in the Tool palette and then select an effect.**

In the Effects pane, choose an effect from the list of available effects by clicking the effect's name.

**3. Adjust the effect.**

From the effect's controls, tweak its settings to suit your needs. The Effect In and Effect Out sliders let you phase in an effect a certain amount of time from the beginning of the clip and then phase it out before it ends. While you adjust the effect's parameters, the results appear in the miniature preview window at the top of the Effects pane.

**4. Preview the effect at full size.**

After you choose and adjust the effect to your liking, you might want to see what it will look like in action. Click the Preview button to see a preview of the effect in the Monitor.

**5. Apply the effect.**

If you're happy with the results of the effects preview, it's easy to permanently add it to the movie clip by clicking the Apply button.

## DropBooks

When you apply an effect to a movie clip, iMovie begins building the movie effect — the faster your Mac is and the more memory you have, the faster the effect is finished. To track the progress of an effect being built, iMovie displays a small red line in the movie clip found in the Timeline. While the build progresses, this red line grows until it spans the entire length of the clip. If you try to preview the clip before it's built, you'll still be able to view it but at a lower quality. This temporary preview permits you to view the effect while iMovie builds the real effect.

## *Hey, There's a Photo in My Video!*

Of course, not everything has to move around like Fred Astaire within your frame — you can use still images to begin your film, add a background, or slap an old-fashioned Intermission placard right in the middle of your movie! In fact, iMovie 3 now features a cool panning feature called the *Ken Burns Effect*, which is named after the man responsible for all those great documentaries on public television: The camera slowly pans and zooms across a static photograph, bringing motion to your images (and suddenly adding interest to that snapshot of Uncle Milton at the Grand Canyon).

Click the Photos button in the Tool palette to display the Photos pane shown in Figure 4-10. It operates much like the Clips pane — just click and drag an image from the pane to the Timeline or Clip viewer. To display other images from your iPhoto Library (or any of your iPhoto albums), click the drop-down list box and then click the desired album.



**Figure 4-10:**  
Merging  
photographs  
with  
video —  
sassy,  
Apple,  
downright  
sassy!

Now for the Ken Burns Effect — man, that *really* sounds like an avant-garde jazz group, doesn't it? Anyway, mark the Ken Burns Effect check box to enable it. You can set the duration of the pan and the total zoom throughout the effect. Click the Reverse button to reverse the pan and zoom out instead.




Unlike the other preview windows in iMovie, you can click and drag the image in the preview window to set the starting and finishing points for the Ken Burns Effect.

## Working with Sound

In addition to video and graphics, iMovie is adept at working with sound. With iMovie, you can use your favorite audio files, music CDs, and microphone to create professional-sounding soundtracks. (Sorry, John Williams is *not* included.)

### Adding sound to a movie

All audio that you add to a movie resides in one of the two audio tracks in the Timeline. The audio tracks (see Figure 4-11) are visible only in the Timeline viewer tab.



**Figure 4-11:** Audio tracks contain music and sound.

To begin working with audio in iMovie, open the Audio pane by clicking the Audio button in the Tool palette. Note that the Audio pane is split into the Audio Library and Voice Recorder sections (which has an input level meter for your microphone and a record button).

### *Using the built-in sound effects*

To get you started with audio in your movies, iMovie gives you a set of pre-recorded sound effects, as shown in Figure 4-12. These make great background noises to enhance your movies. To preview any one of the sounds, click the drop-down list at the top of the pane, click iMovie Sound Effects, and then double-click the desired sound.

**Figure 4-12:**  
The Sound Effects section gives you instant access to audio clips.



Voice Recorder

To add the sound to your movie, drag the sound effect from the Audio pane and drop it on the Timeline at the bottom of the screen. When you do, the audio clip appears in one of the audio tracks for the movie. Feel free to move the sound effect clip anywhere in the track by dragging it, or change the length of the effect by clicking the arrows at the ends of the clip and dragging them. This gives you precise control over when the sound plays so that you can synchronize it with video events.

### *Adding your own sound effects*

If you'd like to add your own sound effects to the Audio pane, you need to do all the work in the Finder. Drag your favorite AIFF files in the Finder to your Sound Effects folder (which is located in your home folder under Library⇨iMovie⇨Sound Effects).

Restart iMovie to see your new sound effects in the Audio pane. With a quick drag, you can add the new audio files to your movie.

### *Recording voice-overs for your movie*

Sometimes you might want to narrate a segment of your movie rather than rely on sound effect files. Fortunately, iMovie gives you the ability to do just that. By using the Voice Recorder section of the Audio pane (refer to Figure 4-12), you can record your voice and add it to the audio track of your movie. What's more, you can record your voice as you watch the movie playing in real-time. This allows you to perfectly synchronize any narration you speak with the video onscreen. (Somebody deserves a raise in Cupertino!)

To record your voice, perform the following steps:

- 1. Position the playback head at the place in your movie where you'd like to begin recording narration.**

The playback head tells you where you are in the movie. You can position the playback head in either the Monitor or the Timeline viewer.

- 2. Open the Audio pane by clicking the Audio button.**
- 3. (Optional.) On the Monitor playback controls, click Play.**

By clicking Play, you are able to view the video in your movie. By watching the video while you narrate, you can synchronize your speech to the video track. This step is optional because you don't have to play a movie while recording a narration. Slower Macs might have trouble playing and recording audio at the same time.

- 4. Back in the Audio pane, click the Record Voice button to begin recording.**


When you speak, the meter in the Audio pane will help you monitor the incoming volume level.

- 5. Click Stop in the Audio pane.**

When you complete the recording process, iMovie displays the newly recorded segment in the Timeline in an orange color. Now you can manipulate the audio in the Timeline just as you would any other movie or audio clip. If you aren't happy with the result, you can always press Delete to remove the audio clip and return to Step 4.

### *Importing audio from a CD*

Wondering about adding music from an audio CD? No problem! Figure 4-13 shows a number of tracks I can use from a music CD.



**Figure 4-13:** The Audio pane gives you easy access to audio CD tracks.

To import clips from an audio CD, follow these steps:

- 1. Insert an audio CD into your Mac's CD drive.**
- 2. Open the iMovie Audio pane.**
- 3. Click the drop-down list box and click Audio CD.**

If your Mac is connected to the Internet, the song titles appear in the Audio pane. Without the connection, you see generic track titles, such as Track 01 and Track 02 (check it out in Figure 4-13).

- 4. Click whichever song you'd like to import into iMovie.**
- 5. Drag it into your Timeline viewer.**

When you're finished importing a song from an audio CD, it appears in the Timeline in one of the audio tracks.

### *Removing sound from a movie*

To remove an audio clip from your movie, select it in the Timeline and press Delete. Removing an audio clip does not have any effect on the position of other audio clips. This ensures that your audio clips stay in sync with existing video clips.





You can also disable all audio for a track: Just click the check box at the right of the track to disable it.

# DropBooks

## Completing Your Cinematic Masterpiece

Are you done, Mr. Hitchcock? Congratulations, you've made it through the movie-making process! You've shot, composed, and edited your own movie, but now what? Like any good filmmaker, the goal of creating a movie is to have people watch it — therefore, iMovie gives you more than one way to export your movies for viewing.

- ◆ **Digital video camcorder:** Transfer your completed movie back to the camcorder and take it with you.
- ◆ **QuickTime movies:** Millions of Macs and PCs around the world have QuickTime software. These computers can view iMovie movies, too! The great part about QuickTime movies is that you can use them in a variety of applications, from Web pages to PowerPoint presentations.
- ◆ **iDVD:** iMovie can prepare your movies for use with iDVD — including chapter markers, which I discuss shortly. The iDVD application lets you create a DVD. Read more about iDVD in Book III, Chapter 5.

Each type of export has its specific purposes and uses — the medium that you choose depends on your audience, video quality needs, and desired format.

### Exporting to a camcorder

To export your completed movie to a DV camcorder, choose File→Export Movie. In the dialog that appears, choose To Camera in the Export pop-up menu. iMovie presents you with settings (as shown in Figure 4-14) for exporting to the camcorder. As the dialog warns you, be sure that your camera is in VTR mode and has a writeable tape in it.




**Figure 4-14:** Export to your camcorder for portability.

## Exporting to QuickTime

*QuickTime* is a multimedia engine in use on millions of computers everywhere. Its popularity makes it a natural for many different uses:

- ◆ CD-ROM video
- ◆ Internet delivery
- ◆ High-quality playback from hard drive or removable disk

To export your completed movie to a QuickTime file, choose **File**⇨**Export**. In the dialog that appears, choose **To QuickTime** from the **Export** pop-up menu. iMovie presents you with settings for exporting to QuickTime. From the **Formats** pop-up from, as shown in Figure 4-15, choose the option that best fits the intended use of your movie.



**Figure 4-15:** Export to QuickTime so millions of users worldwide can view your movie.

## Exporting to iDVD

If your movie is destined to be part of an iDVD project, click the iDVD button (in the Tool palette) to display the iDVD pane that you see in Figure 4-16. Click the **Create iDVD Project** button, and iMovie will save your movie (if necessary) and automatically launch iDVD with your movie as a new iDVD project. Life is good, don't you agree? (For a full discussion of iDVD, run — don't walk — to Chapter 5 of Book III.)

Here's another neat function within the iDVD pane — you can choose to add chapter markers in iMovie before you export it to iDVD. (In case you haven't used markers while watching DVD movies, they allow you to jump immediately to certain points in the film — for example, each scene in a DVD movie is likely to have a chapter marker assigned to it, so you can jump directly to your favorite scenes.)



To add a chapter marker, move the playback head to the desired spot in the Timeline viewer, click the Add Chapter button, and then enter a name for the chapter marker in the list.

# DropBooks



**Figure 4-16:** Export to iDVD 3 for playback on your television.

# DropBooks



# DropBooks

## Chapter 5: Burn Those DVDs! Using iDVD 3

---

### *In This Chapter*

- ✓ Putting together your DVD Menu
- ✓ Adding media to a DVD
- ✓ Burning a DVD for your friends and family

**A**nd now, yet another proud moment in Apple history: the arrival of a powerful DVD recorder in an affordable computer. The *SuperDrive* allows you to create and view your own professional-quality CDs and DVDs. Apple includes iDVD 3 **free** with today's SuperDrive-equipped Macs — with *iDVD*, you can easily create beautiful DVD presentations with animation and interactive menus. And that, friends and neighbors, is the definition of *cool*.

In this chapter, I show you the basics of creating your first home-cooked DVD movie — you'll even have fun doing it!

### *What Am I Doing, Anyway?*

Creating a DVD is a unique process: Combining talents in art, video, and presentation, DVD authoring demands that you dabble in all these skills. At its core, a *DVD* is simply a collection of digital video files — unlike a CD-ROM or videotape, however, a DVD also has a fancy presentation and navigation system built into it. With the DVD authoring tools of iDVD, you can

- ◆ Create a menu with buttons, text, and background music and images to enable viewers to navigate your DVD.
- ◆ Add still and moving images to your DVD.
- ◆ Burn the DVD to a disc for permanent storage and distribution to friends, family, and co-workers.

Apple overcomes the complexity of DVD authoring with its powerful iDVD 3 software — use it to create professional-looking menu systems to present your videos and digital slideshows. Then, when you're ready, a few clicks burn the presentation, videos, and slideshows onto a DVD using your SuperDrive. In fact, iDVD 3 will only burn a disc on a system that has a SuperDrive. (Apologies to the CD-RW crowd.)

Use iDVD to reduce the process of creating a DVD to three simple steps:

### 1. **Customize the Menu.**

The *Menu* of a DVD is the main screen that viewers use to navigate the completed DVD. You can use one of the menus supplied by Apple, or you can create your own.

### 2. **Add media.**

What's a DVD without movies? Use drag-and-drop to fill your DVD with movie files from iMovie, photographs from iPhoto, and music from iTunes. (Read more on these in Chapter 4, Chapter 3, and Chapter 2 of this mini-book, respectively.)

### 3. **Preview and burn a DVD.**

You can preview your DVD at any point during the design process. When you're satisfied with the results, slip a blank DVD-R in the drive and click the mouse to burn a finished product.

I go into more detail on each of these steps throughout this chapter.

## *Mastering Menus*

As a Macintosh owner, you're no doubt familiar with the term *menu*. When it comes to DVD authoring, however, *menu* takes on a new meaning. Instead of the traditional menus that display when you click towards the top of your screen in Mac OS X, a *DVD Menu* is the name of the entire DVD screen that your viewers will see, including all the buttons that you see.

When you launch the iDVD 3 application, you immediately see a default DVD Menu, as shown in Figure 5-1. Like that of any commercial DVD movie, you'll see this DVD Menu when you load the completed DVD in your favorite DVD player.


Four components make up a typical DVD Menu:

- ◆ **Background image or movie:** The backdrop picture that appears behind all the controls
- ◆ **Buttons:** Icons that represent the video clips and slideshows on the DVD
- ◆ **Background music:** The background music that plays while the menu is displayed
- ◆ **Titles:** Text that appears in your DVD Menu



You can change the look and style of the background, buttons, and titles by using one of the Apple-provided themes, or you can customize all parts of the DVD Menu by using your own images, fonts, and buttons.

# DropBooks



**Figure 5-1:**  
A DVD  
Menu is the  
heart of  
your DVD  
project.

## Themes

If you can't draw a stick figure and you didn't have a single class in graphic arts — like yours truly — you'll be happy to know that iDVD offers several professional-looking, pre-packaged themes for you to use. A *theme* is just a group of settings that determine the look and feel of your DVD Menu. (Many thanks, Apple. Especially from those of us who can't draw a stick figure without an eraser handy.)

To view the included themes, click the Customize button in the lower-left corner of the iDVD window. When you do, a drawer pops out from the side of the window, as shown in Figure 5-2.

The Themes drawer contains a panel with buttons, which subdivides the drawer into six sections:


- ◆ **Themes:** The Themes panel is where you select one of the included themes for your DVD Menu.
- ◆ **Settings:** Select the Settings panel to tweak the settings of your theme, like the background or audio track.

## DropBooks

- ◆ **Audio:** Click this button to organize and import audio from your hard drive or audio CDs.
- ◆ **Photos:** The Photos panel allows you to select images from your iPhoto libraries or import them from other locations on your system.
- ◆ **Movies:** Manage your existing collection of movie clips or import clips from iMovie.
- ◆ **Status:** The Status tab gives you some extra information about the files in your DVD presentation.

Use choices from the Themes and the Settings tabs in the iDVD drawer to personalize your DVD Menu to match your tastes. Start with the Themes tab panel to choose from a list of professional themes.

Clicking any one of these themes updates the DVD Menu to reflect your selection. A *theme* contains a background image, a button style, and settings that affect the onscreen text.



**Figure 5-2:**  
Whoa!  
We've got  
Themes,  
dude!

Click to customize.

After playing around with the iDVD themes, you might begin to wish for more of them. Fortunately, iDVD doesn't lock you into using one of its themes. You can customize one of the included themes to match your own style.

## *Setting the background*

The first thing that you see when you pop your DVD into your DVD player is the background image. The rest of the DVD Menu controls hang out on top of this picture. Besides the beautiful images that iDVD provides in its



themes, you're free to use any other image that you prefer: You can use still or motion images as a background and even add background music.

# DropBooks

## *Adding a still background*

To change the background of your DVD Menu, perform the following steps:

1. **Click the Customize button in the main iDVD window.**

This opens the iDVD drawer.

2. **Click the Settings tab in the Theme drawer, as shown in Figure 5-3.**

From here, you can set the various aspects of your DVD Menu.



**Figure 5-3:** Change the background image to anything you want.

3. **Drag an image from the Finder and drop it into the Image/Movie well in the Background section.**

In Apple-Talk (power user pun intended), a *well* is a box that holds an image or movie — you see a thumbnail preview of its contents. A well also acts as the target for a drag-and-drop operation like this one.

iDVD updates the DVD Menu to reflect your new background choice.

## *Adding a moving background*

The fun doesn't stop there, though. Not only can you use any image from your collection as the backdrop to your DVD Menu, but you can also use any QuickTime movie to animate the background. Outstandingly *sassy*!

# DropBooks



When you choose a movie to use as a background, make sure that it's a short clip, preferably no longer than 30 seconds. To make it look really professional, try making the end of the movie clip sync with the beginning of the movie. Because the short clip loops continuously, you don't want too much of a visual difference between the first and last frames of the clip.

To liven up your background with a movie, follow these steps.

**1. Click the Customize button in the main iDVD window.**

The iDVD drawer opens.

**2. Click the Settings tab in the Theme drawer.**

The Settings tab enables you change the various aspects of your DVD Menu.

**3. Drag a movie from the Finder and drop it into the Image/Movie well.**

**4. In the main DVD window, click the Motion button (bottom-right) to see how your background video looks in action.**

**5. Click the Motion button again to stop the background motion.**



## A word on image dimensions

For best results, make sure that your background image has the same dimensions as digital video — 640 x 480 pixels. If the dimensions of your image don't match the dimensions of digital video, iDVD will stretch or shrink the image to fit, which might have undesirable effects. When your image is stretched and skewed to fit the DVD Menu, Aunt Harriet might end up looking like the Ogre from *Shrek*. (Don't forget that you can resize images in iPhoto to help you with this step.)

Because a TV set has a different aspect ratio than a digital video clip, activating the Show TV Safe Area option, which you can find under the Advanced menu, is also a good idea. This draws a smaller rectangle within the larger full-screen. If you place your buttons within this smaller rectangle and make sure that the important parts

of the background image also appear within it, you can be certain that any television will be able to display the DVD properly. Go outside of this "safe area," and you might end up cutting Aunt Harriet's head off in the background image or losing some of your most cherished clips.

You can use QuickTime player or iPhoto to change the dimensions of your background image for import into iDVD. For example, you can use the iPhoto crop feature to alter the overall shape of the image and then resize it within iPhoto. Use the Size setting when you export the image from iPhoto and then save the file in the Pictures folder located in your Home folder so that you can find it easily later. For more on working in iPhoto, see Book III, Chapter 3.

### Adding audio to your menu

You can make your customized background even cooler — oops, I meant *more professional* — by adding some audio to the mix. To add some background music or audio to your DVD Menu, follow these steps:

- 1. Click the Customize button in the main iDVD window.**

The iDVD drawer opens.

- 2. Click the Settings button in the Theme drawer.**

Use choices here to change the background audio that plays while viewing your DVD Menu.

- 3. Drag an audio file from the Finder and drop it into the Audio well.**

iDVD will accept AIF, MP3, AAC, and WAV files. If you're using a moving Menu, its audio track will appear in the Audio well. You can choose to either keep that audio or to delete it and use another audio file in its place. If you're a .Mac subscriber, you can download dozens of free, professional-quality audio clips that make good background audio for a DVD.

- 4. Click the Motion button in the main iDVD window (bottom-right) to hear the background audio of your DVD Menu.**

- 5. Click the Motion button again to stop the audio.**

When your DVD is complete, your viewers will hear the custom audio play whenever the main DVD Menu is displayed. Here are some suggestions for adding some extra style or mood to your DVD Menu system:

- ◆ Play a rendition of “Happy Birthday” for a birthday DVD.
- ◆ Play the “Wedding March” or the song you first danced to as the background for a wedding DVD.
- ◆ Bring back memories of the family vacation in the backseat of the car with a DVD that plays “99 Bottles of Beer on the Wall” as the background music.

With a little imagination, you can probably come up with numerous ideas to personalize the audio that accompanies your DVD projects.

## Adding Media Files to Your DVD

With the background of your DVD Menu in place, it's time to start adding some content to the project — either video or still images. With iDVD, you can add your movies or photographs to a DVD presentation. It's a great way



to present and preserve your photographs and videos for years to come . . . never again will your guests groan when you announce that you want to show them home movies.

## DropBooks

### Adding a Movie Button

iDVD displays video clips in the Menu with small buttons. These Movie Buttons display small previews of the video. To play the video, the user just selects the Button. To create a Movie Button, you need to add some video content to your DVD. To do so, drag a QuickTime movie file from the Finder and drop it into your DVD Menu. When you do, a Movie Button appears in the DVD Menu, as shown in Figure 5-4.

**Figure 5-4:** Drag a movie file into your project to create a Movie Button.



A Movie Button serves two important purposes:

- ◆ **Preview:** Displays a small thumbnail image of the movie
- ◆ **Navigation:** Permits a person to navigate the DVD



After you drag a movie file into your DVD Menu and create a Movie Button, you can place the button anywhere in the DVD Menu that you wish. To reposition a Movie Button, simply click it and drag it to the desired destination. By default, Movie Buttons snap to an imaginary grid when relocated — to position Movie Buttons outside the confines of this grid, select the Free Position option in the Settings drawer.

An iDVD Menu limits you to six Movie Buttons. If you'd like to have more than that, add a folder by clicking Folder — which automatically creates a submenu — and drag another six movie files into the submenu.

## Setting the Movie Button style

Like the Menu backgrounds, you can also customize Movie Buttons. To adjust your Movie Buttons, do the following:

1. Click the **Customize** button in the main iDVD window.

The iDVD drawer opens.

2. Click the **Settings** button in the Theme drawer.

3. Click any **Movie Button** from the DVD Menu to select it.

When you select a Movie Button, a small slider appears above it. Move this slider to set the default thumbnail picture for that Button in the Menu. If you select the Movie check box, the Movie Button animates in the Menu.

To create a button with a still image instead of a movie clip, drag an image file from a Finder window and drop it on top of the button.

4. Adjust the button's properties in the **Button** section of the Settings panel, shown in Figure 5-5.

You can customize Movie Buttons in several different ways. Table 5-1 describes the settings and what they do.

<b>Table 5-1</b>	<b>Movie Button Customization Features</b>
<i>Movie Button Property</i>	<i>What It Does</i>
Frame Shape	Changes the frame shape of the Movie Button.
Snap to Grid	Forces placement of a Movie Button on an imaginary grid.
Free Position	Unlike Snap to Grid, allows Movie Buttons to be placed in a more freeform arrangement.
Position	Places the text for a Movie Button in a specific location.
Font	Changes the font that a Movie Button uses for its caption.
Color	Adjusts the color of a Movie Button's frame and text caption.
Size	Adjusts the size of the text of a Movie Button's caption: Move the slider to the right to increase caption size.

One of the more unusual customization features of Movie Buttons is the Button Shape setting, which you can use to change the look of all Movie Buttons in your DVD Menu. Choose from several different styles (by clicking the From Theme button) to match your artistic needs.



## DropBooks

**Figure 5-5:**  
Customize  
a Movie  
Button here.



### *Adding a Slideshow Button*

In addition to movies, iDVD 3 gives you the chance to place your favorite digital images on the DVD. In the same way that iDVD handles movies as Movie Buttons in the DVD Menu, you can add a group of images to the Menu as Slideshow Buttons. Slideshow Buttons are nearly identical to Movie Buttons, with one exception: They play back a sequence of digital photographs instead of a movie. Click the Slideshow button at the bottom of the iDVD window to add . . . uh . . . well, a Slideshow Button. (It's not easy to write these books, you know.)

When you add a Slideshow Button, iDVD rearranges the buttons in the DVD Menu to account for the new button.

### *Add images to the Slideshow*

With a new Slideshow Button in place, you can add images to it by following these steps:

- 1. Double-click the Slideshow Button that you just added to the Menu to open the Slideshow window.**
- 2. To add images to the Slideshow, drag your favorite images from the Finder to the Slideshow window.**




Feel free to drag several photos at once. After the photos are in the Slideshow window, you can drag them around to change their order of appearance as shown in Figure 5-6.

You can also click on the Photos tab in the Customize window, which displays all of the images in your iPhoto Library (as well as the albums you've defined there). Images can be dragged from the Photos tab to the Slideshow window.

3. To add some audio, simply drag your favorite audio file from the Finder and drop it on the Audio Button of the Slideshow window (or click the Audio tab in the Customize window and select an audio track from iTunes).
4. When you've completed setting up your Slideshow, click the Return button to return to the main Menu.

### Setting the Slideshow Button preview

Because multiple images comprise a Slideshow, iDVD gives you the opportunity to select which image you want for the DVD preview. To choose an image as the preview, click the Slideshow Button that you added to the Menu to select it. A slider appears above the Slideshow Button. Move this slider to scroll through the various images in the Slideshow. When you find the image that you want to use for the Slideshow Button in the DVD Menu, click the Slideshow Button again to finish the task.



**Figure 5-6:** Arrange your Slideshow photos in any order you desire.

## Customizing Titles

Your DVD Menu isn't just a container of images, movies, and sound. It can do text, too! Labeling items in your DVD Menu makes it easier to use, and iDVD makes it a cinch. You can find titles in your DVD Menu in two different locations:

- ◆ **Main Title:** The main Title usually appears at the top of the DVD Menu. It's the text that uses the largest font.
- ◆ **Button captions:** Each Movie Button and Slideshow Button has its own caption (a *Title*).


# DropBooks

Use a Title to label a video clip with a description or add a date for future reference. As your collection of DVDs grows, you'll be glad that you took the time to properly label your Menu and Movie Buttons.

To change the text of the Title or the captions below Movie Buttons, select the text by clicking it. When you do, a rectangle with a cursor appears to indicate that you can now edit the text. Type the text that you want to appear and then press Return when you're finished; see the results in Figure 5-7.



As I mention earlier in the chapter, you can also customize the font, color, and position of the various Titles by clicking the Customize button at the bottom of the iDVD window.



**Figure 5-7:**  
Edit a Title  
by clicking  
its text.

## *Checking Things Out with a Preview*

Hey, you're now a DVD-authoring professional! (Although you're not getting paid like one.) You'll no doubt want to see the results of your efforts. It's a good idea to review your work often to make sure that the results are up to your stellar ambitions. To help you out, iDVD 3 gives you a full-featured Preview mode, where you can view your DVD creation much as you would with a traditional DVD player. To preview your DVD, just click the Preview button at the bottom-right of the main iDVD window.



Previewing your DVD project also gives you the opportunity to check your content. After all, you don't want the "Wedding March" to play in the background of your birthday party footage or "The Old Gray Mare" at your in-laws' anniversary bash. Because you eventually want to commit this DVD presentation to real DVD media, it makes sense to scrupulously preview your presentation; you'll avoid wasting DVD-Rs.

## Saving and Burning a DVD

After your DVD Menu is complete and the project looks great in Preview, it's time for the final step in the process. iDVD makes it just as easy to burn your DVD as it was to lay out the menu and add media to it.

### 1. Click the Burn button at the bottom of the iDVD window to begin recording a DVD.

When you click it, the Burn button changes into something that looks like a serious nuclear warning. (No need to run for cover, though. iDVD 3 is powerful . . . but not *that* powerful.)

iDVD asks you to insert a blank DVD-R into the SuperDrive. When this happens, you might see a message that reads like this:

Disc Insertion... Waiting for Device to Become Ready...

### 2. Insert a blank DVD-R into the SuperDrive.

### 3. After you load the disc, wait a moment for iDVD to recognize that the ball is in its court.

iDVD begins the process of burning the DVD. The length of this process varies depending on a few factors:

- **DVD burner speed:** The faster the drive, the shorter the wait
- **Amount of material:** The more content on your DVD, the longer the wait

As the burning proceeds, iDVD updates you with progress messages. Don't worry if you don't understand all the messages that it displays. The language of the DVD creation process is a technical one, and sometimes iDVD speaks this language. Just ignore the messages as the burning proceeds.

Because iDVD has to encode all the content before the burn can take place, it might take a couple of hours to create a DVD. After the first DVD is done, though, iDVD lets you create additional DVDs in a fraction of the time. It will keep asking you for additional discs until you cancel the operation.



(Insert plug here.) If you want to find out what all these messages mean — as well as how to burn all sorts of data, audio, and exotic CD and DVD formats — I would naturally recommend *CD and DVD Recording For Dummies*, 2nd Edition, by yours truly (Wiley Publishing, Inc.). It's a comprehensive guide to everything optical for both Macs and Windows PCs.

**4. When iDVD completes the burning process, remove the disc from the drive and pop it into any consumer-grade DVD player.**

Alternatively, you can leave the DVD in the drive, fire up DVD Player by clicking its icon in the Applications folder, and view your new work of art right on your Mac.

If you have any experience with DVDs at all, you'll soon notice one big difference between a copy of *Lord of the Rings* that you rent from your local video store and the DVDs that you create with iDVD: Although iDVD 3 is great for presenting video clips and image slideshows in a menu format, the application can't create a DVD that plays all video clips on the disc as one continuous movie. For that, you need to create a complete movie in iMovie and use chapter marks (a feature I discuss in the previous chapter) — this allows iDVD to create a disc that can be played from beginning to end!

Personally, such a limitation is no big deal — but if you need industrial-strength DVD authoring, Apple produces software called *DVD Studio Pro 2*, which allows you to author DVDs like those that you find in the store. The learning curve is a little steeper, naturally, and the application carries a professional price tag hovering around the \$1,000 mark. However, with a little effort, DVD Studio Pro 2 can be mastered by anyone who's an expert at iDVD!

# DropBooks

## Chapter 6: No, It's Not Called "iQuickTime"

---

### *In This Chapter*

- ✓ Viewing movies
- ✓ Listening to audio
- ✓ Converting media to different formats
- ✓ Keeping track of your favorite media
- ✓ Tweaking QuickTime preferences

**Q**uickTime is a set of exciting technologies that gives you access to the greatest multimedia experience around. Despite its power, don't be surprised if you don't even realize that you're using it sometimes. Built with the average Joe in mind, QuickTime takes multimedia to new heights without forcing its users to become rocket scientists in the process. And dig that sassy chrome sheen — not bad for a software application!

### *QuickTime Can Do That?*

QuickTime was created by Apple to perform all sorts of multimedia functions. Although it's normally associated with movie playback, QuickTime can do much more. Whether movies, audio, animation, or music, QuickTime acts as the main engine that drives all your multimedia needs.

- ◆ **Media player:** QuickTime's main claim to fame is playing all sorts of media — and I do mean *all* sorts. Table 6-1 lists some of the media types that QuickTime can play.

The real beauty of QuickTime is that it transparently handles playback of all these media formats and more. You don't even really have to know what each of these formats is to play them. QuickTime takes care of that for you.

- ◆ **File converter:** The world of multimedia includes all kinds of file formats: So many, in fact, that it can take a rocket scientist to figure them all out. Fortunately, beyond its abilities as a world-class media player, QuickTime also has a full suite of conversion tools at its heart. QuickTime can import many kinds of media and spit them back out into practically



## DropBooks

any other format that it supports. Again, QuickTime handles the messy details behind the scenes for you. You don't need to know a .mov file from an .mp4 file to import and export to and from either format. QuickTime's got you covered.

- ◆ **Internet media tool:** When it comes to using media from the Internet, QuickTime is in a league all its own. With its plug-in feature, QuickTime takes its functionality to the Web browser. In addition to playing the usual movies and audio files found on the World Wide Web, QuickTime can play (or display) 3-D scenes and animations. If that weren't enough, QuickTime even lets you interact with some media. For example, with QuickTime, you can navigate within 3-D worlds or play Flash games.

**Table 6-1** QuickTime Playback Formats

<i>Media Type</i>	<i>File Types</i>
Movie	.mov, .avi, .mpg, .dv, .mp4
Audio	.aiff, .wav, .mp3, .au, .sfil, .aac
Graphics	.jpg, .tif, .pct, .bmp
Music	.mid, .kar
3-D	QTVR (QuickTime Virtual Reality)
Animation	.swf

## *Playing Media with QuickTime*

QuickTime makes a world of movies, audio, graphics, and music instantly available to you. Whether you want to view professional movie trailers or listen to a garage band's new single, QuickTime faithfully reproduces nearly any media format that you feed it.

### *At the center of the action: QuickTime Player*

At the heart of QuickTime's playback functionality is the QuickTime Player application. To launch QuickTime Player, double-click its icon in the Finder, which appears in the following figure. You can also launch QuickTime Player from the Finder by double-clicking a media file that QuickTime can play. (See Table 6-1 earlier in this chapter for a listing of these file types.)



QuickTime Player



# DropBooks




Don't make the mistake of thinking that QuickTime and QuickTime Player are the same thing: *QuickTime* is a technology that hides in the background waiting for instructions to do something with media; *QuickTime Player* is an application that uses the QuickTime technologies. You'll do media conversions, playback, and editing with QuickTime Player. What you won't see is the QuickTime technology in action behind the scenes.

You can also launch QuickTime Player from its oh-so-convenient Dock icon. For more on the Dock, read Book II, Chapter 3.

QuickTime has two versions: free or Pro. The main differences between the free and Pro versions of QuickTime lie in the QuickTime Player application itself. The free version just plays media, and the Pro version adds extra features to QuickTime Player, such as converting 'twixt different media formats and full-screen playback. If you're using QuickTime Pro, all items listed in this chapter will work as described. If, however, you notice that a feature is dimmed out or missing altogether, you might be using the free QuickTime license. To find out whether you're using a free or Pro license, open the System Preferences and navigate to the QuickTime panel. If you've registered as a QuickTime Pro user, you can find its registration information here, as shown in Figure 6-1. If you're not a registered user, you can purchase the upgrade at [www.apple.com/quicktime](http://www.apple.com/quicktime). The upgrade will cost you \$29.99, at the time of this writing.

**Figure 6-1:** Check System Preferences to discover which QuickTime license you have.

This user is registered for QuickTime Pro.



## Opening QuickTime movies

To begin viewing and hearing — aw, what the heck, how about *absorbing* — multimedia files, choose File⇨Open from the QuickTime Player application. This isn't the only way to open a file with QuickTime Player, though. Some of the other ways to open files with QuickTime Player are

- ◆ Drag a file to the QuickTime Player icon in the Dock.
- ◆ Double-click the media file in the Finder. If it has a QuickTime-style icon (a blue letter Q), it will automatically open in QuickTime Player.

## DropBooks

### *Operating QuickTime Player*

When you open a QuickTime file, QuickTime Player creates a new window to display it. All QuickTime Player windows share some common features.

- ◆ **Close, Minimize, and Zoom controls:** These three controls appear at the top left-hand corner of most windows in Mac OS X. You probably recognize them by their colors: red, yellow, and green, respectively.
- ◆ **Resize handle:** Drag the lower right-hand corner of QuickTime Player to resize its movie for playback. Hold Shift while dragging to break free from constrained resizing. If the document contains sound media only, the window will grow or shrink in a horizontal direction when you resize it.



Any resizing that you perform makes no changes to the original file. QuickTime provides it for your convenience during playback.

Although some window features are common to all QuickTime Player windows, many features depend on the type of media that you wish to play. Table 6-2 lists some of the window features that you might find and the media types associated with those features.


**Table 6-2 QuickTime Player Window Features Based on Media**

<i>Window Feature</i>	<i>Media Type That Uses This Feature</i>
Play button	All time-based media: movies, audio, animations, and MIDI
Rewind button	All time-based media: movies, audio, animations, and MIDI
Fast Forward	All time-based media: movies, audio, animations, and MIDI
Timeline	All time-based media: movies, audio, animations, and MIDI
Volume slider	All media with one or more audio tracks
Audio controls	All media with one or more audio tracks
Video controls	All media with one or more video tracks
Zoom buttons	QTVR 3-D media
Equalizer display	All media with one or more audio tracks

To make your life easier, QuickTime does a lot of work for you behind the scenes each time that it opens a media file. Although you might think that

there are different combinations of controls in QuickTime Player, the reality is that the various media windows are more similar than they are different. Figure 6-2 shows the location of various QuickTime Player controls.

# DropBooks



**Figure 6-2:** QuickTime Player sports different controls depending on the media that you play.

## Playing media

Playback begins like you might suspect — by clicking the Play button. While a file is playing, the Play button toggles to a Stop button. Click that button to stop playback, which toggles the button back to Play.

Clicking the buttons with double-arrows on them advances the playback head at high speed in the direction of the arrows. If the file has audio in it, you will hear the playback at high speed, which sounds like an episode of those helium-inhaling Chipmunks (remember? *Meee, I waaant a hooola hooop.*). Despite its comical sound, it's helpful for quickly scanning through a file. Click the buttons with a single arrow to advance to the beginning or end of a file.



You can also advance through the file by dragging the playback head in either direction. This action is permissible while the file is playing or when it's stopped. Unlike when you use the buttons, however, you miss out on the high-speed sound and video.

To adjust the volume of a movie, simply move the volume slider left or right.

You can control playback by using the keyboard as well. Table 6-3 summarizes the keyboard shortcuts for playback.

**Table 6-3 Keyboard Shortcuts for Common Playback Functions**

<i>Keyboard Shortcut</i>	<i>What It Does</i>
Spacebar	Starts or stops the player
Left/right arrow (←/→)	Advances the playback head (either one frame at a time or in slow motion)
Option+←/→	Moves the playback head to the beginning or end of the file
Option+↑/↓	Sets the volume to Maximum and Minimum, respectively
Control+click Play	Plays a movie with the audio muted
Up/down arrow (↑/↓)	Increases/decreases the volume of the current movie

### ***Advanced playback features***

QuickTime Player offers advanced playback features that go beyond simple play and stop functions. Keep in mind, however, that some of the advanced features of QuickTime Player are meant only for registered QuickTime Pro users. The general rule is that registered Pro users of QuickTime Player can modify QuickTime content. If you aren't registered as a QuickTime Pro user, you can take advantage of only playback features in QuickTime Player.

### ***Video playback***

To adjust video playback quality, choose **Movie**⇨**Show Video Controls** or press **⌘+K**. When you do, a small adjustment bar arises like magic from the bottom edge of your movie. The first setting that you'll probably see is **Brightness**. Click the text in this adjustment to select the next setting, **Contrast**. The video settings that you can change are

- ◆ Brightness
- ◆ Contrast
- ◆ Tint
- ◆ Color

To change a setting, click the colored lines that span the adjustment bar. You can immediately view the results of any video changes that you make. Figure 6-3 demonstrates one of the video controls in action.

### ***Audio playback***

You can also tweak the audio playback of any file that has one or more soundtracks. To open the audio playback controls, either click the miniature equalizer to the right of the Timeline or choose **Movie**⇨**Show Sound Controls**. With the audio controls, you can alter the following:



# DropBooks

- ◆ Balance
- ◆ Bass
- ◆ Treble

After you change the audio to your satisfaction, click the miniature equalizer again or choose **Movie**⇨**Hide Sound Controls**. Figure 6-4 shows the advanced audio controls.

### Looping features

Sometimes you might want to play a piece of media more than once. In these situations, you need to loop the playback. To force a movie to loop, choose **Movie**⇨**Loop** or press **⌘+L**. Press **⌘+L** again to turn off looping.

**Figure 6-3:** Set the Brightness, Contrast, Tint, and Color of your movie to improve its look on playback.



If you want to get fancy, you can also play a movie in a forward direction followed by playback in reverse. Apple calls this *looping back and forth*. To do this, choose **Movie**⇨**Loop Back and Forth**.

**Figure 6-4:** Set Balance, Bass, and Treble to enhance audio during playback.



### Movie info


To see more information about the files that you're playing, ask the expert: QuickTime Player. To view basic information about a movie, choose Window⇨ Show Movie Info or press ⌘+I. The resulting window displays the following data:

- ◆ **Source:** Location of the file
- ◆ **Format:** Compressor and dimensions of the file
- ◆ **Movie FPS:** Preferred rate of playback in frames per second (fps)
- ◆ **Playing FPS:** Actual rate of playback in fps (available during playback only)
- ◆ **Data Size:** Size of the file
- ◆ **Data Rate:** Preferred rate of playback (in bytes per second)
- ◆ **Current Time:** Position of the playback head (in units of time)
- ◆ **Duration:** Length of the movie file (in units of time)
- ◆ **Normal Size:** Default movie dimensions
- ◆ **Current Size:** Actual movie dimensions (if you've resized the movie since opening the file)

These bits and pieces of information are *read-only*, which means that you can't change them from the Movie Info window.

### Movie properties

In addition to general movie information, you can also peek inside a QuickTime movie to see what makes it tick. To display the Movie Properties window, choose Movie⇨Get Movie Properties or press ⌘+J. Figure 6-5 shows the Movie Properties window when you first open it.



**Figure 6-5:** Use the Movie Properties window to view its track information.

## DropBooks

## Back on track


Every file that you open with QuickTime Player consists of one or more tracks. A *track* contains one (and only one) type of media. For example, a typical QuickTime movie might comprise two tracks:

- ✓ **Video track:** Stores the video data of the movie
- ✓ **Sound track:** Stores the audio data of the movie

In contrast, opening an audio file with QuickTime Player might have only a single sound track. Other files don't have a video or sound track at all: Shockwave and Flash (.swf) files, for example, usually contain only one Flash track. MIDI files have yet another type of track. Luckily, QuickTime makes it simple for you to ignore these technical trivia facts altogether (which most of us prefer).

The Movie Properties window displays the tracks via the pop-up menu on the top left of the Movie Properties window. Selecting a track causes the pop-up menu on the top right to display a set of properties that pertain to the selected track. Figure 6-6 demonstrates the Track and Properties pop-up menus in action.

**Figure 6-6:** Select tracks and their properties from the pop-up menus of the Properties window.



Unlike the Movie Info window, the Movie Properties window does let you change many aspects of a movie. For example, to resize, skew, or even rotate a movie's video track, follow these steps:

1. **With QuickTime Player, open a QuickTime movie.**
2. **Press ⌘+J to open its Movie Properties window.**
3. **From the Tracks pop-up menu of the Properties window, choose the first available Video Track.**

4. From the Properties pop-up menu, select Size.

5. Click the Adjust button.

Red adjustment handles appear in the movie player. Resize and rotate to your heart's content!

6. When you've adjusted the track's size to your liking, click the Done button.



With a similar approach, you can change many other properties of a track, such as Annotations settings.

## *QuickTime: The Super Converter*

QuickTime Pro also makes a great tool for converting media files. As your collection of multimedia grows, you'll eventually find yourself wishing that certain files were in a different format. For example, you might want to convert a QuickTime movie to a DV file for use with iMovie. With a few clicks, QuickTime Pro can open a media file in one of dozens of formats and convert it to most any other format that QuickTime understands. To do so, you must import the file into QuickTime and then export it into the format that you prefer.

### *Importing files*

For most operations, you can open a file with QuickTime Player by using the usual File→Open menu item. For some formats, however, this won't work. In these instances, QuickTime gives you the chance to import a file. The difference between *open* and *import* is subtle but important: If QuickTime can natively handle a file's media, you can use the Open menu. If it can't handle a media's data natively, it must import the file. The import process converts the file to a format that QuickTime can use. To start the import process, just choose File→Import.

For example, QuickTime doesn't normally display text files. Using the Import command, however, converts a text file into a movie file. Then you can view the text in a traditional movie player window. Figure 6-7 shows an imported text file movie.

**Figure 6-7:**  
Choose  
File→Import  
to import  
a file.




Table 6-4 lists the file types that QuickTime can import.

Category	File Types
Audio	AIFF/AIFC, AAC, Audio CD, MP3, Sound Designer II, System 7 Sound, $\mu$ Law (AU), WAV
Video	AVI, DV, Motion JPEG, MPEG-1, MPEG-4
Images	BMP, GIF, JPEG/JFIF, MacPaint, PICT, PNG, Photoshop (with layers), SGI, Targa, FlashPix, TIFF
Animation	3DMF, Animated GIF, FLC/FLI, Flash, PICS
Other	KAR (Karaoke), MIDI, QuickDraw GX, QuickTime Image File, Text

## Exporting files

After you open or import a media file, QuickTime Pro will let you export it to one of many formats — for example, you might export a QuickTime movie to an AVI movie for those Windows users who don't have QuickTime installed. To export a movie, choose File→Export. In the dialog that appears (as shown in Figure 6-8), select the desired output format from the Export pop-up menu. Each export type also has a set of options. To view them, click the Options button on the right side of the Export dialog.



**Figure 6-8:** Use QuickTime to export your media files to a variety of formats.

## *Make QuickTime the Center of Your Digital Universe*

# DropBooks

Although QuickTime Player and Pro are great at actively importing, exporting, and altering all kinds of media, most Mac OS X owners don't care about these features. For those who could care less what the media type is for an e-mail attachment, QuickTime transparently handles the chore of displaying the file without having to know all the technical details behind it. With QuickTime as your ally, you can watch the latest *Star Wars* movie trailer, view an image in a Web page . . . or, if you're like me, you can listen to Bob Hope jaw with Bing Crosby (if you have a collection of classic radio shows in MP3 format). QuickTime makes a great tool for viewing and exploring all sorts of exciting multimedia content.

### *Favorites*

The quickest way to keep track of your media files is with the Favorites menu. It offers one-click access to the media files that you use most. To add a file to the Favorites menu, do the following:

1. **Open your favorite media file.**
2. **Press  $\mathbb{C}+D$  or choose Favorites⇨Add Movie as Favorite.**

Now, anytime you want to watch and/or hear this file, you simply choose it from the Favorites menu.

You can remove files later from the Favorites menu by performing these steps:

1. **Choose Favorites⇨Show Favorites.**
2. **In the Favorites window that appears, select the file that you wish to remove.**
3. **Press the Delete key to remove the file from the Favorites menu.**

### *Free content for all*

QuickTime Player offers you one-click access to a variety of multimedia content, including news, entertainment, and educational features. Naturally, an Internet connection is required. To view the QuickTime Player Content Guide, click the Q button in the lower right-hand corner of the Player (see Figure 6-9).

When you do, a new window opens in the Player, as shown in Figure 6-10. This is the Content Guide's main menu. From here, you can click any of the provided links just as you might click a link in a Web page.

# DropBooks



**Figure 6-9:** Click the Q button to view free content.

Click to bring up the Content Guide.



Clicking any item in the Content Guide opens a Web page in your preferred browser.


## QuickTime and your browser

QuickTime is equally at home in a Web browser. Like the QuickTime Player application, the QuickTime Web plug-in offers convenient playback utilities directly in your Web browser. To view a movie in a browser window, simply navigate to a Web page that contains a QuickTime movie; QuickTime automatically loads the movie and plays it in the Web page. In many cases, you can even save a movie from a Web page — just click the triangle icon at the far right of the movie controller. A menu appears, giving you two options to save the movie, as shown in Figure 6-11. Choosing Save As Source saves the file in the format in which you originally downloaded it; choosing Save As QuickTime Movie converts the file to a QuickTime movie.

**Figure 6-10:** The QuickTime Player Content Guide gives you instant access to a variety of topics.



**Figure 6-11:**  
Save in preferences  
from a  
Web page.



To aid your quest for QuickTime content on the Web, Apple hosts a vast array of materials on its site. You can find movie trailers, free tunes from your favorite artists, game trailers, and Internet radio news at this site:

[www.apple.com/quicktime/](http://www.apple.com/quicktime/)

## *Tweaking QuickTime*

After you become comfortable with using QuickTime for media playback, you might want to expand your horizons. QuickTime has many features — so many, in fact, that it requires two different Preference windows to handle them all.

### *Setting QuickTime Player Preferences*

To open QuickTime Player Preferences, choose QuickTime Player⇨General Preferences. A General Preferences window appears with a number of settings that affect how the QuickTime Player application works.

### *Working with QuickTime Preferences*

To open the Preferences for QuickTime, do one of the following:

- ◆ Open System Preferences and navigate to the QuickTime panel.
- ◆ Using the QuickTime Player application, choose QuickTime Player⇨QuickTime Preferences.


Click the various tabs of the QuickTime Preferences, as shown in Figure 6-12, to change its settings.

The QuickTime Preferences consist of five tabs of settings:

- ◆ **Plug-In:** To play QuickTime content, your browser uses a QuickTime plug-in. Configure the plug-in's settings here.
- ◆ **Connection:** QuickTime can tailor your online multimedia experience to the speed of your Internet connection. Tell QuickTime what speed your connection uses, and it takes care of the rest.



- ◆ **Music:** QuickTime can do music! Select QuickTime's synthesizer in this panel. You can also take advantage of SoundFont and DLS files, which are popular in the Windows world.
- ◆ **Media Keys:** The Media Keys panel lets you set authentication for secure media. So far this hasn't taken off, but it might in the future.
- ◆ **Update:** Wondering whether you have the most current version of QuickTime? Let QuickTime look for you! In this panel, you can force QuickTime to update itself.



**Figure 6-12:** Open the QuickTime dialog of System Preferences to change QuickTime's settings.

# DropBooks



# DropBooks

## Chapter 7: Turning Your Mac into a DVD Theater

---

### *In This Chapter*

- ✓ What you need to watch DVDs on your Macintosh
- ✓ Using the DVD Player software
- ✓ Mysteries of the hidden controls unearthed!

All the creative capabilities of the Mac OS X digital hub are a lot of fun, but at some point, you're going to want to take a break from work. In recent years, DVDs have exploded onto the home entertainment scene; because of its high fidelity, convenience, and seemingly limitless storage capacity, the DVD has taken consumers by storm. The idea of an honest-to-goodness theater in your home is now within the grasp of mere mortals (with, coincidentally, merely average budgets). Mac OS X has everything that you'll need to enjoy a night at the movies without ever leaving home. In fact, I can highly recommend the new 17-inch iMac G4 or the 17-inch PowerBook for those wide-screen classics.

### *The DVD Hardware*

Before you watch one second of film, it's a good idea to get your setup in order. Playing DVDs requires a bit of hardware; fortunately, most recent Macintosh computers come equipped with the stuff that's necessary to watch DVDs.

To play DVD movies, you'll need either an internal DVD-compatible drive in your Macintosh or an external DVD drive with a FireWire connection. **Note:** DVD-ROM drives can only *play* discs, while others, like the SuperDrive, can both *play and record* discs. Either type of drive will work fine for watching movies on your Mac.



You can watch any standard DVD that you purchase at your local video store, as well as any DVD that you create with iDVD. (For more on iDVD, iRead Book III, Chapter 5.)

## *The DVD Player: It's Truly Shiny*

# DropBooks

To watch Frodo Baggins, Don Corleone, or James Bond, you'll need DVD player software. Mac OS X comes stocked with the perfect tool for the task: DVD Player.

Apple's DVD Player application is included with Mac OS X. You can find DVD Player here:

/Applications/DVD Player

But instead of rooting through the Finder, you can launch DVD Player an even easier way: Simply insert a DVD into the drive. As soon as you do, your Mac recognizes the disc and launches DVD Player by default for you. (Time for another round of well-deserved gloating about your choice of personal computer.)



This automatic behavior can be curbed, however. You can control what action Panther takes (if any) when you load a DVD via the CDs & DVDs panel within System Preferences. For all the details, visit Book II, Chapter 3.

However you choose to start DVD Player, you'll notice that it offers two windows:

- ◆ **Controller:** The small, silver-colored, remote control-looking interface that holds all the controls for the Player.
- ◆ **Viewer:** The large window where you view your DVD movies.

If you're already using a traditional DVD player, you'll be right at home with Apple's DVD Player. Even if you've never used a traditional DVD player, it's not much different than using a software-based audio player like iTunes.

### *Using the Controller*

The *Controller* is the command center of the DVD Player software. Arranged much like a VCR or tape deck, all the familiar controls are present. Check it out in Figure 7-1. (If your controller is facing in the other direction, don't panic — the controller can be switched between horizontal and vertical orientations from the Controls menu.)

# DropBooks

**Figure 7-1:**  
Use the  
Controller  
for common  
playback  
functions.



Table 7-1 details the fundamental commands present in the DVD Player Controller. Apple software usually has some goodies hidden beneath the surface, and DVD Player is no exception. The controls in DVD Player have a few functions that might not be obvious to the casual user. These are listed in the third column of Table 7-1.

<b>Table 7-1 Basic DVD Controls</b>		
<i>Control Name</i>	<i>What It Does</i>	<i>Other Functions</i>
Play	Plays the DVD	It also toggles into a Pause button anytime a movie is playing.
Stop	Stops playback of the DVD	
Previous Chapter	Skips to the previous chapter	Click and hold the button to quickly scan through the movie in reverse.
Next Chapter	Skips to the next chapter	Click and hold the button to quickly scan forward through the movie.
Playback Volume	Adjusts the volume of the DVD audio	
Arrow Button	Navigates through the menu items of the DVD	
Enter	Selects the currently highlighted menu item	
Eject	Ejects the DVD from the drive	
Title Menu	Jumps immediately to the DVD's title menu	
Menu	Displays the menu of the current DVD	

# DropBooks

## Jumping right to the flying-monkey action

Movies on DVD are divided into *chapters* that enable you to jump directly to that point. That way, you can jump right to the scene, say, where the flying monkey guards march into the Wicked Witch's castle in *The Wizard of Oz*. (Or skip that egg-hatching scene in *Alien* that


always makes you nauseous.) You can navigate to chapters, play the movie from the beginning, or check out special bonus features (such as trailers and documentaries) from the DVD's main menu.



As I mention earlier, you can switch the Controller between horizontal and vertical orientation, which can make it easier to fit onscreen. Choose Controls⇨Use Horizontal Controller (or Use Vertical Controller, depending on the current orientation). Those with keyboard shortcut fever can press ⌘+Option+C, which toggles between the orientations.

### *Keep your eyes on the Viewer*

As soon as you begin playing around with the DVD Player controls, you'll notice activity in the Viewer window, shown in Figure 7-2.



**Figure 7-2:** The Viewer is the main screen of the DVD Player.

You can think of the Viewer window as a television inside your Macintosh if it helps, but DVD Player goes one step further. Unlike a television screen, the Viewer has some nice tricks up its sleeve: For example, you can resize the Viewer window by using one of the four sizes listed in the Video menu (half, normal, maximum, and full-screen sizes). This is useful for watching a movie in a small window on your Desktop while you work with other applications.

If you're in it for the entertainment factor only, you'll probably want to resize the Viewer to fill the screen. I like to watch movies in full-screen mode, which you can toggle with the  $\text{⌘}+0$  (zero) keyboard shortcut.

## Taking Advantage of Additional DVD Features

As anyone with a little DVD experience knows, DVDs can do a lot more than those archaic tapes that you used to feed your VCR. Apple has included several functions that allow you to explore the extra features and content provided with a DVD movie.

### Controller extras

To use the additional Controller features, double-click the small tab at the rightmost (or bottom) edge of the DVD Player Controller. When you do, a trick drawer slides out displaying the extra controls. (See Figure 7-3.) You can also display or hide the drawer with the  $\text{Control}+\text{Open Control Drawer}$  menu command or by pressing  $\text{⌘}+]$  (that's the right bracket key).

**Figure 7-3:** Expand the Controller window to view the additional controls.



Table 7-2 summarizes the functions that you can perform with these additional controls.

Control	What It Does
Slow Motion (half speed)	Steps through a DVD in slow motion at half of the original speed
Step Button (frame speed)	Steps through a DVD in slow motion, one frame at a time
Return	Navigates to the previous menu
Alternate Tracks - Subtitles	Displays alternate subtitle tracks on the DVD
Alternate Tracks - Audio	Plays alternate audio tracks on the DVD
Alternate Tracks - Video Angle	Displays the current video footage from different camera angles



Although you won't find a Bookmark button on the Controller, DVD Player can set them nonetheless. A *bookmark* is a spot that you specify in a movie that you can return to at any time, like a favorite scene. To set a bookmark at the current spot in the movie, click the Controls menu and click Add Bookmark or press  $\text{⌘}+=$  (the equal sign key). DVD Player even allows you to name the bookmark so it's easier to remember. To return to a bookmark, choose  $\text{Go} \rightarrow$  Bookmarks and click the desired bookmark.

### *DVD Player preferences*

The DVD Player application has a variety of settings that you can access and adjust via its preferences window. To open the preferences window, choose DVD Player  $\rightarrow$  Preferences. This brings up the preferences dialog, as shown in Figure 7-4.

This window consists of four panels:

- ◆ **Player:** Settings that affect how DVD Player operates
- ◆ **Disc Setup:** Settings for Audio, Subtitles, Language, and the Web
- ◆ **Full Screen:** Settings that determine your Viewer window configuration
- ◆ **Windows:** Settings for displaying onscreen information during playback

The advantage of these preference settings is that you can customize your copy of DVD Player to match your needs or desires. (Thanks yet again to the Cupertino Crowd!)


### *Player*

Despite its moniker, the Player settings of DVD Player seem to have more to do with discs than the Player. As you can see in Figure 7-4, three subsections make up the Player settings, yet only two of them have something to do with discs. Strange, but true!



## DropBooks

- ◆ **When DVD Player Opens:** These two settings affect what happens when you launch the DVD Player application. You can force DVD Player to play in full screen mode and automatically begin playback every time that you start the application.
- ◆ **When a Disc Is Inserted:** One lonely option appears in this subsection. Besides automatic playback on startup, you can also make DVD Player start playing a disc automatically when the application is already running. (To illustrate: If this check box is disabled, loading a new disc will not automatically start it playing if DVD Player is already running.)
- ◆ **Start Playing Discs From:** If you have to quit DVD Player for some reason, the application is smart enough to remember where you were . . . and you can choose to begin watching from the beginning, from the last position (where you were when you stopped the last time), or from a default bookmark. Alternatively, just select Always Ask, and DVD Player will prompt you each time that this situation crops up.



**Figure 7-4:**  
Customize  
your DVD  
Player.



Do you answer a lot of telephone calls while you sneak a quick DVD movie at work? If so, use the Enable Closed Captioning When DVD Player Is Muted feature . . . if you have to press the Mute button on your keyboard while a movie is playing, DVD Player automatically adds the subtitles/closed captions so that you can keep up with the dialog. *Super sassy!*

### Disc Setup

The second tab of the Player preferences window consists of three sections, as shown in Figure 7-5.

- ◆ **Language:** Sprechen Sie Deutsch? DVDs are designed to be multilanguage aware. Feel like brushing up on your German, Spanish, or Chinese? You can control the language used for the audio, subtitling, and menus in this section; of course, your choices are limited to those options included on the DVD.
- ◆ **Internet:** One lonely setting resides in the Internet section. Some DVDs can access information on the Internet. Mark this check box to allow that function.
- ◆ **Audio:** Click this drop-down list box to specify the default audio output signal that you'd like to use.



Multiple languages and Web access are not mandatory features of a DVD, so don't be surprised if you see variations of support when it comes to these settings.

### Full Screen

These preference settings (as shown in Figure 7-6) control the default screen display settings within DVD Player.

- ◆ **Viewer:** Click the drop-down list box to choose the default size for the Viewer window when you first start DVD Player. To allow the Viewer window to be resized with the mouse, mark the Resizable Viewer check box to enable it.
- ◆ **Controller:** I generally like to hide the Controller after a defined time of inactivity; select the Hide Controller If Inactive For xx Seconds check box if you agree. To set the delay period, click in the seconds box and type a new value.
- ◆ **Displays:** These options specify how DVD Player shares your Desktop with others: politely or downright rude. You can choose to automatically dim other monitors while a movie is playing (if you have more than one display connected to your Mac), and DVD Player can stay in full-screen mode even if another application actually has the active window. Finally, you can choose to remove the menu bar altogether, which helps cut down on interruptions and accidents if small hands are nearby.

# DropBooks

**Figure 7-5:** Change the language that you hear and see during playback.



**Figure 7-6:** Configuring Full Screen settings.



## Windows

The last panel of the preferences window gives you the chance to configure the behavior of the Controller and status information for the Viewer window. Figure 7-7 shows the Windows tab of the preferences window.


## DropBooks

- ◆ **Options:** Mark the Display Status Information check box, and DVD Player adds a small text box at the top-left corner of the Viewer window. In this text box, you see the name of the last task that you performed with DVD Player. For example, click the Stop button to see the word *Stop* displayed in the Viewer on top of the video beneath it. You can also set the Controller to fade away instead of just disappearing — it's eye candy, but doggone it, it's *good* eye candy!
- ◆ **Floating Overlays:** If you do decide to display status information, you can click the two color buttons to specify the text color for the status information and closed caption text. If your Mac has a powerful-enough video card, you can choose to make these lines of text semitransparent to boot. (Think *Return of the Son of Eye Candy*.)

Don't forget to click OK to save any changes that you make to your DVD Player preferences.

Now that you have your DVD Player customized to your liking, get out the popcorn, pull up your favorite recliner, and let the movies roll!

**Figure 7-7:**  
The Windows tab holds Controller and status display settings.



## Book IV

# DropBooks The Typical Internet Stuff

### The 5th Wave

By Rich Tennant



"I think you're just jealous that I found a community of people online that worship the yam as I do, and you haven't."

## *Contents at a Glance*

<b>Chapter 1: Getting on the Internet .....</b>	<b>397</b>
<b>Chapter 2: Using Apple Mail .....</b>	<b>407</b>
<b>Chapter 3: Staying in Touch with iChat AV .....</b>	<b>429</b>
<b>Chapter 4: Expanding Your Horizons with iDisk .....</b>	<b>441</b>
<b>Chapter 5: Going Places with Safari .....</b>	<b>449</b>
<b>Chapter 6: Staying Secure Online .....</b>	<b>463</b>

DropBooks



## Chapter 1: Getting on the Internet

---

### *In This Chapter*

- ✓ Selecting an Internet service provider (ISP)
- ✓ Understanding how your Mac gets on the Internet
- ✓ Setting up your Internet connection

I'll be honest — the Internet is a terribly complex monster of a network. If you tried to fathom all the data that's exchanged on the Internet and everything that takes place when you check your e-mail for Aunt Joan's fruitcake recipe, your brain would probably melt like a chocolate bar in the Sahara Desert. There's a shoebox *full* of archaic things tucked under the Internet: communications protocols, routing addresses, packets, servers, and other hoo-hah that's beyond the grasp of just about everyone on the planet.

Luckily for regular folks like you and me, Mac OS X closes the trapdoor on all these details, keeping them hidden (as they *should* be). You don't have to worry about them, and the obscure information that you need in order to establish an Internet connection is kept to a minimum. In fact, the happiest computer owners that I've met think that the Internet is a little blinking light on their modem: If the light blinks in the proper manner, all is well. (I don't argue with them.)

In this chapter, I provide help and advice to those who are searching for an on-ramp to the Information Superhighway — and I lead you through the procedure of adding an Internet connection under Mac OS X. (In other words, we'll get your light blinking properly.)

**Note:** If you entered your Internet configuration information while you were in the First Use Wizard during the installation of Mac OS X — or if you upgraded to Mac OS X from Mac OS 9, and you already had a working Internet connection — *you can skip this chapter!* The information contained herein is only for those who add or change their Internet connectivity *after* installing Mac OS X.

### *Shopping for an ISP*

Before you can connect to the Internet, you must sign up for Internet access. If you already have an ISP (acronym-speak for an *Internet service provider*) or your company provides Internet access, smile quietly to yourself and skip to

the next section. Otherwise, hang around while I discuss what to look for in an ISP and how to locate one in your local area.

ISPs are as thick as Louisiana mosquitoes these days, and often they're judged solely by the amount that they charge for basic access. Cost definitely is a factor — but it's not the *only* thing that should determine your choice in a service provider. Consider these guidelines when choosing or switching ISPs:

- ◆ **Local calling rates:** If you live in a rural area, check to make sure that all prospective ISPs offer local calling rates. Believe me, no matter how much fun and how useful the Internet is, it's not worth hours of long-distance charges.
- ◆ **Broadband service:** Many ISPs now offer digital subscriber line (DSL) and cable modem access. Collectively, these connections are called *broadband* because they offer the fastest method of transferring information to and from the Internet. If you have a home business, a large family, or students — or you telecommute to your office — using broadband can make your life much simpler.
- ◆ **Quality technical support:** A 24-hour/7-day telephone support line is a godsend for the Internet novice — don't settle for voice support during business hours. Forget e-mail support, too; your e-mail application will be dead and gone if your Internet connection gives you problems. (Sound of palm whacking forehead.)
- ◆ **Static IP addresses:** A *static IP address* — the unique number that identifies your computer on the Internet — allows you to set up a professional Web server or File Transfer Protocol (FTP) server. (More on these adventures later in the book.) Most ISPs charge an additional amount for a static IP address, so it's not really a good idea for a typical Mac owner at home. Suffice it to say, however, that a business or organization running a Web server or FTP server will benefit from a static IP address.
- ◆ **E-mail accounts:** Investigate how many individual accounts that you receive with various ISPs. Also, find out whether you can maintain them yourself through a Web site. If so, that's a good sign. Additionally, if the prospective ISP provides a Web site where you can read and send e-mail messages, you can stay on top of your e-mail even while you're on the road or vacationing halfway across the globe.
- ◆ **Web space:** If you want your ISP to host your Web site, this is a no-brainer: The more space you get, the better. A minimum of 5MB is acceptable, but most ISPs provide 10MB or 20MB these days. Also, beware of ISPs that will charge you for your Web site if it receives a large amount of traffic: It can be expensive to host a popular Web site if you join one of these ISPs.



- ◆ **Domain name service:** Finally, the better class of ISP also offers a *domain name service*, which allows you to register something like `yournamehere.com`. For the most professional appearance, you can usually pay a yearly fee, and the ISP takes care of all the details in setting up your own `.com` or `.org` domain name.

Locating an ISP is much easier in the modern Internet-savvy world than it was just two or three years ago. In the order that you should try them, here are the tricks that I recommend for finding your local ISPs:

- ◆ **Check with your cable or telephone companies.** If you're already subscribing to cable service in your area, you're likely to be a candidate for cable Internet access. Also, many local phone companies offer DSL access, but that access area is often limited to certain locations. Call the customer service numbers for these companies and check out what they offer — and don't forget that a broadband cable or DSL connection is always more expensive than an old-fashioned, dialup connection. (“Maude, did you see the Internet bill this month?”)
- ◆ **Get recommendations from friends and neighbors.** Folks love to give free advice: Ask them how much they're paying, how reliable the connection has been, and how well they rate the ISP's technical support.
- ◆ **Check your phone directory.** Check the phone book for Internet service.
- ◆ **Investigate ISP Web sites.** If you have Internet access at work, a friend's house, or your local public library, you can surf to The List ([thelist.internet.com](http://thelist.internet.com)) where you can search for ISPs within your area code and location.

## Investigating Various Types of Connections

Next, consider the types of connections that are available under Mac OS X to link your Mac to said ISP. You can choose from four pathways to digital freedom:

- ◆ **A dialup connection:** Old-fashioned, yes. Slow as an arthritic burro, indeed. However, an *analog* (or telephone modem) connection is still the primary method for reaching the Internet for most computer owners. It's the cheapest method available, and all you need for this type of connection is a standard telephone jack and a modem. If you remember your classic iMac commercials, any Mac that can run Mac OS X should have a built-in modem.
- ◆ **A broadband connection:** Be it through DSL (which uses a standard telephone line) or cable (which uses your cable TV wiring), broadband

## DropBooks

Internet access is many times faster than a dialup connection. Plus, both these technologies are *always-on*, meaning that your computer is automatically connected to the Internet when you turn it on and that connection stays active. With DSL or cable, there's no squeaky whine that accompanies your modem making a connection each time that you want to check your movie listings Web site. Both DSL and cable require a special piece of hardware (commonly called a *modem*, but it really isn't); this box is usually thrown in as part of your ISP charge. Broadband connections usually require a professional installation, too.

- ◆ **A satellite connection:** If you're *really* out there — miles and miles away from any cable or DSL phone service — you can still get high-speed Internet access. The price for a satellite connection is usually much steeper than a standard DSL or cable connection, but it's available anywhere you can plant your antenna dish. Plus, a satellite connection is actually faster than other types of broadband access. Older satellite technologies actually require you to use a dialup connection — and the antenna could only receive, not send — but recently, a number of ISPs have started to offer satellite systems that both send and receive through the dish.
- ◆ **A network connection:** The last type of connection concerns those Macs that are part of a local area network (LAN) either at the office or in your home. If your Mac is connected to a LAN that already has Internet access, you don't need an ISP at all, and no other hardware is required: Simply contact your network administrator, buy that important person a steak dinner, and ask to be connected to the Internet. On the other hand, if your network currently has no Internet access, you're back to Square One: You'll need one of the previous three types of connections.



## Oh, please! Not ISDN!

If you're thinking, "Hey, Mark, you forgot ISDN!," allow me to reply, "So did everyone else." I don't mean to anger all those prophets who predicted that we'd all be using Integrated Services Digital Network (ISDN) by now, but the truth is that ISDN has turned into a joke. Essentially, ISDN was the ancestor of DSL, which actually realized the potential of the idea. ISDN, which was the first broadband connection method to use regular phone lines, was supposed to revolutionize the Internet five or six years back (along with curing male pattern baldness and explaining UFO abductions).

Unfortunately, ISDN technology requires all sorts of very complex and expensive hardware, and it really isn't as fast as all that — most cable modem Internet access is much faster. (Consider what happens to the first entry in just about any technological advance . . . sigh.) ISDN was quickly eclipsed by the other broadband technologies . . . therefore, its abbreviation has come to mean *It Still Does Nothing*, and anyone with an option to use DSL or cable should give ISDN a wide berth.



After you connect one of your computers on your network to the Internet, you can use an Internet sharing device to allow all the computers to share that Internet connection. Book V, Chapter 5 goes into all the details on sharing an Internet connection on a network.

## Setting Up Your Internet Connection

Okay, so you sign up for Internet access, and your ISP sends you a sheet of paper covered with indecipherable stuff that looks like Egyptian hieroglyphics. Don't worry; those are the settings that you need to connect to your ISP. After you get them in Mac OS X, you should be surfing the Web like an old pro.




Before you jump into this configuration, make sure that you've configured the Internet settings within System Preferences, as I discuss in Book II, Chapter 3. That way, you'll already have entered your default e-mail and Web settings.

### Using your internal modem

Follow these steps to set up your Internet connection if you're using your Mac's internal modem:


1. Click the System Preferences icon in the Dock and choose Network.
2. Select Internal Modem from the Show drop-down list.
3. Click the TCP/IP tab (as shown in Figure 1-1) and enter the settings for the type of connection that your ISP provides:



**Figure 1-1:** The Network settings for an internal modem Internet connection.

- **If your ISP tells you to use PPP (*Point-to-Point Protocol*):** Click the Configure IPv4 drop-down list and choose Using PPP. If your ISP provided you with DNS Server or Search Domain addresses, type them now in the corresponding boxes.
- **If you're using AOL:** Click the Configure IPv4 drop-down list and choose AOL Dialup. If AOL provided you with DNS Server or Search Domain addresses, click in the corresponding box and type them now.
- **If you'll use a manual connection:** Click the Configure IPv4 drop-down list box and choose Manually. Then click in the IP Address, DNS Servers, and Search Domains fields and enter the respective settings provided by your ISP.

**4. Click the PPP tab to display the settings shown in Figure 1-2.**



**Figure 1-2:**  
Adding PPP  
settings.

- 5. In their respective fields, enter the account name, password, telephone number, and (optionally) the service provider name and an alternate telephone number provided by your ISP.**
- 6. Press  $\text{⌘}+\text{Q}$  to exit System Preferences and save your changes.**


In Book V, Chapter 1, I discuss these Internet settings in depth.

### *Using Ethernet hardware*

Follow these steps to set up your Internet connection if you're using a network, cable modem, or DSL connection:

1. Click the System Preferences icon in the Dock and choose Network.
2. Select Built-in Ethernet from the Show drop-down list to display the settings that you see in Figure 1-3.

**Figure 1-3:**  
The Network settings for an Ethernet Internet connection.



3. Enter the settings for the type of connection that your ISP provides:
  - If your ISP tells you to use **Dynamic Host Configuration Protocol (DHCP)**: Select Using DHCP from the Configure IPv4 drop-down list, and your ISP can automatically set up virtually all the TCP/IP settings for you! (No wonder DHCP is so popular these days.)
  - If you won't be using DHCP: Select Manually from the Configure IPv4 drop-down list box. Then enter the settings provided by your ISP in the IP Address, Subnet Mask, Router, and DNS Servers fields.
4. If your ISP uses PPPoE (*Point-to-Point over Ethernet*), click the PPPoE tab to display the settings shown in Figure 1-4.
5. Mark the **Connect Using PPPoE** check box to enable it and then enter the account name and password.
 

If your ISP includes the Service Provider name and a PPPoE Service Name, you can enter those as well.
6. To allow everyone who uses your Mac to access the Internet with this account, mark the **Save Password** check box to enable it.




# DropBooks

I recommend that you enable the Show PPPoE Status in Menu Bar check box. When you do, Mac OS X displays a menu bar icon that lets you know the status of your PPPoE connection.

7. Press **⌘+Q** to exit System Preferences and save your changes.

**Figure 1-4:** Entering PPPoE data — geez, that just sounds ridiculous, doesn't it?



If you need help entering Internet settings or you want to know more about what you're actually doing, I discuss these settings in depth in Book V, Chapter 1.

## *Connecting with a Dialup ISP (The Hard Way)*

Before you leave the serene confines of this chapter, I'd like to demonstrate how to use the Internet Connect application to connect to your ISP via your internal modem. (As I mention earlier in this chapter, most connections made over a network, DSL line, or cable modem won't need to use Internet Connect.) You can also use this application to connect if you're using a DSL line with PPPoE or an AirPort connection. Many ISPs that provide high-speed access for Macs offer PPPoE, which provides more efficient communications than the older PPP protocol that you might have used in the past. Further, if you're using an AirPort wireless connection, you can launch Internet Connect to take advantage of an existing Internet connection available through your wireless network.



# DropBooks

To be honest, I always like Mac OS X to connect automatically when I'm using a modem — I hate excess mouse movements, which usually lead to a bad case of Rodent Elbow. To automate your connection, follow these steps:

1. **Re-open the Network settings in System Preferences and choose Internal Modem from the Show drop-down list.**
2. **Select the PPP tab, click the PPP Options button, and then enable the Connect Automatically When Needed check box.**


Refer to Figure 1-2.

3. **Click OK.**
4. **Press ⌘+Q to exit System Preferences.**

You can forget about using Internet Connect! (The same trick works with PPPoE, which you can reach from the PPPoE tab on the Built-in Ethernet settings.)

Follow these steps to connect to the Internet manually:

1. **Open your Applications folder, launch the Internet Connect application, and click the Internal Modem toolbar button, which displays the Internal Modem dialog that you see in Figure 1-5.**



**Figure 1-5:**  
Doing things manually  
with  
Internet  
Connect.

2. **From the Configuration drop-down list box, choose Modem Configuration, Built-in Ethernet (for a DSL PPPoE connection), or AirPort.**
3. **Select the connection options for the hardware that you're using:**
  - **Modem connection:** Type the telephone number provided by your ISP into the Telephone Number text box and then type your password in the Password box (if prompted). I recommend that you enable the Show Modem Status in Menu Bar check box, too.


# DropBooks

- **PPPoE connection:** Type your password in the Password text box (if prompted).
- **AirPort connection:** If you have an AirPort/AirPort Extreme card installed, click the Turn AirPort On button (if AirPort is currently powered off) and select the network that provides your Internet access from the Network drop-down list box.



**4. Click the Connect button, sit back, and watch the fun!**

Note that you don't have to click the Connect button if your AirPort (or AirPort Extreme) Base Station is already connected to your ISP.





## Chapter 2: Using Apple Mail

---

### *In This Chapter*

- ✓ Adding and configuring mail accounts
- ✓ Receiving and reading e-mail
- ✓ Sending e-mail
- ✓ Filtering junk mail
- ✓ Opening attachments
- ✓ Configuring Apple Mail
- ✓ Automating Apple Mail

**O**kay, how many of you can function without e-mail? Raise your hands. Anyone? Anyone at all?

I suppose that I *can* function without my Internet e-mail, but why should I? Mac OS X includes a very capable and reliable e-mail client, which has been substantially improved for version 10.3 (affectionately called *Panther* by everyone but Bill Gates).

In this chapter, I discuss the features of Apple Mail and show you how everything hums at a perfect C pitch. However, you'll have to sing out, "You've got mail!" yourself. Personally, I think that's a plus, but I show you how you can add any sound that you like.

### *Know Thy Mail Window*

To begin our epic e-mail journey, click the Mail icon in the Dock. Figure 2-1 illustrates the Mail window. Besides the familiar toolbar, which naturally carries buttons specific to Mail, you'll find the following:

- ◆ **Status bar:** This heading bar displays information about the current folder — typically, how many messages it contains, but other data can be included as well. You can hide and show the Status bar from the View menu, or you can press the ⌘+Option+S keyboard shortcut to hide and show it.


## DropBooks



- ◆ **Message list:** This resizable scrolling list box contains all the messages for the folder that you've chosen. To resize the list larger or smaller, drag the handle on the bar that runs across the window; you can also resize the columns in the list by dragging the edges of the column heading buttons.

To specify which columns appear in the message list, choose View⇨ Columns. From the submenu that appears, you can toggle the display of specific columns. You can also sort the messages in the message list from the View menu; by default, messages are sorted by the Date Received.

- ◆ **Drawer:** The extension to the right of the main Mail window is the Drawer. You can click any of the folders to switch the display in the message list. The Drawer can be hidden or shown from the View menu by clicking the Mailboxes button on the toolbar, or you can press the ⌘+Shift+M keyboard shortcut to hide and show it. The Drawer is also automatically hidden when you maximize the Mail window.
- ◆ **Preview box:** This resizable scrolling box displays the contents of the selected message, including both text and any graphics or attachments that Mail recognizes.



**Figure 2-1:**  
The Apple  
Mail  
window.

Mail uses the following folders (some of which appear only at certain times):

- ◆ **In:** Mail you've already received.
- ◆ **Out:** Messages that Mail is waiting to send.

## DropBooks

- ◆ **Drafts:** Draft messages waiting to be completed.
- ◆ **Sent:** Mail you've already sent.
- ◆ **Trash:** Deleted mail. Like the Trash in the Dock, you can open this folder and retrieve items that you realize you still need. Alternatively, you can empty the contents of the Trash at any time by pressing the ⌘+K shortcut or by choosing Mailbox⇨Erase Deleted Messages.
- ◆ **Junk:** Junk mail. You can review these messages or retrieve anything you want to keep by choosing Message⇨Transfer. After you're sure there's nothing left of value, you can delete the remaining messages straight to the Trash.
- ◆ **Import:** Messages that you've imported from another e-mail application, or an earlier version of Mac OS X Mail.

You can add new personal folders to the Drawer to further organize your messages. Choose Mailbox⇨New Mailbox and then type the name for your new folder in the Name box. Click OK to create the new personal folder.

Messages can be dragged from the message list and dropped into the desired folder in the Drawer to transfer them. From the Message list, select the messages that you want to move, choose Message⇨Transfer, and then click the desired destination folder.


Also note that the Search box (upper-right) in the Mail toolbar looks a little different. Click the down arrow in this field, and from the drop-down list that appears, you can specify whether Mail should search for the text that you've entered there within the entire text of a message or just in the From, To, or Subject fields.

## Setting Up Your Account

By default, Mail includes one (or more) of these accounts when you first run it:

- ◆ **The account that you entered when you first installed Mac OS X:** Go back to the beginning — literally, Book I, Chapter 1 — to read about the first use wizard that I discuss at the beginning of this book. If you entered the information for an e-mail account, it's available.
- ◆ **Your .Mac account:** If you registered for a .Mac service account, it will be included.
- ◆ **Upgraded accounts:** If you upgraded an existing Mac OS system, your existing Mail accounts will be added to the Accounts list in Mail.

Speaking of the Accounts list, choose Mail⇨Preferences to display the Accounts dialog that you see in Figure 2-2. From here, you can add an account, edit an existing account, or remove an account from Mail. Although most folks still have only one e-mail account, you can use a passel of them. For example, you might use one account for your personal e-mail and one account for your business communications. To switch accounts, just click the account that you want to use from this list to make it the active account.



**Figure 2-2:** The Accounts list, where all is made clear (about your e-mail accounts).

## *Adding an account*

To add a new account within Mail, click the Add Account button, which carries a plus sign (see bottom-left, Figure 2-2) to display the dialog that you see in Figure 2-3 and then follow these steps:

- 1. On the Account Information panel, click the Account Type drop-down list box and choose the protocol type to use for the account.**

You can select an Apple .Mac account, a Post Office Protocol (POP) account, a Microsoft Exchange account, or an Internet Message Access Protocol (IMAP) account. If you're adding an account from an Internet service provider (ISP), refer to the set-up information that you received to determine which is right. Most ISP accounts are POP accounts.


- 2. In the Description field, name the account to identify it within Mail and then press Tab to move to the next field.**

For example, *Work* or *Mom's ISP* are good choices.

- 3. In the Email Address field, type the e-mail address supplied by your ISP and then press Tab to move to the next field.**

## DropBooks

**Figure 2-3:**  
Add an  
account  
within Apple  
Mail.



Add Account

- 4. In the Full Name field, type your full name — or, if this is to be an anonymous account, enter whatever you like as your identity — and then press Tab.**



Messages that you send will appear with this name in the From field in the recipient's e-mail application.

- 5. If you're entering a POP or IMAP account: In the Incoming Mail Server field, type the name of the incoming mail server (supplied by your ISP) and then press Tab.**
- 6. In the User Name field, type the user name supplied by your ISP for login to your e-mail account and then press Tab.**



This is sometimes different from the username and password that you use to connect to the Internet.

- 7. In the Password field, type the password supplied by your ISP for login to your e-mail account.**

Again, this might be different from your connection password.

- 8. Click the Outgoing Mail Server drop-down list box; if the outgoing server appears in this list, select it.**

This is often the case if you're adding another new account provided by your ISP.

If the outgoing mail server doesn't appear in the list, click Add Server in the list, enter the server address provided by your ISP in the Server Options dialog, and then click OK to return.



# DropBooks

Luckily, the defaults for the Outgoing Mail Server settings will work like a charm for 99 percent of us. However, if your ISP or network administrator tells you that you must make changes to your outgoing mail server settings, click the Server Settings button (either while adding or editing an account). You can specify a port number, toggle Secure Sockets Layer (SSL) support, and select your authentication type. Because all that stuff sounds like a medieval Gregorian chant to most computer owners, just enter these server settings if you're told to do so.

### **9. Click OK.**

You're done! The new account appears in the Accounts list.

You can specify advanced settings for an account. I cover those in the section "Fine-Tuning Your Post Office," later in this chapter.

### ***Editing an existing account***

Need to make changes to an existing account? Choose Mail⇨Preferences and click the account that you want to change. Mail displays the same settings that I explain in the previous section.

### ***Deleting an account***

If you change ISPs or you decide to drop an e-mail account, you can remove it from your Accounts list. Otherwise, Mail can annoy you with error messages when it can no longer connect to the server for that account. Display the Mail Preferences window, select the account that you want to delete, and then click the Remove button (which is graced by a minus sign).

Naturally, Mail will request confirmation before deleting the folders associated with that account. Click OK to verify the deletion or click the Cancel button to prevent accidental catastrophe.

## ***Receiving and Reading E-Mail Wisdom***

The heart and soul of Mail — well, at least the heart, anyway — is receiving and reading stuff from your friends and family. (Later in this chapter, I show you how to avoid the stuff you get promising free prizes, low mortgage rates, and improved . . . um . . . performance. This is a family-oriented book, so that's enough of that.)

After you set up an account (or select an account from the Accounts list), it's time to check for mail. Use any of these methods to check for new mail:


- ◆ Click the Get Mail button on the toolbar.
- ◆ Choose Mailbox→Get New Mail in All Accounts or press ⌘+Shift+N.
- ◆ Choose Mailbox→Get New Mail and then choose the specific account to check from the submenu.

This is a great way to check for new mail in another account without going through the trouble of making it active in the Preferences window.



Mail can also check for new messages automatically — more on this in the upcoming section “Checking Mail automatically.”

If you do have new mail in the active account, it appears in the Message list (and the Mail icon in the Dock sports a bright red number indicating how many new messages you’ve received). As you can see in Figure 2-4, new unread messages appear marked with a dot (it’s blue) in the first column. The number of unread messages is displayed next to the In folder icon in the Drawer.



**Figure 2-4:**  
A new message to read . . . oh, joy, and no spam!



Mail also displays the number of new messages that you’ve received on its Dock icon. If you’ve hidden the Mail window or sent it to the Dock, you can perform a quick visual check for new mail just by glancing at the Dock.

## DropBooks

**Displaying all Mail headers**

Mail actually hides the majority of the heading lines that help identify and route an e-mail message to its rightful destination. By default, all you'll see is the *filtered heading*, which includes only the From, Date, To, and Subject fields. This

is great unless for some reason you need to display the entire message header in all its arcane madness. If you do, press ⌘+Shift+H. You can toggle back to the filtered heading by pressing the same shortcut.

***Reading and deleting your messages***

To read any message in the message list, you can either click the desired entry (which displays the contents of the message in the preview box) or you can double-click the entry to open the message in a separate message window, complete with its own toolbar controls.



To quickly scan your mail, click the first message that you want to view in the list, and then press the down-arrow key when you're ready to move to the next message. Mail displays the content of each message in the preview box. To display the previous message in the list, press the up-arrow key.

The latest version of Mail allows you to read your messages grouped within threads. A *thread* contains an original message and all related replies, which makes it easy to follow the flow of an e-mail discussion (without bouncing around within your Inbox, searching for the next message in the conversation). Choose View⇨Organize by Thread, and the replies in the current folder are all grouped under the original messages and sorted by date. To expand a thread, click the original message to select it; then press the right-arrow key (or choose View⇨Expand All Threads). To collapse a thread, select the original message and press the left-arrow key (or choose View⇨Collapse All Threads).

To delete a message from the message list, click the desired entry to select it and then click the Delete button in the toolbar (or press the Del key). To delete a message from within a message window, click the Delete button in the toolbar.

***Replying to mail***

What? Aunt Harriet sent you a message because she's forgotten where she parked her car last night? If you happen to know where her priceless '78 Pinto is, you can reply to her and save her the trouble of retracing her steps.





## DropBooks

If Aunt Harriet isn't in your Address Book yet, this is a good time to add her. With the message entry selected in the list, choose Message→Add Sender to Address Book or just press the convenient ⌘+Y keyboard shortcut. The person's name and e-mail address are automatically added to your Address Book. To add more information in the Address Book, however, you have to open that application separately. (Read through Book I, Chapter 5 for the skinny on the Address Book.)

To reply to a message in Mail, follow these steps:

- 1. To respond to a message from the message list, click the desired message entry and then click the Reply button on the toolbar.**

To respond to a message that you've opened in a message window, click the Reply button on the toolbar for the message window.

If a message was addressed not just to you but also to a number of different people, you can send your reply to all of them. Instead of clicking the Reply button, click the Reply All button on the Mail window toolbar. (This is a great way to quickly facilitate a festive gathering, if you get my drift.)

You can also add carbon copies of your message to other new recipients, expanding the party exponentially; more on carbon copies later in the section "Raise the Little Flag: Sending E-Mail."



If you'd like to send your reply under a different account, click the Account drop-down list box and choose the account — this is a handy method of re-routing a message that you received with your home e-mail account to your office account.

Mail opens the Reply window that you see in Figure 2-5. Note that the address has been automatically added and that the default Subject is Re: *<the original subject>*. Mail automatically adds a separator line in the message body field that reads *On <day><date>at<time>, <addressee> wrote:*, followed by the text of the original message; this is done so that the addressee can remember what the heck he or she wrote in the first place to get you so happy/sad/angry/indifferent. The original text is indented and colored blue to set it apart. If you like, you can click in the Subject line and change the default subject line; otherwise, the cursor is already sitting on the first line of the text box, so you can simply start typing your reply.


- 2. After you complete typing your reply, you can select text in the message body and apply different fonts or formatting.**

To change your reply's formatting, click the Fonts button on the message window toolbar. From the window that appears, you can choose the

## DropBooks

font family, the type size, and formatting such as italic or bold for the selected text. Click the Close button on the Fonts window to continue. (If you like menus, you can also choose Format from the menu and make changes from there.)

To apply color to the selected text, click the Colors button on the message window toolbar and then click anywhere in the color wheel that appears to select that color. You can also vary the hue by moving the slider bar at the right of the Colors window. After you find the color that expresses your inner passion, click the Close button on the Colors window to continue.



**Figure 2-5:**  
Reply to an  
e-mail  
message.

**3. To add an attachment, click the Attach button on the toolbar.**

Mail displays a familiar file Open dialog. Navigate to the to-be-attached file, select it, and click the Open button to add it to the message. (More on attachments in the upcoming section “Attachments on Parade.”)

**4. When you’re ready to send your reply, you have two options. You can click the Send button to immediately add the message to your Out folder, or you can click the Save As Draft button to store it in your Drafts folder for later editing.**

After a message is moved to the Out folder, it is sent either immediately or at the next connection time that you specify in Mail Preferences (more on this in the section “Checking Mail automatically,” later in the chapter). However, saving the message to your Drafts folder will not send it. Read the next section for the skinny on how to send a message stored in your Drafts folder.



# DropBooks

## Hey, what does MIME mean?

First, a note of explanation about Internet e-mail. (Don't worry about notes; you won't be tested on this stuff.) Decades back, Internet e-mail messages were pure text, composed only of ASCII characters — that means no fancy fonts, colors, or text formatting. However, as more and more folks started using e-mail, the clarion call rang forth across the land for more attractive messages (as well as attachments, which I cover in the section “Attachments on Parade”). Therefore, the MIME encoding standard was developed. In case you're interested, MIME stands for *Multipurpose Internet Mail Extensions* — a rather cool (and surprisingly understandable) acronym.

Originally, virtually all e-mail programs recognized MIME, but then the Tower of Babel principle kicked in, and now there are actually multiple versions of MIME. Apple Mail uses the most common variant of MIME, so most folks

who receive your e-mail should be able to see them in all their glory (even under Windows).

However, if one of your addressees complains that he got a message containing unrecognizable gobbledygook and a heading that mentions MIME, he's using an e-mail client application that either doesn't support MIME or supports a different version. (Of course, that person could have unknowingly turned MIME support off as well.) You have two possible solutions: You can ask the addressee to double-check whether MIME is enabled on his end in their e-mail application, or you can disable MIME when sending a message to that particular person. When you're composing an original message or a reply, you can use pure text by choosing **Format** → **Make Plain Text**. (Naturally, this prevents you from doing anything fancy, and files that you attach to a plain text message might not be delivered correctly.)

When you reply to a message, you can also forward your reply to another person (instead of the original sender). The new addressee receives a message containing both the text of the original message that you received and your reply. To forward a message, click the **Forward** button on the Mail toolbar instead of **Reply** or **Reply to All**.



If you don't want to include the text of the original message in a reply, choose **Mail** → **Preferences** → **Composing** and disable the **Quote the Text of the Original Message** check box.

By default, Mail checks your spelling as you type and also underlines any words that it doesn't recognize. (Very Microsoftian.) I like this feature, but if you find it irritating, you can turn it off. Just choose **Mail** → **Preferences** → **Composing** and disable the **Check Spelling as I Type** check box.


## *Raise the Little Flag: Sending E-Mail*

# DropBooks

To compose and send a new message to someone else, follow these steps:

1. **Click the New button on the Mail toolbar or choose File⇨New Message (or avail yourself of the handy ⌘+N keyboard shortcut).**

Mail opens the New Message window that you see in Figure 2-6.



**Figure 2-6:**  
An empty Mail message, waiting to be filled.

2. **Enter the recipient's (To) address by**

- Typing it in directly
- Pasting it in after copying it to the Clipboard
- Dragging an e-mail address from your Address Book
- Or (my favorite) clicking the Address button, which shows you the scaled-down version of the Address Book (the Addresses window) that you see in Figure 2-7


From the Addresses window, click the address that you want to use and then click the To button. To pick multiple recipients, hold down the Shift key while you click the multiple addresses. Click the Close button on the Addresses window to close it and then press Tab.



If you've got a huge number of entries in your Address Book, use the Search field on the Addresses window toolbar, which operates just like the Finder window Search box.

## DropBooks

**Figure 2-7:**  
Select an  
e-mail  
address  
from the  
Address  
Book.



3. When Mail highlights the Cc field (the spot where you can send optional carbon copies of the message to additional recipients), you can type the addresses directly, use the contents of the Clipboard, or display the Addresses window.

If you use the Addresses window, select the addresses that you want to use and click the Cc button. Then click the Close button on the Addresses window and press Tab.



Looking for the Blind Carbon Copy field? To display it, choose View⇧ Bcc Header. (A *blind carbon copy* is a message sent to multiple recipients, just like a regular carbon copy, but the recipients aren't listed when the message is displayed — that way, the other recipients won't know who else got a copy of the message.)

4. In the Subject field, enter the subject of the message and then press Tab.

Your text cursor now rests in the first line of the message text box — type, my friend, type like the wind! It's considered good form to keep this line short and relatively to the point.

5. When you're done typing your message, select any of the text that you've entered and use the toolbar features I describe in the earlier section "Replying to mail" to apply different fonts or formatting.

Click the Fonts button in the message window toolbar to open a window of formatting choices. (Click its Close button to continue.) If you like menus, you can also click Format and make changes from there.

**6. Add color to any selected text, if you like.**

Just click the Colors button in the message window toolbar and make choices there; when the hue is perfect, click the Close button on the Colors window to continue.

**7. To add an attachment, click the Attach button on the toolbar, navigate to the to-be-attached file in the dialog that appears, select the file, and then click Open to add it to the message.**

**8. When your new message is ready to post, either click the Send button to immediately add the message to your Out folder or click the Save As Draft button to store it in your Drafts folder (without actually sending it).**

To send a message held in your Drafts folder, click the Drafts folder in the Drawer to display all draft messages. Double-click the message that you want to send, which will display the message window — you can make edits at this point, if you like — and then click the Send button on the message window toolbar.



If you don't have access to an Internet connection at the moment, Mail allows you to work off-line. This way, you can read your unread messages and compose new ones on the road to send later. After you regain your Internet connection, you might need to choose Mailbox⇨Online Status⇨Go Online (depending on the connection type).


## *What? You Get Junk Mail, Too?*

Spam — it's the Crawling Crud of the Internet, and I hereby send out a lifetime of bad karma to those who spew it. However, chucking the First Amendment is *not* an option, so I guess we'll always have junk mail. (Come to think of it, my paper mailbox is just as full of the stuff.)

Thankfully, the latest version of Apple Mail has a net that you can cast to collect junk mail before you have to read it. The two methods of handling junk mail are

- ◆ **Manually:** You can mark any message in the message list as Junk Mail. Select the unwanted flotsam in the message list and then click the Junk button on the Mail window toolbar, which marks the message as you see in Figure 2-8. (Ocean-front property in Kansas . . . yeah, right.) If a message is mistakenly marked as junk but you actually want it, display the message in the preview box and then click the Not Junk button at the top of the preview box.

## DropBooks



**Figure 2-8:**  
“Be gone,  
demons of  
Junk Mail!”

- ◆ **Automatically:** Apple Mail has a sophisticated Junk Mail filter that you actually train to better recognize what’s junk. (Keep reading to discover how.) After you train Mail to recognize spam with a high degree of accuracy, turn it to full Automatic mode, and it will move all those worthless messages to your Junk folder.

You customize and train the Junk Mail filter from the Preferences dialog (available from your trusty Mail menu); click Junk Mail to show the settings. By default, Mail starts in Training mode, using the When Junk Mail Arrives, Leave It in My Inbox option. This means that it takes its best shot at determining what’s junk. When you receive more mail and mark more messages as junk (or mark them as *not* junk), you’re actually teaching the Junk Mail feature how to winnow the wheat from the chaff. In Training mode, junk messages are not actually moved anywhere — they’re just marked with a particularly fitting, grungy brown color.

After you’re satisfied that the Junk Mail filter is catching just about everything that it can, display this submenu and choose the Move It to the Junk Mailbox (Automatic) option. Mail creates a Junk folder and prompts you for permission to move all junk messages to this folder. After you review everything in the Junk folder, you can delete what it contains and send it to the Trash folder. To save a message from junkdom, click the Not Junk button in the preview window and then drag the message from the Junk folder message list to the desired folder in the Drawer.

## DropBooks



If you don't receive a lot of spam — or you want to be absolutely sure that nothing gets labeled as junk until you review it — then display the Junk Mail sub-menu and then choose the Off menu item.

By default, Mail now exempts certain messages from Junk Mail status based on three criteria: if the sender is in your Address Book, if you've sent the sender a message in the past, or if the message is addressed to you with your full name. To tighten up your Junk Mail filtering to the max, you might want to disable these check boxes as well.

To reset the Junk Mail filter and erase any training that you've done, choose Junk Mail⇨Reset. Then click the Yes button to confirm your choice. To display the Junk rule and edit it if necessary, choose Junk Mail⇨Advanced. (I discuss filtering rules at length at the end of this chapter.)

## *Attachments on Parade*

Attachments are a fun way to transfer files through e-mail. However, remembering these three very important caveats is imperative:

- ◆ **Attachments can contain viruses.** Even a message attachment that was actually sent by your best friend can contain a virus — either because your friend unwittingly passed one along or because the virus actually took control of your friend's e-mail application and replicated itself automatically. (Ugh.)

Is it a Mark's Maxim, or is it a dire warning? (It's both!)

**Never send or receive attachments unless you have an up-to-date antivirus scanning application running.<sup>TM</sup>**

- ◆ **Corpulent attachments don't make it.** Most corporate and ISP mail servers have a 1–3MB limit for the total size of a message — and the attachment counts toward that final message size. Therefore, I recommend sending a file as an attachment only if it's less than 1MB (or perhaps 2MB) in size. If the recipient's e-mail server sends you an automated message saying that the message was refused because it was too big, this is the problem.
- ◆ **Not all e-mail applications and firewalls accept attachments.** Not all e-mail programs support attachments in the same way, and others are simply set for pure text messages. Some corporate firewalls even reject messages with attachments. If the message recipient gets the message text but not the attachment, these are the likely reasons.

With that said, it's back to attachments as a beneficial feature. Follow these steps to save an attachment that you receive:





### 1. Click the message with an attachment in your message list.

Having trouble determining which messages have attachments? Choose **View**⇨**Columns** and then click the Attachments item from the submenu that appears to toggle it on. Now messages with attachments appear with a tiny paper clip icon in the entry.

If Mail recognizes the attachment format, it displays or plays the attachment in the body of the message; if not, the attachment is displayed as a file icon.

### 2. To open an attachment that's displayed as a file icon, hold down **Control**, click the file icon, and then choose **Open Attachment** from the pop-up menu that appears.

If you know what application should be used to open the attachment, click the Open With button and choose the correct application from the submenu that appears.

### 3. To save an attachment, hold down **Control**, click the attachment (however it appears in the message), and then choose **Save Attachment** from the pop-up menu.

In the Save dialog that appears, navigate to the location where you want to save the file and then click Save.

## Fine-Tuning Your Post Office

Like all other Apple software, Mail is easily customized to your liking. In this section, I discuss some of the preferences that you might want to change.

### *Adding sound*

To choose a sound that plays whenever you receive new mail, choose **Mail**⇨**Preferences**⇨**General**. Either click the New Mail Sound drop-down list box and choose one of the sounds that Apple provides or choose Add/Remove from the drop-down list to choose a sound file from the Sounds folder (which, in turn, is located within your Library folder). Choose None from the drop-down list to disable the new mail sound altogether.

### *Checking Mail automatically*

By default, Mail automatically checks for new mail (and sends any mail in your Out folder) every five minutes. To change this delay period, display the General panel in the Preferences dialog, choose the Check for New Mail drop-down list box, and then choose one of the time periods. To disable automatic mail checking, choose Manually; you can click the Get Mail toolbar button to manually check your mail any time you like.



## DropBooks

***Automating message deletion***

If you like, Mail can be set to automatically delete sent mail and Junk messages (as well as permanently erase messages that you relegate to the Trash). To configure these settings, display the Accounts list in the Preferences window, click the desired account, and then click the Special Mailboxes tab.

To delete Sent messages automatically, enable the Erase Copies of Sent Messages When drop-down list box and choose the delay period or action. You can choose to delete mail after a day, a week, a month, or immediately upon quitting Mail. Alternatively, you can leave this field set to Never, and Mail will never automatically delete any messages from the Sent folder.

To delete Junk messages automatically, click the Erase Messages in the Junk Mailbox When drop-down list box and choose the delay period or action. (They're the same as the options available for Sent mail.)

To delete messages from the Trash, click the Erase Deleted Messages When drop-down list box and choose the delay period or action — again, the choices are the same as those for Sent messages.

***Adding signatures***

To add a block of text or a graphic to the bottom of your messages as your personal signature, follow these steps:

1. Choose **Mail** ⇨ **Preferences** ⇨ **Signatures**.
2. From the **Signatures** pane that appears, click the **Add Signature** button.
3. Type a descriptive name for the signature in the **Description** box and then press **Tab**.
4. Type the signature itself in the text entry box or copy the signature to the **Clipboard** and paste it into the text entry box.



Because downloading a graphic in a signature takes long — and because some folks still use plain text e-mail — avoid the temptation to include large graphics in your signature.

If you enter a block of formatted text, click the **Make Plain Text** button to reduce those fancy fonts to plain text.

5. Click **OK** to save the signature.
6. If you have multiple signatures, click the **Automatically Insert Signature** drop-down list to choose which one you want to use or to use them all randomly or in sequence.

If you use specific signatures for different subjects, you can also enable the **Show Signature Menu on Compose Window** check box, which allows you to switch signatures from the Compose window.

## Changing the status of an account

Sometimes you won't be able to reach one of your accounts. For example, maybe you're on the road with your laptop and you're unable to access your office network. Apple Mail allows you to enable and disable specific accounts without the hassle of deleting an account and then having to add it again.

To disable or enable an account, choose Preferences⇨Accounts and click the desired account; click the Advanced tab and then enable (or clear) the Enable This Account check box as necessary.



If you disable an account, you should also disable the Include When Automatically Checking for New Mail check box to make sure that Mail doesn't display an error message. You can always check any account for new mail by choosing Mailbox⇨Get New Mail and then choosing the desired account name from the submenu.

## Automating Your Mail with Rules


Before I leave the beautiful shores of Mail Island — “GILLIGAN!” — I'd be remiss if I didn't discuss one of its most powerful features: the ability to create *rules*, which are automated actions that Mail can take. With rules, you can specify criteria that can perform actions such as

- ◆ Transferring messages from one folder to another
- ◆ Forwarding messages to another address
- ◆ Highlighting or deleting messages

To set up a rule, follow these steps:

1. **Choose Mail⇨Preferences and then click the Rules button on the toolbar.**

Mail displays the Rules dialog, as shown in Figure 2-9.



**Figure 2-9:**  
The Rules list.

## DropBooks

2. To duplicate an existing rule, highlight it in the list and then click the Duplicate button. (For this demonstration, however, create a rule from scratch by clicking the Add Rule button.)
3. In the Description field, type a descriptive name for the new rule and then press Tab to move to the next field.
4. Click the If drop-down list to specify whether the rule will be triggered if *any* of the conditions are met or whether *all* conditions must be met.

5. Because each rule requires at least one condition, click the target drop-down list boxes to see the target for the condition.

These include whom the message is from or to, which account received the message, whether the message is marked as junk, and whether the message contains certain content. Select the target for the condition.

6. Click the Criteria drop-down list box to choose the rule's criteria.

The contents of this drop-down list box change depending on the condition's target. For example, if you choose From as the target, the criteria include Contains, Does Not Contain, Begins With, and so forth.

7. Click in the expression box and type the text to use for the condition.

For example, a completed condition might read

Subject Contains Ocean-Front

This particular condition will be true if I get an e-mail message with a subject that contains the string Ocean-Front.

8. Add more conditions by clicking the plus sign button at the right of the first condition.

To remove any condition from this rule, click the minus sign button next to it. Remember, however, that every rule needs at least one condition.

9. To specify what actions will be taken after the condition (or conditions) has been met, click the first Perform the Following Actions drop-down list box to see the action that this rule should perform. Then click the second drop-down list box and then select the action for the rule.

Choices include transferring a message from one folder to another, playing a sound, automatically forwarding the message, deleting it, and marking it as read.

Each rule requires at least one action.



**10. Depending on the action that you select, specify one or more criteria for the action.**

For instance, if I select Set Color as my action, I must then choose whether to color the text or the background as well as what color to use.

Like the plus button next to the conditions, you can also click the plus button next to the first action to perform more than one action. To remove an action, click the minus button next to it.

**11. When the rule is complete, click OK to save it.**

Here's an example of a complex rule:

If the message were sent by someone in my Address Book AND the Subject field contains the text FORWARD ME, forward the message to the e-mail address fuadramses@mac.com.

This is a good example of an automated forwarding rule. With this rule in place and Mail running on Mac OS X, any of my friends, family, or co-workers can forward urgent e-mail to my .Mac account while I'm on vacation. To trigger the rule, all the sender has to do is include the words FORWARD ME in the message subject. And if the sender isn't in my Address Book, the rule doesn't trigger, and I can read the message when I get home. *Mondo sassy.*

Each rule in the Rules dialog can be enabled or disabled by toggling the Active check box next to the rule. You can also edit a rule by selecting it in the Rules dialog and then clicking the Edit button. To delete a rule completely from the list, select it and then click the Remove button; Mail will prompt you for confirmation before the deed is done.



# DropBooks

# DropBooks



# DropBooks

## Chapter 3: Staying in Touch with iChat AV

---

### *In This Chapter*

- ✓ Setting up iChat AV
- ✓ Changing modes in iChat AV
- ✓ Adding Buddies
- ✓ Inviting a Buddy to chat
- ✓ Sending an Instant Message
- ✓ Sending and receiving files via iChat AV
- ✓ Ignoring those who deserve to be shunned

**T**hroughout man's history, our drive has been towards communication — from the earliest cave paintings, through written language, to the telegraph, the telephone, and the cellular all-in-one PDA that the guy in the SUV in front of you is using . . . and he's arguing with someone and he's not paying attention and . . . (whump).

So much for the learned and scholarly introduction — forget that silly cellular phone and your complicated calling plan! As long as you have Mac OS X and an Internet connection, you can instantly chat with your friends and family whether they're across the aisle in another cube or halfway across the world — and, by golly, if you both have a Web cam or DV camcorder connected to your computers, you'll *see* each other in glorious, full-color video! This modern marvel is *iChat AV*, and it fulfills the decades-old promise of the video telephone quite well, thank you.

In this chapter, I show you how to gab with the following folks:

- ◆ Others who use iChat AV (either on your local network or on the Internet)
- ◆ Anyone who uses AIM — that's short for *America Online (AOL) Instant Messaging*
- ◆ Folks who participate in AOL chat rooms

## Configuring iChat

# DropBooks

When you first run iChat AV, you'll see the dialog shown in Figure 3-1. Type the first name (your name) that you want to use in the First Name field, press Tab, and then type the surname that you want to use. (Yes, you can even use *Bullwinkle Moose* — just leave out the middle initial *J.*)

**Figure 3-1:**  
iChat needs a little information before things begin.




By default, iChat AV uses the .Mac account that you set up when you first installed Mac OS X. In this case, your .Mac Account Name and Password are automatically entered for you, and you're good to go. However, if you're already using AIM and you'd like to use your existing AIM account, click the Account Type drop-down list and choose AIM; then enter your AIM name and password instead.

iChat will also ask whether you'd like to enable Rendezvous messaging. As you can read in Chapter 1, Book V, think of *Rendezvous* as plug-and-play for your local network. In iChat, Rendezvous messaging displays a separate window where you can see (and yak with) anyone on your local network without having to know his iChat name — that's because Rendezvous automatically announces all the iChat AV users who are available on your network. If you have others using iChat AV or AIM on your local network, go for this option; if you're not connected to a local network, however, Rendezvous messaging isn't necessary. Also, if you're on a public AirPort/AirPort Extreme network or if you're connecting to the Internet with a modem through dialup, I recommend disabling Rendezvous messaging. (For all that's cool about AirPort and its faster sibling AirPort Extreme, see Book V, Chapter 4.)

After you finish these configuration necessities, iChat AV displays the Buddy List window (or, if you enabled Rendezvous messaging, two windows) that you see in Figure 3-2. Remember that your Rendezvous window displays only those iChat AV folks on your local network.



## DropBooks



**Figure 3-2:**  
iChat AV  
and  
Rendezvous:  
Instant communi-  
cation at its  
finest.

A few things to note here about the Buddy List window:

- ◆ **If you don't like your picture, don't panic.** By default, iChat AV uses your user account thumbnail image as your visual persona. However, you can add a picture to your iChat iIdentity — sorry, I couldn't resist that — by dragging an image to the well next to your name at the top of the Buddy List window. If necessary, iChat AV will ask you to position and size the image so that it will fit in the (admittedly limited) space. This picture is then sent along with your words when you chat. In later figures for this chapter, I borrow the smiling face of Wolfgang Amadeus Mozart.



Click your image to display your recent thumbnails — this way, you can even use a different thumbnail image for each of your many moods. (Geez.) Also, you can click Edit Picture from the pop-up menu and capture a new thumbnail with your Web/DV camera.


- ◆ **Check out the buttons along the bottom of the window(s).** In order, these buttons are
  - **Add a New Buddy** (which I cover in the next section)
  - **Start a Text Chat** (plain, old-fashioned chatting via the keyboard)

# DropBooks

- **Start an Audio Chat** (chatting with your voice, using microphones)
- **Start a Video Chat** (the ultimate chat, where the parties can both see and hear each other)

Using these buttons can handle about 90 percent of the commands that you need to give while using iChat AV, so use 'em! (Note that the Rendezvous window doesn't have an Add a New Buddy button because the Buddy List in the Rendezvous window is automatically populated by other iChat AV folks on your local network.)

- ◆ **Hey, look, there's a new menu bar icon!** When you're running iChat AV, the application adds a balloon menu bar icon next to the clock display in the upper-right corner of your screen. Click it to display the options that you see in Figure 3-3. You can change your online/offline status, immediately invite a Buddy for a chat, or display the Buddy List (which I discuss later in the section "Will You Be My Buddy?").



**Figure 3-3:**  
The iChat  
AV menu  
bar icon  
in action.

## Changing Modes in iChat AV

# DropBooks

To launch iChat AV, you can click its icon from the Dock or launch it from its iChat AV application icon (which you'll find in your Applications folder). Or, you can click its menu bar icon, which is grayed out when you're offline. If you're not already familiar with the terms *online* and *offline*, here's the scoop: When you're *online*, folks can invite you to chat and communicate with you. When you're *offline*, you're disconnected: iChat AV isn't active, you can't be paged, and you can't chat.

Even when you're offline, you can choose Available from the friendly balloon menu bar icon, which will automatically switch iChat AV to online mode. Or you can click a Buddy name directly, which will automatically switch iChat AV to online mode and open the paging window for that Buddy. (Naturally, you have to have the proper network or Internet connection first.)

You can use another mode, *Away*, whenever iChat AV is running and you're still online but not available. For example, if I'm away from my Mac for a few minutes, I leave iChat AV running but I switch myself to Away mode. My Buddies get a message saying that I'm Away, so they won't bother trying to contact me. When I return to my computer, I simply move my mouse, and iChat AV intelligently inquires as to whether I'd like to return to Available mode. You can also use the menu bar icon to switch from Away to Available (or my other favorite mode, *Twiddling My Thumbs*). Refer to Figure 3-3 to see these choices.

Speaking of modes, you, too, can create a custom mode — like *Bored stiff!* or *Listening to the Pointy-Haired Boss* — and use it instead of the somewhat mundane choices of *Available* and *Away*. To do this, display the Buddy List window, click the word *Available* beneath your name (refer to Figure 3-2), and a drop-down list appears. To choose an existing mode, click it; modes with a green bullet are online modes, and red bullet modes are offline modes. Click the Custom menu item for either color to open an edit box; type the new mode there and then press Return. The new mode is automatically added to your mode list. You can also switch modes from this drop-down list.

## Will You Be My Buddy?


I know that question sounds a little personal, but in iChat AV, a *Buddy* is anyone whom you want to chat with, whether the topic is work related or your personal life. iChat AV keeps track of your Buddies in the Buddy List. You can also add them to your Address Book or use the AIM entry in an Address Book contact to generate a new Buddy identity.

To add a new Buddy, follow these steps:

1. Choose **iChat**→**Buddies**→**Add a Buddy**, or click the **Add a New Buddy** button at the bottom of the iChat AV window, or press **⌘+Shift+A**.


iChat AV displays the sheet that you see in Figure 3-4.

**Figure 3-4:**  
Add a Buddy from your Mac OS X Address Book.



2. To create a Buddy entry from an Address Book contact who has an Instant Messaging username, click the entry to select it, and then click the **Select Buddy** button.
3. To add a brand-new person who's not already in your Address Book, click the **New Person** button to display the sheet that you see in Figure 3-5.

**Figure 3-5:**  
Enter information for a new Buddy.



4. In this new sheet, select the proper account type (either **.Mac** or **AIM**), press **Tab**, and then type the person's **Instant Messaging** account name.

If you like, you can also add your own picture to represent that person (instead of using the icon that he provides). Just locate the image file that you want to use within a Finder window and drag the image to the Buddy Icon well.

You can also optionally enter the person's real name and e-mail address, and iChat AV obligingly creates an entry in your Address Book for your new Buddy.

### 5. Click Add to save the Buddy information.



Every time you add a new Buddy and that name appears in the Buddy List, you shouldn't be surprised if the name actually fades out after a few seconds — that indicates that the person is offline and unavailable. You can also tell when a person is available if her name appears with a green bullet in the Buddy List.

You can also specify a number of actions that iChat AV should take if a Buddy logs in or out of Instant Messaging, or if a Buddy changes his or her status to Available. To display these actions, click the desired Buddy's entry in your Buddy List and then press  $\mathbb{A}$ +Shift+I. Click the drop-down list box at the top of the Info dialog, click Actions, and then choose the event that should trigger the action from the Event drop-down list. Enable the desired check box to specify whether iChat AV should play the sound that you select, speak a line of text, and/or bounce the iChat AV icon in the Dock.

## Chat! Chat, 1 Say!

Turn your attention to getting the attention of others — through inviting others to chat. You don't have to actually invite someone to chat. For example, you can send an Instant Message just by double-clicking the desired entry in the Buddy List. However, good chatting etiquette implies inviting someone to a conversation rather than barging in unannounced. Also, using the invitation method opens a true chat window, which makes it easier to engage in longer conversations.

If you want to join an AIM chat already in progress, choose File→Go to Chat (or press  $\mathbb{A}$ +G). Depending on the service being used, you might have to specify both the type of chat and the specific chat room name.

At this point, it's time to draw your attention to the green phone and video icons next to each person in your Buddy List (as well as next to your own name at the top of the list). If the green phone icon appears next to both your name and your buddy's name, you can enjoy a two-way audio (or voice) chat. If both you and your buddy are lucky enough to have FireWire Web cams or DV cameras connected to your Macs, you can jump into a real-time, two-way video chat, complete with audio. Apple's offering, the iSight camera, is probably the best-known (and best-looking) FireWire camera on the market.




If your Mac has a microphone or video camera hooked up but you *don't* see these icons, click the Audio menu and make sure that the Microphone Enabled and Camera Enabled menu items are selected.

To invite someone, click the desired Buddy from the Buddy List, click Buddies, and then choose Invite to Chat (or press  $\mathbb{A}$ +Option+C). You can

also click directly on the phone or camera icon next to the person's name in your Buddy List. iChat AV displays the Group Chat window that you see in Figure 3-6, which also doubles as an Invitation window.

**Figure 3-6:**  
Inviting that  
special  
someone.



You can invite additional Buddies to enter the chat by clicking the plus button at the bottom left of the Participants list and choosing another Buddy.

Type your invitation text into the entry box at the bottom of the window. If you'd like to use bold or italic text, highlight the text and press  $\text{⌘}+\text{B}$  for Bold (**B**) or  $\text{⌘}+\text{I}$  for Italic (*I*). You can also add a Smiley face to your invitation text: Click in the desired spot in the text, click the Smiley button to the right of the text entry field, and then choose the proper Smiley from the list. To send the invitation text, press Return.


The recipient of your chat invitation can decline or accept your chat invitation. You'll be notified (as delicately as possible) if the chat has been declined.

To invite a buddy to an audio chat, select that person in the Buddy List, click the Buddies menu, and then choose Invite to Audio Chat (or One-Way Audio Chat, if only one of you has a microphone). A video invitation works in a similar fashion: Click Buddies and choose either Invite to Video Chat or Invite to One-Way Video Chat, depending on the hardware available.

If the chat is accepted, iChat AV displays a message saying that the Buddy whom you invited has joined the chat, and you now can begin the chat. You don't have to alternate sending messages back and forth between participants — everyone in a chat can compose and send messages at the same time — but I personally like to alternate when I'm chatting one-on-one. See the volley in Figure 3-7. By the way, you might notice that AIM users are represented by the AIM "Running Dude" icon (unless they change it, or you assign an icon picture of your own as I describe in the previous section).


# DropBooks

**Figure 3-7:**  
A typical chat in progress.



You can resize the Chat window by using the handle at the bottom-right corner, just like most other application windows in Mac OS X.

As you can see in Figure 3-8, you can change fonts and colors while composing a line of text. Simply select the text and then choose **Format** → **Show Fonts** and **Format** → **Show Colors** (or press **⌘+T** and **⌘+Shift+C**) to display the **Fonts** and **Colors** windows, respectively. These windows can be resized and moved wherever you like.



**Figure 3-8:**  
For the truly creative, leave the **Fonts** and **Colors** windows open during your chat.

## DropBooks



To save the discussion in a chat, choose File⇨Save a Copy As. In the dialog that appears, type a name for the chat file, select a location where you want to store the file, and then click Save. To automatically save transcripts of all your chats, choose iChat⇨Preferences and click Messages; then select the Automatically Save Chat Transcripts check box to enable it. To specify where the transcripts should be saved, click the Open Folder button.

When the iChat AV window is active, a number of display choices can be made from the View menu, including

- ◆ **Show as Text:** Each line that you write and receive in a chat can be displayed in *balloons*, just like your favorite comic — the default — or as simple text.
- ◆ **Show Names and Pictures:** Each line can be displayed with the individual's picture, just the name, or both the name and picture.
- ◆ **Background display:** Choose the Set Chat Background menu item to choose a graphic to use for the Chat window. To return to the original appearance, choose the Clear Background menu item.



Click the Buddy List, and the View menu offers a different set of controls: You can sort your Buddy List by first name, last name, or availability, and you can also toggle the display of offline Buddies. These options are also available from the Buddy List toolbar.

To close a chat, click the Close button on the Chat window.

## *Sending Files with iChat AV*

To send a file to a Buddy, click the desired entry in the Buddy List and then choose Buddies⇨Send a File, use the ⌘+Option+F keyboard shortcut, or drag the file from a Finder window to the person's entry in the Buddy List. You'll see the dialog shown in Figure 3-9, which indicates that the recipient is being offered a file transfer request. If the file request is accepted by your Buddy, the transfer begins and is saved where the recipient specifies on their system.

**Figure 3-9:**  
A moment of suspense  
— will my  
Buddy  
accept a file  
from me?







Figure 3-10 illustrates the reverse: I'm receiving a file from a Buddy. From the Incoming File Request pane that appears when someone sends me a file, I can either click the Decline button (to decline the file transfer) or the Save File button (to save the incoming file to any spot on my system).



Always check any files that you receive from iChat AV with your antivirus scanning software before you run them!

**Figure 3-10:** My Buddy returns the favor with a file of his own.



## Eliminating the Riffraff

Here I need to explain something that I hope you won't have to use — what I like to call the *Turkey Filter*. (iChat AV is a little more subtle — you just ignore people.)

To ignore someone in a chat group, click their name in the list and choose Buddies⇨Ignore Person. When someone is ignored in a chat group, you won't see anything that he types or have to respond to any file transfer requests from that person.

If only it were that easy to ignore someone when he's standing close to you.

Anyway, if the person becomes a royal pain, you can also choose to *block* that person entirely — that way, the offensive cur won't even know that you're online, and he can't reach you at all. Click the person in the list and choose Buddies⇨Block Person — the deal is done.

# DropBooks



# DropBooks

## Chapter 4: Expanding Your Horizons with iDisk

---

### *In This Chapter*

- ✓ Setting up iDisk
- ✓ Using files and folders on your iDisk
- ✓ Using public files

**I**f you ask the average Mac owner what's available on the Internet, you'll likely hear benefits such as e-mail, Web surfing, and instant communication via iChat AV. What you probably *won't* hear is, "Convenient, trouble-free storage for my files and folders."

You might have tried to use one of the dozens of storage sites on the Internet that allow you to upload and download files from a personal file area via your Web browser. Unfortunately, these Web-based storage sites are slow in transferring files, lacking in convenience, and typically offer only a small amount of space. As a result, most computer owners decide that the idea of online storage is neat . . . but impractical.

In this chapter, I show you what *real* online storage is all about. I'm talking about *iDisk*, which is the online storage feature that's integrated into the Mac OS X Finder. No jury-rigged Web site is necessary (although you can use one if you're not on a Mac). I'll admit that online storage won't replace the hard drives on your Mac, but with a .Mac subscription, you can easily make use of online storage for backups and sharing files with your friends . . . from anywhere on the planet!

So how do you actually *use* iDisk? That's the simple part! To use iDisk within Mac OS X, just do what comes naturally — it works like any other removable volume's Finder window. You can copy and move files and folders to and from your iDisk, create new subfolders (except in the Backup and Software root folders, which are read-only), and delete whatever you don't need.

## *Grabbing Internet Storage for Your Mac*

# DropBooks

To set up iDisk on your Mac OS X system, you'll need a .Mac account. You did create one during the installation of the Big X, right? These trial accounts are limited to 20MB of storage, and the trial account is active for only 60 days. Therefore, if you decide that you like iDisk, you should subscribe to .Mac; a subscription increases your online treasure chest to 100MB of iDisk storage. To subscribe, visit <http://mac.com> and follow the prompts to join from there. (At the time of this writing, the subscription fee is \$100 per year.)

With a .Mac account active, iDisk is automatically available. To see how much storage you're using and to configure access to your Public folder, open System Preferences, click the .Mac icon, and then click the iDisk tab to display the settings that you see in Figure 4-1. (You can also click the Buy More button on this panel to subscribe to Apple's .Mac service.)

### **Pinning down your iDisk**

So where exactly *are* your files kept when you use your iDisk? In earlier versions of Mac OS X, your acre of storage farmland always sat on one of Apple's iDisk *file servers* — perhaps in Cupertino, perhaps elsewhere. These server computers are especially designed to store terabytes (TB) of information (1TB equals 1,000GB), and they're connected to the Internet via high-speed trunk lines. (And yes, they do have a firewall.)

However, beginning with Panther, you can elect to keep a local copy of your iDisk storage area — usually called a *mirror* — on your Mac's hard drive. (Because Macs have copious hard drives, reserving 100MB is no problem.) Before you scratch your head wondering why you're duplicating your iDisk files on your computer, here's the reason: If you do decide to keep a local copy of your files, you can work on them even when you're not connected to the Internet! Panther automatically synchronizes any files that you've updated locally with your remote iDisk whenever you connect to the Internet. (If you use multiple Macs at different locations, think about being able to access the


latest copies of your files from *any* of them, right from the Finder!)

This nifty mirror also greatly speeds up things when you're browsing the contents of your iDisk or perhaps loading and saving an iDisk document; that's because you're working with your local copy, and Mac OS X updates any changes that you make to the corresponding remote file on the iDisk server. You can tell that things are updating when that funky little yin yang, circular doodad — the thing next to your iDisk in the Finder window — is rotating in its animated fashion. (And yes, I have it on good authority . . . that's what the Apple software developers call it, too.)

You're not required to use a mirror, however. To disable the mirroring feature and return to the remote-only operation of old, clear the Synchronize Your iDisk with a Copy on Your Computer check box on the iDisk settings panel to disable it. Remember, though, that with the mirroring feature turned off, you must have an Internet connection to use iDisk, and things will move more slowly because you're accessing everything across the Internet.

## DropBooks

**Figure 4-1:**  
Your iDisk  
information  
is available  
from System  
Preferences.



The iDisk Disk Space bar graph illustrates how much of your current iDisk territory you're using. (Note that the account shown in Figure 4-1 is an evaluation account, so it shows only a total of 20MB.)

You can specify the access privilege level for other .Mac users from this panel as well. Select the Read-Only radio button to prevent any other .Mac user from copying files to your Public folder, or select the Read-Write radio button to allow others to save files there. No matter which privilege level you choose, you can also set a password that other .Mac users must type before they're allowed access to your Public folder. (More on the Public folder in the next section.) If you've already set a password, you can change it by clicking the Password button and typing the new word in the Password box. Retype the word in the Confirm box to verify it; then click the OK button to save the change and return to the .Mac System Preferences panel.

## Understanding What's on Your iDisk

Unlike the physical hard drive in your Mac, your iDisk never needs formatting or defragmenting, and you'll never have to check it for errors — however, the structure of an iDisk is fixed, so you can't just go crazy creating your own folders. In fact, you can't create new folders at the *root* — the top level — of your iDisk at all, but you can create new folders inside most of the root folders.

Now that you're thoroughly *rooterized*, here are the folders that you'll find hanging out in your iDisk:

- ◆ **Documents:** This folder holds any application documents that you want to store . . . things like spreadsheets and letters. No one but you can access these items.

## DropBooks

- ◆ **Pictures:** This folder is the vault for your JPEG and GIF images, including those that you want to use with iCards or your Web pages.
- ◆ **Movies:** QuickTime movies go here — again, you can add the movies stored here to your Web pages. (I cover QuickTime like a blanket in Book III, Chapter 6.)
- ◆ **Public:** This is the spot to place files that you specifically want to share with others, either directly through iDisk or with your Web pages. If you've allowed write access, others can copy files to your Public folder as well.
- ◆ **Sites:** The Web pages that you store here can be created with Apple's HomePage utility — which is available to all .Mac members — or you can use your own Web page design application and copy the completed site files here.
- ◆ **Music:** This is the repository for all of your iTunes music and playlists — the contents can be added to your Web pages. (iTunes is the star of Chapter 2 in Book III.) Mine is stuffed full of Mozart, Scarlatti, and that Bach fellow.
- ◆ **Backup:** This is a read-only folder that contains the backup files created with the .Mac Backup application. You can, however, copy the files in this folder to a removable drive on your system for an additional level of safekeeping.
- ◆ **Library:** Another read-only folder. This spot contains the configuration data and custom settings that you've created for other .Mac features.
- ◆ **Software:** Apple provides this read-only folder as a service to .Mac members; it contains a selection of the latest freeware, shareware, and commercial demos for you to enjoy. To try something out, open the Software folder and copy whatever you like to your Mac OS X Desktop. Then you can install and run the application from the local copy of the files.

*Opening and Using iDisk*

When you're connected to the Internet, you can open your iDisk in one of the following ways:

- ◆ **From the Finder menu, choose Go→iDisk and then choose My iDisk from the submenu — or use the ⌘+Shift+I keyboard shortcut.**
- ◆ **Add an iDisk button to your Finder window toolbar by clicking View and then choosing Customize Toolbar.**


After you add the button, you can click it to connect to your iDisk from anywhere in the Finder.

Your iDisk opens in a new Finder window, as shown in Figure 4-2. After you use one of these methods in a Mac OS X session, your iDisk icon appears on the Mac OS X Desktop; Figure 4-3 shows both the iDisk icon and its properties in the Get Info dialog. The iDisk volume icon remains until you shut down or restart your Mac.

**Figure 4-2:**  
The contents of my iDisk, iAmadeus — pretty iNeat, I'm thinking.



**Figure 4-3:**  
After you open your iDisk, it appears on your Desktop.



If you're using a remote computer with an Internet connection, you can log in to the .Mac page at [www.apple.com](http://www.apple.com) and use your Web browser to access the contents of your iDisk. (Hey, sometimes this is the only choice you have.)

## DropBooks

However, you don't actually need to open your iDisk in a Finder window to use it because you can also load and save files directly to your iDisk from within any application. Simply choose your iDisk as you would any of the hard drives on your system when using the application's Load, Save, or Save As commands.

You can also open an iDisk's Public folder — either yours or the Public folder inside another person's iDisk — as if it were an Internet file server. As I explain earlier, if that person has set a password, you'll need to enter that password to gain access to their Public folder. From the Finder menu, choose **Go**→**iDisk**→**Other User's iDisk** (or, to jump directly to their Public folder, choose **Go**→**iDisk**→**Other User's Public Folder**). If you choose the former, Panther prompts you for the other person's member name and password (see Figure 4-4); if you pick the latter, you need only enter the other .Mac member's account name.

After you enter a valid iDisk member name (and password, if required), you'll see the .Mac member's Public folder.

**Figure 4-4:** You can connect to any iDisk with the right member logon.



**TIP** You can also use the server address <http://idisk.mac.com/username-Public?> to connect to an iDisk from computers running Windows and Linux. Check the Help for your operating system to determine how to connect to a WebDAV server (usually called a *Web folder* in the Windows world). When prompted for your access username and password, use your .Mac account name and password. If you're using Windows XP, Apple has provided an even easier way to open an iDisk Public folder: iDisk Utility for Windows, which you can download from [www.mac.com](http://www.mac.com).

To connect to your iDisk from within Mac OS 9, follow these steps:



1. Click the Apple menu and then choose Chooser→AppleShare.
2. In the dialog that opens, click the Server IP Address button and type `iDisk.mac.com` in the Server Address box.
3. Click Connect.
4. Type your .Mac member name and password into the User Name and Password boxes, respectively; then click Connect.
5. Choose your iDisk from the Finder window.
6. Click OK.

# DropBooks



# DropBooks



# DropBooks

## Chapter 5: Going Places with Safari

---

### *In This Chapter*

- ✓ Introducing the Safari window and controls
- ✓ Visiting Web sites with Safari
- ✓ Moving between sites
- ✓ Creating and using bookmarks
- ✓ Receiving files with Safari
- ✓ Blocking those irritating pop-ups
- ✓ Saving Web pages to disk
- ✓ Protecting your privacy on the Web

**W**hen I was designing the Table of Contents for this book, I seriously considered leaving this chapter out — after all, more people use a Web browser now than any other software application. Who really needs a guide to mowing a lawn?

But then again, I suddenly thought of all the hidden features that folks don't know about Apple's Safari browser — for example, the tips and tricks that can help you organize your online visits. It's a little like learning more about the lawn mower itself: Even though you might not need tips on mowing, many people don't know how to remove the spark plug in the winter or how to sharpen the blade so you can handle taller grass. Remember, *magic is nothing more than technology that someone understands.*

In this chapter, I show you how to use those other controls and toolbar buttons in Safari — you know, the ones *besides* the Forward and Back buttons — and you'll discover how to keep track of where you've been and where you'd like to go. (Oh, and did I mention that you'll need an Internet connection?)

**One note:** Many authors have written entire books on Web browsing. As you might guess, this chapter is far narrower in scope than those books — I've got more ground to cover before dinner — and it doesn't include every one of Safari's features. However, I think the coverage that you find here will explain all that you're likely to need for most surfing sessions.

## Let's Pretend You've Never Used This Thing

# DropBooks

Figure 5-1 illustrates version 1.1 of Safari, which runs only under Mac OS X. You can launch Safari directly from the Dock, or you can click the Safari icon within your Applications folder.

Major sections of the Safari window include

- ◆ **The Address bar:** You'll find the most often-used commands on the toolbar for things like navigation, adding bookmarks, and searching Google — plus, you can type or paste the address for Web sites that you'd like to visit. The Address bar can be hidden to provide you with more real estate in your browser window for Web content. To toggle hidden mode, press  $\mathbb{S}+|$  (the vertical bar right above the backslash) or choose View⇨Address Bar.
- ◆ **The Bookmarks bar:** Consider this a toolbar that allows you to jump directly to your favorite Web sites with a single click. I show you later in the section “Adding and Using Bookmarks” how to add and remove sites from your Bookmarks bar. For now, remember that you can toggle the display of the Bookmarks bar by choosing View⇨Bookmarks Bar.



**Figure 5-1:**  
Safari at  
a glance.

# DropBooks



- ◆ **The Content window:** Congratulations! At last, you've waded through all the pre-game show and you've reached the area where Web pages are actually displayed. Like any other window, the Content window can be scrolled; and when you minimize Safari to the Dock, you get a *thumbnail* (minimized) image of the Content window.

The Content window often contains underlined text and graphical icons that transport you to other pages when you click them. These underlined words and icons are *links*, and they make it easy to move from one area of a site to another or to a completely different site.

- ◆ **The status bar:** The status bar displays information about what the mouse pointer is currently resting upon, like the address for a link or the name of an image; it also updates you on what's happening while a page is loading. To hide or display the status bar, press  $\mathbb{A}+\backslash$  (backslash).

## Visiting Web Sites

Here's the stuff that virtually everyone over the age of 5 knows how to do . . . but I get paid by the word, and some folks might just not be aware of all the myriad ways of visiting a site. You can load a Web page from any of the following methods:

- ◆ **Type (or paste) a Web site address into the Address bar and then press Return.**

If you're typing in an address and Safari recognizes the site as one that you've visited in the past, it helps by completing the address for you. If this is a new site, just keep typing.

- ◆ **Click a Bookmarks entry within Safari.**
- ◆ **Click the Home button, which takes you to the home page that you specify.**

More on this in the section "Setting Up Your Home Page" elsewhere in this chapter.

- ◆ **Click a page link in Apple Mail or another Internet-savvy application.**
- ◆ **Click a page link within another Web page.**
- ◆ **Use the Google box in the Address bar.**

Click in the Google box, type the contents that you want to find, and then press Return. Safari presents you with the search results page on Google for the text that you entered. (In case you've been living under the Internet equivalent of a rock for the last couple of years, *Google.com* is the preeminent search site on the Web — people use Google to find everything from used auto parts to ex-spouses.)

# DropBooks



- ◆ **Click a Safari page icon in the Dock or in a Finder window.**

For example, Mac OS X already has an icon in the default Dock that takes you to the Mac OS X page on the Apple Web site. Drag a site from your Bookmarks bar and drop it on the right side of the Dock. Clicking the icon that you add launches Safari and automatically loads that site.

This trick only works on the side of the Dock to the right of the vertical line.

If you minimize Safari to the Dock, you'll see a thumbnail of the page with the Safari logo superimposed on it. Click this thumbnail in the Dock to restore the page to its full glory.

## *Navigating the Web*

A typical Web surfing session is a linear experience — you bop from one page to the next, absorbing the information that you want and discarding the rest. However, after you visit a few sites, you might find that you need to return to where you've been or head to the familiar ground of your home page. Safari offers these navigational controls on the Address bar:

- ◆ **Back:** Click the Back button (the left-facing arrow) on the toolbar to return to the last page that you visited. Additional clicks take you to previous pages, in reverse order. The Back button is disabled if you haven't visited at least two sites.
- ◆ **Forward:** If you've clicked the Back button at least once, clicking the Forward button (the right-facing arrow) takes you to the next page (or through the pages) where you originally were, in forward order. The Forward button is disabled if you haven't used the Back button.
- ◆ **Home:** Click this button (look for the little house) to return to your home page.
- ◆ **AutoFill:** If you fill out a lot of forms online — when you're shopping at Web sites, for example — you can click the AutoFill button (which looks like a little text box and a pen) to complete these forms for you. You can set what information is used for AutoFill by choosing Safari → Preferences and clicking the AutoFill toolbar button.




To be honest, I'm not a big fan of releasing *any* of my personal information to *any* Web site, so I don't use AutoFill often. If you do decide to use this feature, make sure that the connection is secure (look for the padlock icon in the upper-right corner of the Safari window) and read the site's Privacy Agreement page first to see how your identity data will be treated.

- ◆ **Stop/Reload:** Click Reload (which has a circular arrow) to refresh the contents of the current page. Although most pages remain static, some

# DropBooks

pages change their content at regular intervals or after you fill out a form or click a button. By clicking Reload (look for the curvy arrow), you can see what's changed on these pages. (I use Reload every hour or so with CNN.com, for example.) While a page is loading, the Reload button turns into the Stop button — with a little X mark — and you can click it to stop the loading of the content from the current page. This is a real boon when a download takes *forever*, which can happen when you're trying to visit a very popular or very slow Web site (especially if you're using a dialup modem connection to the Internet). Using Stop is also handy if a page has a number of very large graphics that are going to take a long time to load.

- ◆ **Add Bookmark:** Click this Address bar button (which carries a plus sign) to add a page to your Bookmarks bar or Bookmarks menu. (More on this in a tad.)
- ◆ **Google Search:** As I mention earlier, you can click in this box and type text that you want to find on the Web via the Google search engine — press Return to display the results. To repeat a recent search, click the down arrow in the Google Search box and select it from the drop-down list.
- ◆ **Bug:** A rather strange creature, the Safari Bug button (top right) makes it easy to alert Apple when you encounter a page that doesn't display properly in Safari. (Software developers call such glitches *bugs* — hence the name.) When you click the Bug button, you'll see a sheet with the settings shown in Figure 5-2; take time to enter a short description of the problem that you're having. (I also enable the Send Screen Shot of Current Page and the Send Source of Current Page check boxes to give the Apple folks more to work with while they're debugging Safari.) Then click the Submit button to send the bug report to Apple.



**Figure 5-2:**  
Have at thee, troublesome buggy page!



Remember, not all these buttons and controls might appear on your Address bar — to display or hide Address bar controls, toggle them on and off from the View menu.

## Setting Up Your Home Page

# DropBooks

Choosing a home page is one of the easiest methods of speeding up your Web surfing, especially if you're using a dialup modem connection. However, a large percentage of the Mac owners whom I've talked to have never set their own home page, simply using the default home page provided by their browser! With Safari running, take a moment to follow these steps to declare your own freedom to choose your own home page:



- 1. If you want to use a specific Web page as your new home page, display it in Safari.**

It's a good idea to select a page with few graphics or a fast-loading popular site.

- 2. Choose Safari⇨Preferences or press ⌘+, (comma).**
- 3. Click the General button.**

You'll see the settings shown in Figure 5-3.

- 4. Click the Set to Current Page button.**
- 5. Alternatively, click the New Windows Open With drop-down list box and click Empty page if you want Safari to open a new window with a blank page.**

This is the fastest choice of all for a home page.

- 6. Press ⌘+Q to exit the Preferences dialog.**



Visit your home page at any time by pressing the Home button on the Address bar.



**Figure 5-3:** Adding your own home page is an easy (and often time-saving) change you can make.



## Adding and Using Bookmarks

# DropBooks


And don't forget about it: Bookmarks make the Web a friendly place. As you collect bookmarks in Safari, you're able to immediately jump from one site to another with a single click on the Bookmarks menu or the buttons on the Bookmarks bar.

To add a bookmark, first navigate to the desired page and then do any of the following:

- ◆ **Choose Bookmarks → Add Bookmark.**
- ◆ **Press the ⌘+D keyboard shortcut.**

Safari displays the sheet that you see in Figure 5-4, where you can enter the name for the bookmark and select where it will appear (on the Bookmarks bar or the Bookmarks menu).

**Figure 5-4:**  
Adding a  
bookmark is  
child's play.



- ◆ **Drag the Web address from the Address bar to the Bookmarks bar.**



You can also drag a link on the current page to the Bookmarks bar — but note that doing this only adds a bookmark for the page corresponding to the link — not the current page.

To jump to a bookmark:

- ◆ **Choose it from the Bookmarks menu.**
- ◆ **Click the bookmark on the Bookmarks bar.**

If the bookmark is contained in a folder, which I discuss later in this section, move your mouse pointer over the folder name to show its contents and then click the bookmark.


If you've added a large number of items to the Bookmarks bar, click the More icon on the edge of the Bookmarks bar to display the rest of the buttons.



- ◆ Click the Show All Bookmarks button (which looks like a small opened book) on the Bookmarks bar and then click the desired bookmark.

## DropBooks

The Bookmarks window that you see in Figure 5-5 appears, where you can review each collection of bookmarks at leisure.



**Figure 5-5:**  
The Bookmarks window puts all your bookmarks in easy reach.



The more bookmarks that you add, the more unwieldy the Bookmarks menu and the Bookmarks window become. To keep things organized, choose Bookmarks → Add Bookmark Folder and then type a name for the new folder. With folders, you can organize your bookmarks into *collections*, which appear in the column at the left of the Bookmarks window (or as separate submenus within the Bookmarks menu). You can drag bookmarks within the new folder to help reduce the clutter.

To delete a bookmark or a folder from the Bookmarks window, click it and then press Delete.

## Downloading Files

A huge chunk of the fun that you'll find on the Web is the ability to download images and files. If you've visited a site that offers files for downloading, typically you just click the Download button or the download file link,

# DropBooks

and Safari takes care of the rest. You'll see the Downloads status window as shown in Figure 5-6, which keeps you updated with the progress of the transfer. While the file is downloading, feel free to continue browsing or even download additional files; the status window helps you keep track of what's going on and when everything will be finished transferring.

**Figure 5-6:** Monitor downloads with the status window.



By default, Safari saves any downloaded files on your Mac OS X Desktop, which I like and use. To specify the location where downloaded files are stored — for example, if you'd like to scan them automatically with an antivirus program — follow these steps:


1. Choose **Safari**⇨**Preferences** or press **⌘+,** (comma).
2. Click the **General** tab and then click the **Save Downloaded Files To drop-down** list box.
3. Click **Other**.
4. Navigate to the location where you want the files stored.
5. Click the **Select** button.
6. Click the **Close** button to exit Preferences.

To download a specific image that appears on a Web page, move your mouse pointer over the image and hold down **Control** while you click. Then choose **Download Image to Disk** from the pop-up menu that appears, as shown in Figure 5-7. Safari prompts you for the location where you want to store the file.



Luckily, Safari has matured to the point that it can seamlessly handle virtually any multimedia file type that it encounters. However, if you've downloaded a multimedia file and Safari doesn't seem to be able to play or display it, try loading the file within QuickTime. As you can read in Book III, Chapter 6, *QuickTime* is the Swiss Army knife of multimedia players, and it can recognize a huge number of audio, video, and image formats.

# DropBooks



**Figure 5-7:**  
Download  
single image  
files from a  
Web page.

## *Using Subscriptions and History*

To keep tabs on where you've been, you can display the History list by clicking the History menu. To return to a page in the list, just click it from the History menu. Safari also searches the History list when it fills in an address that you're typing — that's the feature I mentioned in the earlier section "Visiting Web Sites."

I show you how to clear the contents of the History file in the upcoming section "Handling ancient history."

## *Saving Web Pages*

If you've encountered a page that you'd like to load later, you can save it to disk in its entirety. Follow these steps:

1. **Display the desired page.**
2. **Choose File → Save As.**
3. **In the Save As text field, type a name for the saved page.**
4. **From the Where field, navigate to the location where you want to store the file on your system.**

To expand the sheet to allow navigation to any location on your system, click the button with the downward arrow.

5. Click **Save** to begin the download process.

After the Save file has been created, double-click it to load it in Safari.



A quick word about printing a page within Safari: Some combinations of background and text colors might conspire together to render your printed copy practically worthless. In a case like that, use your printer's grayscale setting (if it has one). Alternatively, you can simply click and drag to select the text on the page, press **⌘+C** to copy it, and then paste the text into Word or AppleWorks, where you can print the page on a less offensive background (while still keeping the text formatting largely untouched). You can also save the contents of a page as plain text, as I just demonstrated.

## Protecting Your Privacy

No chapter on Safari would be complete without a discussion of security, both against outside intrusion from the Internet and prying eyes around your Mac. Hence this last section, which covers protecting your privacy.



Although diminutive, the tiny padlock icon that appears in the top-right corner of the Safari window when you're connected to a secure Web site means a great deal! A *secure site* encrypts the information that you send and receive, making it much harder for those of unscrupulous ideals to obtain things like credit card numbers and personal information.

### *Yes, there are such things as bad cookies*

First, a definition of this ridiculous term: A *cookie*, a small file that a Web site automatically saves on your hard drive, contains information that the site will use on your future visits. For example, a site might save a cookie to preserve your site preferences for the next time or — in the case of a site such as Amazon.com — to identify you automatically and help customize the offerings that you see.

In and of themselves, cookies aren't bad things. Unlike a virus, a cookie file isn't going to replicate itself or wreak havoc on your system, and only the original site can read the cookie that it creates. However, many folks don't appreciate acting as a gracious host for a slew of little snippets of personal information — also, if you do a large amount of surfing, cookies can occupy a significant amount of your hard drive space over time. (Not to mention that some cookies have highly suggestive names, which could lead to all sorts of conclusions. End of story.)


## DropBooks

You can choose to accept all cookies — the default — or you can opt to disable cookies altogether. You can also set Safari to accept all cookies. To change your *Cookie Acceptance Plan* (or CAP, for those who absolutely crave acronyms), follow these steps:

1. Choose **Safari** ⇨ **Preferences**.
2. Click the **Security** toolbar button.

Safari displays the preference settings shown in Figure 5-8.

**Figure 5-8:**  
Exploring  
the contents  
of my cookie  
jar.



3. Select the **Never** radio button to block cookies entirely, or select the **Always** radio button to accept all cookies.

Personally, I use the default option, Only from Sites You Navigate To, which allows sites like Amazon.com to work correctly without allowing a barrage of illicit cookies.

4. To view the cookies currently on your system, click the **Show Cookies** button.

The site that used that cookie will forget any information that it stored in the file, meaning that you might have to take care of things manually, like providing a password on the site that used to be read automatically from the cookie.

5. Click the **Close** button to save your changes.



### *Cleaning your cache*

Safari speeds up the loading of Web sites by storing often-used images and multimedia files in a temporary storage, or *cache*, folder. Naturally, the files in your cache folder can be displayed (hint), which could lead to assumptions (hint, hint) about the sites you've been visiting (hint, hint, hint). (Tactful, ain't I?)

Luckily, Safari makes it easy to dump the contents of your cache file. Just click Safari on the menu and click Empty Cache; then click Empty to confirm that you want to clean up your cache.

## DropBooks

### *Handling ancient history*

As you might imagine, your History file leaves a very clear set of footprints indicating where you've been on the Web. To delete the contents of the History menu, choose History⇨Clear History.



Another built-in security feature can also help save your sanity: Safari can block those incredibly irritating pop-up advertisement windows that are automatically displayed by some Web sites. (I rank such Webmasters at the same social level as spammers!) Click Safari and choose Block Pop-Up Windows, or press ⌘+K — in case you're visiting a site that actually uses pop-up windows to your advantage, you can toggle off the block feature temporarily.



# DropBooks





## Chapter 6: Staying Secure Online

---

### In This Chapter

- ✓ Understanding the dangers of going online
- ✓ Using a firewall
- ✓ Avoiding trouble online

I know that you've heard horror hacking stories: Big corporations and big government installations seem to be as open to hackers as a public library. Often, you read that even entire identities are being stolen online. When you consider that your Mac can contain very sensitive and private information in your life — such as your Social Security number and financial information — it's enough to make you nervous about turning on your computer long enough to check your eBay auctions.

But how much of that is Hollywood? How truly real is the danger? And how can you protect yourself? The good news is that you can *easily* secure your data from all but the most determined hacker — in fact, depending on the hardware that you're using to connect yourself to the Internet, you might be well guarded right now without even knowing it.

In this chapter, I continue a quest that I've pursued for over a decade now — to make my readers feel comfortable and secure in the online world by explaining the **truth** about what can happen and telling you how you can protect your system from intrusions.



One quick note: This chapter is written with the home and small business Mac owner in mind. Macs that access the Internet through a larger corporate network are very likely already protected by that knight in shining armor, the network system administrator. (Insert applause here.) Of course, if you're using Mac OS X in your office, you're still welcome to read and follow this material — especially if you have a laptop that could act as a “carrier” for viruses from home — however, check with your system administrator before you attempt to implement any of the recommendations that I make.

## *What Can Really Happen?*

# DropBooks

Before I begin, I want to offer you a moment of reassurance and a little of my personal background to explain that I'm well qualified to be your guide through this online minefield. (After all, you don't want Jerry Lewis lecturing you on how to maintain your Internet security. He's a funny guy, though.)

- ◆ I've been running and managing all sorts of online systems since the days of the BBS (*Bulletin Board System*), the text-based dinosaurs that used to rule the online world in the late '80s and early '90s. (In fact, my first book was on this very subject — and it contained a chapter on viruses long before they were the darlings of the techno-media.)
- ◆ As a consultant, I run Web sites and squash virus attacks for a number of companies and organizations.
- ◆ I keep my own office network of six computers safe from attack while still providing readers all over the world with a Web site and that very same BBS.

With that understood, here's what can happen to you online *without* the right safeguards:

- ◆ **Hackers can access shared information on your network.** If you're running an unguarded network, it's possible for others to gain access to your documents and applications or wreak havoc on your system.
- ◆ **Your system could be infected with a virus or dangerous macro.** Left to their own devices, these misbehaving programs and macro commands can delete files or turn your entire hard drive into an empty paperweight.
- ◆ **Unsavory individuals could attempt to contact members of your family.** This kind of attack may take place through iChat AV, e-mail, or Web discussion boards, putting your family's safety at risk.
- ◆ **Hackers can use your system to attack others.** Your computer can be tricked into helping hackers when they attempt to knock out Web servers and public access File Transfer Protocol (FTP) sites on the Internet. Along the same lines, that innocent Web server that you put online could be misused by spam-spewing, online "entrepreneurs." (Cute name, right?)
- ◆ **Criminals can attempt to con you out of your credit card or personal information.** The Internet is a prime candidate for identity theft.

Yes, that's a frightening list, and to be absolutely honest, some danger is indeed present every time that you or any user of your Macintosh connects

to the Internet. However, here's the good news. With the right safeguards, it's literally impossible for most of those worst-case scenarios to happen on your Macintosh, and what remains would be so difficult that even the most die-hard hacker would throw in the towel long before reaching your computer or network.

I also want to point out that virtually everyone reading this book — as well as the guy writing it — really doesn't have anything that's worth a malicious hacking campaign. Things like Quicken data files, saved games of Half-Life 2, and genealogical data might be priceless to us, of course, but most dedicated hackers are after bigger game. Unfortunately, the coverage that the media and Hollywood give to corporate and government attacks can turn even Aunt Harriet more than a little paranoid. Therefore, time for another of Mark's Maxims:

**It's not really necessary to consider the NSA or Interpol each time you poke your Mac's power button.<sup>TM</sup>**

A few simple precautions are all that's required.

## More of Mark's totally unnecessary computer trivia

The term *hacker* dates far back in the annals of the personal computer — in fact, it originally had nothing to do with networks, the Internet, or illegal activities at all . . . because In The Beginning, there was no public Internet!

"Explain yourself, Chambers!" All right. The original hackers were electronics buffs, ham radio operators, computer hobbyists, and engineers who built (or *hacked*) a working computer out of individual components with a soldering gun and a whole lotta guts. At the time, you didn't simply order a computer from Dell or visit your local Maze o' Wires store in the mall to select your favorite system.

No, I'm talking about the mid-'70s, in the halcyon time before IBM even introduced the IBM PC (and when the only folks using the Internet, which wasn't called that back then, were

military folks and researchers). Even the simplest computer — really nothing more than a glorified calculator by today's standards — had to be lovingly assembled by hand. These early personal computers didn't run software as we know it. Instead, you programmed them manually through a bank of switches on the front, and they responded with codes displayed on a bank of lights. (Think about that next time you launch Microsoft Word.)

Today, of course, the need to assemble a computer from individual transistors is nonexistent, and the word *hacker* has an entirely different connotation — but don't be surprised if you meet an older member of your Macintosh user's group who's proud to be an old-fashioned hacker! (Look for the soldering gun, usually worn in a holster like a sidearm.)

## “Shields Up, Chekov!”


# DropBooks

“Okay, Mark, now I know the real story on what can happen to my computer online. So what do I do to safeguard my Macintosh?” You need two essential tools to protect your hardware (besides a healthy amount of common sense, which I cover in the upcoming section, “A Dose of Common Sense: Things Not to Do Online”): a *firewall* and an *antivirus* program.

### Firewall basics

A *firewall* is a piece of hardware or software that essentially builds an impermeable barrier between the computers on your side of the wall (meaning your Mac and any other computers on your network) and all external computers on the other side of the wall (meaning the rest of the Internet).

“But wait a second — if other computers can’t reach me and my Mac can’t reach them, how can I use the Internet at all?” Ah, that’s the beauty of today’s firewalls. By using a series of techniques designed to thwart attacks from the outside, a firewall allows you to communicate safely, even monitoring what you send and what you receive for later examination. Figure 6-1 illustrates the basics of a firewall.



**Figure 6-1:**  
A firewall  
at work.

A firewall sounds grand and incredibly complex and highly technical — and sometimes it is — but it can also be incredibly simple. For example:

- ◆ You can spend anywhere from \$50 to thousands of dollars installing sophisticated firewall hardware and software.

- ◆ You can activate your firewall by disconnecting your dialup, digital subscriber line (DSL), or cable modem from the wall socket.

Believe it or not, both of those examples technically involve a firewall. In the first case, the firewall is a physical, tangible presence on the network; in the second case, the lack of a connection to the Internet actually acts as a firewall. (Think of it as the Air Firewall.) I’ve spoken to a number of readers who actually do this — however, if you’re running a Web site or downloading a file from your company’s FTP site, yanking the connection when you head to bed isn’t an option. Therefore, most of us will install a physical firewall through hardware or software.

### *Do I already have a firewall?*

In some cases, you might already be using a hardware firewall and not even know it. For example, many Internet-sharing devices include a built-in NAT firewall. NAT stands for *Network Address Translation*, and it’s the most effective and popular hardware firewall standard in use by consumer devices. If you’re using an Internet sharing hub or router, check its manual to determine whether it offers NAT as a firewall feature — and if so, turn it on if NAT isn’t enabled by default. (See Book V, Chapter 2 for more on Internet sharing, routers, and firewalls.)

For instance, Figure 6-2 illustrates the configuration screen for my Internet router. Note the options to disable port scanning and ping responses, which are two tricks that hackers often use to detect what’s often called a *hot computer* — meaning that the computer can be identified and is accessible to attack. (Wireless networks are notoriously hot — for more information on securing your wireless connections, visit Book V, Chapter 4.)


### *Using the internal Mac OS X firewall*

Mac OS X includes a powerful internal firewall called *IPFW*. I’m happy to say that the latest version of Mac OS X makes IPFW very simple to use, and I can now recommend it! (In earlier versions of Mac OS X before the arrival of Jaguar, IPFW — actually a UNIX application — was completely command driven from the Terminal.) The Mac OS X firewall is now configured through System Preferences — find more information on setting up IPFW in Book V, Chapter 2.

# DropBooks

## DropBooks

**Figure 6-2:**  
My Internet  
router can  
be set to be  
downright  
un-  
neighborly.




Several developers have written user-friendly front-ends that provide alternate methods of configuring IPFW; for example, you can try the shareware application BrickHouse (as shown in Figure 6-3), available from [http://personalpages.tds.net/~brian\\_hill/brickhouse.html](http://personalpages.tds.net/~brian_hill/brickhouse.html). Another shareware offering, Firewalk X 2 (available from [www.pliris-soft.com](http://www.pliris-soft.com)), is a full-featured firewall application that doesn't use IPFW at all.

### Using a commercial software firewall

Besides Firewalk X 2, you'll also find a number of popular alternatives to IPFW on the market. Here are two commercial software firewall applications that are proven to be both effective and easy-to-use:

- ◆ **Symantec, Norton Personal Firewall, \$70 ([www.symantec.com](http://www.symantec.com)):** Symantec provides both antivirus and firewall protection for the PC and Macintosh. Frequent updates and top-of-the-line technical support ensure that your firewall stays current and that you can get help when you need it.
- ◆ **Intego, NetBarrier X, \$60 ([www.netbarrier.com](http://www.netbarrier.com)):** NetBarrier X comes with a number of preset configurations that allow you to choose a basic firewall for your network environment with a single click.

**Figure 6-3:** BrickHouse provides another route for configuring IPFW.



Whether you set up IPFW, a shareware firewall, or a commercial firewall, visit a favorite site of mine on the Web: <http://grc.com>, the home of Gibson Research Corporation. There you'll find the free online utility ShieldsUP!!, which will automatically test just how tight your firewall is and how susceptible your Mac could be to hacker attacks. Visit this site often because this service is updated periodically to reflect new hacking techniques.

### Antivirus basics

Next, consider your antivirus protection. *Viruses* are typically transmitted through applications — you run a program, and the virus is activated. (Although not the traditional definition of a virus, both scripts and macros can be used to take control of your system and cause trouble, as well.) Therefore, you need to closely monitor what I call *The Big Three*:

- ◆ **Web downloads:** Consider every file that you receive from the Internet as a possible viral threat.
- ◆ **Removable media:** Viruses can be stored on everything from CD-ROMs and DVD-ROMs to Zip disks and even archaic floppy disks.
- ◆ **E-mail file attachments:** An application sent to you as an e-mail attachment is an easy doorway to your system.

Horrors! Mac OS X has no built-in antivirus support. (Then again, neither does Windows XP.) However, a good antivirus program will take care of any application that's carrying a virus. Some even handle destructive macros


## DropBooks

within documents. Make sure that the antivirus program that you choose offers *real-time scanning*, which operates when you download or open a file. Periodic scanning of your entire system is important, too, but only a real-time scanning application like Norton AntiVirus can immediately ensure that the StuffIt archive or the application you just received in your e-mail Inbox is actually free from viruses.



Virus technology continues to evolve over time, just like more beneficial application development. For example, recently a virus has been discovered that's actually contained in a JPEG image file! With a good antivirus application that offers regular updates, you'll continue to keep your system safe from viral attack.

I heartily recommend Norton AntiVirus from Symantec, as shown in Figure 6-4. This program includes automatic updates delivered while you're online to make sure that you're covered against the latest viruses.



**Figure 6-4:**  
The Norton  
AntiVirus  
control  
center.

## *A Dose of Common Sense: Things Not to Do Online*

One more powerful weapon that you can use to make sure that your Mac stays safe from unlawful intrusion is this: Practicing common sense on the Internet is just as important as adding a firewall and an antivirus application to Mac OS X.

With this in mind, here's a checklist of things that you should never do while you're online:


- ◆ **Never download a file from a site you don't trust.** And make sure that your antivirus software is configured to check downloaded files before you open them.



## DropBooks

- ◆ **Never open an e-mail attachment until it's been checked.** Don't give in to temptation, even if the person who sent the message is someone you trust. (Many of today's macro viruses actually replicate themselves by sending copies to the addresses found through the victim's e-mail program. Of course, this problem crops up regularly in the Windows world, but it's been known to happen in the Macintosh community as well.)
- ◆ **Never enter any personal information in an e-mail message unless you know the recipient.** Sure, I send my mailing address to friends and family, but no one else. In fact, even e-mail can be intercepted by a determined hacker, so if you're sending something truly important, use an encryption application like PGP Personal ([www.pgp.com](http://www.pgp.com)) shown in Figure 6-5.


**Figure 6-5:** PGP allows you to encrypt information for safe delivery through e-mail.



- ◆ **Never include any personal information in an Internet newsgroup post.** After all, these posts can be viewed by anyone with a newsgroup account, so there's no such thing as privacy in a newsgroup. (For a glimpse of just how long a newsgroup post can linger in the great Internet continuum, visit [www.google.com](http://www.google.com), click the Groups button, and search for your name. I can pull up newsgroup messages that I posted back in 1995!)
- ◆ **Never buy from an online store that doesn't offer a secure, encrypted connection when you're prompted for your personal information and credit card number.** If you're using Internet Explorer or Netscape, you can tell when you're using a secure connection by checking the status bar at the bottom of the Web browser window: If a small padlock icon appears (as shown in Figure 6-6), the connection is encrypted and secure. (If you're using Apple's Safari browser, the padlock icon appears at the top-right corner of the Safari window.)

# DropBooks

**Figure 6-6:** A secure connection in Internet Explorer, indicated by the padlock icon.



The padlock icon indicates a secure connection.

- ◆ **Never divulge personal information to others over an iChat AV connection.**
- ◆ **Never use the same password for all your electronic business.** Use different passwords that include both letters and numbers, change them often, and never divulge them to anyone else.
- ◆ **Never give anyone else administrative access to your Web or FTP server.**
- ◆ **Never allow any type of remote access to your Macintosh or your network without testing that access first; restrict that access to visitors whom you trust.**

Find more details on securing your network from intrusion — including Internet hacker attacks — in Book V. I cover System Preferences that can affect the security of your system in Book II.


# Book V

DropBooks

# Networking in OS X

The 5th Wave

By Rich Tennant



"Now, I didn't know OS X could redirect an e-mail message like that."

## *Contents at a Glance*

<b>Chapter 1: Setting Up a Small Network</b> .....	<b>475</b>
<b>Chapter 2: Using Your Network</b> .....	<b>493</b>
<b>Chapter 3: You May Even Need AppleTalk</b> .....	<b>509</b>
<b>Chapter 4: Going Wireless</b> .....	<b>519</b>
<b>Chapter 5: Sharing That Precious Internet Thing</b> .....	<b>531</b>

DropBooks



# DropBooks

## Chapter 1: Setting Up a Small Network

---

### *In This Chapter*

- ✓ Finding out what a network is and why you might want one
- ✓ Setting up the network hardware
- ✓ Configuring network system preferences
- ✓ Troubleshooting your network

**I**n the not-so-distant past — I'm talking 10 to 15 years ago — networks were found only in huge companies that had the money and workforce to pay for and maintain them. But now, as technology rolls on, a home or small office network is both very affordable and relatively easy to create. In this chapter, I introduce you to this helpful beastie: You discover what networks are, what you can do with them, and how to set up a small network of your own for your home or small business.

Networks can be used for many things. Computers exchange all types of data over a network: files that you want to send between computers or to networked printers; streaming audio or video broadcasts; data for multiplayer computer games; or even a private company Web site (typically called an *intranet*). Anything that you can imagine that would involve moving data between multiple computers can be done by using a network.

### *What Do I Need to Set Up My Network?*

First, let me define *network*. In a nutshell, a network is a combination of hardware, cables, and software that allows computers and printers to talk to each other. To have a network, you need the right hardware and software. Some of the hardware and most of the software that you'll need probably came with your Mac, depending on which Mac you have; as you progress through this chapter, you'll discover everything that's required to set up your network so that you can pick up any additional parts you need. Any good-sized computer store (either the brick-and-mortar or online variety) has everything that you need to get up and running.

Now, back to the requirements: You need the right hardware and software to make your network sing. This section covers each component with a description about the role that each part plays on the network and other good stuff that you'll want to know to get your network right the first time.

### ***Something to network***

Okay, this might be obvious, but I'm nothing if not thorough. The first thing that you need to build a network is . . . well . . . *stuff!* That's right, you need to have devices that you want to network. Most times this will be computers (whether Macs or Windows/UNIX PCs), printers, personal digital assistants (PDAs), and other standalone, network-capable devices (such as file servers and shared tape backup drives).

### ***Network interface card (NIC)***

A *network interface card*, or NIC, is a hardware device that your computer uses to talk to the rest of the network. The NIC connects to the network cabling, and it speaks the language of electronics, sending data around the network. Nowadays, most networks use the Ethernet networking protocol, and most NICs are Ethernet-compatible. Most modern Macs have an Ethernet NIC built right in — and, in fact, aren't really cards at all but something built right onto the Mac's main system board. If you have an older Mac, say one bought before 1998, you can purchase an add-on NIC at any computer store.

### ***Hub or switch***

So you have an assortment of devices in your home or small office that you've decided to network. How do you make them all interconnect? Although you could connect just two computers together by using nothing more than a single *crossover cable*, you need fancier hardware to connect more than two computers: namely, a hub or a switch. The hub or the switch, used to connect everything, is the focal point of the network. Without a hub or switch, you wouldn't have a network.

### ***Hubs***

A *hub* is a small box that has a bunch of Ethernet ports on it. A *port* is really just like an Ethernet NIC on your computer, but a hub or switch has lots of them. Inside, a hub connects all those Ethernet ports so that the talking (sending) wires from each port connect to the listening (receiving) wires on all other ports — therefore, when one computer talks, all others listen. As a side effect of how hubs work, if more than one computer tries to talk at once, a *collision* happens. Collisions are a Bad Thing: The data that was being sent by the two computers is destroyed and has to be re-sent.

## 39 flavors of Ethernet . . . but no Rocky Road

Ethernet standards allow for operation at different speeds. Because the Ethernet standard has improved over time, some older Ethernet devices only support the older (slower) speeds. Ethernet's speed is rated by how much data it can transfer in a second — usually in millions of bits per second, or megabits per second (Mbps). Originally, Ethernet was designed to run at 10 Mbps. Now there are three different speeds of Ethernet: 10 Mbps, 100 Mbps, and 1000 Mbps.

1000 Mbps Ethernet — also called *Gigabit Ethernet* or just *Gigabit* for short — is still a bit on the expensive side for small home or office networks. All consumer-level Gigabit Ethernet NICs also support running at 10 Mbps or 100 Mbps, so you will hear them called *10/100/1000 Ethernet NICs*. PowerBook G4s and G4/G5 towers come with a 10/100/1000 Ethernet NIC built in, but the iMac, iBook, and eMac still come with just 10/100 Ethernet NICs built in. Although Gigabit NICs are now priced under \$100, the devices that can connect Gigabit NICs

still cost thousands of dollars. That fact, coupled with the reality that most computer systems can't really even handle or dish out that much data, makes Gigabit Ethernet a choice for only those wanting an extremely high-end and costly network.

NICs and other Ethernet equipment that only handle 10 Mbps are rapidly becoming obsolete because virtually all the modern NICs and other Ethernet hardware support both 10 Mbps and 100 Mbps. Most times, you will see this labeled as *10/100 Ethernet*. For your home networking, you probably want to invest in 100 Mbps or 10/100 Mbps. You can pick up a 10/100 Ethernet NIC for as low as \$19.

**Remember:** Keep your eye out for Ethernet NICs and equipment that handle only 100 Mbps. You won't see it much, but be wary because it can't interconnect with 10 Mbps Ethernet NICs and equipment. I advise against buying it — stay compatible, and you'll be a happy puppy.



Although they might seem relatively harmless, collisions can really take a toll on your Ethernet network. When data starts flying around your network, collisions *will* take over and limit the amount of data that you can get through the network. Typically you'll only be able to use about 40 percent of the total speed, or *bandwidth*, of the hub. With the cost of switches barely above that of hubs, you really have little reason to get a hub instead of a switch.

Setting up a hub (and therefore giving birth to your network, which sounds more painful than it is) is usually no more difficult than connecting a power cable to the hub and then plugging in your computers with their own Ethernet cables. You'll see various lights on the hub — usually a power light indicating that the hub is powered on and operational. You'll also see lights that correspond to each port on the hub — these lights tell you what's going on in the hub. For instance, you normally see the following types of lights:

- ◆ **Link light:** Each port on a hub should have a link light. *Link lights* simply tell you which ports have something alive connected to a given port: that is, a device is connected and powered on. On hubs that support 10 and 100 Mbps, the speed light is also used to indicate a link, so there isn't a separate link light.
- ◆ **Speed light:** Each port on the hub should have a speed light. On hubs that support both 10 Mbps and 100 Mbps, this tells you the speed of the device at the other end. Some hubs have different lights for different speeds, and some use a single light and make it different colors for different speeds.
- ◆ **Activity light:** When one computer speaks, they all hear it. Typically, an entire hub has only one activity light for the entire hub, indicating that someone is speaking. With heavy traffic, the light could appear solid.
- ◆ **Collision light:** Just like the activity light, collisions affect everything connected to the hub, so logic dictates having only one collision light for the entire hub. This light will flash whenever a collision occurs, which can happen even with only two devices attached. When you add more devices, you get more collisions; if this light stays on most of the time, look into getting a switch (which I describe in the next section).

### *Switches*

A hub is a relatively simple way to connect a bunch of cables to allow computers to talk. (They're not particularly intelligent or efficient creatures.) A hub just receives network data on one port and sends (or *broadcasts*) a copy out through all the other ports. A *switch*, on the other hand, is a more advanced "post office" for your network because a switch uses the information in the network data to eliminate collisions and thus increase the efficiency of your network.



When an Ethernet switch receives a *frame* — that's the name for a standard unit, or packet, of network data — it reads the label on the frame to see the return address of the computer that sent the frame. In a short amount of time (after being turned on and watching the data move around), a switch learns which computer is located on which port. Then, whenever data comes into the switch, it looks at the *header* (some information on the front of all frames, much like a mailing label on a package that you send) and sees which computer should receive the frame. The switch then sends the frame out the port for that computer only.

This is a Good Thing. Instead of forcing all computers on the network to listen while one Mac speaks (like a hub does) — known as *half-duplex* — a switch can actually send the data directly to the only computer that needs to hear it. This gets rid of the evil collisions, allowing all the computers to speak



and talk at the same time (*full-duplex*). Now, twice as much information can be shoved around because a computer can now send and receive data at the same time. This is a major breakthrough and can happen *only* on a switch.

Just how much of a performance improvement do you get with a switch compared with a hub? On average, you'll move from a 100 Mbps hub that can handle an average of 5 Mbps of traffic per device (assuming that eight computers are communicating at once) to a 100 Mbps switch that can handle 200 Mbps per device (no matter how many devices are connected). That's a speed increase of 4,000 percent, leading me to another inescapable Mark's Maxim:

**Buy a switch for your network, and say goodbye to collisions!™**

## Cables

Cables are the ties that bind . . . literally. *Cables* are used to connect the NIC card on each computer to the central hardware of the network: namely, hubs (which you don't really want) or switches (which you do want). With a little experience, you'll be a cable-wielding superhero with hundreds of feet of cable draped across every piece of furniture in your place for your first LAN party. (A *LAN party*, by the way, is when way too many techies bring their computers into a very small space, connect them, and play games for 48 hours straight. Oh, and we eat a lot, too. Good stuff!)

Here's the scoop on what kind of cables to use. Technically, you can run 10 Mbps Ethernet over *Cat5* cable (like a super-version of the wire that you use for your telephones) or *coaxial* cable (the kind of cable that you use to connect your TV to your cable service). You can run 100 Mbps Ethernet over Cat5 cable or fiber optic cable.



Although you can do 10/100 and most times 100 Mbps Ethernet over Cat5 cable, any new cables that you buy should be Cat5E — which I talk about in the following section — because it is specifically meant to be used with 1000 Mbps Ethernet.

I'm sure that you noticed that the common denominator here is the Cat5 cable. Although you could get by using coaxial cable, it's pretty much gone out of style as a network cable because it's limited to 10 Mbps Ethernet. In fact, it's very hard to find a NIC with a coaxial connection any more. Fiber optic cable, although supporting speeds of 100 Mbps, 1 Gbps, and even 10 Gbps, is much more expensive and more difficult to install.

Hey, did I mention that you can eschew cables entirely? For more information on the lean, mean world of wireless networking using Apple's AirPort Extreme, see Chapter 4 of this mini-book.



WARNING!



Be sure to buy *straight-through* Cat5E cables (also called *patch* cables) and not *crossover* cables, which are only used in certain circumstances. *Crossover* cables are mainly used to connect two computers directly together to form a network, connect a cable/DSL modem directly to a computer, or connect multiple switches.



Cat5 cable supports speeds of 100 Mbps. 1000 Mbps Ethernet, of course, is designed to run ten times faster than that; luckily enough, it was engineered to be compatible with 90 percent of Cat5 installations. Having said that, some Cat5 cable doesn't stick to the stringent specifications that 1000 Mbps Ethernet requires. The newer version of Cat5 cable is *Category 5 Enhanced*, or Cat5E for short. Cat5E is recommended for any new installation because it can easily handle 10/100 Mbps Ethernet and yet can handle 1000 Mbps Ethernet as well. Even if you're using 10/100 Mbps Ethernet, you can upgrade someday to 1000 Mbps without having to worry about upgrading your cabling.

## Setting Up Your Network

After you collect the hardware components listed earlier in this chapter, you're ready to connect things. Here's a quick list of things to do to get your network fired up:

### 1. Find the best location for placing your hub or switch.



To keep costs down, try to place the hub or switch in a location close to a power socket that's centrally located so that you can use the least amount of cable. If cost isn't an issue, hide the unit in a closet and just run all the cables along the walls to the hub or switch. And if cost *really* isn't an issue, get your house fully wired with Cat5E cable.

### 2. Plug the hub or switch into the power socket.



Some hubs and switches come on automatically when you plug them in and can never be turned off. Others have a power switch that you need to turn on the first time that you plug them in.

### 3. Verify that the hub or switch is working by looking at the lights on the front. Check the manual that came with the hub or switch to see what light configuration is normal for that particular unit.

Until you have computers or printers attached to it, you might just have a status light that shows the hub is powered on. But if the lights on your unit don't match up with what the manual says, you could have a bum unit that you need to return.

### 4. Verify that all your devices are near enough to the hub or switch to be connected by your cables and then turn them all on.

- 5. Get one of your Cat5E cables and connect one cable from the Ethernet jack on your computer, usually on the side or back, to an open port on the hub or switch.**

You should see a link light or speed light come on that verifies that the two devices sense each other. (You might also have a link light on your NIC where you plug in the cable, but that depends on the Mac that you're using.)

- 6. Repeat Step 5 until each device is attached to the hub or switch.**

Congratulations, you're a network technician! (Don't forget to call your friends and brag.) The first phase of the network, the physical connection, is complete; the next step is the configuration of Mac OS X.

## Understanding the Basics of Network Configuration

Take a deep breath, there's no need to panic — in fact, configuring your network software basically involves entering a lot of numbers and other stuff in dialogs. (In fact, most folks can just allow Panther to take care of network settings automatically.) But just so you'll understand what's involved, this section explains what those numbers are, what they do, and why you ought to know it. Because this is a Mac OS X book, I stick with configuring Macs running the Big X.

### TCP/IP

First things first: *Protocol* is just the techno-nerd word for a set of rules or a language. A *protocol* is a language that computers use to communicate. Without protocols, the computers on your network would never be able to speak to each other even though you have NICs, cables, and a hub or a switch. The Internet Protocol (IP) part of the TCP/IP suite is what you're really interested in because it's the most important part of your network configuration chore.

### IP addresses

*IP addresses* are like street addresses for computers on a network. Each computer on the network has an IP address, and it needs to be unique because no other computer can share it. When a computer wants to communicate with another computer, it can simply send the data on the network in a nice package that has its address as well as the address of the computer that it's trying to talk to. (Remember frames? If not, take a refresher in the earlier section, "Switches.")

An IP address is just a number, but it's written in a strange way. (Go figure.) All IP addresses are written as four numbers between 0 and 255 with a dot (period) between them: For instance, a common IP address that you might run into is 192.168.0.1. As everyone knows, engineers can't sleep unless they have three or four ways to write the same thing, including IP addresses. The form shown above — which is by far the most common — is *dotted notation*. Each number, like 192, is an *octet*.



Don't worry too much about this stuff: You don't have to remember terms like *octet* to create your own network. They could be helpful, however, if something goes wrong and you need to place a call to tech support. Plus, you can impress the computer salesperson (gleefully called a *wonk* by Mac power users) at your local Maze 'o Wires store with your mastery of techno-babble.

### *IP addresses at home versus on the Internet*

One very important thing to keep in mind is that the Almighty IP Address Police — *Internet Assigned Numbers Authority* ([www.iana.org](http://www.iana.org)) — has broken IP addresses into groups. The two main types of IP addresses are public and private. *Public* IP addresses are ones that can be used on the Internet and are unique throughout the whole world. *Private* IP addresses are used in homes or businesses and cannot be used to talk to the public Internet. Private IP addresses are used over and over by many people and most commonly take the form 192.168.x.x.

You will almost always get a public IP address from your Internet service provider (ISP), whether you're using a cable modem, digital subscriber line (DSL), or a regular dialup modem. If you use a cable/DSL router or something like IPNetShareX to share your Internet connection among multiple computers, you'll be using private IP addresses on your network while using a single public IP address to talk to the Internet (more on that later in Book V, Chapter 5).

"Great! I get an IP address, put it into my Network settings in System Preferences, and off I go. Right?" Well, you're close, but here are a few other pieces of information that you might need before you can go surfing around the world:

- ◆ **Default gateway:** When you send information to other networks — whether in another building or around the world on the Internet — your computer needs to know the IP address of the gateway that will forward your data down the line. The *default gateway* is really just the IP address of a *router*, which is a device that connects multiple networks. A *gateway* gets its name because it really is your gateway to all other networks.
- ◆ **Subnet mask:** A *subnet mask* is a number that helps your computer know when it needs to send stuff through the router. It's a group of four

octets with dots, just like an IP address, but almost always it uses 0 or 255 as the four octets. Most often, the subnet mask will be 255.255.255.0.

If the wrong number is entered for the subnet mask, it could keep you from talking to the Internet or even computers on your own network.

### Software applications

After you have the hardware in place and you've chosen and configured a protocol to allow the computers to all talk to each other, you need software to make use of your new network connections. Time for more good news: A lot of the software that you'll need to move data on your network is already included in Mac OS X! Here is a quick list of some of the network software and protocols already built into Mac OS X and what they're used for:

- ◆ **FTP:** *File Transfer Protocol* (FTP), part of the TCP/IP protocol suite, allows computers of any type — Mac, PC, Linux, UNIX, mainframe, or whatever — to transfer files back and forth between them.
- ◆ **Telnet:** *Telnet* is also part of the TCP/IP suite — you can use it to remotely connect to a computer and execute commands on the remote machine.
- ◆ **Samba:** *Samba*, an open source software suite, enables Mac OS X users to share files with people using Windows computers and also allows the Mac user to connect to files that the Windows computers share.
- ◆ **HTTP:** *HyperText Transfer Protocol* (HTTP), also part of the TCP/IP suite, is used by Web browsers to provide access to all the various pages on the World Wide Web.

## Configuring Network System Preferences

In this section, I show you how to configure your Mac to communicate with other computers on a local network.

### Using DHCP for automatic IP address assignment

Now I'd like to introduce you to a very dear friend of mine — an abbreviation that you will soon grow to love, like everyone else who's set up a small Mac network. *Dynamic Host Configuration Protocol*, or DHCP for short, is a protocol that enables a computer to automatically get all the information that I've talked about to this point. (Check in your Webster's . . . this is the very definition of the word *godsend*.)

You're saying, "Mark, there's gotta be a catch, right?" Well, here's the bad news: Before you can use DHCP, you have to first add a *DHCP server*, which provides other computers on the network with their configuration settings. Here's the good news: Most Internet connection-sharing hardware devices

(and software-sharing implementations as well) provide a DHCP server as part of the price of admission. (*Internet connection sharing* allows all your networked computers to access the Internet through a single Internet connection. I cover it more in Book V, Chapter 5.) Even many switches can provide DHCP services these days . . . technology marches on.

If you plan to use Internet connection sharing or you know that you have a DHCP server on your network, you can set up your Mac to automatically obtain the required IP address and information. Open System Preferences from the Dock or the Apple menu and choose Network. From the Network dialog that appears, click the Show drop-down list box and select Built-in Ethernet. Select Using DHCP from the Configure IPv4 drop-down list on the TCP/IP tab. Click the Apply Now button, and Mac OS X will contact the DHCP server to obtain an IP address, a subnet mask, a gateway router IP address, and a Domain Name System (DNS) address. (*DNS servers* convert a human-friendly address like `www.yahoo.com` to a computer-friendly IP address like `66.218.71.86`.)

A few seconds after clicking the Apply Now button, you should see the information come up. Notice the addition underneath IP Address: (*Provided by DHCP Server*.) This lets you know that the process worked and configuration is complete. You might also notice that the DNS information is empty — fear not, Mac OS X is really using DNS information provided by the DHCP server. Press  $\mathring{C}$ +Q to quit System Preferences and save your settings.



If you ever make a network change that screws things up, like entering the wrong subnet mask or an IP address that isn't in the same range as others on your LAN, you can always click the Revert button to get back your old settings.



One DHCP server on a network is princely — *two* or more DHCP servers on a single network will fight like alley cats and grind everything to a halt. Therefore, if you're considering adding a DHCP server to an existing network, make **doggone** sure that you're not treading on another server's toes. (Ask that network administrator person.)

## *Manually choosing an IP address range*

You say you don't have a DHCP server, and you need to manually assign IP addresses? This configuration means two things: You need to manually configure the Transmission Control Protocol/Internet Protocol (TCP/IP) Properties, and you don't need an address for a router (the gateway to the outside world). Keep in mind that, for now, you're not concerned with the Internet — just computers on the local network.

A result of being on a *local* network — because it's not connected to the Internet, it's also called a *private* network — is that you must use IP

addresses that are reserved for private network use. You can use a few different ranges of IP addresses, but I recommend that you choose an address range from the 192.168.x.x networks. In the next section, I show you how.

Down to business: *I recommend that you use IP addresses in the 192.168.x.x range.* What does this mean exactly? Well, here's the scoop:



- ◆ **Use IP addresses where the first two octets are 192 and 168 (192.168).**

Octet numbers are conjoined by periods.

- ◆ **For the third octet, choose any number between 1 and 254.**

It doesn't matter which one you choose as long as you use this same third number on all computers on your network.

- ◆ **For the fourth octet, choose any number between 1 and 254.**

Make sure that every computer on your local network has a different fourth octet number. This is very important — your network will not work otherwise.



- ◆ **Use 255.255.255.0 as your subnet mask.**

For instance, suppose that you're using three computers on your network. All the IP addresses that you use will start with *192.168*. Next, suppose you choose *123* for the third octet. (Remember that you can choose any number between 1 and 254.) Finally, for the fourth octet, choose the numbers 100, 105, and 110 for the three computers, respectively. (Again, you can choose any numbers between 1 and 254.) The resulting IP addresses used on the three computers are

192.168.123.100

192.168.123.105

192.168.123.110



By the way, I should mention that there are other range possibilities for reserved private networks — AirPort and AirPort Extreme hardware uses a 10.x.x.x network range, for example — but the 192.168.x.x range is definitely the most popular and the most common default on Ethernet network hardware.

After you know the IP addresses and the subnet mask that you're going to use, start setting up each computer. Being a nice guy, I'd like to walk you through the process of configuring Mac OS X with the 192.168.123.105 address as an example.

Be sure that you have all the physical portion of your network powered up and connected as outlined in the earlier section "Setting Up Your Network."

## DropBooks

## Connecting directly to the Internet with a DSL or cable modem

If you have a DSL or cable modem, you can connect it to your Mac directly — with this setup, that one Macintosh can access the Internet without using any of the Internet sharing methods that I talk about in Chapter 5 of this minibook. Simply connect the LAN port on your DSL/cable modem to the Ethernet port on your Mac with a crossover cable. (Your DSL/cable modem probably came with one just for this

purpose.) Next, configure your Mac to obtain an IP address automatically by using DHCP. Depending on your ISP, you might have to give your Mac a specific network name or use other specific settings to get it to work right — you'll just need to call or check the instructions from your ISP. As a reader once told me, "Hey, this turns out not to be rocket science after all."

1. Select any of your Macs to start with and open System Preferences (either choose System Preferences from the Apple menu or from the Dock).
2. From the System Preferences dialog that appears (see Figure 1-1), choose Network.

The Network dialog appears.



**Figure 1-1:** Choose Network from the System Preferences dialog.



3. Make sure that the Built-in Ethernet option is selected in the Show drop-down list.

The TCP/IP panel should already be active by default; if not, click the TCP/IP button to bring it forward.

4. Select Manually from the Configure IPv4 drop-down list of the TCP/IP panel.


Figure 1-2 shows how things should look at this point.

5. Enter the IP address for this machine (192.168.123.105 in this example) in the IP Address text box.
6. Enter the subnet mask of 255.255.255.0 in the Subnet Mask text box.
7. Click the Apply Now button, and your new network settings will take effect.

Figure 1-3 shows the result of your work.


8. Press ⌘+Q to quit System Preferences.

Repeat this same procedure using the other IP addresses for each of the other Macs that are connected to your network.



**Figure 1-2:** Manually configure TCP/IP properties for a built-in Ethernet adapter.

## DropBooks



**Figure 1-3:** Manual TCP/IP configuration is complete.



TIP

Most ISPs also supply DNS server addresses and search domains. If your ISP included DNS server addresses or search domains, don't forget to type them into the corresponding boxes on the TCP/IP panel.

## *Verifying Connectivity*

After you have your Macs connected and your TCP/IP configuration is done, you need to check to make sure that everything is working. After you have at least two computers on your network, each with a TCP/IP address, you can use a simple little utility called `ping` to test the connection.


`ping` is a very simple, yet extremely helpful, utility that's the first connectivity-testing tool out of the box, even for network professionals. When you use the `ping` utility — referred to as *pinging something* — the application sends out a small packet of data to whatever destination you're trying to reach. When the receiving computer hears the ping, it answers with a ping reply. If the original computer receives the ping reply, you know that the connection between the computers is good.

To ping a computer, you use a little application built in to Mac OS X called *Network Utility*, which allows you to work various network wonders


# DropBooks

(including checking connectivity, watching the route that your computer takes to get to another computer, and looking up information about Internet domain names). To use Network Utility to check network connectivity, follow these steps:

1. Double-click your hard drive to open it and then choose **Applications**⇒**Utilities**⇒**Network Utility**, as shown in Figure 1-4.
2. In the Network Utility dialog that opens, click the Ping button (see Figure 1-5).
3. In the Please Enter the Network Address to Ping text field, enter the IP address of the computer that you want to ping.



**Figure 1-4:**  
Find  
Network  
Utility in the  
Utilities  
folder.



**Figure 1-5:**  
Preparing to  
ping. (Can  
you say it  
with a  
straight  
face?)

## DropBooks

4. To simply verify connectivity, select the **Send Only x Pings** radio button and enter a low number, such as 5, in the text field.

Five or ten pings are plenty to see whether the connection is good.

5. Click the **Ping** button.

Your Mac sends ping packets to the IP address that you entered.




If the pings are successful, text appears in the text box at the bottom of the Ping tab: one line for each ping reply received from the other computer. The end of each line reads `time=` with a number at the end — that number is the amount of time, in  $\frac{1}{1000}$  of a second (milliseconds [ms]), that it took for the ping packet to go from your computer to the other computer and back.

If your ping is unsuccessful, you will see nothing, at least for a little bit. Each ping that you send takes two seconds before it's considered missing in action. So, if you chose five pings, you need to wait ten seconds before you see the results. After all the pings time out — a ping *times out* when it doesn't get returned in the proper amount of time — you see a line of text appear that reads `ping: sendto: No route to host` (as seen in Figure 1-6) or 100% packet loss. Both error messages mean the same thing: All the ping packets that you sent out are now in the packet graveyard, never to be seen again. As you've likely guessed already, this is *not* a good sign for your network connectivity — look ahead to “Troubleshooting Your New Network” to find out where to begin troubleshooting this problem.



If you can ping all the other computers on your network from one of the computers, you don't need to go to each computer and ping all the others. You can logically assume that all the computers can communicate. For instance, if you can ping computers B, C, and D from computer A, you don't need to bother with ping tests from computer B, C, or D.

**Figure 1-6:**  
An unsuccessful ping in the Network Utility tool.  
Rats.



After you have your computers configured and you've verified connectivity between them, start doing the fun stuff that a network allows you to do, like sharing data, printing, and most importantly, playing games with users on other computers.

# DropBooks

## Troubleshooting Your New Network

After a network is set up and operating, it rarely has problems — still, Murphy sometimes takes charge, and the darn thing just won't work right. When you do have problems with the network, I recommend using a standard, consistent approach to finding and fixing the problem. This section breaks down troubleshooting into two areas:

- ◆ **The hardware:** The best place to start troubleshooting a network problem is with the actual equipment, such as the NICs, cables, and hubs/switches. (See earlier sections on each equipment type.)
- ◆ **The software:** The second place to check for problems is in the configuration of the computers on the network, specifically the configuration on the computer(s) having the problem that you're troubleshooting.

### *Physical problems with your network*

Although many things on a network can go bad or cause problems, usually network problems are caused by faulty equipment or wiring. Sometimes it's something as simple as a cable not being plugged in snugly. Looking at the physical cables, connections, and equipment is always the best place to start looking for problems. Here is a quick list of physical things to check while trying to fix network problems:

- ◆ **Make sure that both ends of the network cable are firmly connected.**  
First check the end that plugs into the computer and then check the end that connects to the hub/switch.
- ◆ **Turn on the problematic computer to be sure that it's connected to a hub or switch.**

Check the port on the hub/switch to see whether the link/speed light is lit. (Depending on the hub or switch that you have, you might not have a link light. Many hubs and switches use a speed light to indicate a link. Check the manufacturer's manual for your model.) If your computer is on and connected but no link/speed light is lit, try replacing the network cable.

## DropBooks

- ◆ **If you replace the network cable and there is still no light, try unplugging the cable from the hub/switch and plug it into another port.**

Choose one of the other computers connected to the hub/switch that works, unplug it, and plug the broken computer into that port for testing. Occasionally a single port on a hub or switch will go bad; just mark it as bad and don't use it anymore. But if all computers connected to the hub/switch stop working, it's probably the hub or switch that has gone south. If the hub/switch is still under warranty, I recommend getting it fixed or replaced.

- ◆ **If you replace the cable, try a different port on the hub, and other computers work fine on that hub/switch, the NIC inside your computer has possibly gone bad.**

If you reach this determination, call your local service center to have it looked at and repaired. If you have an older model where the NIC was added instead of built in, you can simply replace the NIC yourself.



The key when troubleshooting physical problems is the link/speed light on the hub or switch. If the link/speed light still won't work, the problem isn't likely a physical problem. You need to start troubleshooting the network configuration on the computer itself.

### *Network configuration problems*

After checking the physical layer, look for problems in the network settings. When using TCP/IP on your network, look for these specific things: the TCP/IP configuration mode, IP address, subnet mask, and router IP address (if you're using a router to connect to the Internet or other networks). To check these settings, choose Apple⇨System Preferences⇨Network to bring up the Network dialog.

- ◆ Make sure the Configuration drop-down list on the TCP/IP Properties tab is set to the appropriate option. Select the Using DHCP option only if you're using a cable/DSL modem/router or other DHCP server. Otherwise, set this to Manually.
- ◆ To check your Internet connectivity to the rest of the Internet, try pinging `www.apple.com` — this checks the router and DNS settings.
- ◆ If you're set up for DHCP and your TCP/IP settings remain blank, make sure that your DHCP server — which could be your cable/DSL modem/router — is turned on and working properly.
- ◆ If the configuration is set to Manually, check the IP Address, DNS Servers, Router, and Subnet Mask fields to make sure that they're correct. If you're not sure whether your Subnet Mask field entry is correct, you can usually make it the same as other computers on the same network with you. Most times, the subnet mask is 255.255.255.0.

# DropBooks

## Chapter 2: Using Your Network

---

### *In This Chapter*

- ✓ Finding out what you can do with your network
- ✓ Sharing your files and printers with other Macs
- ✓ Sharing your files with Windows computers
- ✓ Accessing files on Windows computers
- ✓ Configuring the built-in firewall
- ✓ Remote controlling your Mac from afar

**H**ere's one of those incredibly complex concepts that you always find in these computer books: After you have your network all set up and ready to go, you can do all kinds of things with it. (Now wasn't that painless?) You can use your network to share files, share printers, remotely control your Mac, or even play multi-user games like Unreal Tournament 2003 against other friends. To keep your files safe from unwanted snoops, you can configure the Mac OS X built-in firewall. In this chapter, I cover the basics of file sharing, sharing printers, and using the firewall to protect yourself from intruders.

### *It's All about (File) Sharing*

One of the main reasons for building a network is sharing files between computers. You might even want to set up a *server*, which is a computer with shared files that are always available to anyone on the network. Think of a server as a common file storage area for the rest of the network. Really, any computer that shares files is technically a server because it's *serv*ing, so to speak. But usually most people only use the word *server* to mean a computer that's dedicated solely to serving files, printers, and so on for the rest of the network.


### *Creating an account*

Sharing files on your Mac with other Mac users is a piece of cake. Keep some basic things in mind, though, to make everything go smoothly. First, you need to create an account, with a username and password, on your

computer to allow others access to the files on your Mac. Second, you need to create an account for anyone whom you want to have access to your files. The accounts that you create can only access two folders, shown in Figure 2-1:

- ◆ **The account's Home folder:** That specific account's Home folder carries a short version of the username that's in the Users folder on your hard drive. Figure 2-1 shows the Home folder, which is noted with an icon that looks like a house, for the chambers account (where *chambers* is the short account name for Mark Chambers). The Home folder icon always bears the short account name for the user who's currently logged in.
- ◆ **The Shared folder:** This folder is also in the Users folder on your hard drive. Anyone with an account on your Mac can access the Shared folder, so it's a great place to keep common files that everyone wants to copy or use.

**Figure 2-1:**  
The location of user folders and the Shared folder on your hard drive.



By the way, a quick note about the drive names you'll see in these figures. I've never liked that rather mundane Macintosh HD moniker, and as I mention elsewhere in the book, I'm a huge (okay, really huge) fan of Mozart — hence the drive name Disk Wolfgang. My other drive is an external FireWire drive where I keep all beta builds of upcoming Mac OS X versions . . . and it's thoughtfully named FireWire Drive. (Technology authors can be somewhat eccentric; chalk it up to our techno-nerd beginnings. On the other hand, we never type e-mail messages in ALL CAPITAL LETTERS.)




To create an account, follow these steps:

1. Open System Preferences from the Apple menu or the Dock.
2. Click Accounts under the System section.
3. Click the New Account button, which carries a plus sign.
4. Fill in the appropriate information, including the name for the account and a password (see Figure 2-2), and then click the Picture tab to choose an image for the account.

Note that the name that appears as the short name will determine the name of that user's Home folder.

5. Press  $\text{⌘}+\text{Q}$  to create the account and exit System Preferences.

I cover creating accounts in greater detail in Chapter 5 of Book II, but that's the short version.



**Figure 2-2:**  
Adding a  
new user  
account.

### *Enabling file sharing*

When you enable file sharing, your files will be shared by using Transmission Control Protocol/Internet Protocol (TCP/IP) and/or AppleTalk, depending on which protocols you've enabled. (To enable AppleTalk for compatibility with older Macs on your network, see Book V, Chapter 3.)

Regardless of which protocol you use to share your files, follow these steps to turn on sharing:

1. **Open System Preferences either from the Apple menu or from the Dock.**
2. **Click the Sharing icon under the Internet & Network section to open the Sharing Preferences dialog.**
3. **On the Services panel, select the Personal File Sharing check box to enable it.**



After the computer thinks for a second, you see the message *Personal File Sharing On* appear just above the Stop button. This lets you know that file sharing is enabled.

### *Connecting to a shared resource*

Toward the bottom of the Sharing dialog, you can see that other Macintosh users can access your computer at `afp://<ip address>`, where *ip address* is the IP address for your specific computer. When another Mac user wants to connect to your shared files, that person can do the following:

1. **Open the Finder and choose `Go⇧Connect to Server`.**
2. **After the Connect to Server dialog opens, other Mac users can type `afp://<ip address>` (where *ip address* is the IP address of your Macintosh) and then click the Connect button.**

Alternatively, you can click the Browse button in the Connect to Server dialog and browse your network for available servers.



After clicking the Connect button of the Connect to Server dialog, you'll be prompted to choose whether you want to connect as a Guest or a Registered User. To connect to the server as a Registered User, you must supply the right username and password. If you connect as Guest, you don't have to supply a password, but you will have restricted access only to the Public folder for each account on the system you connect to. If you connect as a Registered User, ask an Admin user who controls that Mac to supply you with the correct username and password.

Give the username and password that you created to the person using the other Mac, and he can now access files in his Home folder on your Mac (as well as any files in other user's folders that have been defined as Public).

# DropBooks

## Sharing a Connected Printer

Sharing your printer for others to use is one of the best reasons to have a network. Setting up your Mac to share your printer is very easy under Mac OS X. Here's a quick rundown of what you need to do:

1. **Open System Preferences either from the Apple menu or from the Dock.**
2. **Click the Sharing icon under the Internet & Network section to open the Sharing Preferences dialog.**
3. **On the Services panel, select the Printer Sharing check box to enable it.**

There will be a slight pause while Mac OS X gets everything ready, but when it's done, you see the message *Printer Sharing On* appear just above the Stop button. This lets you know that printer sharing is enabled.

After Printer Sharing is enabled, follow these steps to connect to that printer from other computers on your network:

1. **From your hard drive, choose Applications⇨Utilities and then double-click the Printer Setup Utility icon.**
2. **If you have a local printer attached, click the Add icon.**

Otherwise you'll be prompted to add a printer automatically when the Printer Setup Utility opens. Click the Add button to begin the addition. (For more on adding a printer with the Printer Setup Utility, see Book VI, Chapter 4.)

3. **From the dialog that opens, click the Add button.**
4. **From the top drop-down list box, select IP Printing.**
5. **Enter the IP address of the Macintosh that's connected to the target printer and then click the Add button.**



You can also select Rendezvous from the drop-down box to automatically recognize printers on your local network — printers just appear in your Printer List automatically. It doesn't get any easier than that!



## *Sharing Files to Windows Computers*

DropBooks

If you've deigned to allow PCs running Windows on your network — a generous gesture to the lower classes — you'll probably want to also share files with those computers. Sharing files with a Windows PC — actually a Windows user — is very similar to sharing files with other Mac users.

Follow these steps:

1. **Open System Preferences either from the Apple menu or from the Dock.**
2. **Click the Sharing icon under the Internet & Network section to open the Sharing Preferences dialog.**
3. **On the Services panel, select the Windows Sharing check box to enable it.**

After a few moments, you see the message *Windows Sharing On* appear just above the Stop button, confirming that you're now open to connections from the Great Unwashed Windows Horde.

Just like when sharing files with other Mac users, you will see a helpful reminder toward the bottom that tells you what the Windows users will need to type to gain access to your Mac. For example, on my network, a Windows user would need to enter `\\192.168.1.105\chambers` to access the shared files. **Note:** The IP address that you enter here changes for each computer that you want to access.

## *Accessing File Shares on Windows Computers*

If you allow a Windows PC to access your files, you'll also probably want to putter around with files on a Windows PC. Easy!

### **Using FTP on the Internet**

Because FTP is a part of the TCP/IP suite, it works on virtually every type of computer (over both the Internet and your local area network). So, assuming that you have your computer connected to the Internet through a modem or a LAN connection, everything that I discuss about FTP and how to use it will apply to connecting to FTP servers on the Internet as well. When

you connect to FTP servers on the Internet, you can use the Fully Qualified Domain Name (or FQDN for short) like `ftp.apple.com` instead of an actual IP address. You can also use the FTP server in Mac OS X to make files available to friends on the Internet just as you would to make them available on a LAN.

Accessing files on Windows computers relies on the *Samba* component (a part of the UNIX foundation of Mac OS X). Follow these steps:

1. Choose **Go**⇨**Connect to Server from the Finder**.

The Connect to Server dialog opens.

2. **In the Address box, enter `smb://<ip address>`, where *ip address* is the IP address of the Windows computer that you want to connect to.**

3. **Click the Connect button.**

Depending on the type of account you have on the Windows PC, Mac OS X might display an SMB (Server Message Block) authentication dialog where you can enter your username and password. (Think security for the Windows crowd.)

4. **From the prompt to select which Windows shared drive you wish to mount, select the desired shared drive from the drop-down list box.**

5. **If you're accessing a file shared on a Windows 95 or Windows 98 computer, simply click OK to mount the share.**

If you're accessing a file shared on a Windows NT, 2000, or XP computer, click the Authenticate button. Then enter your username and password, click OK, and then click OK again to mount the share.

After you mount the shared drive, you'll see it appear on your Desktop, just like a Mac volume. You can use this drive just like any other drive on your system. To disconnect from the Windows share, you can drag the icon to the Trash on the Dock (which changes to an Eject icon when you start dragging); press ⌘+E; or hold Control, click the icon, and then choose Eject from the menu that appears.

## Using FTP to Access Files

FTP is part of the TCP/IP protocol suite — the hoary acronym FTP stands for *File Transfer Protocol*. FTP is one of the oldest methods for sharing files between computers; however, because it's part of the TCP/IP protocol suite, it can be used on many different kinds of computers, including those running just about any type of strange and arcane operating system. You can still manage to exchange files regardless of whether you're using Mac OS X, Windows, OS/2, or UNIX. (Heck, even DOS can join the party.)

FTP is a *client/server* application. In plain English, this means that two pieces make things tick: the *server* (which hosts the connection, rather like a file server) and the *client* (which connects to the server). Mac OS X, thanks to its UNIX foundation, has both an FTP server and client built in. To use FTP, you need a computer running the FTP server software to give

# DropBooks

others access to files; then the other computer, or client, can connect to the FTP server. After the connection is made, the client can either send files to the server (*uploading*) or get files from the server (*downloading*). In this section, we cover how to use FTP to give others access to your files as well as talk about the FTP applications that come with Mac OS X.

## *Using the Mac OS X built-in FTP to share files*

One way to give others access to your files is to run an FTP server on your Mac. Mac OS X comes with an FTP server built in, so you just have to activate it. You might wonder why you'd use FTP to share files when you can use Personal File Sharing or Windows File Sharing. The main advantage to FTP is compatibility — not only can people on your LAN access files, but anyone on the Internet can also access your files, regardless of the type of machine that they're using.

Just like with the other file sharing methods, you need to create a user account on your computer before someone can connect to and get files from your Mac. After you have accounts created for the users, you can enable FTP sharing like this:

1. **Open System Preferences either from the Apple menu or from the Dock.**
2. **Click the Sharing icon under the Internet & Network section to open the Sharing Preferences dialog.**
3. **Select the FTP Access check box to enable it.**



You see the message `FTP Access On` appear above the Stop button, which proclaims that FTP access is enabled. Also you can see toward the bottom of the dialog that people can use `ftp://<ip address>`, where *ip address* is the IP address of your Mac.



If you're using an AirPort/AirPort Extreme Base Station or other cable/digital subscriber line (DSL) router to share your Internet connection, you need to place the Mac that you want people on the Internet to access in a *DMZ*, or demilitarized zone. Check your cable/DSL router documentation for more information.


## *Using FTP from Terminal to transfer files*

You can use FTP to transfer files with an FTP server by using the command line interface (CLI); to use the CLI, you need to open a Terminal, or shell, session. To use a Terminal session, click the Terminal icon in the Utilities folder inside of the Applications folder, as shown in Figure 2-3. When you open a Terminal session, you'll be presented with a window that accepts text commands. You'll see a prompt that consists of your computer's name

and the folder that you're currently in, followed by your user ID. It's at this prompt where you type various FTP commands.

Figure 2-4 shows a quick FTP file transfer. If you look at the Terminal session, you'll see the complete process of connecting to an FTP server, logging in, changing both the local and remote folders, and downloading a file.

**Figure 2-3:**  
Open a  
Terminal  
session to  
use FTP  
from the CLI.



**Figure 2-4:**  
An FTP file  
transfer  
session  
from the CLI.

```
tsh (http)
[localhost:~] gck% ftp 192.168.123.174
Connected to 192.168.123.174.
220-Microsoft FTP Service

| | | | | Welcome to GoldChain's FTP | | | | |
| | | | | If you do not have a username/password, | | | | |
| | | | | please disconnect now. | | | | |
-----|-----
220
Name (192.168.123.174:gck): goldchain
331 Password required for goldchain.
Password:
230 User goldchain logged in.
Remote system type is Windows_NT.
ftp> lcd /temp
Local directory now /Temp
ftp> cd Files
250 CWD command successful.
ftp> bin
200 Type set to I.
ftp> get c64.zip
local: c64.zip remote: c64.zip
500 'EPSV': command not understood
227 Entering Passive Mode (192,168,123,174,4,28).
125 Data connection already open; Transfer starting.
100% |*****| 5020 KB 4.57 MB/s 00:00 ETA
226 Transfer complete.
5140700 bytes received in 00:01 (4.47 MB/s)
ftp> quit
221 Catch ya later!
[localhost:~] gck%
```

The FTP prompt

# DropBooks

After you're in the Terminal session, you'll use a series of commands to connect to another computer, move in and out of folders, and transfer files.

Below is a list of the basic commands that you need to use FTP as well as a brief description of what each command does.

- ◆ `ftp`: This command starts the FTP command line interface session. You can tell that you're in the FTP client application when you see `ftp>` as your command prompt (see Figure 2-4). This is where you will type all other FTP commands to do things.
- ◆ `open`: This command is used to start your connection to another computer. Type this command followed by the IP address of the FTP server that you want to connect to.
- ◆ `ls`: Use this command to see a listing of all files and folders in the current folder on the FTP server.
- ◆ `cd`: This command allows you to change the folder that you're in. Type `cd <folder>` (where *folder* is a specific folder name) to move into a subfolder on the FTP server. Type `cd ..` to go back out a folder level.
- ◆ `lcd`: This command acts exactly like `cd` except that it changes the folder that you're currently in on your local system, not the FTP server. Use this command to put yourself in the folder on the local drive that you want to transfer files to and from.
- ◆ `bin`: Type this command to get in binary mode to transfer files that aren't plain text files. (*Always* use binary mode unless you're specifically transferring plain text files.)
- ◆ `ascii`: This command puts you in ASCII mode for transferring text files.
- ◆ `get` or `mget`: To retrieve a single file, use the `get` command followed by the filename of the file that you want to retrieve. If you want to get multiple files at once, use the `mget` command followed by a filename containing `*` and/or `?` as wildcards.
- ◆ `put` or `mput`: To send a single file, use the `put` command followed by the filename to send a file to the FTP server. To send multiple files, use the `mput` command followed by a filename containing `*` and/or `?` as wildcards.
- ◆ `quit`: Use the `quit` command to end your FTP session.

To end a Terminal session at any time, type **exit** and press Return.



Many FTP servers will only let you send files to certain folders. Most times this folder is named *Upload*, *Uploads*, or something similar.



Using these commands will enable you to exchange files with an FTP server. Here's an example of how to use these commands within the Terminal window:

1. Type `ftp` to get into FTP mode.
2. Type `open <ip address>` to open your connection to the FTP server.
3. At this point, you'll be asked for a username and password.

For many FTP servers, using the username `anonymous` and your e-mail address as the password is enough to get you logged in. On others, you must use an assigned username and password provided by the administrator of that particular server.

4. Use the `lcd <folder>` (where *folder* is a specific folder name) command to change into the folder on your local drive that you want files to come to/from.
5. Use the `ls` and `cd` commands to place yourself into the desired folder on the FTP server.
6. Use the `ascii` or `bin` commands to set your file transfer mode to ASCII or binary, respectively.

This is important because choosing the wrong type will likely cause the transfer to fail. Unless it's a plain text file, always use binary mode.

7. Use the `get/mget/put/mput` commands to send or receive the desired files.
8. Use the `quit` command to close the connection and exit the FTP session.



## Using the Built-in Firewall

A *firewall* watches all the network communications coming into your Mac — it automatically plays the role of security guard, blocking or denying certain network traffic that you want to avoid from reaching your Mac. It acts as another layer of security to help keep you safe from unwanted attacks. That's all well and good, but you must be careful to set up your firewall correctly before you turn it on: A configuration mistake could make your Mac inaccessible from the network.

For instance, if you want to enable FTP access on your Mac but you also want to keep all other traffic from coming into your Mac, you can tell the built-in firewall to only allow FTP traffic. (The firewall on the Mac will only block or allow TCP/IP traffic — not AppleTalk — so AppleTalk traffic is always able to get in.)

When enabled, the firewall, by default, will block all traffic that comes into your Mac — by default, however, the firewall is turned off. So, your first job is to enable the firewall, following these steps:

1. **Open System Preferences from the Apple menu or the Dock.**
2. **Click the Sharing icon.**
3. **Click the Firewall tab, as shown in Figure 2-5.**
4. **Click the Start button.**

This will enable the firewall — and, by default, all incoming TCP/IP traffic will be blocked. You must enable each sharing method that you want to be able to use; as you enable different sharing methods, such as Personal File Sharing or FTP Access, you might notice that under the Firewall tab, those types of traffic now have a check mark in the box for each type of traffic. (In other words, when you turn on a sharing method, the firewall automatically allows traffic for that sharing method. *Most excellent.*)




**Figure 2-5:**  
Enabling the  
firewall in  
Mac OS X.

Sometimes you might want to allow other traffic through your firewall that isn't on the list. At that point, you can click the New button to create a new definition for your firewall to use. The resulting dialog has a drop-down list with some common things that you might want to allow, such as America Online (AOL) Instant Messenger, ICQ, and MSN Messenger.

If you need to add ports for another application that's not in that drop-down list — for instance, a multiplayer game — you need to select Other from the Port Name drop-down list (as shown in Figure 2-6). Then you can enter a port number, a port range, or a series of ports. You might need to check the documentation for a specific application to see which ports it uses.



*Ports* are like an extension to an IP address. For example, when you communicate with a Web server, you send a request not only to that Web server's IP address, but you send it on port 80 — the standard port for HyperText Transfer Protocol (HTTP) traffic. Different applications use different port numbers, so you need to check which ports are used when you want to adjust your firewall to allow that traffic.



**Figure 2-6:** Configure a “hole” in the firewall for a specific application.

## Remote Control of Your Mac

# DropBooks

Forgive me whilst I wax techno-nerd here: One of the coolest advantages to a network is the ability to take control of one computer from another computer. For example, sometimes you might need to access files on your Mac while you're on a trip, but you don't have Personal File Sharing enabled. What can you do? You can remotely connect into your Mac and then — just as if you were sitting in front of it — enable Personal File Sharing (as I demonstrate earlier in the chapter). Perhaps you have a file on your computer with someone's phone number that you suddenly need on the road — with remote control, it's at your fingertips! (Sigh . . . ah, technology.)

### *Remote control your Mac (for free, no less!)*

Virtual Network Computer (VNC; [www.uk.research.att.com/vnc/](http://www.uk.research.att.com/vnc/)) is a very nice application that enables you to remotely control a computer from pretty much anywhere that has an Internet connection. VNC is easy to install and configure, but the best feature is that it's free. VNC can run on many different platforms, ranging from Mac OS X and UNIX on desktop computers and servers to Palm OS and Windows CE on personal digital assistants (PDAs). Wrap your mind around this: You could be at a friend's house on her wireless network and use your PDA to remotely control your Mac at home over the Internet. Pure, undiluted *sassy!*



Some networks have proxies and firewalls that might interfere with VNC's operation. You can remotely control a computer that's behind a firewall or cable/DSL router, but the firewall/router needs to be configured properly. Because the process varies from one manufacturer to the next, check your cable/DSL router manual for instructions on how to do this.

Speaking of firewalls, make sure that you configure the Mac OS X firewall to allow VNC traffic — follow the steps that I outline in the previous section and select VNC from the Port Name drop-down list.


### *How VNC works*

In a nutshell, VNC takes the graphical interface on your monitor, turns it into data, and sends it to the computer that you're using to remotely control it. The computer that you're using sends keyboard presses, mouse movements, and clicks to it, acting just the same way it would if you were sitting right in front of it.

A specific version of VNC is available for Mac OS X which, ironically enough, is called OSXvnc. You can download OSXvnc at <http://netmath.math.uiuc.edu/VNC-osx.htm>. There you'll find instructions on how to install and set up OSXvnc. Figure 2-7 shows a screenshot of a Mac running OSXvnc being remotely controlled from a computer running Windows 98.

## DropBooks

**Figure 2-7:**  
Use OSXvnc to remotely control your Mac.



Mr. Paranoia speaks again: **Make doggone sure that you set up the password access correctly for OSXvnc, or don't run it!** I can't stress enough how much fun a hacker would have with free remote control over your Desktop.

### *Remote control of another computer from your Mac*

A few different VNC viewers exist for Mac OS X. A VNC viewer is just an application you use to remotely control your computer running VNC. You can download them at [www.uk.research.att.com/vnc/platforms.html](http://www.uk.research.att.com/vnc/platforms.html). If you find yourself on a computer without a VNC viewer — heaven forbid — VNC server actually runs over the Web as well! As long as the computer that you're using has a Web browser that supports Java — which Safari and Internet Explorer do — you can still remotely control your computer.

When you connect to the computer running VNC using a Web browser, the Web server sends a default page that contains a Java applet. That Java applet asks you for the password to connect, and upon entering the correct password, it brings up the remote control session right in the Web browser. Good golly, Molly!

# DropBooks



# DropBooks

## Chapter 3: You May Even Need AppleTalk

---

### *In This Chapter*

- ✓ Describing AppleTalk
- ✓ Configuring the AppleTalk network preferences
- ✓ Using Mac OS X to access AppleTalk resources

**W**hen emoting concerning networking and Macs, I'd be terribly remiss for not discussing *AppleTalk*, which is the so-called “archaic” communications protocol created years ago by Apple. AppleTalk allows a network of Macs to share files and printers; before the arrival of an Ethernet port, AppleTalk was the cat's meow for connecting Macs. AppleTalk is still used in environments like homes, offices, and college campuses — however, AppleTalk is disappearing from the corporate world because it simply cannot *scale* (that's administrator-speak for *grow*) to handle large networks like standard Ethernet and Transmission Control Protocol/Internet Protocol (TCP/IP) can.

Although Apple finally made the move to TCP/IP as its primary network protocol — like the rest of the civilized world — Apple still includes support for AppleTalk in Mac OS X Panther. About the only time when you might need to use AppleTalk is if you find yourself trying to access an existing AppleTalk network (which is practically the definition of the phrase *rare occurrence*) . . . but hey, I like to cover everything in a desktop reference. Therefore, in this chapter, I show you how to enable the AppleTalk protocol on your Mac as well as how to access files and printers on a network that's running AppleTalk.

### *Setting Up AppleTalk*

Just like most network configuration tasks under the Big X, configuring your Mac to use AppleTalk and play well with others in an AppleTalk network isn't very difficult. In this section, I talk about how to configure the settings in the Network dialog of System Preferences so that you can join the file sharing and network printing party.



# DropBooks

## AppleTalk history: LocalTalk

When Apple first begat AppleTalk, it also introduced a network cabling system and a protocol to move the AppleTalk data through the network: *LocalTalk*. LocalTalk was basically Apple's version of Ethernet that ran over special cables that connected to each Mac's printer port. Because LocalTalk used the Mac printer port to communicate, it ran at a not-so-speedy 230 Kbps, or

230,000 bits per second (compared with Ethernet running at 10 Mbps, or 10 million bits per second). Eventually Apple standardized with Ethernet, and LocalTalk went away; AppleTalk now runs over standard Ethernet networks, just like TCP/IP. (Remember, you won't be tested on this stuff — it's just trivia for the pumped-up Panther power users in the audience.)



Do you need to add an older Mac to a future Ethernet network that currently exists only on the back of a napkin? For more information on setting up a local Mac Ethernet network, see Chapter 1 of this mini-book.

You can configure AppleTalk on Mac OS X in two ways: manually or automatically. I'll bet you could see this Mark's Maxim coming from a mile away:

**Automatic is always good.™**

Unless you're designing your AppleTalk network to work through routers with other AppleTalk networks or you're given specific AppleTalk settings by a network administrator, I highly recommend using the automatic AppleTalk configuration. However, I cover both methods in this chapter just to be on the safe side. (That's just the kind of guy I am.)


### *Automatically configuring AppleTalk*

To automatically configure AppleTalk, follow these steps.

1. **Choose System Preferences from the Apple menu or the Dock.**
2. **From the System Preferences dialog that appears, click the Network icon to open the Network Preferences dialog.**
3. **Click the Show drop-down list box and click Built-in Ethernet.**
4. **Click the AppleTalk tab to display the AppleTalk settings page, as shown in Figure 3-1.**



## DropBooks



**Figure 3-1:**  
Using  
AppleTalk  
automatic  
configura-  
tion is a  
breeze.

- 5. Select (mark) the Make AppleTalk Active check box and then click the Apply Now button.**

Mac OS X defaults to using the automatic AppleTalk configuration mode, as shown in the Configure drop-down list in Figure 3-1. Now, I know this is going to be hard to believe, but you're done!

Now your Mac is configured to use the AppleTalk protocol to share and access files and printers. AppleTalk is ready to go as soon as you click the Apply Now button, but you won't notice anything special when you turn on AppleTalk. (Like TCP/IP, AppleTalk is invisible in Mac OS X until you use it.) Check the "Accessing Files and Printers with AppleTalk" section later in this chapter to actually start using AppleTalk to do stuff.

### *Manually configuring AppleTalk*

Although not as simple as using the automatic configuration, manually configuring AppleTalk is quite easy as well. To manually configure AppleTalk, follow these steps:

## DropBooks


1. Choose System Preferences from the Apple menu or the Dock.
2. From the System Preferences dialog that appears, click the Network icon to open the Network Preference dialog.
3. Click the Show drop-down list box and click Built-in Ethernet.
4. Click the AppleTalk tab to display the AppleTalk settings page.
5. From the Configure drop-down list, select Manually.

When you do, two more text boxes appear where you can enter information, as Figure 3-2 illustrates: Node ID and Network ID. Unless you're the network administrator — check to see whether you're surrounded by a glowing aura of authority and wisdom — you must obtain these two ID numbers from that glowing individual who *is* administering your network.



Only use manual configuration if you're designing an AppleTalk network or you have information from a network administrator on the correct settings to use. If you enter the wrong settings, you won't be able to communicate with other Macs on your network . . . but at least you don't need to worry about blowing something up or watching your Mac melt.

6. After you enter the appropriate Node ID and Network ID, click the Apply Now button to save those settings.



**Figure 3-2:**  
Manually  
configuring  
AppleTalk is  
easy, too.

## DropBooks

**A word about Zones**

The final option on the AppleTalk settings page is the AppleTalk Zone drop-down list box. (Stick with me here, things are going to get technically flamboyant for a few sentences, but it can't be helped.) *Zones* are logical groupings of computers that an AppleTalk network administrator creates for ease of use. For example, consider a large company that employs many graphic artists: This company has many buildings, but because of how the business has grown, the graphic artists are spread between several different locations in different buildings. An AppleTalk network administrator would likely have created a Graphics Zone that contains all the Macs and servers and printers that make up the graphics department; this way, the artists can get to files on servers or print to printers that are meant for them simply by putting themselves in the Graphics Zone. This works as a handy

way to keep people who are physically separate logically grouped into a common area, or *Zone*. (Think of Zones as a convenience thing — they don't help your system performance.)

When you configure AppleTalk, you might or might not need to set the AppleTalk Zone. If you're on a network where the administrator has configured AppleTalk Zones, you'll see a list of all the Zones by clicking the AppleTalk Zone drop-down list; from there, simply select the name of the Zone that you want to participate in. If you're on a network where no Zones are configured, the AppleTalk Zone drop-down box will be grayed out and unavailable — and if you can't choose a Zone anyway, don't worry about it. (In other words, don't let your lack of AppleTalk Zones spoil that upcoming trip to Vegas.)

**Accessing Files and Printers with AppleTalk**

After you have AppleTalk configured and ready to go, you can share files and printers from your Mac. If you're wondering what to do after AppleTalk is enabled, the following sections show you how to share your files and printers as well as how to access files and printers that others have shared on the network.

**Accessing AppleTalk share points**

Accessing *share points* — a collection of files that are shared to the network — by using AppleTalk is much like accessing other shared files with Internet Protocol (IP). In this section, I talk about finding AppleTalk servers, connecting to AppleTalk share points, and how to disconnect when you are done. Follow these steps each time when you start your computer or if you get disconnected for any reason.



Even though a server version of Mac OS X exists that is meant to run on corporate servers that do nothing but serve up files and printers to people, in this entire section, I use the word *server* to simply mean any Mac or other computer that has AppleTalk running and is sharing files or printers.


**Choosing an AppleTalk server**

To choose an AppleTalk server, perform the following steps:

1. From the Finder, choose **Go**⇨**Connect to Server** or press **Option+K** on the keyboard.

This brings up the Connect To Server dialog (as shown in Figure 3-3).

2. From this dialog, click the **Browse** button.



**Figure 3-3:**  
Choosing an  
AppleTalk  
server.

Your Mac searches the local network for any AppleTalk servers and displays a Finder window listing all the available servers.

3. Double-click the icon representing the appropriate AppleTalk server that contains the share point that you want to access.
4. After you choose the AppleTalk server, click the **Connect** button.



To help cut down on the time that it takes to connect to this same server in the future, just click the Add button (which proudly bears a plus sign), and the server's path is added to the Favorite Servers list. The next time that you need to connect to that server, you need only double-click the server entry in the Favorite Servers list. (This works for all servers, not just the AppleTalk variety.) Ain't life grand?



Panther also maintains a list of the servers that you've connected to recently, even if they don't appear in the Favorite Servers list. Click the Recent Servers button (which carries a clock icon) and then click the desired server from the menu.

## DropBooks

## Inviting those Windows types to visit

Of course, those Windows people won't let us forget that a lot more Windows users are out there than Mac users. Sigh . . . you'll probably find yourself sometime on a network with people running Windows. True, it's easy for Mac OS X users to get to files on Windows systems (see Book V, Chapter 2). However, you might want access available for those Windows folks to get to your Mac files or to perhaps share printers between the Mac and Windows. Panther makes it easy to share files: Open your System Preferences, click Sharing, and then

enable the Windows Sharing check box on the Services panel. Press  $\text{⌘}+\text{Q}$  to save your changes, and boom! — you're done.

Another option is to run the third-party utility PC MACLAN ([www.miramarsys.com](http://www.miramarsys.com)) on your Windows PCs. PC MACLAN allows bidirectional file sharing using both IP and AppleTalk, as well as allowing Macs and PCs to share printers both ways. It's about \$200, so I'd definitely recommend that you try Panther's built-in Windows Sharing feature first!

**Connecting to the AppleTalk server**

Each time that you want to access files or printers via AppleTalk, you must connect to the server. To connect to an AppleTalk server, you need to connect as a Guest or, if you have a username and password for that server, as a Registered User. After clicking the Connect button of the Connect to Server dialog, you'll be prompted to choose whether you want to connect as a Guest or a Registered User.

If you're connecting to the server as a Registered User, you must supply the right username and password. If you connect as a Guest, you don't have to supply a password, but you will have restricted access only to the Shared folder that appears in the Users folder on each system that you connect to. If you connect as a Registered User, you need to get the correct username and password from the person who is in control of user accounts on a given Mac.



Before you click the Connect button to complete the connection, consider whether you'd like to automate things in the future. If so, enable the Remember Password (Add to Keychain) check box. Enabling this check box saves the username and password for this connection so that you don't have to manually type it in each time that you reconnect to this particular share point (particularly handy if you connect to a share point every time that you use your Mac). However, use this option *only* if your Mac is in a secure location, or if you can be sure that others won't use this connection.

### *Choosing a share point from the AppleTalk server*

Whether or not you chose to play with the connection options, finalize the connection by clicking the Connect button after choosing to log in as a Guest or a Registered User. After you click Connect, you see a list of share points on AppleTalk server.

Double-click the icon for the share point that you want. You see a network drive appear on your Desktop, which you can treat as you would any other attached drive.

### *Disconnecting from the share point*

When you're done using the share point, you can disconnect from the share point in a few different ways:

- ◆ Control+click the network drive Desktop icon and choose Eject from the contextual menu that appears.
- ◆ Click the network drive Desktop icon to highlight it and then choose Eject from the File menu.
- ◆ Click the network drive Desktop icon to highlight it and then press Option+E.
- ◆ Click and drag the network drive Desktop icon to the Trash on the Dock — the Trash will change into an Eject icon when dragging a network drive. Simple but *sassy*.

### *Accessing AppleTalk printers*

The other major thing (besides file sharing) that you can do with AppleTalk is to connect to and use AppleTalk network printers. Again, like most things under Mac OS X, it's pretty straightforward and easy.

#### *Adding an AppleTalk printer*


Before you can print to an AppleTalk printer, you first need to add that printer to your setup. Follow these steps to add a printer:

- 1. Open your hard drive from the Desktop, double-click the Applications folder, double-click the Utilities folder, and then double-click the Printer Setup Utility icon.**

This opens the Printer Setup Utility.

- 2. When you're prompted to add a printer the first time that you open the Printer Setup Utility, as seen in Figure 3-4, click Add to start the process.**

**Figure 3-4:** Add printers to the list when you open the Printer Setup Utility.




If you've already opened Printer Setup Utility and have already added printers in the past, you add another network printer by clicking the Add button.

3. From the resulting Printer List sheet, select AppleTalk from the top drop-down box.

You see a list of all the AppleTalk shared printers that your Mac sees on the network, as shown in Figure 3-5.

**Figure 3-5:** Choose a printer from the list of printers your Mac sees on the network.



4. (Optional.) If you're on a network with more than just the local Zone, you might need to select the appropriate Zone from the second drop-down box before you will see the desired printer.
5. After you select the desired printer, select the proper printer from the Printer Model drop-down list at the bottom of the Printer List dialog.

If the needed printer model isn't in this list, you might have to select Other here and provide your Mac with the right printer files to use this new printer. Choosing Generic from the list will work with most printers, but you're restricted to text-only output and don't have access to special features like tray selection or print quality.

**6. Click the Add button to complete the process.**

You can now treat this as any other printer that could be connected directly to your machine. You can view the print queue and hold, resume, and delete print jobs from the Queue menu.

***Removing an AppleTalk printer***

Removing an AppleTalk printer that you've connected to is very simple. From the Printer Setup Utility, click once on the printer that you wish to remove and then either click the Delete icon in the Printer Setup Utility toolbar or choose Delete Printer from the Printers menu.



**DropBooks**



## Chapter 4: Going Wireless

---

### *In This Chapter*

- ✓ Finding out how wireless networking works
- ✓ Discovering wireless security
- ✓ Connecting to other Macs without a Wireless Access Point
- ✓ Connecting to and disconnecting from AirPort networks

Nowadays, wireless connectivity is king. For example, cell phones have gone from being something only the technological elite could afford to being a permanent fixture on the hip of the common man. The shorts that I'm wearing right now have a special pocket just for a cell phone to ride in; when I'm without my phone, it usually carries a Zagnut candy bar. (Perhaps that was too personal . . . sorry.)

Because people have become accustomed to being able to keep in touch wherever they are, they also want to be able to have access to their network, at least within their house or workplace, without the hassle of cables. (Which, by the way, are magnets for pets that enjoy a good chewing.) This desire for convenience and the advances in wireless technology have combined to bring you the concept of the wireless network (and wireless coffee shops, and wireless access providers, and even wireless gaming centers).

Now you can be connected to your home local area network (LAN) and your shared Internet connection (which I cover in Book V, Chapter 5) from your balcony, deck, lounge chair in the yard, or even your bedroom. In this chapter, I talk about how wireless networks work, and then I give you a lot of information to help you get the right pieces to free yourself — *securely*, mind you — from the world of the wired.

### *Speaking the Wireless Lingo*

Wireless networks aren't all that different from their wired siblings. In this chapter, I discuss some of the features and limitations of wireless networking, but you must first be familiar with a foundation of information.

# DropBooks

Because of the technology involved in wireless networks and how things are changing rapidly in this area, you'll find yourself swimming in a sea of acronyms and other technobabble. Although you don't need to know every little detail to be able to set up your own wireless network, you should know some of these terms so that you can avoid getting stung by hackers or stuck with equipment that's on the verge of obsolescence. Here is a quick list of terms that you'll see on your road to becoming a wireless network guru:

- ◆ **WLAN:** WLAN stands for *Wireless LAN*. If you've already read previous chapters in this mini-book, a *LAN* (local area network) is just a bunch of computers and other devices connected together.
- ◆ **IEEE:** The *Institute of Electrical and Electronics Engineers*. This is an organization that approves standards which allow computers, network equipment, and just about anything else electronic to play nicely together. Sometimes IEEE helps create these standards before approving them, and sometimes it just approves standards that others have produced.
- ◆ **802.11:** This is the part of the IEEE standards that deals specifically with wireless networking. Although wireless is usually generically referred to as *wireless networks*, it's all really a wireless form of Ethernet.
- ◆ **Wireless Access Point:** A *Wireless Access Point*, or WAP, is a device that allows wireless network devices to connect to a wired Ethernet network.
- ◆ **Service Set Identifier:** The *Service Set Identifier*, or SSID, is used to tell your computer the name of the wireless network that you want to use.
- ◆ **Wired Equivalency Protocol:** *Wired Equivalency Protocol*, or WEP, is an encryption that wireless networks can use to keep your wireless network more secure from snoopers and hackers.
- ◆ **Ad Hoc mode:** An *Ad Hoc* wireless network is one where each wireless device talks directly with all other wireless devices. Apple calls this mode a *computer-to-computer network*.
- ◆ **Infrastructure mode:** This is where all wireless devices talk to a WAP, and the WAP then talks to other wireless devices and the wired network.

As I cover the different parts of wireless networking and how to set it up, you'll find yourself using these terms over and over. Before you know it, you'll be spouting these wireless-related acronyms like a pro. (No, really.)

## Figuring Out the Different Flavors

### of Wireless Ethernet

# DropBooks

One of the first things that you might notice when you start looking into wireless networking is the different wireless standards. You should at least be aware that these different standards exist: That way, you can be sure to get wireless network components that will work together because *some of the different wireless standards are not compatible*. (Feel free to photocopy this list and stick it on your fridge door.)

### IEEE 802.11b

IEEE 802.11b has another name that you'll likely see on product advertisements, literature, or boxes in stores: *Wi-Fi*, which stands for Wireless Fidelity. (Kinda like that cutting-edge Hi-Fi stereo from the '60s and '70s, where *Hi-Fi* stands for *High Fidelity*.) When you see Wi-Fi, you know that it's 802.11b. Wi-Fi was the first version of wireless Ethernet. This version of wireless runs at speeds up to 11 million bits per second, or 11 Mbps. The reason why I say that it runs at speeds *up to* 11Mbps is because the actual speed that the data is transferred depends on things like signal strength and quality. When the conditions are such that your signal strength or quality is decreased — such as an inconvenient concrete wall between you and your AirPort Base Station — you might find that your wireless connection changes down to 5.5 Mbps, 2 Mbps, or even as slow as 1 Mbps.



Most available wireless Ethernet equipment, including Apple's AirPort network cards and standard-issue AirPort Base Station, uses 802.11b. In fact, it's time for Mac owners to swell with pride yet again: Apple was the first computer company to ship 802.11b hardware. (Back then, in 1999, it was the original AirPort Base Station.) Now, of course, Apple has raised the bar with AirPort Extreme, which I discuss later in this chapter.

In general, Wi-Fi network cards have the ability to communicate with other Wi-Fi devices and WAPs that are up to 1,000 feet away. Having said that, realize that 1,000 feet is a generous estimate when outdoors on a clear day with no wind blowing — you see what I'm getting at. In reality, when you set up your wireless network, things such as walls — especially concrete walls, like in basements — decrease the distance that you can cover. If you use a WAP, plan on no more than 150 feet between wireless computers and the WAP. However, your mileage may vary.

# DropBooks



Wireless Ethernet networks operate just like wired Ethernet networks that use a *hub* (see Book V, Chapter 1 for more info on hubs). This means that the 11 Mbps bandwidth is shared between all computers using it. Collisions can also occur if more than one computer tries to communicate at the same time. If you have a lot of people on your wireless network, the network can and will get noticeably slower because of increased collisions. Remember that the total bandwidth is shared between the computers on the wireless network. This applies not only to Wi-Fi but also to the 802.11a (which I cover in the next section) and the 802.11g standards.



One last thing about 802.11b networking: Wi-Fi uses the 2.4 GHz frequency range. It actually uses 11 different channels, but they're all around the 2.4 GHz range. I bring this up because if you're using a 2.4 GHz cordless phone or even a microwave, using either device can definitely interfere with or even shut down your wireless network. Keep this in mind when you buy your next phone or wonder why your file transfers stop when you're communing with Orville Redenbacher in the microwave.

### 802.11a

*802.11a* is a newer version of wireless Ethernet. No, I didn't get my letters mixed up. For some reason that I don't know (or understand), 802.11b came out first, and 802.11a came out next. (I guess someone ran into a door-frame.) Anyway, 802.11a doesn't yet have a handy nickname like Wi-Fi, so just call it 802.11a.

802.11a isn't all that much different than Wi-Fi, but the few differences make a big impact. First off, 802.11a can run at speeds up to 54 Mbps — almost *five times* faster than Wi-Fi. This is because 802.11a uses the 5 GHz frequency range instead of the cluttered 2.4 GHz range that Wi-Fi uses. The powers that be set aside the 5 GHz range just for wireless networking, so cordless phones and microwaves (or any other wireless devices for that matter) can't interfere with the network. The downside to using the higher 5 GHz range, though, is that the distances that can be covered are even less than that of Wi-Fi — no more than about 60 feet to maintain the highest speeds.



802.11a equipment is starting to become easier to find. However, 802.11a equipment isn't compatible with Wi-Fi, so don't make the mistake of buying both 802.11b and 802.11a network equipment. Instead, I recommend that you follow the AirPort Extreme course charted by Apple, and use 802.11g (which is backward-compatible with Wi-Fi).

## Let's get Extreme: 802.11g

Although some hardware manufacturers have designed equipment that will handle both Wi-Fi and 802.11a, Apple's release of AirPort Extreme provides both the speed of 802.11a and the compatibility with Wi-Fi. That's because it uses a new standard, *802.11g*, which operates at speeds up to 54 Mbps (like 802.11a) but will also operate at the same frequency ranges and play nicely with existing 802.11b equipment. (Notice that we're heading in the right direction again when it comes to naming conventions. Go figure.)



Oh, and did I mention that Apple is once again the *first* company to offer 802.11g hardware as standard equipment? Feel free to enjoy the Superiority Dance yet again as you use AirPort Extreme.

Naturally, there is a downside: 802.11g returns to that pesky 2.4 GHz range, so your cordless phone and microwave can also wreak the same havoc that they did with your original AirPort equipment.

I should also mention *Bluetooth* — a strange name for a wireless standard, I admit, but it works like a charm. Bluetooth devices use 2.4 GHz as well, but they're designed only for very short distances . . . only about 30 feet. Bluetooth is the future for linking mobile devices (like personal digital assistants and cell phones) and external peripherals (like wireless keyboards and mice) to your Mac. Panther provides built-in support for Bluetooth through the iSync application.

## Keeping Your Wireless Network Secure

Are you worried about the security of your AirPort wireless network? You *should* be, bunkie. As you might (or might not) know, the government has said that intercepting calls made from wireless phones isn't a violation of privacy. Because of the similarities between wireless phones and wireless networks, it stands to reason that if/when a court has to make a determination, it will most likely determine that it's not illegal for someone in the next apartment or house — or standing right in your street — to listen to and intercept your data from your wireless network.

But before you decide to toss the idea of a wireless network, keep this in mind: Even though it *is* technically possible that someone might camp out on your doorstep in order to gain access to your wireless network, for most home networks, this possibility isn't very probable. Even if someone tries to gain access to your wireless network and perhaps even *sniff* your network — a techno-nerd term meaning to record all the data flying around a network — there isn't a whole lot someone can do with that information.



If a friend invites you for an evening of war driving, think “recreational mobile hacking.” *War driving* is the act of driving through neighborhoods in a car equipped with a laptop computer and a wireless network card. The payoff? If the hacker is lucky enough to locate a house with an open wireless network, we’re talking free wireless Internet access . . . from the comfort of his car! Again, keep security in mind when installing wireless hardware, and these bozos will get nothing from your network.

You might say, “But I use my credit card on the Internet to buy stuff.” Well, this is a valid concern. However, if you purchase things on the Internet with your credit card, you should already be using a secure connection provided by the Web site for your personal information so that the data you’re sending across your wireless network is already encrypted and relatively safe from thieves. “But I have shared out my files on my computer. Can they access those file shares?” Another good question, but if you read Book V, Chapter 2, you have to create an account for those whom you want to access your files. Unless the would-be hacker is very good at guessing usernames and passwords, your files are pretty safe, too.

This is not to say that you bear absolutely no risk of being hacked. If a legitimate user on your wireless network connects to your computer and starts transferring a file, a would-be hacker could potentially record all the traffic and then reconstruct the file that was sent from the data that was recorded. In other words, a hacker could grab that user’s username and password. That’s where WEP comes in.

## **WEP**

*Wired Equivalency Protocol*, or WEP, is A Good Thing (even if it makes for a silly-sounding acronym). It’s an encryption scheme that can be used on your wireless network. WEP is a part of all 802.11 standards, so all your Wi-Fi equipment supports WEP. Apple’s implementation of WEP comes in two varieties: 40-bit and 128-bit. The more bits used in the encryption, the better it is.

To use WEP, you need to select a WEP *key*, which is really just a code word. The longer the key, the better. Also, when making a key, be sure to use something like *ab8sher7234ksief87* (something that’s random with letters and numbers) as opposed to something like *mykey* that’s easily guessed. If you’re using an Ad Hoc wireless network, all the computers need to have their wireless network card configured with the same WEP key in order to communicate. If you’re using a WAP to connect to the rest of the network, you need to use the same key on your computers that you’ve configured on your WAP.



# DropBooks

One thing to note about WEP is that it has been *broken*, meaning that someone has figured out how to undo the encryption that WEP provides. For businesses, especially those with sensitive data, WEP is not a good security solution.

However, for home users, WEP works well as a deterrent to keep people out. In order for someone to crack your WEP key, that person needs to record somewhere around 1 million encrypted packets or more. For a business, that might only be an hour or so of monitoring for a hacker, but for most home networks, this could take much longer. Remember that a typical home network carries much less traffic than a business network. So, not only would someone need to pitch a tent outside on your porch, he would need to be able to record at least a million of the packets going over your network and then have the knowledge to crack your encryption key. Although WEP isn't going to ward off the spies at the National Security Agency, it's good enough to protect home networks like yours and mine.

## Other security standards

Although all Wi-Fi network equipment supports WEP, a few standards are worth mentioning: LEAP and 802.11x.

*Lightweight Extensible Authentication Protocol* (LEAP) is a protocol developed by Cisco Systems. To use LEAP, you need to have a server that's set up to enable users to log in to gain permission to the wireless network. After you initially log in (authenticate) to your network, LEAP changes encryption keys on the fly at a time interval that you determine. You could set it so that every 15 minutes, your encryption key is changed: Even if someone is in that hypothetical tent on your front lawn, he would never be able to record enough packets to figure out your key because it changes so often.



Setting up a server so that you can use LEAP isn't something for the novice to attempt. I would encourage you to read up on LEAP only if you are very serious about airtight security on your WLAN. The Cisco Web site ([www.cisco.com](http://www.cisco.com)) is a good place to read about LEAP.



All the Apple AirPort 2.0 and AirPort Extreme wireless network cards and base stations are compatible with Cisco's LEAP for higher security.

The other thing worth mentioning is the new upcoming wireless security standard from IEEE: 802.11x. This new standard will take care of the weaknesses in WEP. Right now, IEEE is still trying to hammer out many of the fine details; however, the final 802.11x standard will probably be based on a

system very similar to Cisco's LEAP. After 801.11x is ratified (agreed on and finalized) by IEEE, expect to see it integrated with the other 802.11 standards. For most 802.11b/a/g hardware, a simple software update will be all that's required to support the new standard.

# DropBooks

## *Setting Up Your Wireless Network*

On to the good stuff. This section describes installing an AirPort Extreme card as well as how to set up an Ad Hoc or infrastructure-based WLAN (wireless LAN).

### *Installing an AirPort Extreme network card*

Some Macs come with an AirPort (802.11b) or AirPort Extreme (802.11g) card built in, especially if you ordered one pre-installed. However, if your Mac doesn't have either type of AirPort card installed, you can usually add one yourself. Naturally, older Macs don't have a slot or antenna for an AirPort card, such as the Indigo iMac with a 350 MHz CPU. However, all Mac models in production at the time of this writing do have a slot for an AirPort card. You just need to check [www.info.apple.com/applespec](http://www.info.apple.com/applespec) to see whether your particular Mac can use an AirPort card.

### **Using non-Apple wireless equipment with AirPort Extreme equipment**

Because of Apple's implementation of AirPort Extreme, keep in mind some things when trying to mix Apple wireless equipment with other vendors' 802.11b or 802.11g equipment. As you discover elsewhere in this chapter, using AirPort wireless networks can require a password, which corresponds to the 802.11b/g WEP key for encryption. However, the password that you enter for AirPort networks isn't exactly the same as the WEP key for that same network. If you're using an AirPort network card and are trying to connect to a non-Apple 802.11b WAP, you need to follow a specific procedure. You can find this procedure by going to

<http://kbase.info.apple.com/index.jsp> and searching on the number 106250 (the Apple Knowledge Base article number). If you're using a non-Apple 802.11b network card and are trying to connect to an Apple AirPort Base Station, go to the same URL and search on *106864*. These articles will show you how to convert the Apple AirPort password to a WEP key and vice versa.

You want my opinion? Because of the issues of using non-AirPort 802.11b/g hardware with The Real Thing (AirPort/AirPort Extreme stuff), I recommend that you stick with Apple equipment if possible.





## DropBooks

In case you have any issues using AirPort or need more information about anything related to AirPort, check this page at Apple's Web site: [www.info.apple.com/user/AirPort/](http://www.info.apple.com/user/AirPort/).

You should be able to use any standard 802.11b Wi-Fi or 802.11g card, but you might run into some issues with drivers and such. Be sure that any non-AirPort/AirPort Extreme card that you might buy is backed up with Mac OS X drivers.

A variety of 802.11b/g wireless network devices are available, many of which come with drivers for the Mac. Some of these devices connect via a Universal Serial Bus (USB), which could be handy if you want to be able to move it between a desktop Power Mac or iMac to an iBook and back (without the hassle of opening the case each time). Before you can set up your wireless network, you have to install the card, which you can pick up at virtually any Apple store or Apple-authorized reseller (like CompUSA; [www.compusa.com](http://www.compusa.com)). Because of the differences between manufacturers, check the installation instructions that come with whichever device that you choose.

After you have your AirPort, AirPort Extreme, or other 802.11b/g wireless network card installed, you're ready to connect.

### Setting up an Ad Hoc wireless network


Using an Ad Hoc network — also called a *computer-to-computer* network — is a fairly easy thing to accomplish in Mac OS X. Plus, you're not limited to just Macs: With an Ad Hoc network, you can also swap niceties with PCs and PDAs that have 802.11b/g network interface cards (NICs) installed. This Ad Hoc network is great for setting up an impromptu network in a classroom, exchanging recipes and pictures at a family reunion in a park, or blowing your friend up while gaming across the aisle of a Greyhound bus at 70 mph.

To set up an Ad Hoc network, you first have to create the computer-to-computer network on one of your Macs. This takes advantage of the AirPort Software Base Station that's built into Mac OS X. To create a computer-to-computer network, follow these steps:

1. **From the Applications folder on your hard drive, open the Internet Connect application.**
2. **Choose New Connection from the File menu.**

Alternatively, if you're already using AirPort or AirPort Extreme, you can reach the same dialog from the AirPort status icon on the menu bar, as seen in Figure 4-1.

# DropBooks



**Figure 4-1:**  
Create a  
new  
computer-  
to-computer  
network  
from the  
AirPort  
status icon.

3. Click the Network drop-down list box and click **Create Network**.
4. In the resulting dialog, enter a name for your network, enter a password twice, and then choose a channel.



Although you can leave the password blank, I highly recommend that you choose a password for that extra bit of security.



Out of the 11 channels available for 802.11b networks, channels 1, 6, and 11 are the only ones that don't overlap other channels — and are therefore the best choices to use. If you're close to other WAPs, AirPort Base Stations, or other Ad Hoc networks, you need to try to find a channel that's not being used, or performance can be degraded. (If you only have one access point, it doesn't matter which channel you select — just allow Panther to automatically select a channel.)

5. When you finish filling out the dialog, click **OK**.

Creating a computer-to-computer network gives the illusion of having an AirPort Base Station. So for people to join your network, they would follow the same steps that they would to join any other AirPort network, as I cover in the next section.

## Setting up wireless networks with an AirPort Base Station

If one computer is running a computer-to-computer network or you've set up and configured an AirPort/AirPort Extreme Base Station, you're ready to invite other computers with wireless hardware to the party.

### Joining in an existing AirPort network

After you have a network set up on one of your wireless-enabled computers, you just need to have the other wireless-enabled computers join that network. You can use the same process, as I describe here, to join any wireless network.

1. From the Applications folder on your hard drive, open the Internet Connect application.
2. From the Internet Connection window, choose AirPort from the toolbar.
3. Select an existing AirPort network from the list.
4. Click Connect.




If you want to join a network whose name doesn't appear in the list — also called a *closed network* — select Other from the Network drop-down list and then enter the name of the network that you want to join and the password (if any is required). A closed network is another added measure of security — one that's good enough for most people because it's very unlikely that a hacker is going to try to hack a hidden network.

If you're using AirPort/AirPort Extreme for your wireless networking, you can also join a network from the AirPort status icon on the menu bar as seen in Figure 4-2. Just select the name of the network that you'd like to join — or select Other if you're joining a closed network.

### Disconnecting from an AirPort network

To disconnect from an AirPort/AirPort Extreme network, you can turn off your AirPort card altogether, which I cover in the next section. (Simplicity, they say, is an art.) Another way is to simply connect to another AirPort network — but this option is really only useful if you actually *want* to connect to another network.

# DropBooks



**Figure 4-2:**  
Joining an  
existing  
AirPort  
network.

### *Turning your AirPort card on or off*

You might want to use your Mac, usually your laptop, in a place where your wireless card shouldn't be used, like on an airplane (when they tell you to turn all cell phones off) or in a hospital in an area that doesn't allow cell phones or other wireless devices. Plus, turning off your AirPort/AirPort Extreme card will conserve your notebook's battery life. Being able to turn your AirPort/AirPort Extreme card on and off actually has its uses.

To turn your AirPort card on or off via the AirPort status icon on the menu bar, give it a click and choose Turn AirPort On/Off from the resulting menu.



If you would like to control exactly which wireless network cards can access your wireless network, go to <http://kbase.info.apple.com/index.jsp> and search on 58571, which is the Apple Knowledge Base article number of a document that explains exactly how to limit access to your network to specific wireless network cards.

# DropBooks

## Chapter 5: Sharing That Precious Internet Thing

---

### *In This Chapter*

- ✓ Finding out how Internet sharing works
- ✓ Discovering the difference between hardware and software Internet sharing
- ✓ Connecting your Macs to a cable/DSL router
- ✓ Adding wireless support to your shared Internet connection

Although I discuss lots of fun stuff that you can do with your network in previous chapters, this has to be my favorite: sharing a single Internet connection between all the computers on your network. If you have more than one computer, I'm sure that you've had to deal with the dilemma that pops up whenever more than one person wants or needs to access the Internet at the same time.

Luckily, because most small home and office local area networks (LANs) use Transmission Control Protocol/Internet Protocol (TCP/IP) for network communications, connecting an entire network to the Internet isn't as ornery of a task as you might think. In this chapter, I talk about different hardware and software options for sharing your Internet connection as well as how to include your wireless devices.

### *Sharing the Internet*

Sharing a single Internet connection between all your computers can be a boon simply because of the reduced chances of random acts of violence. . . . Internet deprivation can be an ugly thing, you know. Although I won't claim that Internet sharing will save lives, it can indeed save you from headaches and arguments when more than one person wants to use the Internet at once.



Throughout this chapter, I talk a lot about cable modems and Asynchronous Digital Subscriber Line (ADSL) modems. Both of these are high-speed Internet connections — both are relatively inexpensive — that are offered by your local cable company and your local phone company, respectively. The phone company offers different kinds of digital subscriber line (DSL) connections, the most common of which is ADSL. However, because different kinds of DSL connections exist, in this chapter I refer to them all generically as *DSL*.

To share your Internet connection, you need a few things, so here's a quick checklist:

- ◆ **An Internet connection:** This could be a dialup Internet connection that's accessed via a standard v.90/v.92 analog telephone modem, or it could be a cable or DSL modem connection.
- ◆ **A LAN:** You need a standard LAN (which is connected with cables) or a wireless LAN. See Book V, Chapter 1 for more information about setting up a LAN and Book V, Chapter 4 for more on setting up a Wireless LAN (WLAN).
- ◆ **An Internet-sharing device:** I use the word *device* because the method that you use to share your Internet connection could be software that you run on one of your computers or hardware that is standalone, depending on how you connect to the Internet and what fits your needs best.

When you have these three things ready to go, you can share your Internet connection. However, you need to know some background information to help you choose the right components and get everything up and running.

## *Using Network Address Translation*


There's one thing that you must determine before you start your Internet sharing quest: the set of network Internet Protocol (IP) addresses that you'll use. If you used Book V, Chapter 1 to set up and configure your LAN, you might recall that I suggest a specific range of IP addresses to use on your LAN. In case you missed out on Chapter 1, I briefly cover this important topic again so that you can share your Internet connection smoothly. (Forgive me if I wax technical, but 'tis only for the moment.)

When talking about IP addresses, the ruling body that tracks IP addresses and where they are used has broken all IP addresses up into two parts: public and private IP addresses. *Public* IP addresses are used to communicate on the Internet, and only one device in the entire world can use a given public IP address at any given time. *Private* addresses, on the other hand, are only supposed to be used on networks (like your home LAN) and do not connect to the Internet. Lots of people can use the same private address because their networks never go public: That is, they never access the Internet, so their IP addresses never conflict. Typically, you'll use addresses in the form of 192.168.x.x on your LAN. See Book V, Chapter 1 for an overview of IP addresses and how they work.

You might be wondering to yourself thusly: "If I use private IP addresses on my LAN at home or in the office and I have to use a public IP address to communicate on the Internet, how can my private IP addresses on my LAN communicate with public IP addresses on the Internet?" That is an excellent question, and the answer is Network Address Translation (or NAT for short).

NAT acts as a gatekeeper between your private IP addresses on your LAN and the public IP addresses on the Internet. When you connect to the Internet, your Internet service provider (ISP) gives you one — and usually only one — public IP address that can be used on the Internet. Instead of one of your computers using that public IP address and depriving all the other computers on the LAN, the hardware or software that you use to share the Internet will take control of that public IP address. Then, when any computer on your LAN tries to communicate on the Internet, your NAT software/hardware intercepts your communications and re-addresses the traffic so that it appears to be coming from your allotted public IP address. (Think of a funnel that collects water from several different sources and then directs all the water into a single stream.)

When the Web site, File Transfer Protocol (FTP) server, or whatever strange Internet intelligence you're using on the Internet replies, it replies to your NAT device. The NAT device remembers which private IP address it should go to on the LAN and sends the information to that computer. See NAT at work in Figure 5-1.



**Figure 5-1:**  
NAT at  
work.

## *Ways to Share Your Internet Connection*

# DropBooks

After you have an Internet connection and your LAN is set up, you need something to make this NAT thing work. You have two different options to take care of NAT for your shared Internet connection: hardware or software. (Go figure.) Each has pros and cons, so take a look at each option individually.



If you've already read Chapter 4 of this mini-book, you know that Mac OS X version 10.3 Panther has AirPort software built in. So, if you have an AirPort wireless network card in your Mac and you're using Panther, you can have your Mac act like an AirPort Base Station for all the wireless computers on your network, which in turn can use a software NAT.

### *Using hardware for sharing an Internet connection*

Probably the most popular way to share an Internet connection is to buy a hardware device that connects to your Internet connection, which then connects to your LAN. These devices are referred to as *cable/DSL routers*. The main downside to a hardware Internet connection-sharing device is that it costs more than a software solution.



Don't let the name throw you: Although these devices are usually used to share cable/DSL connections, many have the ability to use an external analog telephone modem to connect to a standard dialup Internet account.

Cable/DSL routers are nice because they're easy to set up and configure — and you can leave them on, which means constant Internet access for those on your LAN. You don't have to worry about turning on another computer to connect to the Internet like you do with a software solution. Sounds like a good spot for a Mark's Maxim:

**Hardware routers are the best choice for sharing your Internet connection, so if you can afford one, you should get one!™**

Apple's AirPort and AirPort Extreme Base Stations are not only Wireless Access Points (WAPs) for your network, as I discuss in Chapter 4 of this mini-book, but they also act as Internet connection-sharing devices. Both flavors of AirPort Base Station have a built-in v.90 modem for sharing a single 56 Kbps connection using a dialup account as well as two Ethernet connections for sharing a high-speed Internet connection: one to connect to a cable/DSL router and one to connect to the LAN.



If you think that a cable/DSL router or an AirPort Extreme Base Station could be the karma pathway for you to achieve your goal of sharing your Internet connection, here are some things to consider when deciding which device to buy for your LAN:

- ◆ **Do you need a switch?** Most cable/DSL routers have a small 3-, 4-, or 5-port switch built in — refer to Chapter 1 of this mini-book to discover more about hubs and switches. This is nice because the same cable/DSL router that shares your Internet connection is also the centerpiece of your LAN where all your connections meet, thus saving you from having to buy a hub or switch on top of the cost of the cable/DSL router.

Some cable/DSL routers, however, like the AirPort Extreme, only have a single Ethernet connection to connect to your LAN. So keep in mind that if you choose a device with a single LAN connection, you must supply your own hub or switch that would then connect the cable/DSL router to the rest of your LAN.

- ◆ **Got modem?** On your cable/DSL router, look for a built-in analog telephone modem, like the one that you find on the more expensive model of AirPort Extreme. If your only Internet connection is through a dialup modem account, you must have this feature if you want to use a hardware device to share your Internet connection. AirPort Extreme is great for this because the modem is built in. Even if you have cable/DSL service, most ISPs also include a dialup account with it. With such a bountiful selection of connections, you can plug both your cable or DSL service to the cable/DSL router as well as use the dialup account as a backup in case your main service has problems.
- ◆ **Want a printer with that?** Some cable/DSL routers also have a port for connecting a printer — a great feature to have because it allows you to leave the printer connected and turned on so that anyone on the network can print to it anytime. (This is much better than connecting the printer to a computer and sharing it because then the computer doing the sharing must always be on in order to make the printer available.) Mac OS X can send a print job to a printer by using Rendezvous or TCP/IP, so just make sure that your printer is compatible with TCP/IP printing, also called *LPR* (Line Printer Remote).

### *Using software for sharing an Internet connection*


As I mention earlier, if you're using Mac OS X version 10.3 Panther and have an AirPort or AirPort Extreme wireless network card installed, your Mac can act like an AirPort/AirPort Extreme Base Station, providing both wireless Ethernet connectivity for other computers on the LAN *and* a shared Internet connection.

# DropBooks

Mac OS X version 10.3 Panther also has built-in software that allows a single computer on your network to share its Internet connection with others on the LAN. To share your Internet connection, follow these quick steps:

1. **Open System Preferences either from the Apple menu or from the Dock.**
2. **Click the Sharing icon.**  
This brings up the Sharing dialog, shown in Figure 5-2.
3. **Click the Internet tab of the Sharing dialog.**
4. **Click the Share Your Connection From drop-down list and select Built-in Ethernet.**
5. **Select the Built-in Ethernet check box (in the To Computers Using list) to enable it.**

When you do, you will be issued a warning that enabling this could affect your ISP or violate your agreement with your ISP. In my experiences, this step has never caused any networking problems. However, if you have any doubts, contact your ISP and verify this.



**Figure 5-2:**  
Use Internet sharing under Mac OS X.

#### 6. Click OK in the warning dialog to continue.

You go back to the Sharing dialog, which now has a Start button.

#### 7. Click Start to enable Internet sharing.

If you're using a dialup modem to access the Internet, you need to also make sure that the computer that has the modem also has an Ethernet LAN connection. The iMac is a great example of a computer that can do this because it has both a built-in modem and an Ethernet connection.

If you're using a cable or DSL modem for your Internet connection, the Mac that you want to run the sharing software on should have two Ethernet connections: one to connect to the cable/DSL modem and one to connect to the rest of the LAN.

The main disadvantage to using a software solution for Internet connection sharing is that the computer that connects to the Internet must be turned on and ready to go all the time so that others on the network can get to the Internet. And although the sharing software operates in the background on the machine it's running on, it still chews up some of that Mac's processing power and memory, so it could slow down other applications that you're running on that computer.

## Connecting Everything


After you decide whether to use a software or hardware solution, it's time to get your hands dirty: All the pieces of the puzzle must be set up and connected. In this section, I tell you how to connect things for either the software or hardware method of sharing the Internet connection.

### *Using the software method*

When you use the software method to share your Internet connection, this means that one of the computers on your network will have both the connection to the Internet and a connection to the LAN. Figure 5-3 shows a typical setup for software Internet sharing, whether you're using a dialup modem account or a cable/DSL modem for your Internet connection.

Keep in mind, though, that when using a cable/DSL modem for your Internet connection, the computer running the sharing software *must* have two Ethernet connections. If you're using a standard dialup modem for Internet access, chances are that it's built into the computer used for sharing the Internet connection.

## DropBooks




**Figure 5-3:**  
Two different configurations for using software Internet sharing.

### *Using the hardware method*

Not only does using a dedicated piece of hardware free one of the Macs on your network from the onerous job of hosting the shared connection, but it also keeps you from having to have more than one Ethernet connection on a single computer if you're using a cable/DSL modem for your Internet access. Figure 5-4 shows how you would connect your devices for hardware Internet sharing by using either a cable/DSL router with a built-in Ethernet switch or a cable/DSL router with a standalone Ethernet hub or switch, like you would need to use AirPort or AirPort Extreme.

## DropBooks



**Figure 5-4:**  
Using  
hardware to  
share an  
Internet  
connection.

If you choose to buy a cable/DSL router that has a built-in Ethernet switch, you can simply connect all your computers on the LAN to the built-in switch. However, if you buy a cable/DSL router that only has a single LAN connection, like AirPort/AirPort Extreme, you must connect that single LAN connection to an external hub or switch in order to get all the computers on the same network.



Regardless of whether you use the hardware or software method to share your Internet connection, all the computers on your LAN — except the one that's doing the sharing if you're using software sharing — should be configured to obtain its IP address automatically through our old friend, Dynamic Host Configuration Protocol (DHCP). (See Chapter 1 for detailed instructions on how to do this in Mac OS X.) Although it's not a requirement that you set up your other devices with DHCP, it is recommended unless you understand the IP addressing scheme required by your cable/DSL router and are willing to set up the addresses manually. You need to follow the instructions that come with the cable/DSL router or software that you purchase for detailed information on how to configure that.

## *Adding Wireless Support*

You might have noticed that I mention *wireless* here and there in this chapter. This section is going to cover in a bit more detail how you can add wireless capabilities to your shared Internet party. To discover more about how wireless networks work and how to set one up, see Book V, Chapter 4.

Basically, you'll encounter a couple of situations when trying to add wireless capabilities into the mix. Either you already have an Internet connection-sharing mechanism in place (either hardware or software) or you don't yet have your Internet connection shared.

### *If you already have a cable/DSL router or are using software Internet sharing*

If you already have a cable/DSL router or if you're using software Internet sharing, like that built into Mac OS X version 10.3 Panther, you can simply buy a WAP and connect it to your LAN. Adding a WAP will enable anyone using wireless Ethernet access to your network and thus to your shared Internet connection. There are many WAPs that you can buy to add wireless to your network. AirPort and AirPort Extreme are good examples; however, because AirPort also can do Internet sharing, make sure that you *don't* enable the Internet sharing on the AirPort card! (In this case, you don't want or need this feature because it can conflict with your cable/DSL router operation.)

### *If you do not have a cable/DSL router or AirPort Base Station*


If you don't have a cable/DSL router or an AirPort/AirPort Extreme Base Station for Internet sharing, you have a few options. Each option has an upside and downside.

# DropBooks

One option is to get an AirPort or AirPort Extreme Base Station, which will provide both wireless access for AirPort-enabled wireless computers and Internet sharing for the entire network. As I mention earlier, this device has only a single LAN Ethernet connection, so if you have more than one computer using wired Ethernet, you must buy an additional hub or switch to connect them all.

The other option is to buy a combination cable/DSL router, which has a built-in WAP. Most cable/DSL routers — including the ones that have wireless built in — also have multiple Ethernet ports on them, so connecting computers by using wired Ethernet can be done without buying an external hub or switch.

The final option is that you can use the AirPort software built into Mac OS X to turn your Mac into an AirPort or AirPort Extreme Base Station — if you have an AirPort wireless card on that particular Mac. This is a great, low-cost way to add wireless and Internet sharing to your network. However, many Macs don't come with an AirPort wireless card built in, and you still can eat up processor time and memory by running the AirPort software. For more on wireless networking, read Chapter 4 of this mini-book.



# DropBooks






DropBooks

Book VI

# Expanding Your System

The 5th Wave

By Rich Tennant



"Shoot, that's nothing! Watch me spin him!"

## *Contents at a Glance*

Chapter 1: Hardware That Will Make You Giddy .....	545
Chapter 2: Add RAM, Hard Drive Space, and Stir .....	561
Chapter 3: Not So Gama: Using USB and FireWire .....	573
Chapter 4: I'm Okay, You're a Printer .....	579
Chapter 5: Programs That You've (Probably) Gotta Have .....	589

DropBooks



# DropBooks

## Chapter 1: Hardware That Will Make You Giddy

---

### *In This Chapter*

- ✓ Using digital cameras, digital video camcorders, and scanners
- ✓ Adding keyboards, trackballs, joysticks, and drawing pads
- ✓ Using optical recorders and tape drives
- ✓ Adding speakers, subwoofers, and MP3 hardware

**H**ardware. We love it. To a Mac power user, new hardware holds all the promise of Christmas morning, whether your new toys are used for business or for pleasure. We pore over magazines and visit our favorite Mac Web sites like clockwork to check on new technology.

These hardware devices don't come cheap, however, forcing you to make the painful decision of deciding which new hardware you really need in order to accomplish what you want and which hardware is a luxury. Also, if you're a new Mac owner, you might not know what's available. For example, I constantly get e-mail from readers, asking, "What can I connect to my new computer?" I guess I could reply, "Why, the kitchen sink!" To that end, I decided to add this chapter to the book to let you know how you can expand the hardware for your Mac OS X powerhouse.

Each section in this chapter provides a description of what a particular device does, approximately how much it costs, and a set of general guidelines that you can use when shopping. Although this isn't in-depth coverage — after all, the book is supposed to be about Mac OS X — it will serve to get you started if you've just become a Mac owner. If you're especially interested in a specific piece of hardware, I recommend other books that you can read for the exhaustive details.

Ready? To quote a great line from the first Batman film: "Alfred, let's go shopping!"

## *Parading Pixels: Digital Cameras, DV Camcorders, and Scanners*

# DropBooks

The first category of hardware toys revolves around images — hardware for creating original images, capturing images in real-time, and reading images from hard copy.

### *Digital cameras*

A digital camera like the Hewlett-Packard PhotoSmart 912 (shown in Figure 1-1) shares most of the characteristics of a traditional film camera. It looks the same, and you use the same techniques while shooting photographs. The difference is in the end result. With a digital camera, instead of a roll of film that has to be developed, you have an image in JPEG or TIFF format that's stored on a memory card. The contents of the memory card can be downloaded to your Mac from within iPhoto (which I discuss with great pleasure in Book III, Chapter 3), and then the real fun begins. Here are some things that you can do with a digital photograph:

- ◆ Edit it with an image editor such as Adobe Photoshop
- ◆ Print it with an inkjet or color laser printer
- ◆ Record it to a CD or DVD
- ◆ Add it to a Web page
- ◆ Print several of them in a coffee-table book (using iPhoto)
- ◆ Mail it to friends and family

### *What they cost*

Consumer-level digital cameras typically sell for anywhere from \$200 (for a 2-megapixel model) to \$400 (for a 3-megapixel camera). *Megapixel* is a general reference to the *resolution* (the size of the image, measured in individual dots called *pixels*) and detail delivered by the camera. Such digital cameras can produce photographs that are well suited for just about any casual shutterbug. Professional digital cameras in the 5- or 6-megapixel range can set you back \$1,000 or \$2,000, but because of their cost and complexity, I wouldn't recommend them to someone who's just discovered digital photography.

## DropBooks

**Figure 1-1:** Although it looks like a film camera, a digital camera is a different breed altogether.



### What to look for

Here are some general guidelines that I recommend when selecting a digital camera:

- ◆ **At least a 2-megapixel camera:** As a general rule, the higher the megapixel value, the better the camera.
- ◆ **At least an 8MB memory card:** The *memory card* stores the images that you capture.
- ◆ **A Universal Serial Bus (USB) connection to your Macintosh:** USB is covered in all its glory in Chapter 3 of this mini-book.
- ◆ **An optical zoom feature:** *Optical zoom* allows you to draw closer to subjects that are farther away.

Note that I recommended *optical zoom* there and not *digital zoom*. Essentially, digital zoom is a silly feature that simply resizes a portion of your image, providing a blocky close-up. In fact, an image editor like Photoshop or Paint Shop Pro can produce exactly the same result as a camera with digital zoom . . . and it looks as bad. Only an optical zoom results in a sharper magnification of the subject.



# DropBooks

- ◆ **A self-timer:** With a self-timer, your camera can snap a photo automatically, allowing you to finally be seen in your own pictures!
- ◆ **A manual flash setting:** Although automatic flash is a good thing most of the time, a manual setting allows you to disable your camera's flash for artistic shots (or just to prevent the glare on subjects with polished surfaces).



For a complete guide to digital cameras, I heartily recommend the *Digital Photography Handbook*, published by Wiley Publishing, Inc. — and written by some guy named Mark L. Chambers. (It really is a good book, with full-color pictures to boot.) For a full (even exhaustive) exposé of everything in digital photography, check out *Digital Photography Bible*, also published by Wiley Publishing, Inc.

## DV camcorders

Like digital cameras, digital video (DV) camcorders are the counterpart to the familiar video camcorder. A *DV camcorder* looks and operates like a VHS camcorder, but you can connect it to your Macintosh via a FireWire cable and download your video clips directly into iMovie. (Chapter 4 of Book III explains all about iMovie, and FireWire is tackled in Chapter 3 of this mini-book.) Figure 1-2 illustrates the Panasonic PV-DV401 DV camcorder.

Besides the higher quality of digital video, it has a number of other real advantages over analog video:

- ◆ Digital video can be edited with applications such as iMovie or Adobe Premiere.
- ◆ Digital video can be recorded to a CD or DVD.
- ◆ Digital video can be posted for downloading on a Web page.



**Figure 1-2:**  
A digital camcorder produces digital video clips for iMovie.

### What they cost

A typical DV camcorder starts at about \$500, with the more desirable MiniDV camcorders selling for around \$1,000.

If a DV camcorder is too costly of an investment, you can convert *analog video* — video from your current VHS camcorder or VCR — into digital video by using an inexpensive device called an *AV converter*. I've used the Hollywood DV-Bridge from Dazzle ([www.dazzle.com](http://www.dazzle.com)), and I can heartily recommend it — the DV-Bridge is available on the Web for about \$250.

### What to look for

I recommend the following when shopping for a DV camcorder:

- ◆ **The highest optical zoom in your price range:** Again, like a digital camera, it's important to be able to capture subjects and action when you can't get any closer — think the lion exhibit at the zoo.
- ◆ **Image stabilization:** This helps steady the picture when you're holding the camcorder without a tripod.
- ◆ **Onboard effects:** These effects generally include some snazzy things like black and white footage, fades, and wipes.
- ◆ **AV connectors:** Use these to display your video by connecting the camcorder directly to your TV.
- ◆ **Support for FireWire (or IEEE 1394) connectivity:** For more details on FireWire, see Chapter 3 of this mini-book.
- ◆ **Digital still mode:** This enables you to take still photographs if your digital camera isn't handy; however, the image quality isn't as good as a bona fide digital camera.

For an in-depth look at digital video, check out *Digital Video For Dummies*, 3rd Edition, by Keith Underdahl, published by Wiley Publishing, Inc.

### Scanners

Figure 1-3 illustrates a typical flatbed scanner, which is the tool of choice for those Macintosh owners who want to digitize images and text from printed materials. Although you can also connect a sheet-fed scanner, flatbed models are much more versatile and produce better-quality scans.


Images produced by a scanner can be edited, mailed, displayed on the Web, or added to your own documents, just like the images from a digital camera.

## DropBooks



# DropBooks

Figure 1-9.  
The flatbed scanner,  
King of  
Digitizing.



### *What they cost*

A good-quality scanner should cost anywhere from \$100 to \$300, with the best models — featuring the fastest scanning speeds, best color depth, and highest resolutions — going for around \$1,000.

### *What to look for*

Try to get the following features in a scanner:

- ◆ **The highest color depth that you can afford:** Get a minimum of 36-bit.
- ◆ **The highest resolution that you can afford:** Get a minimum of 600 dots per inch (dpi) (optical).
- ◆ **Single-pass scanning:** This feature results in a faster scan with less chance of error.
- ◆ **Transparency adapter for scanning film negatives:** If you're a traditional film photographer, you'll find that a transparency adapter turns a standard flatbed scanner into an acceptable negative scanner.
- ◆ **One-touch buttons for e-mailing your scanned images or uploading them to the Web:** These are controls of convenience — pressing one of these buttons automatically scans the item and prepares the image to be e-mailed or uploaded to a Web site.
- ◆ **USB or FireWire connection:** I cover the advantages of both in Chapter 3 of this mini-book.



Another shameless (but good-natured) plug. My best-selling book *Scanners For Dummies* offers comprehensive coverage of all types of scanners, as well as chapters devoted to advanced features, image editing, and step-by-step projects. It's published by Wiley Publishing, Inc.



## *Incredible Input: Keyboards, Trackballs, Joysticks, and Drawing Tablets*

# DropBooks


Although your Mac is already equipped with a keyboard and a mouse, you can replace them with enhanced hardware that will add functionality and precision to your work. (Or, you can buy a joystick and spend your days wreaking havoc on your enemies.)

### *Keyboards*

If you're using the latest G4 iMac or G5 tower model, you don't really need to upgrade your keyboard. These new machines come with excellent keyboards already, replete with volume controls and a Media Eject key. However, if you're using an older Macintosh — or you have an iBook or PowerBook and you want to add an external keyboard — you can take advantage of the convenience of a USB keyboard like the one in Figure 1-4.

### *What they cost*

Aftermarket (non-standard-issue) keyboards generally cost anywhere from \$40 to \$100.



**Figure 1-4:**  
An ergonomic upgrade — the aftermarket USB keyboard.


*What to look for*

Look for the following keyboard features when shopping for a keyboard:

- ◆ **Programmable buttons:** Configure these to launch applications or run macros.
- ◆ **Additional USB ports:** Use these to turn your keyboard into a USB hub.
- ◆ **One-touch buttons to launch your browser or e-mail application:** Press one of these buttons to launch your Web browser or Mail.
- ◆ **Ergonomic wrist pad:** Use these to help prevent wrist strain and repetitive joint injuries.

*Trackballs*

Some folks prefer using a trackball, like the one shown in Figure 1-5, over a mouse any day. Graphic artists find that trackballs are more precise and offer better control, usually including a secondary button to display contextual menus. (One model on the market has eight buttons. Who needs a keyboard?)



**Figure 1-5:**  
Many power users prefer a trackball to a mouse.

DropBooks

### What they cost

Trackballs range in price from \$50 to \$90. Most are optical, so they need little cleaning, and they'll last for many years of precise pointing at things.


### What to look for

Look for the following features when shopping for a trackball:

- ◆ **More programmable buttons:** Opt for at least two buttons!
- ◆ **Optical tracking:** An *optical* trackball — one that doesn't use rollers, instead using a photosensitive sensor to record the movement of the ball — is more precise and easier to keep clean.
- ◆ **A scroll wheel:** Use this gizmo to scroll documents up and down.
- ◆ **Ergonomic design:** Look for a wrist pad or slanted buttons.

### Joysticks

Game players, unite! For arcade and sports games, using a joystick results in increased maneuverability, more realistic action, higher scores, less wear and tear on your keyboard . . . and just plain more fun. Joysticks range from the traditional USB aircraft controller shown in Figure 1-6 to USB controllers and gamepads that rival anything offered on the PlayStation 2 or the Xbox.



**Figure 1-6:** The secret weapon of Mac gamers — a joystick.

### *What they cost*

Joysticks vary in price from \$30 to \$120. At the low end, you'll usually find the Gamepad-type controllers, and aircraft controllers carry the highest price tag.


### *What to look for*

Get the following features in a joystick:

- ◆ **Yet even more programmable buttons.**
- ◆ **Pitch and yaw controls.** These are for the flight simulator crowd.
- ◆ **Force feedback.** A *force feedback joystick* rumbles and moves in tandem with the action in the game, providing an extra feeling of realism.

### *Drawing tablets*

A drawing tablet like the one you see in Figure 1-7 might be pricey, but if you're a graphic artist or a designer, using a tablet will revolutionize the way that you work with your Mac — especially with the Inkwell technology built into Mac OS X. Rather than use a mouse or trackball to sketch, you can draw on the tablet freehand, just like you would draw on paper or canvas. Tablets can recognize different levels of pressure, allowing applications such as Photoshop and Painter to re-create all sorts of photo-realistic brush effects.



**Figure 1-7:** Professional artists and designers swear by the graphics tablet.

### *What they cost*

Depending on the size of the tablet, you'll pay anywhere from around \$100 to a whopping \$500, depending on the size and the pressure levels that you need.

### *What to look for*

I recommend the following tablet features:

- ◆ **Programmable buttons:** See a trend here?
- ◆ **Accessory mouse:** Some high-end tablets include a mouse that you can use along with the tablet.
- ◆ **A cordless stylus:** Make sure that it doesn't require batteries.
- ◆ **The highest number of pressure levels possible:** The more levels that the tablet offers, the more subtle and precise your control is over painting effects.

## *Sublime Storage: CD/DVD Recorders and Tape Drives*

I don't include Zip drives in this category because the arrival of cheap, reliable optical storage has rendered a 750MB Zip cartridge obsolete. Even the once awesome 2.2GB capacity of the original Orb drive seems a little insignificant next to a rewriteable DVD-RW drive, which can store 4.7GB on a single disc.



If you'd like to trade data with another Mac or a PC via floppy disks, you can get an external USB floppy drive for under \$100 — however, I personally eschew floppy disks, which are very unreliable and carry a mere 1.44MB of data.

### *CD and DVD recorders*


Virtually all recent Mac models include a rewriteable optical drive — either a CD-RW or the DVD-R SuperDrive — but if your computer is older and didn't come equipped with a recorder, you can always add an external model, like the external CD-RW drive shown in Figure 1-8.

### *What they cost*

A typical USB or FireWire CD-RW drive costs about \$150. A FireWire DVD-RW drive averages about \$500.

# DropBooks

**Figure 1-8:** An external CD-RW drive is perfect for backups and recording both audio and data CDs.



### *What to look for*

Get the following features in an external CD-RW drive:

- ◆ **An internal buffer of at least 2MB:** The larger the buffer, the less chance that you'll encounter recording errors and the faster your drive will burn.
- ◆ **At least 8X recording speed:** A no-brainer here. The faster the recording speed, the less time you'll wait for the finished disc.
- ◆ **AC power through the USB or FireWire cable:** This eliminates the need for a separate AC power supply.
- ◆ **Burn-proof technology:** This virtually eliminates recording errors due to multitasking so that you can continue to work on other applications while you record.



Okay, just one more. I'm very proud of another of my books in the *For Dummies* series, *CD and DVD Recording For Dummies*, 2nd Edition. Published by Wiley Publishing, Inc., it covers everything that you need to know about producing all sorts of discs — everything from basic data and audio CDs to DVDs and more exotic formats such as CD Extra. Mac owners will be happy to know that this book covers the Mac like a blanket, too.

### *Tape drives*

If you're looking for a real high-capacity backup solution, use a tape drive. A *tape drive* is a storage device that uses a tape cartridge (much like a music cassette). A Travan tape drive (which averages about 40–60GB of storage) is much less expensive than a Digital Audio Tape (DAT) drive, which has a higher capacity of 120GB or more.

### What they cost

Tavan drives typically range around \$500 (storing around 60MB per tape), and most DAT drives start at \$1,000 (and can store gigabytes of data on a single tape).

### What to look for

Get the following features in a tape drive:

- ◆ **Hardware data compression:** This provides a faster backup on fewer tapes.
- ◆ **Automatic head cleaning:** Head cleaning helps reduce errors while writing data (and reading it back later).
- ◆ **FireWire connection:** A FireWire drive provides much faster data transfer, so your backups take a fraction of the time needed by a USB tape drive.
- ◆ **A transfer rate of at least 6 Mbps:** The faster the transfer rate, the shorter the time necessary to back up your drive!

## Awesome Audio: Subwoofer Systems and MP3 Hardware


Although virtually all Macs ship with speakers, I'll be honest — the “stock” speakers don't measure up to the standards of a true audiophile. For those who really enjoy their music and their game audio, this last section covers the world of Macintosh aftermarket sonic enjoyment.

### Subwoofer speaker systems

The ever-popular USB port again comes to your rescue. This time, it enables you to connect a more powerful speaker system with a subwoofer, like the one shown in Figure 1-9. If you've never heard a subwoofer — think chest-rattling *thump, thump, thump* — they provide the basement-level bass that can add power and punch to both your music and your games. Being hit by an asteroid is a rather flat, tinny experience with a pair of battery-powered speakers that you salvaged from your Walkman years ago. With a new set of speakers and a subwoofer, you'll swear that Han Solo is sitting in the cockpit chair next to you!

With the growing importance of the computer as a replacement for your home entertainment center, investing in a more powerful set of speakers will help you enjoy all those audio CDs and MP3s that you've added to your iTunes Playlists. (Read all about iTunes in Book III, Chapter 2.)

# DropBooks



**Figure 1-9:** Whether your passion is games or music, a subwoofer will deliver the goods.

### *What they cost*

Most USB-powered speakers with a subwoofer are priced below \$200, but true audiophiles looking for surround sound can spring for a \$500 system that includes several satellite speakers and a subwoofer.

### *What to look for*

Get these features in a subwoofer:

- ◆ **At least 30 watts of power:** The higher the wattage rating, the more powerful the speakers (and the louder your music can be).
- ◆ **Additional headphone jacks and stereo mini-plug input jacks:** Use these for connecting your iPod or MP3 player directly to your speaker system. (Read all about iPods in the next section.)
- ◆ **Magnetic shielding:** This helps prevent your speakers from distorting your monitor display.

### *MP3 players (Well, actually, just the iPod)*

I've lusted after Apple's iPod MP3 player ever since it arrived on campus. Depending on which model you get, this incredible device can hold anywhere from 5MB to 30GB of MP3 digital audio — that's over 7,500 songs of average length in the 30GB version! Plus, the iPod also acts as your personal data butler by carrying your files; it's an honest-to-goodness, external



FireWire drive. You can download your contacts and appointments from Mac OS X and view them wherever you go. Just think: Carry your files to and from your office *and* carry Devo and the Dead Kennedys as well! Oh, and did I mention that you can play three games with the latest iPod models?

All this fits into a beautiful, stylish package about the size of a pack of cigarettes, with up to a 10-hour lithium rechargeable battery, high-quality earbud headphones, and automatic synchronization with your iTunes MP3 library. Life just doesn't get any better for a technoid like me. If you think that your Mac is a well-designed piece of equipment, you'll understand why this little box is so alluring. (And why I have one now.)

Sure, there are other MP3 players out there, but most of them share the same following problems:

- ◆ They use digital memory cards, which offer far less capacity than the iPod.
- ◆ They use standard batteries, or you have to furnish rechargeable batteries (which don't last 8 or 10 hours).
- ◆ They use USB connections, which take forever to download your files and audio.
- ◆ They don't operate as an external hard drive or a contacts/appointment database.

I say forget 'em. The iPod is worth every cent that you'll pay.

The 10GB iPod runs \$299 at the time of this writing, and the 30GB model costs \$499.



If you're shopping for a great MP3 player *and* you happen to need an external drive for backing up your Mac's internal hard drive, the iPod is perfect — I mean, it's literally a double-play!

# DropBooks



# DropBooks

## Chapter 2: Add RAM, Hard Drive Space, and Stir

---

### *In This Chapter*

- ✓ Understanding the advantages of extra RAM
- ✓ Shopping for a RAM upgrade
- ✓ Choosing between internal and external hard drives
- ✓ Determining your hard drive needs
- ✓ Shopping for a new hard drive
- ✓ Installing your upgrades

**M**ost Macintosh owners will make two upgrades — adding more memory (RAM) and additional hard drive space — during the lifetime of their computers. These two improvements have the greatest effect on the overall performance of Mac OS X. By adding RAM and additional hard drive space, you not only make more elbow room for your applications and documents, but everything runs faster: Think of the Six Million Dollar Man, only a heck of a lot cheaper to operate.

In this chapter, I steer you around the hidden potholes along the way for those who aren't well versed in selecting memory modules or weighing the advantages of different types of hard drives. However, if you buy the wrong piece of hardware, remember that using a hammer to make it fit is *not* a workable option.

### *Adding Memory: Reasons for More RAM*


Of all the possible upgrades that you can make to your Macintosh, adding more random access memory (RAM) is the single most cost-effective method of increasing the performance of Mac OS X. (In fact, your machine will likely run faster with more memory than a reasonably faster processor!) Here is exactly what Mac OS X uses available RAM for:

- ◆ **Applications:** Naturally, Mac OS X needs system RAM to run the applications that you launch. The more memory in your machine, the larger the applications that you can open and the faster they'll run.

# DropBooks

- ◆ **Overhead:** This includes the operating system itself, Classic mode (if it's running), as well as various and sundry buffers and memory areas devoted for temporary work. As you would guess, the more memory there, the merrier. (For the complete scoop on Classic mode, see Chapter 7 of Book I.)
- ◆ **Virtual memory:** A-ha! Now here's something that I mention lightly and politely in Book I but didn't really amount to a hill of beans until this moment. (Can you tell I'm a big fan of Bing Crosby?) *Virtual memory* allows Mac OS X to use empty hard drive space as temporary system memory, as shown in Figure 2-1. Data is written to your hard drive instead of being stored in RAM, and then it's erased when it's no longer needed. It's a neat trick that's also used by Windows, Linux, and dear old Mac OS 9 (just nowhere near as well as Mac OS X). Virtual memory works automatically within Mac OS X, so you don't have to enable it manually as you did in Mac OS 9.

**Figure 2-1:** The mysterious beauty of virtual memory — but it still can't beat the real silicon thing.



At first, virtual memory sounds like absolute bliss, and it does indeed allow your Macintosh to do things that would otherwise be impossible, like running an application that requires 300MB of RAM in just 128MB of actual physical RAM. However, here come the caveats:

- ◆ **Virtual memory is slow as molasses in December.** Even today's fastest hard drive is many, many times slower than real silicon, so any use of virtual memory instead of RAM slows down Mac OS X significantly.
- ◆ **Virtual memory abuses your hard drive.** If you've ever run Photoshop on a Windows PC with 64MB of RAM, you're having flashbacks right now — whenever your Macintosh is using virtual memory, your hard drive remains almost constantly active. (Hardware types like myself call this phenomenon *thrashing* because we know what's happening inside that poor hard drive.) Over time, running any computer with insufficient

RAM and behemoth applications will result in a significant increase in hard drive wear and tear.

Virtual memory costs you processing power. With sufficient RAM, Mac OS X gleefully runs as efficiently as it can — when virtual memory kicks in, however, your Mac has to spend part of its quality time shuttling data to and from the hard drive, which robs your computer of processing power.

The moral of the story is very simple, so it's time for another of Mark's Maxims:

**The less that Mac OS X needs to use virtual memory, the better.™**

To put it another way, *physical memory* (meaning memory modules) is always a better choice than virtual memory. This is why power users and techno-types crave as much system memory as possible.



A mere two years ago, 128MB of RAM was a quite comfortable figure for most folks, but most of today's Macs can accept a whopping 1GB (that's short for *gigabyte*, or 1,024 megabytes), or even more, system RAM. (At the extreme end of the scale, the King Kahuna — Apple's latest Power Mac G5 — can now accommodate an unbelievable **8 gigabytes** of RAM!)

If you'll be keeping your current Macintosh for a few years more, install as much memory as you can afford — you'll thank me every time that Mac OS X boots.

## Shopping for a RAM Upgrade


Before you click your mouse on some online computer store's Buy button, you need to determine two things that will help you determine which memory module to buy: how much RAM you've already got and how much more your system can handle.

### *Finding out the current memory in your Mac*

Memory modules are made in standard sizes, so you need to determine how much memory you already have and which of your memory slots are filled. To do this, open an old friend you might have used in Mac OS 9, the Apple System Profiler. Here, open your Applications folder and then open the Utilities folder to locate the System Profile, which is shown in Figure 2-2. Alternatively, click the Apple menu, choose About This Mac, and then click the More Info button.

## DropBooks

**Figure 2-2:**  
Look under  
the hood  
with Apple  
System  
Profiler.



After you launch this application, it takes a few seconds to scan your Macintosh and display all sorts of identifying information about the hardware and software that you're using. Check out the Overview section. Here you can see exactly how many memory modules you have, what type they are, and how much memory each provides. For example, in Figure 2-2, my iMac G4 has two memory slots — labeled DIMM0 and DIMM1 — and each of those slots is filled with a 256MB module, giving me a total physical memory of 512MB. Jot down the name and contents of each slot on a piece of paper — or, if you're a real Mac OS X power user, add a Stickey to your Desktop with this information. (Stickers are covered in Book II, Chapter 2.)

However, on my particular machine, only one of those memory modules can be upgraded by a mere mortal: DIMM1. DIMM0 is an internal module and can only be upgraded by an Apple technician. (Insert sound of harps playing here.)

Unfortunately, this arrangement differs on just about every model of Macintosh ever made — some have more memory slots, and others allow you to upgrade all the system memory instead of just one module. The only way to determine which modules are accessible on your Mac is to identify the exact model of your computer.

### ***Determining the exact model of your computer***

Most folks know the type and model of their computers, but there's a catch here, too: Sometimes the memory that you need varies by the processor in your Macintosh. For instance, many different versions of iMacs have been made since the Bondi Blue Beast debuted, and over the course of those

## DropBooks

years, Apple has made a slew of changes inside. Your eye should be on the actual processor speed and *bus speed* — the transfer speed that data reaches whilst speeding across your motherboard — because they're the identifying factors here. An older iMac with a 333 MHz G3 processor, for example, will use a different type of memory from the latest flat-panel iMac with a 1.25 GHz G4 processor.

Again, your salvation turns out to be Apple System Profiler — look again at that talented image Figure 2-2 to see that both the Machine Speed (or *processor speed*) and the Bus Speed are both listed: In this case, this machine has a 700 MHz G4 running at 100 MHz bus speed. Grab that same piece of paper (or open that same Stickie) and add these two figures to your list.

Now you're armed with the information that you need to go online and buy the right memory — or, if you'd rather work directly with a human being, you can visit your local Apple dealer, present him with the list, and have him order the memory upgrade for you.



Buying memory online is much cheaper. I recommend the following online stores:

- ◆ **MacMall:** [www.macmall.com](http://www.macmall.com)
- ◆ **MacWarehouse:** [www.macwarehouse.com](http://www.macwarehouse.com)
- ◆ **MacConnection:** [www.macconnection.com](http://www.macconnection.com)

## The Tao of Hard Drive Territory


Next, turn your attention to the other popular Mac upgrade — adding extra hard drive space. With today's cutting-edge, 3-D games using 600MB of space each and Photoshop expanding to 450MB, IDC (short for *Insidious Data Creep*) is a growing problem. (Bad pun most certainly intended.)

You can save space by deleting those files and folders that you don't need, but what fun is that? To reduce your Mac's waistline before you consider adding more room, I recommend using Spring Cleaning from Aladdin Systems, which you can find at [www.aladdinsys.com](http://www.aladdinsys.com). It's a great tool for locating duplicates, removing empty folders, and uninstalling old programs that you no longer use.



Is English your only computing language? DeLocalizer, another handy space-saving utility from Mike Bombich, removes all those extra language files that get tacked on when you install Panther. You can download this great free-ware application from Mike's Web site at [www.bombich.com](http://www.bombich.com). (And take a moment to check out his other Macintosh software, too.)

To determine how much free space remains on a hard drive, click the drive's icon on your Desktop and press **⌘+I** to display its information, as shown in Figure 2-3. (I'm a major-league Mozart fan-boy, hence the name of my hard drive.)



**Figure 2-3:** Check a drive's free space.

As a general rule, the following factors indicate that you're ready to upgrade your hard drive territory:

- ◆ You have less than 2GB of space on your current hard drive.
- ◆ You've cleaned off all unnecessary files, and your Mac is still lagging.
- ◆ You need to share a large amount of data between computers that aren't on the same network. (Read on to discover why.)

## *Internal versus External Storage*

Just about everyone who upgrades their existing hard drive does so because they need extra space; however, you might also need to add a hard drive to your system that can go mobile whenever necessary. Unlike an *internal* drive — which resides hidden inside your Mac's case — an *external* drive is a lean, mean, self-contained traveling storage machine that's perfect for road warriors.





## External drives

External removable cartridge drives, such as a Zip drive, are fine for folks who have to send cartridges to other locations. Unfortunately, however, the capacities of these drives are rapidly falling behind conventional, non-removable external hard drives. Also, most Macs now have either a CD-RW or DVD-R drive, which basically render Zip technology obsolete. Therefore, if you're considering an external unit, go with the most popular pick — a high-capacity non-removable hard drive, which offers the most storage for your dollar.


Most external drives are *shock-mounted* (meaning that they can take more abuse than an internal hard drive), and they carry their own power supply. In fact, some external drives actually don't need a separate power supply because they draw their power through your Mac's Universal Serial Bus (USB) or FireWire port. (The next chapter in this mini-book tells all about USB and FireWire.)

External drives also have a number of other advantages:

- ◆ **No installation hassle:** You can easily install a USB or FireWire drive in seconds. Simply plug in the drive to the proper connector on the side or back of your Mac, connect the power supply (if necessary), and turn it on. (No software installation necessary. As the folks in Cupertino are fond of saying, "Look, Ma — no drivers!")
- ◆ **No extra space needed:** Many Macs simply don't have the internal space for another drive — laptops and iMacs are good examples. Therefore, if you want to keep your existing internal drive as-is while you're adding more storage, an external drive is your only choice.
- ◆ **Share files with ease:** With an external drive, you can share your data between multiple computers or bring your files with you on your next trip.
- ◆ **Safe from prying eyes:** Unlike an internal drive, external drives are easy to secure. Take your sensitive information home with you or lock it in a safe.

After you plug in an external drive, Mac OS X displays it just like any other hard drive volume. Figure 2-4 illustrates my 30GB FireWire drive in action.

## DropBooks



**Figure 2-4:**  
See your  
external  
hard drives.

### Internal drives

Your other alternative is to upgrade your internal drive, which can be a hassle. Like a memory upgrade, adding or swapping an internal drive involves opening your Mac's case. In fact, it's a somewhat more complex procedure than adding memory.



I usually recommend that folks add a second drive rather than swap out their existing drive. You'll avoid the hassle of backing up and restoring your system on a new drive or (even worse) reinstalling Mac OS X and *then* reinstalling all the applications that you use. (Swapping a hard drive should be the definition of the word *hassle*.) Instead, add a second drive and leave your current hard drive as-is.

However, here are a number of very important reasons why many Mac owners choose updating internal drives, even with the hassle of swapping:

- ◆ **They're cheaper.** You'll spend significantly less on an internal drive because it doesn't need the case and additional electronics required by an external drive.
- ◆ **They're faster.** Even a FireWire or USB 2.0 drive isn't as fast as an internal drive.
- ◆ **They take up less space in your work area.** An internal drive eliminates the space taken by an external drive, which can range anywhere from the size of a paperback to the size of a hardback book.

After you establish that you are in fact ready for more space — and you've decided whether you want to add an internal drive, an external drive, or (if you enjoy punishment) upgrade your existing internal drive — you're ready to consider how big of a drive you need.

## Determining How Much Space You Need

Your next step is to decide just how much hard drive space is enough. I suppose that if your last name is Gates and you live in Redmond, you can probably pick just about any drive on the market. However, I have a family, a mortgage, a car payment, and lust in my heart for the latest computer games; therefore, I must be a little more selective.

I have two hard-and-fast rules that I follow when I'm determining the capacity of a new drive:

1. If you're buying a replacement for your existing drive, shop for a drive with at least twice the capacity of the existing drive (if possible).
2. If you're buying an external USB or FireWire drive, shop for a drive with at least half the capacity of your existing internal drive (if possible).

Those rules seem to work pretty doggone well in most circumstances with these two exceptions: gamers and digital video gurus. These folks need to shoehorn as much space as they possibly can into their systems. If you're a hardcore gamer or if you work primarily with digital video, you need a wheelbarrow's worth of hard drive capacity. Trust me: Buy the biggest hard drive that you can afford.

## Shopping for a Hard Drive

Ready to brave the local Wireless Shed superstore (or perhaps its Web site)? Here's a list of guidelines to keep handy while you're shopping for a new internal or external hard drive:


- ◆ **Faster is indeed better.** You'll pay more for a 7,200 revolutions per minute (rpm) drive than a slower 5,400 rpm drive, but the extra cash is worth it. Faster drives can transfer more data to your Mac in less time — and that's especially important for storing digital video.
- ◆ **Avoid used or refurbished drives.** Hard drives are one of the few components in your computer that still have a large number of moving parts. Therefore, buying a used drive isn't a good idea unless it's priced very low.



# DropBooks

Because the prices on new hard drives are constantly dropping, make sure that you check on the price for a new, faster drive of the same capacity before you buy that bargain used drive.

- ◆ **Pick FireWire over USB 1.x every time.** Compared with a FireWire connection, a USB 1.x external hard drive is simply a joke when it comes to performance. Because most Macs with USB ports also have FireWire ports, make very sure that you buy a FireWire drive! (If your Mac has USB 2.0 ports, you can buy a USB 2.0 drive without being embarrassed.)
- ◆ **Watch the size of the drive when buying internal drives.** Most Enhanced Integrated Drive Electronics (EIDE) drives are standard half-height 3.5-inch units, but check to make sure that you're not investing in a laptop drive — unless, of course, you're upgrading a laptop.
- ◆ **Do I need SCSI?** In most cases, the answer is *no* — Macs built within the last three or four years all use EIDE drives. However, older Macs do use Small Computer System Interface (SCSI) hardware, so make sure that you check before you buy. (SCSI and EIDE are the two different types of internal hard drive interfaces — a fancy word for *connection* — used on Macs that can run Mac OS X.) Again, you can use the Apple System Profiler to determine what type of drives you have. Click the Hardware category in the Contents column on the left and then click both the EIDE (ATA) and SCSI subcategories to display the information for your hard drives. As you can see in Figure 2-5, both my internal hard drive and my internal DVD-ROM/CD-RW drive are EIDE devices.



**Figure 2-5:** Check which type of hard drive you have installed.

## Installing Your New Stuff

# DropBooks

After you get your memory modules or hard drive, pick from one of two methods of installing them: easy and hard. Guess which method will cost you money?

### The easy way

Your Apple dealer can perform either type of hardware installation for you. You can rest easy knowing that the job will be done right, but money will definitely change hands.



Personally, I always recommend that owners of iBooks and Titanium PowerBook laptops allow their dealers to install memory upgrades and hard drives because these laptops are much more complex than a desktop, and they're much easier to damage.

### The hard way

If you're familiar with the inside of your Macintosh, you can install your own upgrade and save that cash. A memory upgrade is one of the simpler chores to perform, but that doesn't mean that everyone feels comfortable taking the cover off and jumping inside a computer; hard drives are a tad more complex.



If you have a knowledgeable friend or family member who can help you install your hardware, buy him the proverbial NSD (short for *Nice Steak Dinner*) and enlist him in your cause. Even if you still do the work yourself, it's always better to have a second pair of experienced eyes watching, especially if you're a little nervous.

Because the installation procedures for both memory modules and hard drives are different for every model of Mac — heck, even removing the cover on each model of Macintosh involves a different challenge — I can't provide you with any step-by-step procedures in this chapter. Many online stores include installation instructions with their hardware. Other sources for installation instructions include the Apple Web site ([www.apple.com](http://www.apple.com)) or your Apple dealer. You can use Sherlock 3 (more about this in Book 1, Chapter 4) to scan the Internet for installation information for your particular model. However, here are guidelines to follow during the installation:

- ◆ **Watch out for static electricity.** When opening your Macintosh and handling hardware, make certain that you've touched a metal surface beforehand to discharge any static electricity on your body. (You can also buy a static wrist strap that you can wear while working within the bowels of your Mac.)

## DropBooks

- ◆ **Check the notches on memory modules.** Most types of memory modules have notches cut into the connector. These notches make sure that you can install the module only one way, so make certain that they align properly with the slot.
- ◆ **Make sure that you're using the right memory slot.** As I mention earlier in this chapter, most Macs have multiple memory slots, so check the label on the circuit board to make sure that you're adding the memory to the correct slot. (Naturally, this won't be a problem if you're installing a module into an unoccupied slot.)
- ◆ **Take good care of older hardware.** If you replace an existing memory module or hard drive with a new one, put the old hardware in the left-over anti-static bag from your new hardware and immediately start thinking of how you'll word your eBay auction . . . *Used 128MB Memory Module for 333MHz iMac*, for example.
- ◆ **Check your hard drive jumper settings.** If your Mac uses EIDE hard drives, you must set the Master and Slave jumpers correctly on the back (or underside) of the new drive. A *jumper* is simply a tiny metal-and-plastic connector that is used to change the configuration on a hard drive. Setting jumpers indicates to your Mac which drive is the primary drive and which is the secondary drive. (I don't know how engineers got into the whole Master/Slave thing . . . they're normally not quite so exotic when naming things.)

If you're adding a second drive to a G3 or G4 tower, you'll probably have to change the jumper settings on the original drive as well. (If you're replacing the existing drive, you're in luck; simply duplicate the jumper settings from the old drive and use them on the new drive.) Because the configuration settings are different for each hard drive model, check the drive's documentation for the correct jumper position.
- ◆ **Leave the cover off while testing.** After you install the upgrade, leave the cover off your Mac while you boot the computer and test to see how well you did. That way, if you have to replace the original hardware for some reason, you won't have to remove the cover a second time.



To determine whether a memory upgrade was successful, you can again turn to the Apple System Profiler. Open the Profiler again and compare the memory overview specifications with the original list that you made earlier. If the total amount of memory has increased and the memory module is recognized, you've done your job well. If not, switch off the Mac and check the module to make sure it's completely seated in the slot.

# DropBooks

## Chapter 3: Port-o-rama: Using USB and FireWire

---

### *In This Chapter*

- ✓ Using FireWire under Mac OS X
- ✓ Using USB under Mac OS X
- ✓ Adding a USB or FireWire hub
- ✓ Troubleshooting FireWire and USB connections
- ✓ Adding and updating drivers

Apple's list of successes continues to grow over the years — hardware, applications, and (of course) Mac OS X — but the FireWire standard for connecting computers to all sorts of different devices is in a class by itself. That's because FireWire has been universally accepted all over the world as the port of choice for all sorts of digital devices that need a high-speed connection. Even Windows owners have grudgingly admitted that FireWire just plain rocks. Ya gotta love it.

In this chapter, I discuss the importance of FireWire to the digital hub that I discuss in Book III, and I compare it with both version 1.1 and version 2.0 of Intel's Universal Serial Bus (USB) connection technology. I also talk troubleshooting and expansion using a hub.

### *Appreciating the Advantage of a FireWire Connection*

So what's so special about FireWire, anyway? Why does Apple stuff at least one (and usually two) FireWire ports in all its current Macintosh models? Heck, even the *iPod* (Apple's MP3 player, which you can read more about in Book III, Chapter 2) uses FireWire! (Its *official* name is IEEE 1394, but even the Cupertino crew doesn't call it that — at least very often.)

First things first. As countless racing fans will tell you, it's all about the *speed*, my friend. The original FireWire 400 port delivers a blazing fast 400 Mbps (megabits per second), which is fast enough for all sorts of peripherals to communicate with your Macintosh. The following list includes a number of hardware toys that are well known for transferring prodigious file sizes:

- ◆ Digital video (DV) camcorders
- ◆ High-resolution digital cameras
- ◆ Scanners and some printers
- ◆ External hard drives and CD/DVD recorders
- ◆ Networking between computers

For example, consider the sheer size of a typical digital video clip captured by one of today's DV camcorders. DV buffs commonly transfer several hundred megabytes of footage to their computers at one time. Check out the relative speeds of the different types of ports in Table 3-1, and you'll see a big attraction of FireWire.

**Table 3-1** Transfer Speeds for Ports through the Ages

<i>Port</i>	<i>Appeared on Personal Computer When</i>	<i>Transfer Speed (In Megabits)</i>
PC Serial	1981	Less than 1 Mbps
PC Parallel	1981	1 Mbps
USB (version 1.1)	1996	12 Mbps
FireWire 400 (version 1)	1996	400 Mbps
USB (version 2.0)	2001	480 Mbps
FireWire 800 (version 2)	2002	800 Mbps

Ouch! Not too hard to figure that one out. Here are three other important benefits to FireWire:

- ◆ **Control over Connection:** This is a 10-cent term that engineers use, meaning that you can control whatever gadget that you've connected using FireWire from your computer. This is pretty neat when you think about it; for example, you can control your DV camcorder from the comfort of your computer keyboard, just as if you were pressing the buttons on the camcorder.
- ◆ **Hot-swapped:** You don't have to reboot your Mac or restart Mac OS X every time that you plug (or unplug) a FireWire device. Instead, the FireWire peripheral is automatically recognized (as long as the operating system has the correct driver) and ready to transfer.
- ◆ **Power through the port:** FireWire can provide power to a device through the same wire — typically, there's enough power available for an external drive or recorder — so you don't need an external AC power cord for some FireWire devices. (Apologies to owners of DV camcorders, but those things eat power like a pig eats slop.)



However, FireWire isn't finished evolving yet — the new, cleverly named IEEE 1394 B (called *FireWire 800* by anyone with any sense, including the folks at Apple) is designed to deliver a whopping 800 Mbps. That, dear reader, ought to be fast enough for both you *and* your loved ones. These ports only appear on the top-of-the-line Apple models at the time of this writing, but if you can afford the best, you'll have to wear racing goggles to use 'em.

Oh, and as you would expect from Apple, the new ports will be backward-compatible with older FireWire hardware. However, the ports aren't exactly the same, so you'll need a plastic port converter to connect FireWire 400 devices to a FireWire 800 port. (Such important little conversion fixtures are commonly called *dongles*. No, I'm not making that up. Ask your favorite techno-nerd.)

## Understanding USB and the Tale of Two Point Oh

The other resident port on today's Apple computers is the ubiquitous USB, which is short for *Universal Serial Bus*. (By the way, ubiquitous means *ever-present* or *universal*, which I quickly looked up by using Sherlock 3 — read all about this super sleuth in Book I, Chapter 4.) Although version 1.1 of the USB standard is nowhere near as fast as FireWire, USB has taken the world by storm. It's used for everything from mice to keyboards, speakers, digital cameras, and even external drives and CD recorders. (A friend of mine never misses the chance to point out that USB — which was originally developed by Intel, the makers of the Pentium 4 processor — was given its first widespread implementation on the original iMac. *You're welcome, Intel.*)

Unfortunately, those last two are somewhat problematical: Technically, you *can* add an external hard drive, but don't expect response times anywhere near what you'd enjoy with an internal hard drive. Ditto for a CD recorder — 4X is about the limit for the recording speed with a USB 1.1 connection. (Don't even *think* about recording DVDs over a USB 1.1 connection.) Now, compare this performance with that of similar equipment using a FireWire connection, which provides nearly the speed of an internal hard drive and CD and DVD recording at the fastest pace possible.

Like FireWire, USB connections are hot-swappable and provide power over the connection — a USB port also offers a more limited version of Control over Connection as well, making it a good choice for virtually all digital cameras.



The average 2- or 3-megapixel digital camera creates a JPEG image that's about 400–500K, so USB is the connection of choice for all but the 5- and 6-megapixel (and higher) camera models. Why is it the connection of choice, even though it's slower than FireWire? Most PCs still don't come standard with FireWire ports, and transferring a 500K file doesn't take that long over

USB. (On the other hand, try transferring a 20MB file from a 6-megapixel camera, and FireWire suddenly makes a lot of sense.)

Not to be outdone, a new USB 2.0 specification has arrived that delivers even better performance than the original FireWire standard — USB 2.0 can transfer 480 Mbps. These ports are backward-compatible — meaning they work with the original USB 1.x ports as well — but don't look for Apple to jump through any hoops to support the new, faster, even-fresher-smelling USB standard. In fact, at the time of this writing, only the top-of-the-line Mac models in Apple's current stable have USB 2.0 ports (but they're likely to become more common, of course).



If you have an expandable tower G3 or G4 machine, you can use an empty Peripheral Component Interconnect (PCI) slot to add USB 2.0 ports to your Mac. For example, Orange Micro sells the OrangeUSB 2.0 Hi-Speed PCI card for a mere \$50 ([www.orangemicro.com](http://www.orangemicro.com)); if you have a PowerBook, you can add a USB 2.0 port by using a PC Card.

## *Hey, You Need a Hub!*

Suppose that you've embraced FireWire and USB and you now have two FireWire drives hanging off the rear end of your Mac — and suddenly you buy an iPod. (Or you get another FireWire device that's as much fun as an iPod, if that's actually possible.) Now you're faced with too many devices for too few ports. You *could* eject a drive and unhook it each time that you want to connect your iPod, but there *must* be a more elegant way to connect. Help!

Enter the hub. Both the FireWire and USB specifications allow you to connect a device called a *hub*, which is really nothing more than a glorified splitter adapter that provides you with additional ports. Note that this device has nothing — repeat, *absolutely nothing* — to do with the network hubs that I discuss in Book V. With a FireWire or USB hub at work, you do lose a port; however, most hubs multiply that port into four or eight ports. Again, all this is transparent, and you don't need to hide anything up your sleeve. Adding a hub is just as plug-and-play easy as adding a regular FireWire/USB device.

I should also mention that FireWire supports *daisy-chaining* — a word that stretches all the way back to the days of the Atari and Commodore computers, when devices had extra ports in the back so that additional stuff could be plugged in. However, not every FireWire drive has a daisy-chain port (also called a *passthru port*). With daisy-chaining, you can theoretically add 63 FireWire devices to your Mac — talk about impressing them at your next Mac user group meeting!

## Uh, It's Just Sitting There

# DropBooks

I don't hate it when FireWire and USB devices act like boat anchors. FireWire and USB peripherals are so doggone simple that when something goes wrong, it really aggravates you. Fortunately, I've been down those roads many a time before, so in this section, I'll unleash my experience. (That sounds a little frightening, but it's a *good* thing. Really.)

### Common FireWire and USB headaches

Because FireWire and USB are so alike in so many ways, I can handle possible troubleshooting solutions for both types of hardware at once:

- ◆ **Problem:** Every time I turn off or unplug my external peripheral, Mac OS X gets irritated and displays a nasty message saying that I haven't properly disconnected the device.

**Solution:** This happens because you haven't *ejected* the peripheral. I know that sounds a little strange for a device like an external hard drive or a digital camera, but it's essentially the same reasoning as ejecting a CD or DVD from your Desktop. When you click your USB or FireWire device and hold the mouse button down, you'll see that the Trash icon turns into an Eject icon; drag the device icon to the Eject icon and drop it, and the external device disappears from your Desktop. (You can also click the device icon to select it and press ⌘+E.) At that point, you're safe to turn it off or unplug the FireWire/USB cable.

If Panther recognizes the device as an external drive, which is usually the case with a digital camera, external hard drive, or external CD/DVD recorder, you can simply click the Eject button next to the device icon in the Finder window's sidebar.

- ◆ **Problem:** The device doesn't show a power light.

**Solution:** Check to make sure that the power cable is connected — unless, of course, you've got a device that's powered through the connection itself. This can sometimes pose its own share of problems, however, when using USB devices. Not all USB ports provide power because some are designed only for connecting mice, keyboards, and joysticks.

To check whether an unpowered USB port is your problem, either connect the device to a USB port on the back of your Mac or connect it to a hub or another computer. If the device works when it's connected to another port, you've found the culprit.



◆ **Problem:** The device shows a power light but just doesn't work.

**Solution:** This can be because of problems with your cable or your hub. To check, borrow a friend's cables and test to see whether the device works. If you're testing the hub, try connecting the device directly to your Mac using the same cable to see whether it works without the hub.

If you're attempting to connect a device through another USB or FireWire device, try connecting it directly to see whether it works. If so, the middleman device either needs to be switched on to pass the data through or it doesn't support daisy-chaining at all — in which case, you'll have to connect both devices directly to your Macintosh.

◆ **Problem:** Mac OS X reports that I have a missing driver.

**Solution:** Check the manufacturer's Web site and download a new copy of the USB or FireWire drivers for your device because they've been corrupted, overwritten, or erased entirely. Because Mac OS X loads the driver for a USB or FireWire device when it's connected, sometimes just unplugging and reconnecting a peripheral will do the trick.

### *Check those drivers*

Speaking of drivers . . . old and worn-out drivers are a sore spot with me. *Drivers* are simply programs that tell Mac OS X how to communicate with your external device. Each new version of Mac OS X contains updated drivers, but make certain that you check for new updates on a regular basis. That means using both the Software Update feature in Mac OS X (which I cover in Book II, Chapter 3) *and* going to the Web sites provided by your USB and FireWire hardware manufacturers.



# DropBooks

## Chapter 4: I'm Okay, You're a Printer

---

### *In This Chapter*

- ✓ Using the Printer Setup Utility
- ✓ Adding a non-USB printer
- ✓ Managing print jobs
- ✓ Setting up a shared printer

Of all the improvements made in Mac OS X over Mac OS 9, one of the most important is the simplified printing process — no Chooser, no strange printer ports . . . just a heap of Universal Serial Bus (USB) and network printing goodness. As I discuss in Book I, if your USB printer is recognized by Mac OS X, you can print within seconds of plugging it in, with no muss or fuss. A USB printer is connected physically to your Mac, but you can also send print jobs over the network to a network printer. (Unfortunately, if that network printer is in another room, you *do* have to get up out of your comfortable chair to retrieve your printed document . . . not even Mac OS X is *that* powerful.)

But what if you want to print to an AppleTalk printer or perhaps send documents to a printer over Transmission Control Protocol/Internet Protocol (TCP/IP)? (For more on AppleTalk, read Book V, Chapter 3.) To take care of tasks like that, you need to dig a little further — and I do so in this chapter. You also discover here how to use the features of the Printer Setup Utility and how to juggle print jobs like a circus performer.


### *Meet the Printer Setup Utility*

The Printer Setup Utility (which was called the *Print Center* in earlier versions of the Big X) runs automatically whenever it's needed by Mac OS X — for example, when you print a document — but you can also run it at any time from the Utilities folder inside your Applications folder. Although it doesn't look like much (as shown in Figure 4-1), power lurks underneath.



If you find the Printer Setup Utility hard to reach and you need to manually launch it often, add it to the Dock — that way, you can launch it with a single click.

**Figure 4-1:**  
The other  
panel  
looking  
Printer  
Setup Utility.



## *Printer Setup Utility Toolbar Buttons*

Along the top of the Printer Setup Utility, you'll find six default toolbar icons. They are

- ◆ **Make Default:** If you have more than one printer listed in the Printer Setup Utility, you can select which printer Mac OS X will use by default. **Hint:** The entry for the default printer appears in bold type. Click the desired entry and then click the Make Default icon. (You can also use the ⌘+D keyboard shortcut.)



When you add a new printer to the list, it automatically becomes the default printer. (Some folks like this feature; others would banish the person responsible to Siberia for a decade.)

- ◆ **Add:** In Book I, Chapter 3, you can read how to add a typical USB printer (both with and without an installed driver). In the next section, I show you how to add a non-USB printer.




If your USB printer is already natively supported within Mac OS X, you might not need to go through the trouble of clicking the Add icon on the toolbar. Mac OS X can add a new USB printer automatically, so don't be surprised if your Mac swoops in and does it for you as soon as you plug in a new printer. Also, the manufacturer's installation program for your printer might add the printer for you in a behind-the-scenes way, even if Mac OS X lies dormant.

- ◆ **Delete:** First click a printer in the list to select it and then click this icon to remove a printer from your list of installed printers. This isn't something that you're likely to do often, but if a printer is no longer available, it helps keep your list nice and tidy.
- ◆ **Utility:** Clicking this icon displays the model-specific configuration settings and features available for the specific printer that's selected in the list. Of course, these settings vary for every printer produced by the hand of Man — they're actually determined by the manufacturer's printer driver — but they usually include actions such as cleaning and alignment, and settings such as print quality. Figure 4-2 illustrates some of the configuration settings for my HP printer, which appear in their own dialog after you click the Utility icon.

## DropBooks

**Figure 4-2:**  
Most  
printers  
have their  
own con-  
figuration  
dialog.




- ◆ **ColorSync:** Click this toolbar button to display the color matching controls that are specific for your printer — graphic artists and print media professionals use color matching to make sure that a shade you picked called *Antique Rose* also looks like *Antique Rose* on the printed version. (Wouldn't want *Vamp Red* instead, now would we?)
- ◆ **Show Info:** From the Printer Setup Utility menu, click Printers and then choose the Show Info menu item (or press the ⌘+I keyboard shortcut) to display information on the selected printer. You can change the printer name in this list, but you have other options, too. Many Mac printers use the PostScript standard printing language; if your printer uses PostScript, click the drop-down list box to display the PPD (Postscript Printer Description) data files for the printer (the PPD list will be empty if the printer doesn't use PostScript) as well as any installable options, such as a paper feed or scanning upgrade.

Here are two additional important features that don't seem to rate their own buttons on the toolbar (but would doggone well be there if I were running the show):

- ◆ **Preferences:** Click the Printer Setup Utility menu and choose Preferences to display the Print & Fax settings within System Preferences (see Figure 4-3). The choices that you make here affect the defaults in all the applications on your system. Choose the Default Paper Size from the drop-down list for use with all your printers. Click the Selected Printer in Print Dialog list box to pick the default printer that will be used in all your applications. Enable the Share My Printers with Other Computers check box to allow others on the network to use any printer connected to your Mac. (There's another way to share your printers, which I discuss at the end of this chapter, but it's a little more complex.)

## DropBooks

**Figure 4-3:**  
Choose  
global  
preferences  
for the  
Printer  
Setup Utility.



- ◆ **Show Jobs:** Choosing this from the Printer Setup Utility Printers menu displays the job list for the selected printer — more on this later in the upcoming section “Managing Your Printing Jobs.”

## Adding a Funky Printer

“And what,” you might ask, “is a *funky* printer?” Well, you have a number of possibilities, but they all add up to a non-USB connection:

- ◆ **An AppleTalk printer:** If you’re sharing a printer on another Mac by using AppleTalk, you can print to that device. For more on AppleTalk, read Book V, Chapter 3.
- ◆ **IP printing:** Sending a job to an Internet Protocol (IP) printer actually shoots the document across a network or Internet connection by using a target IP address or domain name. Generally, it’s best to have a *static* (unchanging) IP address for a network printer; if the IP address changes often, for example, you’d have to reconfigure your connection to your IP printer each time that it changed.
- ◆ **Rendezvous:** Shared printers on your local network use the built-in Rendezvous networking system, which means that they’re automatically recognized, and you needn’t enter any bothersome settings to reach ‘em. (Go, Cupertino!)
- ◆ **Open Directory:** This connection uses Mac OS X Directory Services to share a printer. If your network uses Directory Services, your network



## DropBooks

system administrator will have to set up *mappings* (essentially configurations that point the way to a shared printer). Many network system administrators favor Directory Services, which provide a much higher level of security and make it easy to limit access to a printer by user ID or location.

- ◆ **Windows printing:** “Hey, I get to use the enemy’s printers too?” That’s right, as long as a Windows user on your network has shared his printer (via the ubiquitous Windows File and Printer Sharing feature), you can use it. *Sweet.*
- ◆ **Application printer drivers:** Some printers aren’t actually physical devices at all. For example, if you don’t want to use Panther’s built-in faxing system, you can print directly to a third-party fax program such as FAXstf X Pro ([www.smithmicro.com](http://www.smithmicro.com)), which then dials, connects, and sends the document to a fax machine.



Although you can install Adobe Acrobat under Mac OS X, the operating system provides built-in support for printing documents in Adobe’s PDF format (which can then be viewed and printed on any other computer with the Acrobat Reader, or added to your Web site for downloading). In fact, you don’t even have to install a PDF print driver or display Printer Setup Utility! To print a document in PDF format, click the Save as PDF button in the application’s Print dialog, navigate to the desired folder and enter a filename, and then click Save.

No matter which type of funky printer you add, it will need a driver installed in the Printers folder, which resides inside your Library folder. (A *driver* is a software program provided by the printer manufacturer that tells Mac OS X how to communicate with your printer.) Also, if the printer is PostScript-compatible, it will need a PPD file installed in your PPD folder, which also appears in the Printers folder. Luckily, Mac OS X comes complete with a long list of drivers and PPD files already installed and available — bravo, Apple dudes and dudettes!

To add a funky printer, follow these steps:

**1. Launch the manufacturer’s installation application, which should copy the driver and PPD files for you.**

If you have to do things the hard way, manually copy the driver file into the Library/Printers folder and then copy the PPD file (if required) into the Library/Printers/PPD folder.


**2. If you’re adding a physical printer — instead of an application printer driver — verify that the printer is turned on and accessible.**

If you’re printing to a shared printer connected to another Mac, that computer has to be on. Luckily, most network printers remain on all the time.



3. Launch Printer Setup Utility and then click the Add icon on the toolbar to display the Printer List sheet that you see in Figure 4-4.

## DropBooks



**Figure 4-4:**  
Add a new  
printer here.

4. Click the drop-down list at the top of the sheet and choose **AppleTalk**, **Rendezvous**, **Open Directory**, **IP Printing**, **Windows Printing**, or the application name.

- *AppleTalk*: If you choose AppleTalk, click the second drop-down list and choose the correct AppleTalk Zone. After a scan of the specified Zone, Printer Setup Utility displays the list of printers that it can access from that Zone. Click the desired printer and then click Add.
- *Rendezvous*: Click Rendezvous, and you're treated to a list of printers offered on local Macintosh computers that it can access. Click the desired printer and then click Add.
- *Open Directory*: If you choose Open Directory, the Printer Setup Utility displays the list of printers that it can access. (Again, your access to specific printers might be limited by your network system administrator.) Click the desired printer and then click Add.
- *IP Printing*: If you choose IP Printing, type the printer's IP address or Domain Name System (DNS) name, which should be provided by your network administrator or the person running the print server. You can use the default queue on the server — which I recommend — or disable the Use Default Queue on Server check box and type a valid queue name for the server.



If you don't know a valid queue name, you're up a creek — hence, my recommendation to use the default queue.

Finally, click the Printer Model drop-down list, choose the brand and model of the remote printer, and then click Add.

*Windows Printing:* If you choose Windows Printing, click the second drop-down list and then click the correct Windows workgroup that includes the printer(s) that you want to use. After a scan of the specified workgroup, Printer Setup Utility displays the list of printers that it can access — click the desired printer and then click Add. (Don't forget to thank His Billness later.)

- *Application Name:* If you choose an application name, like FAXstf X Pro, the application's driver will display its own settings. Set the configuration as necessary and then click Add.

## Managing Your Printing Jobs

As I mention earlier in this chapter, you can also exercise some control over the documents — or, in technoid, *print jobs* — that you send to your printer. To display the jobs that are queued (in line) for your printer, click Printers on the Printer Setup Utility menu and choose Show Jobs (or press ⌘+O).

The actions that you can perform from the Jobs dialog are

- ◆ **Delete:** When you click a print job in the list and then click the Delete icon, the print job is removed from the queue. You might need to delete a print job if you discover a mistake in the document while printing.



If the job is currently printing, several additional pages might be printed before the job is finally cancelled. In other words, information already sent to the printer might have to be printed before the cancel request can be processed.

- ◆ **Hold:** Click the Hold toolbar icon to pause printing of the current print job. The status of the print job changes to Hold.
- ◆ **Resume:** Click a print job in Hold status in the list and then click the Resume icon to resume printing.

- ◆ **Stop Jobs:** Click this icon to stop all printing. Note, however, that unlike using the Delete command, Stop Jobs doesn't *remove* any print jobs from the list. When jobs are stopped, the Stop Jobs icon morphs into Start Jobs — click it to restart all jobs in the queue list.



This is a good feature to use when your printer is about to run out of paper.

## DropBooks

**Where's the chapter on faxing?**

Good question, and here's the answer: Panther handles faxing so seamlessly that you don't need a chapter's worth of instruction! As long as your Mac has either an internal or external analog (dialup) modem connected to a phone line, you're a lean faxing machine.

To fax any open document within an active application, just click File and choose Print, or press ⌘+P. Panther adds the Fax button at the bottom of the Print dialog — click it, and you see the sheet shown here. Either type a telephone number directly in the To field, or click the suave-looking button with the profile next to the field and choose a contact with a telephone number from your Address Book. You

can optionally type a subject as well. Next, type a dialing prefix if one is necessary to reach an outside line. (Usually, you won't have to select an external modem because virtually all modern Macs have an internal modem.)

If you need a spiffy-looking cover page, select the Cover Page check box to enable it. Click in the Comment box directly below it and type whatever you like. When all is ready, you can either click the Preview button to see the fax before you send it, or throw caution utterly to the wind and click the Fax button. The Printer Setup Utility treats a fax just like any other printed document, so you can cancel it or monitor its progress, as I discuss earlier.

The screenshot shows the Mac OS X Print dialog box with the Fax button selected. The dialog contains the following fields and controls:

- To:** A text field with a small person icon to its right for selecting a contact from the Address Book.
- Subject:** A text field for entering a subject line.
- Dialing Prefix:** A text field for entering a dialing prefix.
- Modem:** A dropdown menu currently set to "Internal Modem".
- Presets:** A dropdown menu currently set to "Standard".
- Fax Cover Page:** A dropdown menu currently set to "Fax Cover Page".
- Cover page:** A checked checkbox.
- Comment box:** A large text area for entering a comment on the cover page.
- Buttons:** "?", "Preview", "Cancel", and "Fax" buttons are located at the bottom of the dialog.

***Sharing a Printer across That There Network***

Before we leave the Island of Big X Printing, I'd like to show you how to share a printer with others on your local network.




If you decide to share your printers, don't be surprised if Mac OS X seems to slow down slightly from time to time. This is because of the processing time necessary for your Mac to store queued documents from other computers. The hard drive activity on your Mac is likely to significantly increase as well.

“Wait a second, Mark, didn’t you cover this already?” That’s right, but Panther gives you more than one way to skin a . . . well, you get the idea, even without the bad pun. To share a printer with a single click from within the Printer Setup Utility, you can take the easy course. As I demonstrate earlier in the chapter, click the Printer Setup Utility menu and click Preferences; then enable the Share My Printers with Other Computers check box. *Voilà!* You’re the guru!

*However* . . . (insert long pause here) . . . if you’re using the Mac OS X built-in firewall, the easy way might not always work. (That’s because the firewall will actually block any printer commands sent to it from other computers.) Therefore, you can take the tougher road, which winds through System Preferences — but you’ll make sure that the firewall won’t interfere with your shared printers. Follow these steps:

1. Click the System Preferences icon in the Dock.
2. Click the Sharing icon.
3. Click the Services button to display the dialog that you see in Figure 4-5.



**Figure 4-5:**  
The other way to share your printers in Mac OS X.

4. Enable the On check box next to Printer Sharing in the Services panel list.

5. Click the Firewall tab and make sure that the Printer Sharing check box is enabled.

This will allow print jobs to pass through the firewall (see Figure 4-6).

6. Close System Preferences to save your changes.


The printers in your Printer Setup Utility list will be available to other computers within the same IP subnet — in other words, someone in your local network will be able to use your printers, but no one outside your network will have access.



TIP

If you haven't already assigned a printer a descriptive name, launch the Printer Setup Utility, select the printer, and press ⌘+I. This displays the Show Info dialog for that particular printer. With Name & Location chosen from the drop-down list, simply enter the name of your printer in the Printer Name text field. You can also identify that printer's location in the Location text field. For example, in an office environment, I like to add the room number to a shared printer name (as well as the Location field).

**Figure 4-6:** Play nicely with others, and allow documents to pass through your firewall.



# DropBooks

## Chapter 5: Programs That You've (Probably) Gotta Have

---

### *In This Chapter*

- ✓ Using Microsoft Office v. X and AppleWorks
- ✓ Using disc repair applications
- ✓ Editing images
- ✓ Editing digital video
- ✓ Using Internet applications
- ✓ Burning discs with Toast
- ✓ Running Windows with Virtual PC
- ✓ Adding third-party utilities
- ✓ Playing games with Mac OS X

**I**n Chapter 1 of this mini-book, I present you with an overview of the most popular hardware that you can add to your Mac — and where there's hardware, software can't be far behind. (Somebody famous said that — I think it was either Bill Gates or Dennis Miller. I consider both of them famous comedians.)

Anyway, Mac OS X comes with a full suite of software tools right out of the box. You get Internet connectivity, disk repair, basic image editing, digital video editing, and — depending on the price that you paid or the Mac model that you bought — even games and a complete set of productivity applications. However, if you're willing to pay for additional features and a manual (at least what passes for a manual in the manufacturer's opinion), you can make all these tasks easier and accomplish them in shorter time.

Read on for an overview to the most popular third-party software applications for Mac OS X: what everyone's using, how much they cost, and why they're (usually) better. But before you drop a wad of cash on a fancy new application, though, remember yet another of Mark's Maxims:

**If a program you already have does everything you really need, you don't have to upgrade. Honest and truly.™**

## *The Trundling Microsoft Mammoth*

# DropBooks

Yes, I know I've been poking fun at His Gateness for much of this book — you have to admit, he makes a pretty good target — but he *did* pull PC owners out of the character-based world of DOS, and I'll be the first to say that he does get things right from time to time.

For example, I've always been more impressed with Microsoft Office than I have been with Microsoft Windows. (At least Windows XP Professional is a step in the right direction, but it still has a long way to go to match Mac OS X.) Office has long been the productivity suite of choice in the Windows world, and it's also been a popular favorite in years past on the Macintosh side.


A lot of hard work was put into the latest version of Microsoft Office, and it shows. Office v. X was completely rewritten for Mac OS X, using the rules that Apple recommends for the Aqua user interface — as you can see in Figure 5-1, it looks as much like a native Mac OS X application as AppleWorks 6, which is Apple's competing office productivity suite.

However, like Mac OS X itself, Office v. X isn't just an attractive exterior. Consider some of the advantages of Office v. X:

- ◆ **Perfect document compatibility with the Windows version of Office:** You can both read and write documents with transparent ease, no matter which platform gets the file. Documents can be shared between platforms on the same network.
- ◆ **Mirrored commands:** Both the Windows XP and Mac OS X versions of Office share virtually identical menu items, dialogs, and settings, thus making Mac OS X instantly familiar to anyone who's used Office on a Windows PC.
- ◆ **Support for native Aqua features:** This includes transparent graphics within your documents, input and confirmation sheets, and palettes for formatting.
- ◆ **Tons of templates, samples, and support files:** Microsoft doesn't scrimp on ready-to-use documents and templates, as well as additional fonts, clip art, and Web samples.
- ◆ **Entourage:** *Entourage* (shown in Figure 5-2) is the Macintosh counterpart to Windows Outlook — it combines most of the same features that you'll find in the Apple Mail, iCal, and Address Book applications. (Read about Apple Mail in Book IV, Chapter 2; read about the Address Book in Book I, Chapter 5.) Use Entourage to participate in Internet newsgroups; it also includes a Mailing List Manager to help you keep track of the deluge of list messages that you receive every day.




# DropBooks



**Figure 5-1:** Man, that is one good-looking Office. Thanks, Microsoft—and I mean that.

Book VI  
Chapter 5

Programs That  
You've (Probably)  
Gotta Have



**Figure 5-2:** Entourage makes it easy to track contacts, manage your calendar, and take care of e-mail.

## DropBooks

**What about AppleWorks?**

If you're already using AppleWorks, you might have noticed that the Office applications provide roughly the same features. (The drawing and painting elements of AppleWorks are integrated into the Office v. X suite.) Therefore, you might wonder whether you should scrap AppleWorks.

Remember my maxim — if the AppleWorks suite that you're familiar with is doing the job, I recommend that you keep it. After all, AppleWorks is a powerful productivity suite on its own, capable of producing results that are easily as good as Office v. X. Also, Apple does provide conversion filters that can allow you to open and save Office documents, so you're not isolated from the Office crowd. If you're still

using Mac OS 9 on one or more of your Macs, I should also point out that Office v. X doesn't run under Mac OS 9 — but AppleWorks runs like clockwork on both Mac OS 9 and X.

On the other side of the coin, I *would* recommend that you buy Office if

- You prefer the Office menu design and features.
- You'd like to keep most of the same commands replicated in the same places as the Windows version of Office.
- You want to seamlessly share documents with co-workers who use Windows Office on your network or through e-mail.

Besides Entourage, Office v. X includes three other applications:

- ◆ **Word:** The word processing application that rules the planet
- ◆ **Excel:** The leading spreadsheet application
- ◆ **PowerPoint:** A favorite presentation development application

The Office v. X Professional Edition suite costs a little over \$400 at the time of this writing — you might save a dollar or two if you buy it online from a Web store like Mac Warehouse ([www.macwarehouse.com](http://www.macwarehouse.com)).

***Your Mac OS X Toolbox: Drive 10***

My favorite native Mac OS X disk repair application is Drive 10 from Micromat ([www.micromat.com](http://www.micromat.com)).



More than just about any other type of application, it's important for a disk maintenance program to be built "from the ground up" for Mac OS X. **Never** attempt to repair a Mac OS X disk in Classic mode, nor should you try to use an older repair utility that was written for use under Mac OS 9.

## DropBooks

With Drive 10 (shown in Figure 5-3), you can thoroughly check a hard drive for both *physical* errors (such as faulty electronics or a bad sector on the disk surface) and *logical* errors (incorrect folder data and glitches in the file structure). The Disk Utility that's included with Mac OS X does a fine job of checking the latter, but it doesn't perform the physical testing — and Drive 10 does both.



I should note, however, that Drive 10 doesn't take care of viruses. Pick up a copy of Norton AntiVirus ([www.norton.com](http://www.norton.com)) to protect yourself against viral attack.

Drive 10 also takes care of disk optimization, which is a feature that's been conspicuously absent from Mac OS X ever since the beginning. As I explain earlier in Book I, Chapter 6, defragmenting your disk will result in better performance and a faster system overall.

Version 1.1 of Drive 10, which will set you back about \$70, comes on a self-booting CD-ROM so you can easily fix your startup volume by booting your system from the Drive 10 disc.



**Figure 5-3:** Use Drive 10 to check for drive errors.


## *Image Editing for the Masses*

# DropBooks

The only one true King of the Retouching Hill in Mac OS X, Adobe Photoshop ([www.adobe.com/products/photoshop](http://www.adobe.com/products/photoshop)) has been the digital-image editing favorite of Mac owners for many years now. Like Office v. X, Photoshop 7 has been reassembled for Mac OS X, and it also takes full advantage of the Aqua standard (see Figure 5-4).

You can find more three-pound Photoshop books on the shelf than politicians in trouble, so it's no surprise that I can't provide you with a sweeping list of its features in this section. However, here's a summary of what you can expect from Adobe's crown jewel:

- ◆ **Superior editing:** The most sophisticated image editing possible for a digital photograph — if you can accomplish an image-editing task in software, it's very likely that Photoshop can do it. You can even combine and splice parts of different images to produce a new work of art or perhaps distort and liquefy an image to produce a new look.
- ◆ **Image retouching tools:** These help you rescue images with problems such as overexposure and color imbalance. (You can also use tools like the new Healing brush to erase imperfections in the photograph's subject.)



**Figure 5-4:** Photoshop's performance will put an Indy race car to shame.

## DropBooks

- ◆ **Plug-ins:** Photoshop has been a standard for plug-in functionality since it first appeared — if you need features that aren't in the application out of the box, you can add them through third-party plug-ins.
- ◆ **Web posting:** Prepare images for use on the Web.
- ◆ **Painting tools:** Use these gems to simulate different types of inks, paints, and brushes on different types of media.



Although Photoshop is a hefty \$600 for the full package, Adobe has also created a kid brother, Photoshop Elements 2.0, that sells for a mere \$85. Designed for the novice or intermediate level photographer, Elements has most of the functionality of the full package that you're likely to need. Elements also provides a number of very helpful wizards to help automate the most common image-editing tasks, as well as one of the most comprehensive Help systems that I've ever used.


## The Morass of Digital Video

Two types of applications make up the DV market: *digital video editing* (where you create a movie) and *DVD mastering* (where you take that movie and create a DVD movie). You can find a number of great applications on the market in both of these categories, all at different price points and different levels of complexity. They include

- ◆ **iMovie:** I cover this easy-to-use video editing iApp in Book III, Chapter 4. A good choice for any novice, it's usually bundled for free with today's new Mac models. You might also receive it with Mac OS X.
- ◆ **iDVD:** This is the DVD mastering counterpart to iMovie. Although it's a snap to use, it doesn't offer a lot of advanced features. (Book III, Chapter 5 explains iDVD in detail.) Again, you'll receive it free with your Mac if you bought a model with a SuperDrive.
- ◆ **Premiere 6.5:** This is the DV editing application from Adobe that's been a standard on both the Mac and PC. Premiere is much more complex than iMovie and offers far more features and control over the finished footage, but learning it is a bear compared with iMovie. Premiere sells for around \$600; [www.adobe.com/products/premiere](http://www.adobe.com/products/premiere).
- ◆ **DVD Studio Pro:** Apple's entry into the ranks of DVD mastering (see Figure 5-5) can produce a commercial-quality DVD movie disc, but don't expect any hand-holding or assistants with this application. This is a serious tool for professionals, and it'll set you back \$500. With DVD Studio Pro 2 ([www.apple.com/dvdstudiopro](http://www.apple.com/dvdstudiopro)), you can add interactive, animated menus, subtitles, multiple audio tracks, and Web interactivity to your DVD projects.

## DropBooks

**Figure 5-5:**  
DVD Studio Pro is a heavy-duty tool for professional DVD mastering.



- ◆ **Final Cut Pro:** At \$1,000, you'd assume Final Cut Pro ([www.apple.com/finalcutpro](http://www.apple.com/finalcutpro)) to be the best DV editing package on the market for Mac OS X . . . and you won't get any argument from me. It offers real-time playback — no waiting for rendering, like you have to within iMovie and Premiere — and *OfflineRT*, which is an offline, hard drive storage format that lets you park over 40 minutes of digital video in a single gigabyte of hard drive space. Sweet.

## *Yes, It's Really Called "Toast"*

Time to turn your attention to a subject near and dear to my heart: recording data CDs, audio CDs, and DVDs on the Macintosh (which I cover in detail in another of my *For Dummies* books, *CD and DVD Recording For Dummies*, 2nd Edition, published by Wiley Publishing, Inc.). Of course, Mac OS X can burn basic data CDs that you can share with your Windows and UNIX friends without any add-on software. If you have a Mac equipped with a SuperDrive, you can also create standard, cross-platform data DVDs, too. But what if you need an exotic format, like CD Extra, where data and digital audio tracks can co-exist peacefully on one disc? Or perhaps you need a self-booting disc?

There's one clear choice: When you're ready to seriously burn, you're ready for Roxio Toast ([www.roxio.com](http://www.roxio.com)), the CD and DVD recording choice for millions of Mac owners. (No snickering about the name, please.) Figure 5-6 illustrates this powerhouse of an application, which is an elegant design that's both simple to use and perfectly Aqua. Files, folders, and digital audio tracks that you want to record are simply dropped into the application window.

As for exotic formats, here's a list of what types of discs that you can record with Toast:

- ◆ Standard data CDs and DVDs
- ◆ Standard audio CDs
- ◆ Video CDs
- ◆ MP3 discs (which store MP3 audio tracks)
- ◆ Discs recorded from an image file
- ◆ Mac volumes
- ◆ Hybrid PC/Mac discs
- ◆ ISO 9660 discs
- ◆ Multisession discs
- ◆ CD Extra discs

Toast works with both internal and external CD and DVD recorders, taking advantage of the latest features on today's drives — in particular, *burn-proof* recording, which can practically eliminate recording errors. You can also copy existing discs, using one or multiple drives.



**Figure 5-6:** Toast: the classic Mac CD and DVD recording application.


Toast is quite affordable at \$90. You can buy it directly from the Roxio online store at [www.roxio.com](http://www.roxio.com).

## DropBooks

### *If You Positively Have to Run Windows . . .*

Here's where Mac power users usually start grinning from ear to ear like Santa's elves on the day after Christmas, because — get this — the great Unwashed Windows Horde actually thinks that you *can't* run Windows XP on a Macintosh! Can you believe that? Obviously, they haven't heard of Virtual PC from Microsoft ([www.microsoft.com/mac/](http://www.microsoft.com/mac/)), which without a doubt is one of the coolest applications ever written for the Mac.

No, my friend, your eyes are not deceiving you — you are indeed looking at Windows 2000 running on my iMac G4 in Figure 5-7. Virtual PC 6 provides a near-perfect PC environment for any version of Windows from 95 all the way up to XP; literally, Windows has *no* idea that it's not running on a typical piece of PC iron.



**Figure 5-7:**  
Take that,  
Bill! I get to  
play in your  
pool.



Virtual PC simulates everything necessary for you to get the full functionality out of Windows. For example, this jewel automatically (and transparently) handles your Windows Internet connection, network tasks, and CD and DVD access. Heck, it even allows you to use your single-button mouse as a two-button PC mouse (by holding down the Control key while you click). You can run full-screen or run Windows in a window. (Pun joyfully intended.)

If that weren't enough, you can also run multiple operating systems. So, if you need Linux or Windows 2000 along with your XP system, no problem — all it takes is the install disc for those operating systems and the hard drive space to hold 'em. And yes, it does run under both Mac OS 9 and Mac OS X. Just plain sassy.

Naturally, performance is an issue — and, to be honest, Virtual PC isn't for the PC gamer, even with the newest Macs and their super-duper GeForce and Radeon video cards. Because today's PC games push an actual PC to the limit, they just run too sluggishly on a Mac emulating a PC — they do run, just too slowly. (Also, virtually all of today's blockbuster PC games are also being ported to Mac OS X, so why not just run the Mac version?)

However, when it comes to just about any other type of application, Virtual PC running on a late-model G4 Mac can deliver performance equal to a Pentium III — with a new G5 Power Mac, you can match the power of a typical Pentium 4 PC. The more memory that your Mac has, the more you can give your virtual PC, so it also pays to have 512MB or more of RAM. (And naturally, a dual-processor Mac runs Virtual PC much faster.) I use Virtual PC with niche Windows programs that have never appeared on the Mac as well as native Mac versions of all other applications. Again, you don't need to use Mac to run the Windows version of Photoshop because Photoshop 7 is also available for the Mac.

If you're tired of the undeserved taunts from your clueless Windows friends, run — don't walk — to your browser and order a copy of Virtual PC 6. The program comes prepackaged with fully licensed copies of several different flavors of Windows and Linux. For example, the version with XP Home costs around \$200 — or you can buy the DOS version and supply your own copy of Windows for about \$90.

## All Hail FileMaker Pro

If databases are the name of your game, you've already been using FileMaker Pro for years (on both Mac and Windows, more than likely). For the uninitiated, *FileMaker Pro* ([www.filemakerpro.com](http://www.filemakerpro.com)) is the premier database creation, editing, and maintenance application for Mac OS X. It comes with dozens of ready-made database templates for business, home,


and education use, or you can construct your own database in surprisingly short order.

Right out of the box, FileMaker Pro 6 (as shown in Figure 5-8) can create

- ◆ **Business** databases and forms for inventory, personnel, purchase orders, and product catalogs
- ◆ **Home** databases for budgeting, recipes, music CDs, DVD movies, family medical records, and event planning
- ◆ **Education** databases for student records, expense reports, field trip planning, book and multimedia libraries, and class scheduling

FileMaker Pro 6 can add images and multimedia to your database, and you can quickly and easily publish your databases on your Web site by using one of the built-in theme designs. (In fact, visitors to your Web site can update your database online, if you like.) FileMaker Pro 6 can also allow multiple users to share data across your network, no matter whether they're running the Mac or Windows version.

At \$299, FileMaker Pro 6 is one of the least expensive — and most powerful — applications that you can buy.



**Figure 5-8:**  
All Hail  
FileMaker  
Pro 6!

## Utilities That Rock


# DropBooks

The next stop on this Cavalcade of Software is an assortment of the absolute best you've-got-to-get-this utility applications. Sooner or later, you're likely going to buy (or register) these utilities because you'll use them every day.

### StuffIt

In the Windows world, the Zip archive is the king of archiving formats. An *archive* contains one or more compressed files that you can uncompress whenever you need them. Folks store files in archives to save space on their hard drives; archiving is also a neat way to package an entire folder's worth of files in a single convenient file, which you can attach to an e-mail message or send via File Transfer Protocol (FTP).

On Planet Macintosh, the archiving format of choice is StuffIt. Manage your archives with StuffIt Deluxe, from Aladdin Systems ([www.aladdinsys.com](http://www.aladdinsys.com)), as shown in Figure 5-9. StuffIt Deluxe can both archive and unarchive .sit files (the common name for StuffIt archives) as well as Zip archives from your Windows friends. The application runs \$80 at the Aladdin Systems online Web store.



**Figure 5-9:** Checking the contents of a StuffIt archive.


## QuicKeys X

QuicKeys X, from CE Software ([www.cesoft.com](http://www.cesoft.com)), is another example of someone thinking properly. This time, the idea is to automate repetitive tasks by allowing Mac OS X to memorize what you do. Think of QuicKeys X as a system-wide, macro playback application. Unlike AppleScript, however, QuicKeys X works within any application and can play back mouse movement and clicks/double-clicks. Figure 5-10 illustrates the QuicKeys application menu.

I've used QuicKeys X for a number of different tasks, including

- ◆ Typing a commonly used block of text (like my address) into applications that don't support macros
- ◆ Launching applications at specific times and dates
- ◆ Operating menus within programs to automate complex tasks
- ◆ Launching Classic or choosing a specific startup disk with a single key sequence

QuicKeys X sells for \$79 on the CE Software Web site.




**Figure 5-10:**  
Automate  
a set of  
keystrokes  
with  
QuicKeys X.

## BEdit

Although we all know and love Mac OS X as a graphical operating system, folks still need a powerful text editor for creating and modifying text files. For example, software developers and Webmasters still use text editors daily to write applications or apply a quick fix to the HyperText Markup Language (HTML) that makes up a Web page. (I use a text editor to make minor changes to my Web site, MLC Books Online, without firing up a horrendous Web design application. Talk about overkill!)

At first, you might think of TextEdit, which is the free application that ships with Mac OS X. It's not a bad editor, either, with features that are very similar to Notepad in the Windows environment. However, serious text and code editing requires a more powerful tool, and the text editor of choice for Mac owners is universally considered to be BEdit, from Bare Bones Software ([www.barebones.com](http://www.barebones.com)). Figure 5-11 shows a document open within BEdit.



**Figure 5-11:**  
For editing  
text, you'll  
find no  
better help  
than BEdit.

Bare Bones Software pulls no punches in describing BBEdit — its advertising proclaims, “It doesn’t suck.” Gotta give Bare Bones credit; this incredibly popular editor includes features like

- ◆ **Compatibility with both Mac OS X and Mac OS 9.**
- ◆ **Support for DOS/Windows, Mac, and UNIX text files.** (Yes, differences do exist between the platforms, even with a so-called *pure* text file.)
- ◆ **Works with text files up to 2GB in size.** (Try that with TextEdit. Hmm . . . on second thought, please don’t.)
- ◆ **HTML tools for Web design.** These tools include syntax checking and browser preview.
- ◆ **grep pattern-based, multiframe search and replace.** In non-programmer/non-UNIX English, that means a very sophisticated search-and-replace function that can span more than one text file.
- ◆ **Syntax coloring.** Use this to help you quickly locate commands and qualifiers in programming languages.
- ◆ **Built-in FTP transfer commands, integrated spell-checking, and highly configurable custom keymaps.**

You can even expand the functionality of BBEdit with plug-ins, many of which are free extensions written by programmers and developers specifically for languages like C/C++, Java/JavaScript, Perl, and Pascal.


BBEdit is available from the Bare Bones Software site for \$119.

## ***REALbasic***

The final application that I want to mention really isn’t a utility as such — however, you can use it to write your own software, so I guess that it should qualify. As an ex-COBOL programmer, reluctant Visual Basic shareware developer, and recalcitrant dBASE coder, I can tell you that REALbasic (from REAL Software) is definitely the easiest visual drag-and-drop programming environment that I’ve ever used. If you want to develop your own productivity applications, Mac OS X utilities, or — dare I say it? your own game! — award-winning REALbasic is the way to go. (See Figure 5-12.)

Development in REALbasic is as simple as designing the application window by first simply adding controls, text, and multimedia wherever you like. Then just fill in the blanks, like setting variables and specifying what happens when the controls are triggered, by using a new implementation of the tried-and-true BASIC language. Of course, some programming knowledge is required but far less than you’d need with Visual Basic. And the results look as good as anything you can accomplish in those so-called *real* programming languages.

## DropBooks



**Figure 5-12:** Programming for the common man with REALbasic.

Book VI  
Chapter 5

Programs That  
You've (Probably)  
Gotta Have

Check out these features:

- ◆ **Cross-platform support** so that you can write your program once and compile it for Mac OS 9, Mac OS X, *and* Windows. Insert Mark's Maxim here:  
**Code it once, release three versions with no extra work — this is a very good thing.™**
- ◆ **Support for all sorts of multimedia**, including QuickTime.
- ◆ Ability to **animate and rotate text and objects**, or tap the 3-D power of QuickDraw3D and OpenGL graphics.
- ◆ Capability to **allow printing, network, and Internet communications** within your application.
- ◆ **Automation of Microsoft Office applications** and connection of your REALbasic application to business databases (like FileMaker Pro 6).
- ◆ **Completely royalty-free applications**, so you can give them away or release them as shareware.

REALbasic has been such a popular development tool on the Macintosh that dozens of user-supported Web sites and mailing lists have sprung up, offering all sorts of REALbasic plug-ins, tutorials, and sample code for you to use in your own projects.



I would be seriously remiss if I didn't mention the bestselling *REALbasic For Dummies*, written by Erick Tejkowski, published by Wiley Publishing, Inc. I've practically worn out my copy, and it never leaves my desk. If you're looking for a complete tutorial on writing your own applications in REALbasic, I give *REALbasic For Dummies* my highest recommendation!

REALbasic 5 comes in two versions — the Standard Edition (\$149.95) and the Professional Edition (\$449.95). You can order either version from the REAL Software site at [www.realsoftware.com](http://www.realsoftware.com).

## *At Least One Game*

To be completely accurate, Mac OS X already comes with one game — a very good version of chess, which I cover in the next section — but the Macintosh has never been considered a true gaming platform by most computer owners. Until recently, many popular Windows games were never ported (or converted) for the Mac, and only the most expensive Mac models had the one important component that determines the quality of today's games: a first-rate, 3-D video card.

However, within the last two years or so, all that has changed dramatically. All of today's Mac models feature muscle-car-quality video cards that use the nVIDIA GeForce or ATI Radeon chipsets; they can handle the most complex 3-D graphics with ease. Match that with the renewed popularity of the Macintosh as a home computer and the performance of the current crop of G4 and G5 processors, and — wham! Suddenly you've got the best game developers in the business — id Software ([www.idsoftware.com](http://www.idsoftware.com)), Firaxis ([www.firaxis.com](http://www.firaxis.com)), and Blizzard ([www.blizzard.com](http://www.blizzard.com)), to name a few — releasing Macintosh versions of their newest games concurrently with the Windows version.


For the gamer in you, allow me to take you on a tour of the best of the new generation of entertainment.

### *Mac OS X Chess*

No mercenaries, no rail guns, and no cities to raze — but chess is still the world's most popular game, and Mac OS X even includes a little 3-D as well. Figure 5-13 illustrates the Chess application at play; you'll find it in your Applications folder.



# DropBooks



**Figure 5-13:** Mac OS X asks, “How about a nice game of chess?”

The game features speech recognition, move hints, take back (or undo) for your last move, and a 2-D or 3-D board. You can also list your games in text form and print them or save games in progress. Maybe it’s not a complete set of bells and whistles like commercial chess games, but the price is right, and the play can be quite challenging when you set it at the higher skill levels.


## Civilization III

Sid Meier’s original Civilization is considered by many hard-core gamers to be one of the top three or four best games ever written, so Civilization III (*Civ 3* for short) has some pretty big shoes to fill. Like previous versions, your job is to lead a civilization through its development and ultimately win the game by colonizing another star system, assimilating all the other civilizations, or being voted supreme leader of the planet. Sounds like a nice, quiet afternoon’s diversion, right?

Well, be ready for a typical turn-based game to last well into the night. *Civ 3* is a complex game, but after you learn the basics, you’ll be instantly addicted. (Those who have played the first two versions of Civilization will feel comfortable right off the bat.) You establish towns that slowly grow into cities, research new technology, build alliances with other players (and tear them down), and wage war if necessary. Your people must be kept happy and entertained — as well as taxed. One way to keep the peace is to build Wonders like the Pyramids or to assign some of the populace as entertainers. Figure 5-14 shows a typical screen from *Civ 3*.

## DropBooks

**Figure 5-14:**  
Lead a  
civilization  
to victory—  
or watch  
your cities  
get  
trounced.



The game sells for around \$40 on the Web — for screenshots and additional description, visit the game's official site at [www.civ3.com](http://www.civ3.com).

If you're looking for a game that involves strategy and management — as well as practically unlimited replay value because you can configure entirely new worlds to inhabit — I can heartily recommend Civilization III. You won't be disappointed!

### *Return to Castle Wolfenstein*

You can just hear Indiana Jones: "Nazis. Why did they have to be Nazis? I hate 'em!" Those of us with a long computing past remember the original Castle Wolfenstein, which ran on the Atari, Commodore, and Apple II computers. (I still have a copy that runs on my antique Atari 800 and Commodore 64 computers.) Playing an American GI imprisoned in a Nazi castle, you had to find your way out, reducing the Nazis to zero and relieving them of their secret Axis plans in the process. Along with the cutting-edge gameplay — pixellated rooms and stick-figure guards — the game actually *spoke* (albeit very fuzzy, hard-to-understand German).

## DropBooks

Next came Castle Wolfenstein 3-D, which was an immediate predecessor to DOOM and one of the first classic 3-D games. Suddenly the old building and its occupants were far more realistic. . . . I remember creeping around corners and flinching when I was attacked by a German Shepherd for the first time.

Now id Software brings the legendary Castle Wolfenstein cutting-edge graphics, gameplay, and the best weapon and level designs in the business, as shown in Figure 5-15. You'll encounter evil in many forms: human, zombie, and far worse. Besides the interior of the castle, you'll travel through environments like underground labyrinths, ancient churches, Nazi research laboratories, and even a cable car.

Most of the weapons in this 3-D shooter are realistic recreations of Allied and Axis machine guns, rifles, pistols, and grenades. You also get imaginary weapons like a top-secret Axis chain gun and something that looks and operates like the WWF version of a taser. Enemies are smart and hard to beat, using most of the same tactics that you'll use: using cover, ducking to reload, and working together in teams. The single-player story is well written, with just the right amount of tension. Multiplayer mode allows you to play on either the Axis or the Allied side over both an Internet connection and a local network.



**Figure 5-15:**  
The one, the only, the legendary Castle Wolfenstein.

Graphics are literally the best you can get on the Mac, using all the tricks offered by those GeForce and Radeon cards. Optional graphics features that will make any Windows gamer nervous include

- ◆ Highest-quality, 32-bit textures
- ◆ Dynamic light maps
- ◆ Complex reflections
- ◆ OpenGL support
- ◆ Support for hardware-specific extras (like fog on GeForce cards and Truform on ATI cards)

The game averages about \$50 at most Web stores — for more information, check the official site at [www.activision.com/games/wolfenstein](http://www.activision.com/games/wolfenstein).

If you crave the best in first-person 3-D combat, you won't find better. Long live Wolfenstein!

### *WarCraft III*

To finish my survey of must-have games, I'll end with Blizzard's best: WarCraft III. This heady mixture of RTS (short for real-time strategy) and RPG (short for role-playing game) is yet another sequel in another popular game series. WarCraft III puts you in the boots of human princes, Orc battle generals, undead champions, and elven lords — in fact, in single player mode, you'll play each of these warrior races in turn. My recommendation: Stick with the Night Elves, my friend.

Combat, however, is only half of the job. Each mission is different; typically, you also have to gather resources by mining gold and cutting trees while you build new structures and train new troops. You can take to the air, buy goods from mercenaries, or even hire goblins to do your dirty work (if you have the gold handy). Spells abound, as do siege weapons and mounted warriors. (Personally, my favorite units have to be the living guardian trees of the Night Elves, which toss boulders. I want one of those — a friendly one, mind you — in my backyard.)

Although visually stunning, WarCraft III is no first-person game. Instead, you view the action from an overhead perspective, as you can see in Figure 5-16. Control is by both keyboard and mouse; the game is easy to learn, but you'll always find someone to kick your posterior in multiplayer games, both over the Internet and across your own local area network (LAN).

# DropBooks



**Figure 5-16:** A grand tale of warfare, magic, and alliances — it must be Warcraft III.

Book VI  
Chapter 5

Programs That  
You've (Probably)  
Gotta Have

You'll find the storyline in this game riveting — it keeps you playing with its twists and turns. Your units include heroes, which are no static figureheads. As they gain experience, you can teach them new skills and outfit them with all sorts of magical items.

You'll pay about \$50 online for Warcraft III, and it'll be worth every single penny you spend — for all the details and some great desktop backgrounds, check the official site at [www.blizzard.com/war3](http://www.blizzard.com/war3). (Oh, and don't forget: After you complete the original Warcraft III, you can continue the adventure with the Frozen Throne expansion pack, which sells for around \$20 online.)

# DropBooks




DropBooks

Book VII

# Advanced Mac OS X

The 5<sup>th</sup> Wave

By Rich Tennant



## *Contents at a Glance*

Chapter 1: . . . And UNIX Lurks Beneath .....	615
Chapter 2: AppleScript Just Plain Rocks .....	643
Chapter 3: No Problem! Talking and Writing to Your Macintosh .....	659
Chapter 4: Hosting a Web Site à la OS X.....	675

DropBooks





# DropBooks

## Chapter 1: . . . And UNIX Lurks Beneath

---

### *In This Chapter*

- ✓ Why use UNIX?
- ✓ Doing things with the keyboard
- ✓ Introducing UNIX commands
- ✓ Creating text files
- ✓ Exploring deep inside Mac OS X

As I mention in the first chapter of the book — at the beginning of our Panther odyssey — UNIX lurks deep beneath the shiny Aqua exterior of Mac OS X. UNIX is a tried-and-true operating system that has been around for decades, since the days when mainframe computers were king. If you don't believe that it's a powerful (and popular) operating system, consider that over half of all Web servers on the Internet use some variety of UNIX as their operating system of choice.

Besides being battle-tested and having a long history, UNIX also offers some fantastic features. Unlike the graphical world of Mac OS X, the keyboard plays an integral role while you're using a UNIX-based operating system. Because UNIX is text-based, you'll find that it has evolved a large set of useful keyboard-driven commands that can perform powerful feats that a mouse user just can't easily equal. This chapter examines the role of the keyboard in UNIX operating systems and describes how to execute standard file system commands. You also discover how to use Apple's additional set of commands and install your own commands (and simple programs) from the Internet.

### *Why Use the Keyboard?*

To begin benefiting from the UNIX underpinnings of Mac OS X, get used to doing things with the keyboard. Although mouse skills can be applied to UNIX, you'll generally find performing UNIX functions faster and easier with the keyboard.

### *UNIX keyboarding is fast*

Why on Earth would any red-blooded Macintosh owner want to leave the comfort of the mouse to use a keyboard? After all, the graphical user interface is what made the Macintosh great in the first place. With the Finder, you can navigate and manage the various files on your hard drive with a few clicks. This sounds simple enough, but for some tasks, using the keyboard can be just as fast, if not faster.

Suppose, for example, that you need to copy a file from somewhere on your hard drive to somewhere else on that same drive. To do so with the Finder, you must first open a Finder window (by clicking the Finder icon in the Dock, or by double-clicking a drive icon on your Desktop). Then, by using a succession of mouse clicks, you navigate to where the file that you wish to copy resides. Next, you might open another Finder window and navigate to the folder where you wish to copy the file. (**Note:** Opening the second Finder window requires pressing  $\mathring{A}+N$ ; clicking the Finder icon in the Dock does not open a second Finder window.) Finally, you duplicate the original file and drag that copy to its intended destination.

By using the keyboard and the power of UNIX, you can accomplish the same task with a one-line command. For some tasks, the mouse is definitely the way to go, but you can perform some tasks just as quickly, if not faster, with the keyboard. For the skinny on one-line commands, skip down to the upcoming section, “Uncovering the Terminal.”

### *The UNIX keyboard is a powerful beast*

So maybe you're not an expert typist and using the mouse still sounds inviting. For many scenarios, you'd be correct in assuming that a mouse can handle the job just as quickly and easily as a bunch of commands that you have to memorize. Using the keyboard, however, offers some other distinct advantages over the mouse. To allow you to control your computer from the keyboard, all UNIX operating systems offer the *command-line tool*. With this tool, you can enter commands one line at a time: hence, its name. Mac OS X ships with the command-line application, Terminal. You can find it here:

/Applications/Utilities/Terminal

One shining feature of the command line is its efficiency. To wit: When you use a mouse, one mouse click is equal to one command. When you use the command line, on the other hand, you aren't limited to entering one command at a time; rather, you can combine commands into a kind of *super-command* (minus the silly cape, but with bulging muscles intact), with each command performing some action of the combined whole. By using the command line, you can string together a whole bunch of commands to do a very complex task.

For example, consider how many times you'd have to click a mouse in the Finder to do the following:

## DropBooks

- ◆ Find all files that begin with the letters *MyDocument*.
- ◆ From this list of files, add a number to the beginning of the filename indicating its size in kilobytes.
- ◆ Save the names of all altered files to a text file.

By using the command line, you could accomplish all these tasks by typing only one super-command: that is, a collection of three simple commands combined to form one instruction. **Remember:** The built-in Terminal program that ships with Mac OS X Panther gives you everything that you need to start using the command line. I show you how in the section “Uncovering the Terminal,” later in this chapter.



Delving farther into super-commands is not for the faint-hearted; things get pretty ugly pretty quickly. If your thirst for UNIX dominance so compels you, however, I invite you to do a little independent study to bone up on all-things-UNIX. Pick up a copy of the great book of lore entitled *Unix For Dummies*, 5th Edition, written by John R. Levine and Margaret Levine Young (by Wiley Publishing, Inc.).

### *Go where no mouse has gone before*

The Finder is generally a helpful thing, but it makes many assumptions about how you work. One of these assumptions is that you don't have any need to handle some of the files on your hard drive. As I mention in Chapter 6 of Book IV, Mac OS X ships with its system files marked Off Limits, and I generally agree with that policy (which keeps anyone from screwing up the delicate innards of Mac OS X). To secure your system files, Apple purposely hides some files from view.

But what road do you take if you actually need to view or modify those system files? Yep, you guessed it: The command line comes to the rescue! You can use the command line to peer inside every nook and cranny of your Mac's vast directory structure on your hard drive. It also has the power to edit files that aren't normally accessible to you. With the command line, you can pretend to be other users — even users with more permissions. By temporarily acting as another more powerful user, you can perform actions with the command line that would be impossible in the Finder. (Just remember to make sure that you know what you're doing, or you're working with an Apple technical support person — a wrong move, and it'll be time for an Ominous Chord.)

### *Automate to elevate*

If all these benefits are beginning to excite you, hold on to your socks! Not only can you perform complex commands with the command line, you can go even one step further: *automation*. If you find yourself using the same set of commands more than once, you're a likely candidate for using automation to save time. Instead of typing the list of commands each time, you can save them to a text file and execute the entire file with only one command. Now that's power!

Of course, you probably don't like doing housekeeping tasks while you're busy on other things, so schedule that list of commands to run in the middle of the night while you're fast asleep. The command line lets you do that, too. (Note that automation of UNIX commands is totally separate from automation of Mac OS X applications with AppleScript, which I cover in Book VII, Chapter 2.)

### *Remote control*

"So, Mark, the command line is the cat's meow for efficiently accessing and working with files on my Mac, and I can use it to automate many operations. Anything else?" I'm glad you asked! By using the command line, you can also send commands to another computer anywhere in the world (as long as you know the right login and password). After you log into another computer, you can use the same commands for the remote computer.

UNIX was created with multiple users in mind. Because computers used to be expensive (and honking huge machines to boot), UNIX was designed so that multiple users could remotely use the same machine simultaneously. In fact, if Mac OS X is your first encounter with UNIX, you might be surprised to know that many UNIX beginners of the past weren't even in the same room, building, state, or even country as the computer that they were using.

Not only can you work with a computer that's in a different physical location, but it's also very fast to do so. Instead of the bandwidth hog that is the Internet, the command line is lean and mean. This permits you to use a remote computer nearly as fast as if it were sitting on the desk in front of you. (This is a great advantage for road warriors who need to tweak a Web, e-mail, or FTP server from a continent away.)


## *Uncovering the Terminal*

The best way to learn how to use command line is to jump right in. Mac OS X comes stocked with an application named *Terminal*. The Terminal application is where you enter commands in the command line. It is located in the

Utilities folder within the Applications folder on your hard drive — choose Applications⇧Utilities.

To double-click the icon shown in Figure 1-1 to launch Terminal.

**Figure 1-1:** Find the Terminal application in the Applications/Utilities directory.



By the way, feel free to make Terminal more accessible by dragging its icon to the Dock or the toolbar. That way, you won't have to dive this deep into the Applications folder in the future.

### *What's a prompt?*

Upon launch of the Terminal application, you'll immediately notice some text in the window that appears onscreen.

```
Last login: Sun Jun 23 17:51:14 on console
Welcome to Darwin!
[WHITEDRAGON:~] chambers%
```

As you might guess, this text details the last time that you logged into the Terminal, followed by a greeting from the Darwin underbelly of Mac OS X. (As I mention in Chapter 1 of Book I, *Darwin* is Apple's name for the UNIX underpinnings of Mac OS X.) The last line, however, is the most important one. It's called the *prompt*.

The prompt serves some important functions. First, it lists the current directory, which is listed as `~`. A tilde character (`~`) denotes a user's Home directory. By default, you will always be in your Home folder each time that you begin a new session on the Terminal. After the current directory, the Terminal displays the name of the current user, which is `chambers` in this example.

The final character of the prompt is a %. Consider this your cue because immediately after this character is where you enter any command that you wish to execute. Go ahead; don't be shy. Try out your first command by typing `uptime` in the Terminal application. (It's a good idea to type UNIX commands in lowercase.) Your text appears at the location of the cursor, denoted by a small square. If you make a mistake while entering the command, press the Delete key to back up and then type the characters again. (If the typing error is stuck deep in a longer command, press the left- or right-arrow key to move the cursor immediately after the incorrect character and press Delete to back up; then type the correct characters.) After you type the command, press Return to execute it.

```
[WHITEDRAGON:~] chambers% uptime
6:24PM up 2:42, 4 users, load averages: 2.44, 2.38, 1.90
[WHITEDRAGON:~] chambers%
```

If all goes well, you should see a listing of how long your Mac has been running since the last reboot or login. In the example listing, the computer has been running for 2 hours and 42 minutes (2:42 in line 2). Simple, eh? Immediately following the listing of the `uptime` command, the Terminal displays another prompt for you to enter more commands. I examine many more commands later in this chapter.

### *A few commands to get started*


Using the command line is simply a matter of entering simple instructions — or *commands* — into the Terminal application and pressing Return to execute them. It's easy to use the command line to navigate through the various folders on your hard drive. You'll become accustomed to using two vital commands: `ls` and `cd`. The `ls` command is shorthand for *list*, and it does just that: It lists the contents of the current directory. Enter `ls` at your prompt, and you should see a listing of your Home folder as shown in Figure 1-2.

The complementary `cd` command (lowercase) — which incidentally stands for *change directory* — opens any folder that you specify. It works much the same as double-clicking a folder in the Finder: The difference is that following the `cd` command, you don't immediately see all of the folder's content. However, the `cd` command requires a *parameter* (extra options or information that appear after the command) so that your Mac knows which folder to open.

For example, to open the Documents folder that resides in your Home directory, type `cd Documents` and press Return. When you do, you might be surprised to see another prompt immediately displayed. So where are all the files in the Documents folder? You must enter another command to see what items are in the folder that you just opened. Type `ls` again to see the contents of the Documents folder, as shown in Figure 1-3.


## DropBooks

**Figure 1-2:**  
See the contents of your Home directory after entering the `ls` command.



```
Terminal -- tcsh -- 80x24
Last login: Tue Jul 15 09:41:25 on ttys1
Welcome to Darwin!
[WhiteDragon:~] chambers% ls
Public
Music
Pictures
Sites
[WhiteDragon:~] chambers% █
```

**Figure 1-3:**  
Use the `cd` command to switch to the `~/Documents` directory and `ls` to view its contents.



```
Terminal -- tcsh -- 80x24
Last login: Tue Jul 15 09:47:37 on ttys1
Welcome to Darwin!
[WhiteDragon:~] chambers% cd Documents
[WhiteDragon:~/Documents] chambers% ls
Acrobat User Data  Microsoft User Data  Virtual PC Scripts
AppleMarks User Data  Virtual PC List
[WhiteDragon:~/Documents] chambers% █
```



If you try to open a folder that has a space in its name, make sure to enclose the folder's name in quotes, like this:

```
cd "My Picture Folder"
```

Read more about using quotes in your commands in the upcoming section, "Command line gotchas."

To return to your Home folder, enter a modified version of the `cd` command:

```
cd ..
```

## DropBooks



This causes your Mac to move back up the folder hierarchy one folder to your Home directory. By using these three simple commands — `ls`, `cd foldername`, and `cd ..` — you can traverse your entire hard drive.

After you successfully enter a command, you can recall it by pressing the up-arrow key. Press the up-arrow key again to see the command prior to that, and so forth. This is an extremely useful trick for retyping extra long file paths.


### *Using the skills you already have*

Just because the Terminal is text-based doesn't mean that it doesn't act like a good Macintosh citizen. All the usual Mac features that you know and love are there for you to use. Copy and Paste functions work as you might expect — but only at the prompt position.

Drag-and-drop is also at your disposal. After you play around with the Terminal for a while, you'll find yourself bored to tears typing the long paths that represent the files on your hard drive. To automatically enter the path of a file or folder to a command, simply drag it to the active Terminal window, as shown in Figure 1-4. The file's full path instantly appears at the location of your cursor. (Thanks, Apple!)

You can even use the mouse while entering commands in the Terminal. Click and drag your mouse over text to select it. From there, you can copy to the Clipboard as you might expect with any other application.

**Figure 1-4:** Drag a file from the Finder into the Terminal to automatically display its path.





## UNIX Commands 101

# DropBooks

To use the command line effectively, you need to familiarize yourself with the commands that are available to you. After all, how can you use a tool without knowing what it can do? Despite having to memorize a few commands, UNIX usually makes it easy on you by abbreviating commands, by following a standard grammar (so to speak), and by providing you with extensive documentation for each command.

### Anatomy of a UNIX command

UNIX commands can perform many amazing feats. Despite their vast abilities, all commands follow a similar structure:

```
command <optional flag(s)> <optional operand(s)>
```

The simplest form of a UNIX command is the command itself. (For a basic discussion on UNIX commands such as `ls`, see the earlier section, “A few commands to get started.”) You can expand your use of the `ls` command by appending various *flags*, which are settings that enable or disable optional features for the command. Flags are preceded by a dash (-) and always follow the command. For instance, you can display the contents of a directory as a column of names by tacking on an `-l` flag to the `ls` command.

```
ls -l
```

Besides flags, UNIX commands sometimes also have operands. An *operand* is something that is acted upon. For example, instead of just entering the `ls` command, which lists the current directory, you can add an operand to list a specific directory:

```
ls ~/Documents/myProject/
```

The tilde (~) denotes the user’s Home directory.

Sometimes a command can take multiple operands, as is the case when you copy a file. The two operands represent the source file and the destination of the file that you want to copy, separated by a space. The following example copies a text file from the Documents folder to the Desktop folder by using the `cp` command (short for *copy*).

```
cp ~/Documents/MyDocument ~/Desktop/MyDocument
```

You can also combine flags and operands in the same command. This example displays the contents of a specific folder in list format:

```
ls -l ~/Documents/myProject/
```



## Command line gotchas

In earlier sections, I describe a few simple command line functions. All these commands have something in common: You might not have noticed, but every example thus far involved folder names and filenames that contained only alphanumeric characters. Remember what happens if you have a folder name that has a space in it? Try the following example, but don't worry when it won't work.



The `cd` command stands for *change directory*.

```
cd /Desktop Folder
```

The result is an error message:

```
cd: Too many arguments.
```

The problem is that a space character is not allowed in a path. To get around this problem, simply enclose the path in double quotation marks, like this:

```
cd "/Desktop Folder"
```



Mac OS X lets you use either double *or* single quotation marks to enclose a path with spaces in it. Standard UNIX operating systems, however, use double quotation marks for this purpose.

In a similar vein, you can get the space character to be accepted by a command by adding an escape character. To *escape* a character, add a backslash (`\`) immediately prior to the character in question. To illustrate, try the last command with an escape character instead. Note that this time, no quotation marks are necessary.

```
cd /Desktop\ Folder
```




You can use either quotes or escape characters because they're interchangeable.

## Help is on the way!

By now, you might be wondering how a computer techno-wizard is supposed to keep all these commands straight. Fortunately, you can find generous documentation for nearly every command available to you. To access this built-in help, use the `man` command. Using the `man` command (short-hand for *manual*) will display a help file for any command that it knows about. For example, to read the available help information for the `ls` command, simply type `man ls` at the prompt. Figure 1-5 illustrates the result.

**Figure 1-5:**  
Using the `man` command provides documentation for many different commands.



## Autocompletion

To speed things along, the *tcsh* shell can auto-magically complete your input for you while you type. Although the Terminal permits you to enter commands via the keyboard, it is the shell that interprets those commands. There are many kinds of shells available to UNIX users. The shell that Mac OS X uses by default is named *tcsh*. Use the autocompletion features of *tcsh* to autocomplete both commands and filenames. To demonstrate, begin by typing the following:

```
cd ~/De
```

Then press the Tab key. This result is that the shell predicts that you will want to type

```
cd ~/Desktop/
```

Of course, if you have another folder that begins with the letters *De* in the same folder, you might need to type a few additional characters. This gives the autocompletion feature more information to help it decide which characters you want to type. In other words, if you don't type enough characters, autocompletion ends up like a detective without enough clues to figure things out.

## Working with Files

If you've used a computer for any time at all, you're no doubt familiar with the idea of files. Even before the first floppy drive appeared in personal computers, operating systems have stored data in files . . . they date back to the days when a mainframe computer occupied an entire floor of an office building. Mac OS X is no exception, and it's important to understand how Mac OS X arranges them into folders and how you go about accessing them via the

command line. This section describes the basic file and folder information that you need to know to tame the beast that is UNIX.

# DropBooks

## Paths

Before you dive into UNIX commands, you should first know a few facts . . . nasty things, facts, but you can't earn your pair of techno-wizard suspenders without 'em. For starters, as a Mac user, you might not be familiar with how paths work in UNIX. A *path* is simply a textual representation of a folder or file. The simplest path is your Home directory, which is denoted by a tilde character (~). Any folder within the Home directory is represented by the folder's name preceded by a forward slash (/). For example, a document entitled `myDoc` that resides in the current user's Documents folder would have a path like this:

```
~/Documents/myDoc
```

Similarly, a folder named *myFolder* that resides in the current user's Documents folder would have a path like this:

```
~/Documents/myFolder/
```



As you've probably surmised, a *folder* and a *directory* are two different names for the same thing. *Folder* is the name with which most Mac users are familiar, and *directory* is a term that UNIX power users prefer. I use the terms interchangeably throughout the remainder of the chapter.

Because Mac OS X is a multi-user environment, you might sometimes want to work with folder or files somewhere other than in your Home folder. Starting from your Home folder, enter the following command:

```
cd ..
```

This will move you to the folder right above your Home folder, which happens to be the Users folder. Using another quick `ls` command will show you all users who are permitted to use the machine, as shown in Figure 1-6. In this figure, you can see the two users that are allowed to use this machine: `chambers` and `fuadramses`. (By the way, `Shared` isn't a user — it's a folder with privileges set so that any user can access its contents.)

Enter `cd ..` once again, and you find yourself at the root of your main hard drive. The *root directory* is what you see in the Finder when you double-click your hard drive icon on the desktop. A user's Home directory is represented by a tilde character (~), and the root of the hard drive is denoted by a forward slash (/), as displayed by the prompt:

```
[WHITEDRAGON:/] chambers%
```

# DropBooks

**Figure 1-6:**  
The Users  
folder  
displays all  
usernames  
permitted  
to use this  
machine.



```
Terminal -- tcsh -- 80x24
Last login: Tue Jul 15 09:49:04 on ttys0
Welcome to Darwin!
[whitedragon:~] chambers% cd ..
[whitedragon:~/Users] chambers% ls
chambers
[whitedragon:~/Users] chambers% █
```

It's easy to return to your Home directory by following this sequence:

```
[WHITEDRAGON:/] chambers% cd Users
[WHITEDRAGON:/Users] chambers% cd chambers
[WHITEDRAGON:~] chambers%
```

Here's a faster way. Instead of moving through each successive folder until you reach your intended destination, you can specify the path by using just one `cd` command:

```
[WHITEDRAGON:/] chambers% cd /Users/chambers
[WHITEDRAGON:~] chambers%
```



Of course, the Home directory is a special folder in that you can also navigate there by simply entering `cd ~`, but the main point here is that you can navigate directly to specific folders by using that folder's path in conjunction with the `cd` command.

Furthermore, when you navigate your hard drive by using paths, you can jump directly to your desired destination from any place. When you enter `cd ..`, it is in relation to your current position, whereas entering

```
cd /Users/chambers
```

will always take you to the same directory, regardless of your starting point.

## *Copying, moving, renaming, and deleting files*

After you're comfortable with moving around the hierarchy of your hard drive, it's a cinch to copy, move, and rename files and folders.

## DropBooks

To copy files from the command line, use the `cp` command. Because using the `cp` command will copy a file from one place to another, it requires two operands: first the source, and then the destination. For instance, to copy a file from your Home folder to your Documents folder, use the `cp` command like this:

```
cp ~/MyDocument ~/Desktop/MyDocument
```



Keep in mind that when you copy files, you must have proper permissions to do so. Here's what happens when I try to copy a file from my Desktop to another user's Desktop:

```
[WHITEDRAGON:~] chambers% cp ~/Desktop/MyDocument
/Users/fuadramses/Desktop/MyDocument
cp: /Users/fuadramses/Desktop/MyDocument: Permission denied
```

If you can't copy to the destination that you desire, you will need to precede the `cp` command with `sudo`. Using the `sudo` command allows you to perform functions as another user. The idea here is that the other user whom you're "emulating" has the necessary privileges to execute the desired copy operation. When you execute the command, the command line will ask you for a password. If you don't know what the password is, you probably shouldn't be using `sudo`. Your computer's administrator should have given you an appropriate password to use. After you enter the correct password, the command executes as desired.



In case you're curious, `sudo` stands for *set user and do*. It sets the user to the one that you specify and performs the command that follows the username.

```
sudo cp ~/Desktop/MyDocument /Users/fuadramses/Desktop/MyDocument
Password:
```

A close cousin to the `cp` (copy) command is the `mv` (move) command. As you can probably guess, the `mv` command moves a folder or file from one location to another. (I told you that all this character-based stuff would start to make sense, didn't I?) To demonstrate, this command moves `MyDocument` from the Desktop folder to the current user's Home folder:

```
mv ~/Desktop/MyDocument ~/MyDocument
```

Ah, but here's the hidden surprise: The `mv` command also functions as a rename command. For instance, to rename a file `MyDocument` on the Desktop to `MyNewDocument`, do this:

```
mv ~/Desktop/MyDocument ~/Desktop/MyNewDocument
```

In this case, you can see that the `mv` command is really copying the original file to the destination and then deleting the original. Because both folders in this example reside in the same folder (`~/Desktop/`), it appears as though the `mv` command has renamed the file.

Again, like the `cp` command, the `mv` command requires that you have proper permissions for the action that you wish to perform. Use the `sudo` command to perform any commands that your current user (as displayed in the prompt) is not allowed to execute. On UNIX systems, not all users are necessarily equal. Some users can perform functions that others can't. This is handy for keeping your child's mitts out of important files on your computer. It also creates a hurdle should you choose to work on files while using your child's restricted user account. The `sudo` command lets you temporarily become another user — presumably one that has permission to perform some function that the current user can't.

What would file manipulation be without the ability to delete files? Never fear; UNIX can delete anything that you throw at it. Use the `rm` (short for *remove*) or `rmdir` (short for *remove directory*) command to delete a folder or file. For example, to delete `MyDocument` from the Desktop folder, execute the `rm` command like this:

```
rm ~/Desktop/MyDocument
```

Once again, deleting files and folders requires that you have permission to do so. In other words, any time that you manipulate files with the command line, you are required to have the proper permission. If your current user lacks these permissions, using `sudo` will help.

### ***Opening documents and launching applications***

Launching applications and opening documents is child's play for a UNIX pro like you. The `open` command does it all. For example, to bring the Finder to the foreground without touching the mouse, use

```
open /System/Library/CoreServices/Finder.app
```

To open a document from the command line, follow a similar scheme. For example, to view an image named `myImage.tif` that's stored in your Documents folder, use

```
% open ~/Documents/myImage.tif
```

## Useful Commands

# DropBooks

Manipulating files and viewing folder content is fun, but the command line is capable of so much more! Now I focus our attention on some of the other useful tasks that you can perform with the command line.



Mac OS X comes stocked with a full set of useful commands. You can discover what commands are installed by viewing the files in `/usr/bin`. Type `cd /usr/bin` to navigate there.

### Calendar

One of my favorite command line functions is the `cal` command, which displays a calendar in text form. Simply entering `cal` at the prompt displays a calendar for the current month, as shown in Figure 1-7.

**Figure 1-7:**  
Type `cal` to view a calendar for the current month.

```

[erick@BVI-24:~] erick% cal
      June 2002
Su  M  Tu   W  Th  F  S
 1
 2  3  4  5  6  7  8
 9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30
[erick@BVI-24:~] erick%

```

Append a number to the `cal` command to display a 12-month calendar for that year. The number that follows the `cal` command is the year for which you'd like to see a calendar. For example, to view a calendar for 1970, type `cal 1970`. The result appears in Figure 1-8.

Append a month number and a year number to display the calendar for that month. For example, to view a calendar for November 1997, type `cal 11 1997`. The result appears in Figure 1-9.

Another useful command that is related to the `cal` command is `date`. Type `date` at the command line to display the day, date, time, and year based on your computer's settings.

```

[WHITEDRAGON:~] chambers% date
Mon Jun 24 11:32:20 CDT 2002

```



## DropBooks

```

Terminal -- tssh (tty3)
[localhost~] erick col 1500
1978
January          February          March
S M Tu W Th F S S M Tu W Th F S S M Tu W Th F S
1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7
8 9 10 11 12 13 14 8 9 10 11 12 13 14 8 9 10 11 12 13 14
15 16 17 18 19 20 21 15 16 17 18 19 20 21 15 16 17 18 19 20 21
18 19 20 21 22 23 24 22 23 24 25 26 27 28 22 23 24 25 26 27 28
25 26 27 28 29 30 31 29 30 31

April           May           June
S M Tu W Th F S S M Tu W Th F S S M Tu W Th F S
1 2 3 4 1 2 1 2 3 4 5 6
5 6 7 8 9 10 11 3 4 5 6 7 8 9 7 8 9 10 11 12 13
12 13 14 15 16 17 18 10 11 12 13 14 15 14 15 16 17 18 19 20
19 20 21 22 23 24 25 17 18 19 20 21 22 23 21 22 23 24 25 26 27
26 27 28 29 30 31 24 25 26 27 28 29 30 28 29 30

July           August          September
S M Tu W Th F S S M Tu W Th F S S M Tu W Th F S
1 2 3 4 1 1 1 2 3 4 5 6
5 6 7 8 9 10 11 2 3 4 5 6 7 8 6 7 8 9 10 11 12
12 13 14 15 16 17 18 9 10 11 12 13 14 13 14 15 16 17 18 19
19 20 21 22 23 24 25 16 17 18 19 20 21 22 20 21 22 23 24 25 26
26 27 28 29 30 31 23 24 25 26 27 28 29 27 28 29 30
30 31

October        November        December
S M Tu W Th F S S M Tu W Th F S S M Tu W Th F S
1 2 3 1 2 3 4 5 6 7 1 2 3 4 5
4 5 6 7 8 9 10 6 7 8 9 10 11 12 13 14 6 7 8 9 10 11 12
11 12 13 14 15 16 17 15 16 17 18 19 20 21 13 14 15 16 17 18 19
18 19 20 21 22 23 24 22 23 24 25 26 27 28 20 21 22 23 24 25 26
25 26 27 28 29 30 31 29 30 27 28 29 30 31

```

**Figure 1-8:**  
Type `cal`  
followed  
by a year  
to view a  
12-month  
calendar for  
that year.

```

tssh (tty1)
[BV1-24:~] erick% col 11 1997
November 1997
S M Tu W Th F S
2 3 4 5 6 7 8
9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30
[BV1-24:~] erick%

```

**Figure 1-9:**  
Type `cal`  
followed by  
the month  
and year  
to view a  
calendar for  
that month.

## Processes

Have you ever been curious as to why your hard drive seems to spin and grind on occasion while your system is seemingly inactive? Mac OS X sometimes has a lot of stuff going on behind the scenes. To discover just what your computer is busy doing at any time, use the `top` command to display all the actions that your computer is currently performing, as shown in Figure 1-10. These activities are called *processes*; some are created when you launch applications, and others are simply tasks that Mac OS X has to take care of to keep things running smoothly.

Besides listing the names of the various processes currently in use, `top` also tells you how much of your CPU is being devoted to each process. This lets you know what process is currently hogging all your computing power.

## DropBooks

**Figure 1-10:**  
Using the `top` command displays all running processes.

```

top (tty1)
Processes: 45 total, 2 running, 43 sleeping... 146 threads      03:43:4
Load Avg: 1.85, 2.02, 1.93      CPU usage: 50.2% user, 33.1% sys, 10.6% id
Shared libs: num = 89, resident = 22.5M code, 3.95M data, 5.96M LinkEdit
MemInfo: num = 3964, resident = 106M + 7.94M private, 120M shared
MemStats: 43.4M wired, 66.3M active, 296M inactive, 405M used, 107M free
MemStats: 54.9M 10936(0) pageins, 0(0) pageouts

PID COMMAND      %CPU   TIME    #TH  #PRTS  #REGS  RPRVT  RSHRD  #SIZE  VSIZE
646 top            9.9%   0:05.91  1   10     20    236K   600K   716K  13.9M
641 tcsh           0.0%   0:00.00  1   12     19    364K   936K   900K   6.02M
640 login         0.0%   0:00.10  1   14     36    120K   524K   524K   13.9M
538 Grab         19.3%  0:57.97  4   121   225   6.36M* 12.4M* 11.5M* 65.8M*
520 [CocheServ    0.0%   0:00.05  1   15     21    308K   730K   620K   14.2M
518 TruBlueEnv   3.7%   4:05.37  18  161   205   19.8M  9.12M  27.4M  1.04G
470 Mozilla      4.9%   4:34.90  13  191   481   18.9M  27.9M  38.1M  250M
450 Microsoft    0.0%   0:01.15  2   72    117   1.88M  8.55M  4.36M  50.3M
447 Terminal     2.4%   1:16.77  4   73    250   2.66M  10.2M  7.84M  55.8M
446 Microsoft   36.1%  49:11.24  6   128   513   30.2M  48.4M  48.2M  182M
445 Finder       0.0%   1:15.47  2   88    192   7.34M  25.1M  15.1M  87.3M
444 SystemUISe  0.0%   0:02.59  2   127   118   1.32M  4.37M  2.93M  45.5M
439 Dock         0.0%   0:11.74  3   110   170   1.95M  9.57M  7.35M  56.1M
435 pbs          0.0%   0:14.41  2   32     40   2.69M  1010K  3.63M  16.8M
430 DirectoryS   0.0%   0:01.30  6   69    105  1012K  2.95M  3.43M  22.1M

```

Check out the process ID in a listing of current processes.

Sometimes a process stalls, effectively freezing that action. By using the `top` command to find the Process ID (PID) of the offending process, you can halt the process. Simply use the `kill` command followed by the PID of the process that you want to stop, as shown in Figure 1-11.

**Figure 1-11:**  
Using the `kill` command stops a process by using its PID number.

```

tcsh (tty1)
[BV1-24:/Users] erick% kill 470
[BV1-24:/Users] erick%

```



Do *not* go killing processes willy-nilly! Although Mac OS X is extremely stable, removing the wrong process — such as `init` or `mach_init` — is rather like removing a leg from one of those deep-sea drilling platforms: Not good. You could lock up your system and lose whatever you're doing in other applications. If you simply want to shut down a misbehaving program, go graphical again (at least for a moment) and use the Force Quit menu command from the Finder menu.

Like `top`, another handy command for examining process info is `ps` (short for *process*). Most often, you will want to append a few flags to the `ps` command to get the information that you desire. For example, try the following command:

```
ps -aux
```

The `man` page for `ps` explains what each flag means. Read more about using the `man` command in the earlier section, “Help is on the way!”

## UNIX Cadillac Commands

Besides working with files and processes, the command line has all kinds of sophisticated commands. For example, with the command line, you have instant access to a variety of tools for finding files or even stringing together commands.

### Finding files

The command line also gives you a number of ways to search for files on your hard drive. The two most commonly used commands are `find` and `locate`.

To use `find`, specify a starting point for the search followed by the name of the file or folder that you wish to find. For example, to find the `Fonts` folder that belongs to your user, enter the command like this:

```
% find ~/ -name "Fonts"
```

You should see at least one result of the `find` command.

```
/Users/chambers/Library/Fonts
```

One great feature of the `find` command is that you can look for a file or folder in more than one location. Suppose you want to find a file named `MyDocument` that you know resides either in your `Documents` folder or on your `Desktop`. For this kind of search, use the `find` command like this:

```
% find ~/Documents ~/Desktop\ Folder -name "MyDocument"
```

In this example, you are telling the `find` command which folders it should search when looking for the file named `MyDocument`.

Besides `find`, another useful command for searching your hard drive is `locate`. Using the `locate` command is many times faster than the `find` command because it relies on a built-in database to do its search. Mac OS X updates this database for you automatically. To find any folder with the name `Fonts` by using the `locate` command, format your syntax like so:

```
%locate /Fonts
```

### *Using pipes*

Nearly all UNIX commands can take on greater abilities by using a construct called the *pipe*. A pipe (`|`) is represented by that funny little vertical line that shows up when you press `Shift+\`. The pipe routes data from one command to another one that follows — for example, many UNIX commands produce large amounts of information that can't all fit on one page. (You might have noticed this behavior when you used the `locate` command.) Joining two commands or functions together with the pipe command is *piping*. To tame the screens full of text, pipe the `locate` function to the `less` command. The `less` command provides data one page at a time.

```
% locate /Fonts | less
```

When the results fill up one page, the data stops and waits for you to press any key (except the `Q` key) to continue. When you reach the end of the results, press `Q` to quit and return to a command-line prompt.

## *UNIX Programs That Come in Handy*

As a Macintosh user, you might be surprised to know that many applications on your hard drive don't reside in one of the typical Applications folders of Mac OS X. These applications, in fact, don't have any graphical user interface like you're accustomed to. They're only accessible from the command line. The remainder of this chapter will cover some of these applications.

### *Text editors*


UNIX has many text-editing applications for use at the command line. Some of the more popular ones include `pico`, `vi`, and `emacs`. Each of these text editors has its pros and cons — and thanks to the thorough folks at Apple, because all three are included with Panther! For my examples here, however, I use `pico` because it's simple to use and sufficient for our needs.

### Creating a new document

To create a text file by using `pico`, simply type `pico` at the command line. The result should look like Figure 1-12.



This is the rough and tumble world of UNIX, which preceded the Macintosh by many years. Perhaps this will also help you to appreciate why the Macintosh was so revolutionary when it was introduced. (You can just hear the designers crowing, “We’ll call this a *menu*! Yeah, that’s the ticket!” The only graphics that you’d see on your monitor were the newspaper cartoons that you stuck to the bottom.)




**Figure 1-12:** The `pico` program is a full-featured text editor built into the command line.

At the bottom of the screen is a menu of common commands. Above the menu is a large empty space where you can enter text, much like the word processors that you already know and love. (For those of us that remember the halcyon character-based days of DOS, think older versions of Word and WordPerfect . . . or, if you’re a *real* computing dinosaur like I am, consider the original WordStar.) Type some text in that area. Anything will do . . . a letter to a friend, a grocery list, or your school homework.

When you’re finished entering your desired text, save the document with the `WriteOut` command in the `pico` menu. Directly next to each command in the `pico` menu is a keyboard sequence used to perform that command. (Refer to the bottom of Figure 1-12.) The `^` character is shorthand for the Control key on your keyboard. Thus, to save a file, press `Control+O`. This flies in the face of standard Mac keyboard conventions, where the letter `O` is traditionally used to mean *Open*.

After pressing the Control+O sequence, `pico` prompts you for a filename (see Figure 1-13). Like most UNIX files, you're permitted to enter a simple filename here or a full path to a file. For this example, save the file to your Documents folder, naming it `MyPicoDocument`.

**Figure 1-13:** After you save your document, `pico` prompts you for a filename.



After you've completed and saved the document, pressing Control+X will transport you away from Planet Pico and back to the command line.

### *Customizing the prompt*

In the previous example, I demonstrate how to launch `pico`, create a new document, and save it to your Documents folder. For this example, you will again launch `pico`, but this time the document will be very different. The document won't just hold some plain old letter to your mother. Rather, stick with me to create a file to control some settings of the Terminal.

To get started, navigate to your Home directory.

```
cd ~
```

Then use the `ls` command to list the items in that directory. This time, however, add an `-a` flag. This will cause the listing to display all invisible (or hidden) files. As I mention both in this chapter and earlier in the book, Mac OS X tries to make things safe for average users by hiding files that you don't normally need (like files in the System folder). But now you're a UNIX guru, so you aren't just an average user anymore! In particular, you are looking for a hidden file named `.tcshrc`. The `.tcshrc` file stores settings for the `tcsh` shell that you use in the Terminal. By altering its contents, you can

# DropBooks

adjust settings for your shell sessions each time that you use the Terminal application.

All invisible files in UNIX begin with a period.

```
ls -a
```

If you do find a `.tcshrc` file, open it with `pico` by entering the following:

```
pico .tcshrc
```

If you don't find a file named `.tcshrc`, simply launch `pico`. (Later, when you're finished creating the `.tcshrc` file, you can save it as `.tcshrc`.) The default prompt already displays some useful information, but you can take that one step further. To the new or existing `.tcshrc` text file, add the following line:

```
set prompt = "Command %h %"
```

This syntax creates a command counter that keeps track of how many commands you've executed. When you're finished, press `Control+O` and save the file as I describe earlier; make sure that it's named `.tcshrc` and that it's located in your Home directory. To see your handiwork, open a new Terminal session window by pressing `⌘+N`. If everything went off without a hitch, you should now see something like Figure 1-14 — a prompt that displays the number of commands that you've executed.

**Figure 1-14:** Customized prompts can display useful information.



Enter a command, like `ls`, to view the contents of your Home directory. When you do, the next prompt automatically increases the command counter for you!

So, what's actually happening here and why all the `%` characters? A `%` character, in UNIX lingo, is an escape character. It denotes a sequence that has special meaning to the Terminal. Table 1-1 shows some other common escape sequences for sprucing up your command line prompt.


**Table 1-1** Terminal Prompt Escape Sequences for `.tcshrc`

<i>Escape Sequence</i>	<i>What It Represents</i>
<code>%n</code>	The current user's name
<code>%h</code>	The current command count; <code>h</code> stands for <i>history</i>
<code>%t</code>	The time
<code>%d</code>	The date
<code>%~</code>	The current directory

In the previous example, I added the text `Command` to the prompt followed by `%h`, which represents the current command count. Last, I finish off the prompt with a `%` character. Recall that a `%` character is customary at the prompt to show you where to enter a command. In this case, the `%` has no special meaning; it's simply meant to display the `%` character.

With a little experimentation, you can create some really cool (not to mention useful) prompts. For example, you can add the date (as shown in Figure 1-15) or command count.

**Figure 1-15:**  
Your prompt can be as complex as you like.




```

tcsh (ttyp1)
Last login: Tue Jun 25 03:54:22 on ttty2
Welcome to Darwin!
[erick] (Tue) Command 1 %

```

Of course, you aren't limited to geeky UNIX-style prompts. Be as creative as you want. It's your computer, after all! Figure 1-16 is an example of a fun prompt.

**Figure 1-16:**  
A prompt with a built-in attitude.



```

tcsh (ttyp1)
Last login: Tue Jun 25 04:01:51 on ttty1
Welcome to Darwin!
Where to, Mac?

```



## Networking with the Terminal

Because UNIX isn't a new phenomenon, it has many useful networking abilities built into it. In fact, UNIX was instrumental in creating much of what we now take for granted: e-mail, the Internet, and the World Wide Web. Thus, you will be happy to know that you can communicate over networks with the Terminal in practically any manner that you can dream of . . . and then some!

### WWW and FTP

If you've used the Internet for any time, you're probably familiar with the various means to transport data over a network. From FTP (short for *File Transfer Protocol*) and Telnet to e-mail and the Web, UNIX can handle it all. In fact, UNIX has a command for each of these functions (and many more that have passed into historical obscurity). Rather than use each individual command to send and retrieve data with the Terminal, Apple has conveniently provided a command that can handle them all: `curl`. The `curl` command is competent at all the standard network protocols. To see it in action, pass a Web address (or URL, to The Enlightened) to the `curl` command:

```
curl http://www.mlcbooks.com
```

The result is that you will see the HyperText Markup Language (HTML) page that's located at `www.mlcbooks.com`. Because this isn't particularly useful for most people (it's not very easy to read), you need to add the letter `o` as a flag. This specifies where you would like to save this file upon download. To save the HTML page to your Home directory, add the `-o` flag and a path to the destination file.

Don't forget to precede all flags with a hyphen. For this example, it would be `-o`.

```
curl -o ~/mlcbooks.html http://www.mlcbooks.com
```

If you now perform an `ls` command, you will see that `curl` has, in fact, downloaded the HTML found at `www.mlcbooks.com` and saved it to a file named `mlcbooks.html` in your Home directory.

The beauty of `curl` is that it does much more than just retrieve Web pages: It's equally comfortable with FTP transfers. FTP is used to *download* (or receive) files from a server as well as *upload* (or send) them. Like the previous HyperText Transfer Protocol (HTTP) examples, you only have to provide an FTP address in Uniform Resource Locator (URL) format, and `curl` will take care of the rest. Of course, most people want to save any files that they download via FTP — not view them in the Terminal like I did the HTML file. Therefore, like the previous example, you should add the `-o` flag and a



path to the destination of your download. This time, I download a README file about `curl` directly from the makers of `curl`.

```
curl -O ~/Desktop/README.curl ftp://ftp.sunet.se/pub/www/utilities/curl/README.curl
```

If you're familiar with FTP, you might be wondering whether `curl` can upload, too. Yes, indeed! Instead of using the `-o` flag, you will need to use two flags: `-T` and `-u`. The `-T` flag denotes which file you wish to upload. The `-u` flag denotes the username and password. Then, specify the FTP destination address of where you want to upload it. Because this example deals with an upload, the remainder of this example is for an imaginary FTP server. In real life, you'd use the appropriate FTP address, username, and password for an FTP server where you are allowed to upload.

```
curl -T /Desktop/README.curl -u username:passwd ftp://ftp.yoursitehere.com/myfiles/README.curl
```

This example uploads the `README.curl` file from the Desktop folder that I downloaded earlier to an imaginary FTP server.

### *How do you spell success? C-u-r-l!*

Sure, HTTP and FTP are handy, but did you know that there are many other protocols for network communications? One of the niftier ones is the *Dictionary protocol*. With it, you can look up words from any server that understands the protocol. Suppose, for example, that you would like to know the meaning of the term *CD-ROM*. Enter the following command to find out:

```
% curl dict://dict.org/d:CD-ROM
```

The results are shown in Figure 1-17. You might never use a real dictionary again!

```
Terminal -- tcsh (http://)
[localhost~] eN [http://dict.org/d:CD-ROM]
228 words.org dictd 1.7.8.77 on Linux 2.2.19 -auth:site= -d49607.2069.3834048123@icronds.org-
258 ok
158 1 definitions retrieved
181 "CD-ROM" as "WordNet (r) 1.7"
CD-ROM
n : a compact disk that is used with a computer (rather than
with an audio system); a large amount of digital
information can be stored and accessed but it cannot be
altered by the user [syn: (CD-ROM), (compact disc
read-only memory)]
208 ok [4%/c = 1/8/38; 8.888; 8.000; 0.000c]
221 bye [0%/c = 0/8/8; 1.888; 8.000; 0.000c]
[localhost~] eN []
```

**Figure 1-17:**  
The `curl`  
tool can  
even look up  
words in the  
dictionary.

## Taking a peek at Apple's command-line jewels

Thus far in this chapter, I've used commands and programs that ship with nearly every UNIX (and thus Mac OS X) distribution. The truth is that this is only a small fraction of what is possible by using the command line. Now, focus your attention on the UNIX programs that Apple provides for us Mac users to beef up the command line. My hope is that these examples from Apple will entice you to explore the many other commands and programs that are available — usually for free.



Apple's command-line tools are part of the Mac OS X Developer Tools Xcode installation.

To see a list of the command-line tools that Apple installs with the Developer Tools, enter this:

```
cd /Developer/Tools
ls
```

These tools are generally intended for developers, but a few gems in there can help non-developers, too: in particular, the `GetFileInfo` and `SetFile` commands. Because these commands are so handy and they're not in the standard command folder, the first step is to link them to `/usr/bin`. Normally, command-line tools must reside in the `/usr/bin` directory for them to be operational. If you would like to use a particular command that does not reside in the proper directory, one solution is to link the command to the appropriate folder. Then, when the system loads the usual commands for you to use, it includes the commands that you have linked.



The `sudo` command requires an administrator password. For more on `sudo`, read the earlier section, "Copying, moving, renaming, and deleting files."

```
sudo ln -s /Developer/Tools/GetFileInfo /usr/bin/GetFileInfo
sudo ln -s /Developer/Tools/SetFile /usr/bin/SetFile
rehash
```

Now you can safely use these commands. These two commands simulate the Get Info window that is part of the Finder. For example, to view a file's information, use the `GetFileInfo` command:

```
GetFileInfo ~/myDocument
```


The result is a display like this:

```
% GetFileInfo ~/MyDocument
file: "/Users/chambers/MyDocument"
type: "TEXT"
creator: "R*ch"
attributes: avbstclInmed
created: 06/23/2002 22:25:04
modified: 06/23/2002 22:25:04
```

Conversely, `SetFile` sets one or more bits of the file's information. For example, to change the creator for this file, the `-c` flag is necessary.

```
SetFile -c "ttx" ~/MyDocument
```

Although neither of these new commands have a `man` page, Apple does provide some documentation. Enter either command without any parameters to view the documentation for that command.



# DropBooks

## Chapter 2: AppleScript Just Plain Rocks

---

### *In This Chapter*

- ✓ Simplifying your life with AppleScript
- ✓ Letting AppleScript create scripts for you
- ✓ Creating scripts on your own
- ✓ Searching for AppleScript help elsewhere

Using a Macintosh is supposed to make your life easier — and in many ways, it does. But there's a limit to how much your Mac can do by itself, right? After all, you still have to move the mouse, press keys on the keyboard, and read information on the screen to get things done . . . or *do* you? Why not let your computer do the dull chores — such as renaming a thousand digital photographs from your family vacation and organizing them into folders based on the subject of each photo — for you? Although most people are familiar with controlling their Macs with the mouse and keyboard, few realize that they can operate their machines without touching a key, a mouse button, or even glancing at the screen.

### *What's So Great about AppleScript?*

If one word could describe what AppleScript is all about, it would be *automation*. *AppleScript* is a technology for automating practically any action that you perform with your Macintosh, including both common tasks in the Finder and those that you perform in other applications.

### *Automate common tasks in the Finder*

If you've ever found yourself repeating some task more than once, you're an ideal candidate for becoming an AppleScript techno-wizard. AppleScript is particularly good at taking the boredom and tedium out of using your Macintosh by performing all sorts of tasks automatically. To illustrate, consider a few jobs that would take a fair amount of time to do by hand but are a snap with AppleScript:

# DropBooks

- ◆ While writing your next best-selling Great American Novel — or *For Dummies* book on Mac OS X — you make a mistake and misnumber the chapters. All the chapters have a filename bearing the chapter number, but they're all off by one. Sure, you could rename each file by hand, but your book is a large tome and renumbering forty-two chapters manually doesn't sound like much fun. (Take my word for it. *Please.*) It'll require several minutes and lots of tedious attention on your part, not to mention introduce the likelihood of human error. But wait, there's another way! When using a simple AppleScript of only a few lines of code, you can rename the chapters in seconds, whilst you go grab another Diet Coke.
- ◆ You're a neat individual and think that your Mac should reflect your penchant for order — in fact, you like your Desktop icons to be placed just so. Being left-handed, you prefer the icons over on the left side of the Desktop, like some of those *inferior* operating systems. In this situation, an AppleScript can help you do things that aren't humanly possible; not only can you rapidly rearrange the icons on your Desktop, but you can do so with pixel-point accuracy. Without AppleScript, it would be nearly impossible to precisely align dozens of icons. And if you could, it would take a long time and probably cause you to go blind.
- ◆ After a font-download binge, you find yourself with hundreds of fonts. You really want to organize them into separate folders based on the date that you downloaded them. AppleScript comes to the rescue again! With a brief script, you could knock out this challenge without ever looking at a single date. Add a couple more lines of code to the script and AppleScript will take care of creating the folders too. Right, you know the word: *sassy*.

## *Automate tasks in other applications*

By using AppleScript, you can also often automate your work from beginning to end, despite the fact that you need multiple applications to do so. Look at a few scenarios, and you'll begin to appreciate why AppleScript is such a powerful technology:

- ◆ You've just completed creating the ultimate library of bagpipe songs in iTunes — no, really! — and you want to share the list with your friends at the next Bagpipers Anonymous meeting. You could easily send everyone in the group an iTunes Playlist, but not everyone in the club has a Macintosh, let alone a computer. This is going to require creating a hard copy for those members without a computer. Because your bagpipe song list contains thousands of songs, you don't want to retype the name of each song. AppleScript can save the day by extracting the song titles for you and compiling them into a list just in time for your meeting.

- ◆ AppleScript can take care of your computer-owning bagpipe friends, too. With a few extra steps, you can e-mail all of them the list as well.
- ◆ Being so doggone fond of bagpipes, you want to send your bagpiping friends a special note during the holidays. To help manage your holiday greeting cards, you can create a record in FileMaker Pro or some other database listing the name and address of each person who should receive a card. If you've entered their street addresses in the Contacts section of your e-mail application, AppleScript can aid in transferring the addresses from your e-mail application to the database. Never again will your bagpiping friends miss a holiday greeting . . . and the world is a much better place.

As you can imagine, there are literally thousands of ways that you can use AppleScript to automate your workflow.

## Running a Script

The easiest way to get started with AppleScript is to use some scripts that others have already written. *Scripts* are small files that contain a list of commands; this list of commands tells your Mac what function to perform and when to perform it. Fortunately, Apple is kind enough to provide you with several completed scripts with your installation of Mac OS X. You can find a large cache of scripts in the scripts folder, found in the Library folder, under Scripts.


Many scripts (but not all) end with the extension `.scpt`. Before you get started running scripts, however, you should know a few things first.

### Identifying scripts in the field

Each script that you encounter will be in one of these three formats:

- ◆ **Script application:** Some AppleScripts act much like an application. To use one, simply double-click it in the Finder, and off it goes to perform whatever tasks it was meant to do. Depending on an internal setting of the script, it might quit when it's finished doing its thing. Most often, the script completes its mission and quits. Scripts are typically identified by the icon that you see in Figure 2-1.
- ◆ **Compiled script:** You might also encounter AppleScripts that won't run without the aid of another application. Apple calls these *compiled scripts*. Although they're not able to execute on their own, they do have the abilities of a script built in. They just require a host application to use them.

## DropBooks



**Figure 2-1:**  
A typical  
script icon  
caught by  
the camera.

- ◆ **Text file:** In addition to compiled scripts and those that act like applications, a third category of AppleScript that you might encounter is a script stored in a text file. Scripts that are stored in a text file also need a host application before they'll do anything. The main difference between a text file script and a compiled script is that you can read a text file script with any application that can open a text file.

### *The Script Editor application*

Two of the three possible script types (compiled scripts and text files) require some sort of host application before they'll perform any action. Luckily, Mac OS X provides you with just such a host: the AppleScript Script Editor application, which comes with Mac OS X and can execute any AppleScript with ease. With the Script Editor, you can also do much more, including


- ◆ View or modify an AppleScript
- ◆ Create a new AppleScript
- ◆ Check an AppleScript for errors
- ◆ Save scripts in one of the three possible formats

To launch the Script Editor application, navigate to the AppleScript folder (choose Applications⇨AppleScript⇨Script Editor) and double-click the Script Editor icon. The Script Editor application displays an empty, script-editing window, as shown in Figure 2-2.



## DropBooks

**Figure 2-2:**  
The improved Script Editor slices, dices . . . even checks syntax. Order now!



### Executing a script

After you have the Script Editor application running, you can run any AppleScript that can you find. To get you started, Apple has conveniently provided a handful of useful scripts. Navigate to the Scripts folder, which is located in the Library folder.



TIP

The scripts are divided into folders based on functionality, such as fonts, mail, color, and navigation. Figure 2-3 shows the script categories that Apple provides with Mac OS X.



REMEMBER


For example, open the Internet Services folder, where you'll find a script named `Current Temperature by Zipcode.sct`.

You need an active Internet connection to test this script.

Double-click the script to open it. Because it's a compiled script and not an application script, the Script Editor automatically loads the script and comes to the foreground. This particular script prompts users for their ZIP code and then displays the current temperature, which it retrieves from a Web site. To see the script in action, click the Run button (see Figure 2-4) or press  $\text{⌘}+\text{R}$ .

# DropBooks

**Figure 2-3:**  
Your Scripts folder contains many sample scripts with which you can experiment.



**Figure 2-4:**  
Click the Run button to execute a script that's loaded in the Script Editor.



## Writing Your Own Simple Scripts

# DropBooks

Using someone else's scripts is fun and all, but the real joy of AppleScript comes when you create your own. Not only can you customize a script to your own needs and desires, but saving all those keystrokes can really produce a feeling of euphoria. (Okay, perhaps just Panther power users will actually experience a heightened sense of existence . . . you'll be there soon.)

### Create a script without touching a key

You needn't wear a pocket protector or tape the bridge of your glasses to become proficient with AppleScript — in fact, the Script Editor can get you up and running with AppleScript in no time at all. The secret weapon of the AppleScript author is the Record function of the Script Editor. You click the Record button, perform one or more actions in a recordable application, and then return to the Script Editor where you click the Stop button. The Script Editor stores each of your actions and compiles the whole list into an AppleScript.



*In theory*, this is how it should all work, but in reality, finding recordable Macintosh applications is not always so easy. The Finder is, perhaps, the most recordable application on the Mac. Although some other applications support recording, so few do that the Finder could be the only recordable application most Mac users ever see.

To try it yourself, do the following steps to automate actions in the Finder:

**1. Bring Script Editor to the foreground.**

If Script Editor isn't currently running, double-click its icon in the Finder. If it is running, click its icon in the Dock.

**2. Create a new script by pressing ⌘+N.**

**3. Click the Record button.**

The Record button is one of four buttons positioned near the top left of a new script window.

**4. Switch to the Finder and perform the actions that you want to automate.**

When the Finder is active, you can select some icons on the Desktop and move them around, resize any open Finder windows, or navigate to your home directory. Any action that you perform in the Finder should be acceptable fodder for the Script Editor. As you perform tasks in the Finder, the Script Editor automatically generates a script that replicates your actions.



### 5. Return to the Script Editor and click the Stop button.

To reactivate the Script Editor, click its icon in the Dock. Click the Stop button to cease the recording of your script.

When you're finished, you should be looking at a complete AppleScript. To test your work, return to the Finder and revert any icons or windows that you might have moved or repositioned. (You don't want to run a script that doesn't appear to have any effect.) Then return to the Script Editor and click the Run button to watch your automated Finder tasks being performed.

### *Building your own scripts*

An AppleScript novice can perform all kinds of amazing feats with the recording features of the Script Editor. Because AppleScript uses a kind of pseudo-English language, it's usually pretty easy to figure out what's going on behind the scenes. Consider the following script for an example:

```
tell app "Finder"
  activate
  set windowList to every window --save list of open windows
  repeat with theWindow in windowList
    tell theWindow
      if collapsed is true then
        --do nothing, because the window is collapsed
      else
        set collapsed to true
      end if
    end tell
  end repeat
end tell
```

(By the way, in the preceding code, I bolded the commands we'll be working with, but they don't have to be bolded for the script to work.) Anyway, the first thing that you might notice about this script is the first line: the `tell` command, which indicates that this script relates to the Finder. This script activates the Finder, creates a list of open windows, and then examines the state of each window: Is it collapsed or not collapsed? (In Mac OS X, a *collapsed*, or minimized, window appears in the Dock.) If the window is already minimized and in the Dock, nothing happens, and the script continues through the list of windows. If the window isn't minimized, the script collapses it. This continues until the script has examined all open windows. The end result? All open windows end up minimized in the Dock.

Another thing to note about this script is that it has two comments in it (`save list` and `do nothing`). Comments can help you remember what you were thinking months later when you open the script again. Although

comments help us humans know what's happening, they don't really have any other function. An AppleScript comment begins with two dashes (--).

Here's a big-time Mark's Maxim that every script author should remember:

**Comments are your friend!™**

## One Step Beyond: AppleScript Programming

Creating AppleScripts can soon become very involved, bordering on programming. Don't let that term *programming* scare you away, though. You needn't be a software developer to take advantage of AppleScripts. Apple provides a lot of help to get you started along the AppleScript trail.

### Grab the Dictionary

Perhaps the greatest resource for AppleScript novices and experts alike is the AppleScript Dictionary. Although many applications are scriptable, not all are. To be scriptable, an application must contain an AppleScript Dictionary. An AppleScript Dictionary details the various commands and objects of an application that you can access via AppleScript.

The Script Editor application allows you to peer inside an application and view its AppleScript dictionary. To open an application's Dictionary, choose File⇨Open Dictionary. Mac OS X searches through your installed applications and presents you with the Open Dictionary dialog, as shown in Figure 2-5, which lists all applications that have a dictionary and are therefore scriptable.




If you don't see your favorite application in the list, alas, it's probably not scriptable. To make certain, click the Browse button and select the application in question.

After you select an application, the Script Editor displays that application's AppleScript Dictionary. An application's dictionary lists all the features of that application that are scriptable.


Scriptable features are divided into categories, called *Suites*, which you can see on the left side of the AppleScript Dictionary. Every Mac application is supposed to support the Standard Suite, which lists common terms that most applications should support.

Click an item in the Suite on the left side of the Dictionary to view detailed information about its capabilities, as shown in Figure 2-6.

# DropBooks



**Figure 2-5:**  
Choose  
File⇒Open  
Dictionary  
to view a list  
of scriptable  
applications.



**Figure 2-6:**  
Select an  
item in a  
Suite to  
view details  
about its  
capabilities.

By surveying the various Suites of an application, you begin to see what tasks you can automate. The Finder, with its huge AppleScript Dictionary, is perhaps the most scriptable of all applications.

## DropBooks

### *Anatomy of a simple script*

Although a full discussion of AppleScript programming is beyond the scope of this book — after all, we have other things to talk about, too — that doesn't mean that you can't produce some quick and useful scripts. Most AppleScripts begin with a command that addresses the application that you want to automate. Enter this command into a new AppleScript document, which you create by pressing **⌘+N**.

```
tell application "Finder"
```

This is like saying, “Hey, Finder, listen up! I'm going to send commands your way!” The double quotes surround the application name that you're addressing in the command.

Similarly, after you finish instructing the Finder what tasks you want performed, you must also tell it to stop listening. As such, typical scripts end with

```
end tell
```

With the shell of a script in place, all you have to do is add commands in between the `tell` and `end tell` commands of the script. If you want your script to force an application to the foreground, an `activate` command is usually the first line within the shell of your script.

```
tell app "Finder"  
  activate  
end tell
```

Believe it or not, this is technically a complete and valid script! It doesn't do much, though, so add some more functionality to make it accomplish something worthwhile. For example, suppose that you would like to perform some housekeeping chores each time that you log in to your Macintosh. Some desirable tasks might include

- ◆ Emptying the Trash
- ◆ Cleaning up the Desktop icons
- ◆ Having your Mac say “Hello!” to you

(Okay, I'll grant that hearing your Mac say "Hello!" isn't a housekeeping chore, but it makes the whole script that much more fun — and really impresses your visitors, too. No one ever said programming had to be boring!)

To add these functions, you can do so by using a language you already know: English. As I mention earlier, Apple tries (and sometimes succeeds) to make AppleScript as English-like as possible. That way, you don't have to learn some silly computer language; just use your native tongue. For example, to empty the Trash, tell the Finder to do so.

```
empty trash
```

Similarly, cleaning up the Desktop is a no-brainer.

```
clean up desktop
```

The trickiest line of code might be the speech, and that's only because you need to remember to add quotes. AppleScript thinks that anything without quotes is an AppleScript command.

```
say "Hello!"
```

The result is a super-simple script that anyone can read but that performs several powerful functions. The completed script looks like this:


```
tell app "Finder"  
  activate  
  empty trash  
  clean up desktop  
  say "Hello!"  
end tell
```

When you've completed the script, choose File⇨Save to save your script. The Save dialog appears, which is shown in Figure 2-7. Because you want the script to execute and then quit, use the Form field to save it as an application. Also, make sure that the Stay Open check box is disabled and that the Startup Screen check box is disabled. And don't forget to name your script in the Save As text field.


To have the script automatically run each time you log in to your Mac, save the script anywhere that you wish. (Assign its home folder in the Where field of the Save window.) Open System Preferences by clicking its icon in the Dock, click the Accounts icon, and then click Startup Items. Click the Add button (which proudly bears a plus sign) and navigate to your script in the Open dialog that appears. After you click the Add button of the Open dialog, you'll see the script in the Startup Items window. Figure 2-8 illustrates the Startup Items list after a new script called My Housecleaning Script has been vigorously added.



# DropBooks



**Figure 2-7:** Save your script as an application so that you can run it again later.



**Figure 2-8:** To launch scripts at login, add them to the Startup Items in System Preferences.

## *Help Is at Your Fingertips*

# DropBooks

If you would like to explore AppleScript further, you have many resources on hand. Sometimes the easiest way to use AppleScript is to copy existing scripts and modify them as necessary; other times, it's a good idea to read the documentation included in Apple's Help system. Whichever approach you use, with a little practice and guidance, you'll soon be doing stupendous tasks with your Mac.

### ***Built-in AppleScript Help***

The most readily available AppleScript reference is built into Mac OS X. Choose Help⇨Mac Help to launch the Mac OS Help Guides from the Finder or choose Help⇨Script Editor Help from the Script Editor. This is a great place to begin your AppleScript exploration. It includes detailed documentation about the AppleScript language and loads of demonstration scripts for you to try (or alter) yourself.

### ***AppleScript on the Web***

In addition to the built-in AppleScript help in the Finder, the Internet has much to offer in the way of AppleScript training and examples. Like so many other excellent Web resources, AppleScripts are free!

#### ***Apple Computer***

The first place on the Web that you should visit for AppleScript help is the Source of All That Is Good, also called the Mother Ship: Apple Computer. Although the built-in OS X help offers a lot, the Apple Web site offers even more scripts, tutorials, and general AppleScript goodness. You can even find a list of all known scriptable applications, which can save you from searching for them with Script Editor. Furthermore, the site maintains an extensive list of links to other useful AppleScript sites.

[www.apple.com/applescript/](http://www.apple.com/applescript/)

#### ***ResExcellence***

For the hacker in all of us, ResExcellence sports many unique system tweaks, modifications, and outright hacks. Among the ResExcellence bag of tricks is an extensive list of AppleScripts for you to download. Although not geared strictly towards AppleScript, ResExcellence offers many excellent scripts for customizing your Desktop, doing things you didn't think possible, and generally making your Macintosh experience more fulfilling.

[www.resexcellence.com/applescripts/index.shtml](http://www.resexcellence.com/applescripts/index.shtml)

### *MacScripter.net*

MacScripter.net devotes its site to all Macintosh scripting. Because AppleScript is such a huge part of scripting the Mac OS, you can be certain that there's something here for you. Besides offering up-to-date news on scripting for the Mac OS, MacScripter.net also gives you access to many scripts, information about scripting books, as well as details on Apple's new AppleScript Studio software, which lets you create AppleScripts with interfaces. The sheer volume of information at this site makes it one you shouldn't skip.

[www.macscripter.net/](http://www.macscripter.net/)



Not all AppleScripts are created equal! When downloading scripts from the Internet, make sure that they are compatible with Mac OS X 10.3. Although the majority of scripts made for Mac OS 9 will also work with Mac OS X, some simply won't. The converse is also true. Sometimes a script is meant solely for use with Mac OS X.

# DropBooks



# DropBooks

## Chapter 3: Forget Hal! Talking and Writing to Your Macintosh

---

### *In This Chapter*

- ✓ Using handwriting recognition to control Mac OS X
- ✓ Speak to your Mac
- ✓ Your Mac speaks back

**I**f you're a hunt-and-peck typist — leaving you certain that there *must* be some better way to get information into your computer — you'll be happy to know that Apple has you in mind. Since the very first Mac rolled off the assembly line, Apple has had a keen interest in alternative modes of interaction between human and machine. Mac OS X continues in this tradition of alternative computer controls, offering two options for controlling Mac OS X without the keyboard: handwriting and speech.

- ◆ **Handwriting:** By using a pen and computer tablet, you can enter text into your Mac by simply writing as you would on a sheet of paper.
- ◆ **Speech:** Talk to your Mac to make it listen and obey your commands. It even talks back!

This chapter guides you through the various options that you have for controlling your Macintosh without using the keyboard. First, I cover the Mac OS X Inkwell feature, which you use to write on a tablet to enter data into your computer. (Although it sounds a bit ironic, think of Inkwell as your “digital paper” for the new millennium.) Whatever you write on the tablet appears on the screen as text.

I also take a look at the more space-age speech capabilities available to you in Mac OS X — by using your voice, you can command a Macintosh to perform all sorts of interesting feats. And just so you don't get lonely, the Mac will even talk back to you. (Now you can control your computer just like Spock from *Star Trek!*)

So, scoot away from your computer, lean that chair back, and let your Mac take care of the rest.

## Using Ink with a Tablet

# DropBooks

Typing on a keyboard can be a tedious and error-prone experience for even the best typists. To help out, Apple added some useful handwriting features to Mac OS X. Based in part on some of Apple's handheld software for the *Newton* (one of the first personal digital assistants [PDAs], and a product released before its time), the handwriting recognition in Mac OS X gives you the ability to write text on a compatible tablet for use in your favorite applications.

The basic process of working with handwriting on Mac OS X goes like this:

- 1. Attach a tablet to your Mac.**

Most tablets use a Universal Serial Bus (USB) connection, so connecting one to your computer is as simple as plugging in the cable from your tablet to the USB port on your Mac.

- 2. Write on the tablet with the stylus that accompanies it.**

A stylus is the name given the fake “pen” that accompanies most tablets. A stylus doesn't have any ink in it: It's just a pen-shaped tool with a plastic tip meant for writing on a tablet.

- 3. Your Mac interprets your handwriting.**

After your Mac recognizes the handwriting, it sends that text to the foremost application at the cursor location where you would normally type with the keyboard. You're spared the whole training bit, too.

You aren't restricted to writing just text on the tablet, naturally. You can use it to control the interface of your Mac as you would a mouse. A tablet also works great for graphics applications like Procreate Painter and Adobe Photoshop. Many artists are frustrated when drawing with a mouse; but when you use a tablet, you can feel right at home with the natural pen or brush movements that you've always used.

Although Inkwell pretty much takes care of preparing your Mac for handwriting recognition, it does offer you a few settings in the Inkwell panel within System Preferences. To view the System Preferences, click the System Preferences icon in the Dock. From there, click the Inkwell icon to adjust settings for your tablet.

If you don't have a tablet connected to your Macintosh, you won't be able to view the System Preferences pane for Inkwell. Mac OS X is smart enough to only show you the settings for your current hardware setup.



## Computer, Can You Hear Me?

# DropBooks

Remember that classic scene from the movie *Star Trek IV: The Voyage Home* where Scotty picks up the mouse on a Macintosh and tries to talk directly to the computer? Since the very early days of the Mac OS, Apple has included some form of speech recognition in their computers. Mac OS X continues to improve on speech recognition by offering a host of tools that let you get more work done in a shorter amount of time. (We're not to that point yet, Scotty, but we're working on it.)

The Speech Recognition features of Mac OS X let you speak a word, phrase, or sentence. After you've spoken, your Mac goes to work translating what you said — and if it understands the phrase, it then performs an action associated with that phrase. The great part about this system is that you can say any phrase in continuous speech and have your Mac perform any sort of action that you can imagine. In fact, you aren't limited to just one action: You could perform dozens of actions upon speaking a particular phrase.

Before you get started using Speech Recognition, you need a microphone to get sound into your Mac. Many current desktop Macintosh models (and all portable models) have a built-in microphone — for example, if you use one of the flat-screen iMacs, your microphone is built into the monitor. (Look for a little hole at the bottom-left corner of your monitor.) PowerBooks and iBooks have a similar microphone built into the screen. On the other hand, if you use a desktop machine, you need to purchase a microphone and connect it to the rear of your Macintosh by plugging it into the microphone jack.



If you're looking for the best quality audio input from your microphone for use with iChat AV, check out a microphone with a USB connection — you'll get far better sound quality than a microphone that connects to your analog jack.

### *The Speech Recognition tab*

To get started with Speech Recognition in Mac OS X, open the System Preferences window by clicking its icon in the Dock and then clicking the Speech icon. This brings up the Speech panel, as shown in Figure 3-1.

You'll find that three tabs comprise the speech settings of Mac OS X:

- ◆ Speech Recognition
- ◆ Default Voice
- ◆ Spoken User Interface

## DropBooks

**Figure 3-1:** The Speech panel is the place for adjusting Speech Recognition settings.



In this section, I'm only concerned with the Speech Recognition tab. Later, in the section "Your Mac Talks Back!," I explore the other two tabs.

The Speech Recognition tab consists of three sub-tabs:

- ◆ **On/Off:** No great mental leap on this one. From this tab, you can switch Speech Recognition features on and off. It lets you adjust some of the Speech Recognition settings as well.
- ◆ **Listening:** The Listening tab provides a number of settings that control how your Mac listens to Its Master's Voice. (Meaning you, dear reader.) From here, you can set the sound input, adjust the key on the keyboard that toggles speech recognition on and off, change microphone and volume settings, and name your computer. (You *do* want to call your computer by name like any techno-wizard, don't you?)
- ◆ **Commands:** When Speech Recognition is active, your Mac can understand any number of commands. In the Commands tab, you tell the Mac what type of command it should expect you to give. You can also specify whether you will be giving the commands word-for-word or whether your Mac should be prepared to interpret paraphrasing.

Are you wondering about the Recognition System drop-down list box? Don't fret: At the time of this writing, the only available system was Apple Speakable Items.



### The On/Off tab

The On/Off tab, as shown in Figure 3-2, allows you to start and stop Speech Recognition in Mac OS X.



When you mark the On radio button, the Speech Recognition Feedback window appears on your screen, floating above all other windows. Learn this face well because the Feedback window (as shown in Figure 3-3) is your friend and partner — if you use Speech Recognition often, it'll become a constant companion on your Desktop. (More on it in the next section.)

When Speech Recognition is active, your Mac listens for whatever phrases appear in your Speakable Items folder (a directory on your hard drive that holds a number of scripts). The On/Off tab allows you to view the contents of this folder. When you speak a phrase that matches one of these filenames, your Mac automatically executes that script. The script can perform any number of actions, which is what makes Speech Recognition so powerful. Apple includes a large number of scripts with Mac OS X, but you're free to create your own, too.

To view the contents of the Speakable Items folder, click the Open Speakable Items Folder button. The Finder comes to the foreground and navigates to the folder that holds the scripts. This is handy because each item in the Speakable Items folder is speakable.



**Figure 3-2:** Use the On/Off tab to toggle speech recognition on and off.

**Figure 3-3:**  
Fail good  
Feedback  
window!



To the left of the Open Speakable Items Folder button is another button: Helpful Tips. Click it to get some pointers on how to get the best performance from your microphone.

At the bottom of the On/Off tab is the When a Command Is Recognized section. When your Mac comprehends one of your stentorian commands, you can set it to respond by playing a sound, speaking a confirmation, or both. This is helpful when you're not sure whether your Mac understands you. One hundred percent recognition is not a reality on any computer at this point, so sometimes it helps to have any feedback that you can get — otherwise, you might feel silly shouting at your machine while it sits there doing nothing. (Or perhaps not, if you're into really cheap anger management.)

### *The Listening tab*

The second section of the Speech Recognition panel is the Listening tab, as shown in Figure 3-4. From this tab, you can control how you turn listening on and off. You can choose between two styles of listening with the Listening Method options:

**Figure 3-4:**  
Use the  
Listening  
tab to  
determine  
when your  
Macintosh  
listens to  
your  
speech.



## DropBooks

- ◆ **Listen Only While Key Is Pressed:** Speech Recognition only works while the designated key is held down.
- ◆ **Key Toggles Listening On and Off:** Press a key to turn listening on. When you're finished speaking, press the key again to cease listening.

To change what key must be toggled or held down, click the Change Key button.

While your computer is listening for your spoken commands, you might want to preface each command with a word. For example, instead of saying, "Empty the Trash!," you might prefer, "Computer, empty the Trash!" This adds a little bit of personality to the interaction and also gives your computer a slightly longer time to react to your command. (As a general rule, the longer the spoken phrase, the more likely your Mac will understand it.) Below the Listening Method section of the Listening tab resides the name by which you'd like to address your computer. You can also choose to address your computer by name all the time or only sometimes. These settings are located in the Name Is pop-up menu.

Finally, you can select the microphone that you want to use from the bottom of the Speech Recognition tab — a great feature if you have more than one microphone connected to your Mac.

### *The Commands tab*


The Speech Recognition features of Mac OS X are not restricted to items in the Speakable Items folder. Any application that supports Speech Recognition is also fair game for your verbal manipulation. To control commands within other applications, use the Commands tab, as shown in Figure 3-5. Here you can enable the following check boxes:

- ◆ Address Book
- ◆ Global Speakable Items
- ◆ Application Specific Items
- ◆ Application Switching
- ◆ Front Window (requires that you activate assistive devices in the Universal Access panel within System Preferences)
- ◆ Menu Bar (requires that you activate assistive devices in the Universal Access panel within System Preferences)

Mark any one of these options to allow your Mac to listen to those kinds of commands.

## DropBooks

**Figure 3-5:**  
The  
Commands  
tab lets you  
pick and  
choose  
which  
phrases  
you'd like  
your Mac  
to hear.



### *The Feedback window*

After you activate Speech Recognition, you'll instantly see a Feedback window. The Feedback window, as shown in Figure 3-6, is the small round window that floats above all applications — you can click and drag the edge of the window to position it anywhere on your Desktop.


The Feedback window includes controls and displays of its own:

- ◆ **Microphone Level Meter:** The Feedback window displays indicators to let you know how loud the input to your microphone is.
- ◆ **Visual Indicator:** The Feedback window displays visual feedback to let you know what mode it is in: idle, listening, or hearing a command. Refer to Figure 3-3 to see an example of a Feedback window in listening mode. (**Note:** When there are no arrows on either side of the microphone, this indicates listening mode.) Figure 3-6, with its microphone flanked by arrows, indicates that the computer is hearing a command spoken. When Speech Recognition is idle, no arrows are present, and the microphone is grayed out.
- ◆ **Quick-access Menu:** You can quickly access the Speech preferences for the System or view the Speech Commands window. Just click the downward-pointing arrow at the bottom of the Feedback window, and a menu appears giving you one-click access to both.

As soon as you disable speech recognition in the System Preferences, the Feedback window disappears.

**Figure 3-6:**

The Feedback window provides... well... visual feedback during speech recognition.



Microphone Level Meter

## The Speech Command window

Because Speech Recognition might be listening for different sets of commands from the Finder or many other applications, Mac OS X provides you with a single listing of all commands that you might speak at any given time: the Speech Commands window. To open the Speech Commands window, click the triangle at the bottom of the Feedback window and choose Open Speech Commands Window from the menu that appears (see Figure 3-7).

The Speech Commands window is a simple one, but it serves an important purpose: to let you know what commands Mac OS X understands. The Speech Commands pane, as shown in Figure 3-8, organizes commands into categories that match the settings in the Speech pane of the System Preferences.

If you launch another application that supports Speech Recognition, Mac OS X adds that application's commands to the Speech Commands window. Speak any of these commands to make your Mac execute that function. For example, Mac OS X ships with speech commands for Address Book, such as "Mail To" and "Video Chat With."


**Figure 3-7:**

Open the Speech Commands window from the Feedback window.



## DropBooks

**Figure 3-8:**  
The Speech  
Commands  
window  
lists the  
commands  
that Speech  
Recognition  
under-  
stands.



## *Your Mac Talks Back!*

Mac OS X is great at listening to your speech, but the fun doesn't stop there . . . your Mac can talk to you, too! By using one of the many available voices, you can make your computer talk or even sing. (Not as well as Sinatra, but better than Bob Dylan.) And although Speech Recognition lets you speak to your Macintosh, *text-to-speech* (or TTS, as the engineers call it) gives your Mac the ability to speak text. This is an especially useful feature because it lets you listen to your e-mails, Web pages, or even your homework — sometimes the eyes need a break. Text-to-speech gives you the opportunity to lean back in your chair or even get up and walk around while still using your Macintosh.

Like Speech Recognition, you can adjust text-to-speech settings by using the Speech pane of the System Preferences. The Speech pane has two tabs that pertain to text-to-speech.

- ◆ **Default Voice:** Lets you choose a voice for your Macintosh
- ◆ **Spoken User Interface:** Permits you to automate some text-to-speech functions in Mac OS X

### *The Default Voice tab*

The text-to-speech engine that comes with Mac OS X has a collection of many different voices from which to choose; some voices are male, some are female, and some aren't human at all. To select your Mac's voice in Mac OS X, follow these steps:

1. Open the System Preferences by clicking its icon in the Dock.
2. Click the Speech icon to display the Speech dialog, where you can change a number of Speech settings.
3. Click the Default Voice tab, as shown in Figure 3-9, to reveal the voices available to you.

On the left side of the Default Voice tab is the list of voices from which you can choose. When you select a voice, it speaks a sentence as a demonstration of that voice. Above the Play button is a slider for adjusting the speed of the speech. Move the slider to the right to increase the speed at which your Mac speaks and to the left to slow it down.

Each voice has a set of characteristics associated with it. When you select voices, their properties appear in the top right of the Default Voice tab.

- ◆ **Language:** If you're reading this book, you'll probably see English here.
- ◆ **Gender:** Male, Female, or *Other* (robots or other non-living entities).
- ◆ **Age:** How old is this voice, anyhow?
- ◆ **Description:** This is usually some cryptic title that is connected to the history of speech on the Macintosh. You can usually ignore this field.



For what it's worth, Bruce, Victoria, Kathy, and Ralph have some of the more intelligible (human-sounding) voices of the bunch. (I'm a Bruce kinda guy myself.)



**Figure 3-9:** The Default Voice tab displays many voices that Mac OS X can use to speak.

## The Spoken User Interface tab


After you select a voice, you have a variety of ways to make your Macintosh speak to you. The first one that you should check out is on the Spoken User Interface tab (see Figure 3-10) — here you can set your Mac to speak automatically based on some simple rules.

The two sections on the Spoken User Interface tab are Talking Alerts and Other Spoken Items.

### Talking Alerts

Every Mac owner has run into an Alert dialog. (Alert dialogs are typically accompanied by a select group of words — better left unspoken — from the person behind the keyboard.) An Alert dialog usually displays some kind of icon from the following list:

- ◆ **Stop sign:** Indicates that something particularly important requires your attention — usually an error or a dire warning.
- ◆ **Yield sign:** Signals that you should cautiously proceed; not as severe as the Stop sign, but important nonetheless.
- ◆ **Notification:** Looks like the profile of a person speaking; displays an informative message, but not a warning. You could use this feature, for example, to have a calendar application alert you when you have a meeting or a deadline.



**Figure 3-10:** Use the Spoken User Interface tab to automate some speech tasks.



## DropBooks

The Talking Alerts section of the Speech pane in the System Preferences specifies what your Mac speaks whenever an Alert is showing. You can choose to have your Mac speak a specific phrase or the contents of the Alert dialog by selecting one of the check boxes at the top of the tab. In the Talking Alerts Voice drop-down list box, you can select a voice that is specific to the Talking Alerts — it only applies to Talking Alerts. Use the Wait Before Speaking slider to control the increment of time that Mac allows to pass before it speaks. To hear what your Talking Alert settings will sound like in use, click the Demonstrate Settings button.



If you click the Demonstrate Settings button and don't hear anything right away, remember that it won't begin speaking until the time has elapsed that you set with the Wait Before Speaking slider. To hear the Talking Alerts speak as soon as you click the Demonstrate Settings button, move the slider to 0 (zero).

### Other Spoken Items

In addition to Talking Alerts, you can allow your Mac to speak when other actions occur. The Other Spoken Items section of the Spoken User Interface tab is where you make these settings. Your Mac can speak in the following circumstances:

- ◆ **Announce when an application requires your attention:** In case you have your Dock hidden from view, it's not always clear when an application needs your attention. In these instances, Mac OS X will grab your attention via speech.
- ◆ **Read the text that's directly under your mouse:** If you have trouble reading the text in word processing documents or Web pages, your Mac can read whatever text is below your mouse.
- ◆ **Read a selection of text when you press a particular key:** If you have a child who is learning to read, the Mac can help them by reading a selection of text. Kids can learn how to drag and select text often more quickly than they can read that text.



Apple might be a big, serious, computer company — yeah, right — but it isn't without a humorous side! With Speech Recognition enabled, say the phrase, "Tell me a joke." Your Mac will reply with a random joke. Say it again, and your Mac will tell you another joke. (Brace yourself, these jokes were likely written by Windows users . . . they're really, *really* bad.)

## *Speaking Your Own Phrases*

# DropBooks

Because the speech engine is an integral part of Mac OS X, you can make your Mac speak whatever text you tell it to by using applications, services, and even AppleScript. This is useful for a variety of purposes: for example, listening to your Address Book, hearing a Web page read to you, or even getting your Mac to call you by your first name.

### *Speaking text through applications*

One of the simplest ways to hear spoken text in Mac OS X is by using the TextEdit application. *TextEdit* is a simple text processor that accompanies every copy of Mac OS X. Besides its handy word processing features, TextEdit can also speak text. This is good for reviewing a document after you've written it by listening to it. To hear spoken text with TextEdit, follow these steps:

**1. Launch TextEdit from the Applications folder.**

To open the Applications folder, choose Go⇨Applications from the Finder. In the window that appears, double-click the TextEdit application.

This launches the TextEdit application and opens a new document.

**2. Enter some text.**

Either type some text on the keyboard or paste some into the document from the Clipboard. Here's a favorite example from this book's technical editor:

*Billy Gates has lots of cash*

*Lots of cash*

*Lots of cash*

*Billy Gates has lots of cash*

*I'd like \$10 please!*

**3. Choose Edit⇨Speech⇨Start Speaking.**

Your Mac will begin speaking the text from the document. The speech engine has some intelligence, so you can enter dollar amounts (such as \$25,423.12) or Roman numerals (such as Chapter XIV), and the speech engine will read them back in plain English. The result of these two strings would be "Twenty-five thousand, four-hundred twenty-three dollars, and twelve cents" and "chapter fourteen."

**4. Choose Edit⇨Speech⇨Stop Speaking.**

Your Mac will stop speaking. It will also stop speaking when it reaches the end of the text.

## Speaking text through services

Mac OS X introduced the new Services feature to Macintosh users, which are like miniature applications that are available to any application that supports Services. Located under the Apple menu, the Services menu lists all installed Services. To speak text from an application, first select that text. Then, choose *Application*⇨*Services*⇨*Speech*⇨*Start Speaking* to speak text from many applications (where *Application* is the name of the currently running application). This works great for doing things like

- ◆ Speaking a Web page aloud
- ◆ Reading your e-mail
- ◆ Listening to a speech you've written in Microsoft Word

As you might expect, choosing *Application*⇨*Services*⇨*Speech*⇨*Stop Speaking* ceases the banter emanating from your Mac's speaker.



Alas, not all applications are created equal. Some applications cannot access the Services offered in the Services menu — if you don't see *Speech* in the list of services, you're out of luck.

## Speaking text through AppleScript

Don't forget AppleScript, which offers a slew of interesting speech possibilities. (For everything you always wanted to know about AppleScript — well, almost everything — see the previous chapter.) With AppleScript, you can command your Mac to say all sorts of things — in fact, because AppleScript is *dynamic*, it can speak text that it doesn't know about at the time that you create the script. Truly techno-sassy!

For example, suppose that you want your Mac to speak the day of the week. Each day that you run the script, your Mac will speak a different phrase: the name of that day of the week. Launch the AppleScript Script Editor — you'll find it in the AppleScript folder inside your Applications folder — and type this example into the Script Editor window:

```
tell application "Finder"
    set today to weekday of the (current date)
    say (today as text)
end tell
```

This sort of task wouldn't be possible with TextEdit.

AppleScript works in conjunction with Speech Recognition, too. The Speakable Items folder holds various scripts that you can launch by using your own speech. (See the earlier section, "The On/Off tab," to find out more

about the Speakable Items folder.) Instead of simply double-clicking the previous script to hear the day of the week, you could save the script as an Application in the Speakable Items folder.

Be sure to give the script a descriptive name because that name is what you will speak to execute the script later. For example, save the script with a name like this:

```
What day is it?
```

Then, when you want to know what day it is, simply ask your Mac! If all goes as planned, your Mac should speak the result. With a little imagination, it's not hard to dream up some fun or useful ideas for AppleScript.



# DropBooks

# DropBooks

## Chapter 4: Hosting a Web Site à la OS X

---

### *In This Chapter*

- ✓ Creating your own Web site
- ✓ Using .Mac
- ✓ Hosting your own Web server
- ✓ Sharing files with FTP

**I**n the last ten years, surfing the Internet has gone from a nerd's hobby to a fun activity enjoyed by the whole family. For children and grandparents alike, Web surfing has become one of the world's most popular spectator sports — and at some point, you'll probably get the itch to become more involved. Everyone else has a Web site, so why not you?

Creating and hosting your own Web site can be a rewarding experience, and with some help from Apple and Mac OS X, it's a cinch to do. Whether you want to share your favorite eggplant recipes, display pictures of your purple car, or just post a résumé (with a purple background), Mac OS X has you covered in more ways than one. So put on your seat belts — you're now entering a strange world of servers, mysterious codes, and things that go bump in the Net. No need for alarm, though . . . Apple has made the topic so simple that even a politician can do it.

### *Building a Site with .Mac*

To get you up and running on the Web quickly, Apple offers a suite of online Web-publishing tools. The toolbox, collectively known as *.Mac*, gives you easy and fast access to a variety of Internet functions. A *.Mac* membership costs \$99.95 per year and offers the following features:

- ◆ **iCards:** Send customized electronic postcards via the Internet.
- ◆ **HomePage:** Build and edit your own Web site.
- ◆ **iDisk:** Disk space on Apple's servers for you to post a Web site or files. (This is where you'll be storing files for use in your own HomePage creations.)

## DropBooks

- ◆ **Online Backup:** Safeguard your data the right way — across the Internet, or to your Mac's CD recorder.
- ◆ **Address Book and iCal sharing:** Store and publish data from your local Address Book and iCal files.
- ◆ **Email:** Web-based e-mail for your Mac.com e-mail account.

### *Registering as a .Mac user*

You can visit Apple's home on the Internet to register as a .Mac user.

[www.mac.com/](http://www.mac.com/)



To register, you must create a username and password. The username that you select is an important part of the .Mac experience, so choose it carefully. Your username plays a part in your e-mail address, your Web address, your login name, and even the bar code on your forehead. (Okay, the bar code is a joke — for now, anyway — but the rest aren't.) Take a few minutes to carefully plan your .Mac username. It will save you some typing, be easier for your friends to remember, and, like a customized license plate for your car, can convey a certain personality to others on the Web.

### *Setting up your site with HomePage*


After you successfully register as a .Mac user, log in to the .Mac section of the Apple Web site, as shown in Figure 4-1. You can find it on the toolbar at the top of the Web page.

Then click the [Account](#) link in the lower portion of the toolbar. This takes you to the login screen (see Figure 4-2). Enter your username and password that you entered upon registration and click the Enter button.

After you're logged in, click the HomePage icon that appears at the left side of the page. *HomePage* is a complete publishing tool for building Web pages that's actually a Web site itself. HomePage lets you choose from a variety of styles that you can then apply to your Web site within a matter of seconds; because it's template driven, even non-techies can produce impressive-looking Web sites. After you finish designing your Web pages by selecting one of the premade templates, HomePage automatically posts them to your .Mac Web site.

The HomePage interface includes two sections: the Pages section and the Create a Page section. The Pages section (as shown in Figure 4-3) is where you manage the various pages of your site; here you can view a list of all pages on your site as well as password-protect any pages on your site. When you've completed your site, you can get spiffy and formal by sending an announcement to all of your friends from the Site section.

# DropBooks



**Figure 4-1:** Login from the .Mac tab of the Apple Web site.



**Figure 4-2:** Log into .Mac here.



**Figure 4-3:** Manage the pages of your HomePage Web site.

# DropBooks

In the Create a Page section, as shown in Figure 4-4, you can directly add a page to your site based on a variety of premade Web page templates. Apple offers a multitude of styles to suit your needs. Click any one of these styles to add it to your Web site. When you do, .Mac walks you through a series of questions that indicate what specific information, graphics, or movies you want on that Web page.




- ◆ **Photo Album:** Display your favorite photos and images for your friends and family.
- ◆ **File Sharing:** With HomePage, you can quickly post your favorite files for others to download.
- ◆ **Site Menu:** A top-level menu design that helps visitors navigate quickly around your site.
- ◆ **iMovie:** Post your home videos or iMovie creations on the Web. (To discover all about iMovie, read Book III, Chapter 4.)
- ◆ **Writing:** Want to update all those close and not-so-close relatives on your family's doings? Put out a newspaper, or an online diary.
- ◆ **Resume:** Looking for a job? A Web-based résumé is a handy tool for impressing prospective employers.
- ◆ **Baby:** When your bundle of joy arrives, it's a cinch to post photos of the new baby to your HomePage site. This works great for long-distance relatives because they can cyber-visit the hospital without leaving home. It also works well for keeping those curious aunts and uncles out of the delivery room.
- ◆ **Education:** Schools are depending more and more on the Internet. To help the student and the teacher, Apple provides several useful education-related pages for you to use, including event calendars, homework pages, and an online school newspaper.
- ◆ **Invite:** The Web makes for a great tool when it comes to delivering invitations. Gone are the hassles of standing in line at the post office, licking 300 stamps (What? You don't have 300 friends?), and cards lost in the mail. Send your guests a Web-based invitation. Your guests will thank you. The trees that you save will thank you. Moreover, your tongue will thank you. The post office, however, might not thank you, but why should it start now?

Keep adding pages to your site as you see fit. Each type of page has a different layout. If a page requires media like images or movies, for example, HomePage will automatically list all media available on your iDisk. You simply select the desired media file, and HomePage adds them to the current page. The following section elaborates more on iDisk.



## DropBooks



**Figure 4-4:**  
Add pages  
to your site.

After you complete your Web site, you access it by using a URL like this (with *your\_username* replaced with your actual username):

`http://homepage.mac.com/your_username/`


### Adding files with iDisk

If you create a Web page with HomePage that requires images or movies, you add them to your site by using iDisk. *iDisk* (see Figure 4-5) is a space on Apple's servers designated just for you, where HomePage stores the elements of your site when you add or change Web pages.



You aren't limited to iDisk access via HomePage: Simply choose the iDisk menu from the Finder's Go menu to mount your iDisk. (No need for a saddle — I explain more about mounting volumes in Book I.) When you mount an iDisk, it shows up as an icon on your Desktop, just like you might see when you insert a CD into your Mac. The icon for your iDisk, however, looks like a hard drive with a blue globe on top of it.

# DropBooks



**Figure 4-5:**  
Add to your  
Web page  
with iDisk.

With your iDisk mounted, double-click its icon to view its contents. Apple organizes iDisk with a handful of folders that correspond to the page types in HomePage; you can't delete or rename these folders, however. If you need an image for your photo album page, stick it in the Pictures folder. If you need a movie for your Web page, copy it to the Movies folder. When you return to HomePage, your files will now appear in the list of items that you can use in a Web page.

## *Creating a Home Page with HTML and iDisk*

For those folks who like driving a car without knowing what goes on under the hood, HomePage is perfect — use it to create and post Web pages without knowing what makes it all work. On the other hand, some folks are grease monkeys and like to get under the hood. If you're itching to see what goes on behind the scenes, Apple gives you a chance to get your hands dirty. You don't *have* to use HomePage to work on your Web site — if you're well versed in HyperText Markup Language (HTML), you can edit your Web page files on your iDisk just like you would any file on your hard drive.

Within your iDisk, open the Sites folder to see the various files that compose your Web page. If you're an old pro at HTML, you can add your own pages to your iDisk with your favorite text editor. In other words, the iDisk acts much

like any other disk that you're accustomed to using. (For all the inside information on iDisk, see Chapter 4 of Book IV.)

## DropBooks

### Using Mac OS X Web Sharing

With .Mac, Apple takes care of the Web server for you, but you aren't limited to .Mac: You have other options when it comes to posting Web pages. Mac OS X comes stocked with its own high-powered Web server, so you can run things without .Mac. Consider the advantages, won't you?

- ◆ **Privacy:** Everyone in the house wants access to the family phone book. You want all computers on your home network to see the telephone list but not the whole world. Posting it on the home network keeps it secure from prying eyes outside your home.
- ◆ **Your own domain:** Want a name like `www.size14feetphotos.com`? (Don't even think about it, I've already taken it.) Anyway, if you run your own Web server, you can arrange for your own domain name.
- ◆ **Speed:** Your friend needs a copy of your iMovies masterpiece for a class project. Rather than wait for you to post the file to your iDisk, he decides to download it directly from your computer.
- ◆ **Coolness factor:** It's fun, easy to do, and your mother will truly be proud. Seriously, it is fun and easy to run your own Web server. (And although your mother might not actually give a hoot, companies like employees who know useful skills; therefore, Web server stuff is good to know.)

### *I love Apache: Confessions of a UNIX Webmaster*

Deep in the guts of Mac OS X lies one of the most popular Web servers around: *Apache*, which turns your Macintosh into a full-featured Web server. The Apache Web server is well known around the world and comprises about half of all personal and commercial Web servers in use today. Yes, that's right! You have one of the world's most-used Web servers already installed on your Mac!

By now, you might be wondering what makes Apache so great — I won't keep you in suspense. Apache's first appealing feature is its price — absolutely free. *Free is sassy!* Free isn't any good without quality, though. Fortunately, Apache delivers in this aspect as well. It's extremely reliable — and combined with the crash-proof Mac OS X, you can be almost certain that your Web server will always be available. Besides being rock-solid and free, Apache sports all the features you'd expect from a top-notch Web server, such as techno-wizard integration with databases and scripting languages. Believe me, it can serve anything you throw at it.

## Configuring and running Apache


In addition to all its great qualities, Apache is dead simple to operate in Mac OS X. Open the System Preferences and click the Sharing icon; then mark the check box next to Personal Web Sharing to launch Apache. That's it! It doesn't get any easier . . . at least, when it comes to turning on Apache. (See Figure 4-6.)

To begin using your Web server, open a Finder window and navigate to the Sites folder that resides in your Home folder; this is the root of your personal space on the Web server. Any files that you add to this folder will be accessible via your Web server.



You might find a file named `index.html` already installed in the Sites folder. This is the default file for your Web site. To view it, open your favorite Web browser and load this URL, replacing `~username` with the username that you're currently using:

```
http://127.0.0.1/~username/
```



**Figure 4-6:** Start your Web server with only one click in the System Preferences.

## DropBooks




The 127.0.0.1 address is a generic Internet Protocol (IP) address, which means *self*. (In other words, your Mac is connecting to itself. Faintly unsettling, but absolutely legal.) You can also use your real IP address, which appears at the bottom of the Sharing panel in the System Preferences when you turn on Personal Web Sharing.

To see the Web page from another computer, you must use the real IP address. The 127.0.0.1 address is merely a convenience for use when you're using the actual machine that runs the Web server.

Because Mac OS X is a multi-user environment, each user can host a Web site. The key is the username found at the end of the URL; replace it with the appropriate username, and you're ready to go. If everything goes smoothly, you should be viewing the default Mac OS X Web page, as shown in Figure 4-7. The default page displays a welcome message and some important information for Web-sharing beginners. Make sure that you read the information carefully.

In addition to a main page for any individual that logs in, the Web server also has a global default page. To find the global default page, follow these steps:

1. Open a new Finder window.
2. Double-click the drive that contains your Mac OS X installation.
3. Choose Library → WebServer → Documents.



**Figure 4-7:** The default Apache Web page for your username greets you upon your first visit to the site.

Here you'll find dozens of HTML files. These files are the default global home pages for many different languages. For English versions of the Mac OS, this means that the file named `index.html.en` serves as the default home page for the server. To view this file in your browser, try this URL:


```
http://127.0.0.1/
```

This will display a Web page like the one shown in Figure 4-8.

### *Serving static information*

To change the default Web page, simply open it in your favorite HTML editor and start changing it. An *HTML editor* is an application that lets you lay out your Web page with what-you-see-is-what-you-get (WYSIWYG) ease. If you're familiar with a word processor, you're well on your way to using an HTML editor. Of the many HTML editors available, VersionTracker ([www.versiontracker.com](http://www.versiontracker.com)) will give you a good head start on finding some of the most popular ones.

You aren't limited only to HTML editors, of course. Many word processors support HTML export — I particularly like Microsoft Word — so it's a cinch to create Web pages with them by simply choosing File⇨Save As.



**Figure 4-8:** Besides the home page for each user, Apache also has a global server page.

If you already know HTML (Webmasters might say, “If you can bang out raw HTML code”), you can edit your Web pages by hand. Simply open the existing `index.html` file with a text editor like TextEdit or BBEdit ([www.barebones.com](http://www.barebones.com)). Choosing File⇨Open and change it to suit your needs. For example, a simple Web page might read like this:

```
<html>
<head><title>My First Web Page</title></head>
<body>

Welcome to my Web site!

</body>
</html>
```

If you're interested in improving your HTML skills, *HTML 4 For Dummies*, 4th Edition, by Ed Tittle and Natanya Pitts (Wiley Publishing, Inc.) makes a good starting point.

### ***Serving information dynamically***

It's cool to serve your own Web pages, but the fun doesn't stop there: Plain old HTML pages are handy for displaying the same information repeatedly. Computer Web-wizards call this type of information *static*. (That is, it doesn't change, so you can set it once and forget about it.)

Although static displays are good for things like your copy of the Magna Carta or sports stats from the past 20 years, they're not so great for data that changes a lot (usually referred to as *dynamic*, if you hadn't already guessed). Some good examples of dynamic information are the date, the time, your age, or the weather. If you were to display your age on a Web page by using only HTML, you'd only have to change it once every year. This isn't so bad, but consider what happens if you want to post the date on a Web page: Now you have to update the Web page once per day. Add the time, and now you're down to HTML changes every hour, minute, or second, depending on how reliable you want to make the clock. Clearly, you need something besides static HTML for dynamic information.

The Apache Web server allows you to use a variety of tools to produce dynamic Web pages. The most basic tool for serving dynamic data is the *Server Side Include*. The Web server executes a small piece of code in your HTML — then the Web server replaces that code with some text and sends the page to whomever requested it. The result is dynamic text in your Web page.

Adding Server Side Includes requires that you perform a few preparatory steps beforehand. To alter Apache settings, you must change text in its settings file. The file is named `httpd.conf` and is located here:

```
/etc/httpd/httpd.conf
```

You probably won't be able to find this file if you go searching for it in the Finder because it's a hidden file. Some text editors like BBEdit can open hidden files, but you might not have that on hand. You do have the Terminal application, though. Launch the Terminal by double-clicking its icon. (You can find it in the Utility folder that resides in your Applications folder.) Book VII, Chapter 1 has more information about the Terminal in case you need a refresher. At the prompt that appears, enter this command:

```
sudo pico /etc/httpd/httpd.conf
Password:
```

When prompted for a password, use a password of an administrator account on your machine. If you're the only user, this might be the password of the user that you're currently signed in as. Press Return, and you will be looking at the innards of the Apache setup file. There's a lot of what I call *Programmer Pig Latin* in this file, but don't be discouraged. Scroll down through the file (use the arcane UNIX Control+V key sequence) and look for this chunk of text:

```
# Note that "MultiViews" must be named *explicitly* --- "Options All"
# doesn't give it to you.
#
Options Indexes FollowSymLinks MultiViews
```

If you don't feel like scrolling through a bunch of text, you can jump to the text by pressing Control+W (shorthand for *where*), entering the text that you want to find (for example: *Options Indexes FollowSymLinksMultiViews*), and then pressing Return.

Whenever you find the desired text in the file, add the word **Includes** to the end of the last line of this text.

```
# Note that "MultiViews" must be named *explicitly* --- "Options All"
# doesn't give it to you.
#
Options Indexes FollowSymLinks MultiViews Includes
```

One thing that you might notice in this file is the many pound (`#`) characters. A pound character denotes a *comment*. If a comment character (`#`)



precedes a line, that line of text performs no function. You can use this to your advantage to turn settings on and off for the server. Add a pound character to the beginning of a line, and that function stops working. Remove the pound character, and the function works again. Continue scrolling through the `httpd.conf` file by using the arrow keys or the Control+W search trick, looking for the following:

```
# To use server-parsed HTML files
#
AddType text/html .shtml
AddHandler server-parsed .shtml
```

Make sure that no `#` characters precede the `AddType` and `AddHandler` lines. After you finish, press Control+O, press Return to save the file, and then press Control+X to exit the pico text editor. Now that you've edited Apache's settings, you have to restart it for the changes to take effect. Open the System Preferences and click the Internet tab. Deactivate Web Sharing and then reactivate it again.

Next, open your favorite text editor and add some text to a new file:

```
<html>
<head><title>My First Web Page</title></head>
<body>

Welcome to my Web site!<br>
Today's date: <!--#echo var="DATE_LOCAL" -->

</body>
</html>
```

The `<!--#echo var="DATE_LOCAL" -->` part is a Server Side Include. The server understands the "DATE\_LOCAL" message, and in its place, adds text that displays today's date. Save the text file and give it the name `index.shtml`.



Make sure that you include the `.shtml` extension. It's important for making the Server Side Includes work properly.

Save the file in your global Web folder, located here:

```
/Library/WebServer/documents/index.shtml
```

Finally, it's time to check out your handiwork . . . and rest your fingers from all this typing. Open a Web browser and navigate to the URL of your global Web folder:

```
http://127.0.0.1/index.shtml
```

The result should be a Web page that displays today's date. (I know, it's not particularly material for the Louvre at this point, but I think you can appreciate the possibilities.)

If you're not content with appending `.shtml` to your files to take advantage of Server Side Includes, you need to perform another step. When you view your Web site with a Web browser, it's customary to use default pages for a particular directory. For example, when loading the following URL:

```
http://127.0.0.1/
```

the server looks for a default page to load on the server because you didn't specify one. This is normally a file named `index.html`, which causes problems for Server Side Includes because they require a filename ending with `.shtml`. The easiest way to fix this is to tell the server that `index.shtml` can also be a default page. To fix this discrepancy, reload the Apache configuration file by using this command line:

```
sudo pico /etc/httpd/httpd.conf
```

If you perform this step within 15 minutes of your last `sudo` command, you won't have to re-enter a password. If it's been longer, you might have to enter the password — I told you in Chapter 1 of this mini-book that UNIX had sophisticated security, didn't I? Then scroll down through the `httpd.conf` file and find this bit of text:

```
# DirectoryIndex: Name of the file or files to use as a pre-written HTML
# directory index. Separate multiple entries with spaces.
#
<IfModule mod_dir.c>
    DirectoryIndex index.html
</IfModule>
```

**Change it by adding `index.shtml` to it:**

```
# DirectoryIndex: Name of the file or files to use as a pre-written HTML
# directory index. Separate multiple entries with spaces.
#
<IfModule mod_dir.c>
    DirectoryIndex index.shtml index.html
</IfModule>
```

Notice that `index.shtml` precedes `index.html`. This line indicates which filenames you can use for the default filename of any folder on the Web server. In this case, I'm forcing `index.shtml` as the default filename before `index.html`. This means that when you load a Web page from your server without specifying a specific file, Apache is going to look for a file named `index.shtml` in that folder first. If it can't find one, it looks for a file named `index.html`. With that change in place, press **Control+O** to write the file to disk and then press **Control+X** to quit the pico text editor. To see your work in action, load this URL with your Web browser:

```
http://127.0.0.1/
```

The result should be that your `index.shtml` page loads with Server Side Includes intact.

Server Side Includes can perform a few other simple functions besides the date, including

- ◆ `DATE_GMT`: Today's date in Greenwich Mean Time.
- ◆ `DATE_LOCAL`: Today's date in your local time zone. (You're already an expert with this one.)
- ◆ `DOCUMENT_NAME`: The name of document.
- ◆ `LAST_MODIFIED`: The date that this document was last modified.

To see them all in action, alter your `index.shtml` file to read like this:

```
<html>
<head><title>My First Web Page</title></head>
<body>

Welcome to my Web site! <br><br>
GMT date: <!--#echo var="DATE_GMT" --> <br>
Today's date: <!--#echo var="DATE_LOCAL" --><br>
Name of this document: <!--#echo var="DOCUMENT_NAME" --><br>
Last Modified: <!--#echo var="LAST_MODIFIED" --><br>

</body>
</html>
```

Reload your Web server's main page to see the results.

***Fancier dynamic stuff***

Another common use of Server Side Includes gives you a chance to remove chunks of your HTML files and put them into another file. (Sounds messy, doesn't it?) You might want to do this for HTML that will appear on each page of your Web site: For example, you might like today's date and the page's last modified date to appear at the bottom of any page of your whole Web site. Webmasters, being the sedentary, nerd-beast crowd that they are, don't want to type this information repeatedly for each HTML page that they create. Furthermore, they don't want to have to retype all that information for every file if it should change. What's a lazy techno-wizard to do? Server Side Includes come to the rescue!

The first step is to modify your main page: in this case, `index.shtml`:

```
<html>
<head><title>My First Web Page</title></head>
<body>

Welcome to my Web site!<br>
<!--#include virtual="footer.shtml"-->

</body>
</html>
```

You might notice that I removed all the Server Side Includes from before and added a new one. The new line

```
<!--#include virtual="footer.shtml"-->
```

tells the Web server to load the file named `footer.shtml` and dump its contents into `index.shtml` in place of this Server Side Include. Save this file.

Next, create a new text file. To the new file, add this code:

```
<center>
<hr width="50%">

Today's date: <!--#echo var="DATE_LOCAL" --><br>
Last Modified: <!--#echo var="LAST_MODIFIED" --><br><br>

</center>
```

If you're familiar with HTML, the first thing that might strike you is that this file doesn't follow proper HTML formatting — that's because this file is just a chunk of HTML that's going to be part of a fully formed HTML file, it

doesn't need the full treatment. Otherwise, this code is standard HTML with a few Server Side Includes tossed in for good measure. Just to spruce things up a bit, the text is centered with a small horizontal line above it. Save this file, giving it the name `footer.shtml`.

Now, whenever you want this footer to be at the bottom of any Web page on the server, add the `<!--#include virtual="footer.shtml"-->` line from before. Besides saving you time from reconstructing the footer each time in an HTML file, you only have to add one line of code, and Server Side Includes take care of the rest. Even better, you can alter the footer file whenever you want, and the changes appear in the HTML of every page that contains the footer.

### *When bad things happen to good Webmasters*

If you have browsed the Web for any time at all, you've no doubt stumbled across a dead link. This phenomenon occurs when you attempt to load a Web page that no longer exists on a particular server. If you were lucky and the server still existed, you probably saw a boring error message telling you that the page no longer exists. Apache provides default error messages like this for you, but that doesn't mean you can't improve the messages that your visitors see — a true power user eschews defaults when creativity kicks in!

Open your `httpd.conf` file for editing with `pico` like before.

```
sudo pico /etc/httpd/httpd.conf
```

Scroll through the file until you find the `ErrorDocument` directives.

```
# 2) local redirects
#ErrorDocument 404 /missing.html
# to redirect to local URL /missing.html
```

Whenever a server can't find a page, it produces a 404 error — also well known as “That Damn Screen” to Web surfers around the world. (Please excuse my clarity there.) In fact, the number *404* has entered popular slang, meaning *dead* or *broken*. Normally, Apache directs itself to a default error message, but by removing one comment (note the now-absent pound character at the beginning of the second line), you can specify which file you would like to display (in the form of a page for the viewer) in the case of a 404 error.

```
# 2) local redirects
ErrorDocument 404 /missing.html
# to redirect to local URL /missing.html
```

# DropBooks

Press Control+O to save the `httpd.conf` file and then press Control+X to exit `pico`. Now whenever someone comes across a missing Web page on your site, your server will redirect him to a file named `missing.html`. Of course, you also need to create this `missing.html` file. Use your favorite text editor to create a new HTML file. To it, add this code:

```
<html>
<head><title>Uh-oh!</title></head>
<body>

Holy Toledo! <br><br>

We can't find the page you requested. <br>
Would you like to <a href="index.shtml">return to the main page</a>?

<!--#include virtual="footer.shtml"-->

</body>
</html>
```

Save this file, giving it the name `missing.html`. Save it in your Web server's root directory.

```
/Library/WebServer/Documents/missing.html
```

Return to the System Preferences Sharing panel, click the Internet tab, and toggle Web Sharing off and on again. This will force your Web server to read in the changes to the `httpd.conf` file.

To test it out, load a URL that you know doesn't exist. Anything will do.

```
http://1270.0.0.1/some_missing_page_I_forgot_to_add.html
```

If you've configured things properly, you should see a personalized Web error page — this way, perhaps your visitor will chuckle instead of curse when a dead link is encountered.

# Index

## DropBooks Symbols and Numerics

- ~ (tilde), Terminal and, 619, 623
- 10/100/1000 Ethernet NICs, 477
- 1000 Mbps Ethernet, 477
- 802.11 IEEE standard, wireless networks, 520
- 802.11a IEEE standard, 522
- 802.11b IEEE standard, 521–522
- 802.116g IEEE standard, 523

## A

- AAC files
  - definition, 284
  - playing, 286–287
- Abstract background group, 191
- accessibility, Universal Access preferences, 235–236
- account setup
  - adding Mail accounts, 410–412
  - deleting Mail accounts, 412
  - editing existing Mail accounts, 412
  - enabling/disabling Mail accounts, 425
  - file sharing, 493–495
  - .Mac account (Mail), 409
  - upgraded Mail accounts, 409
- accounts
  - adding multi-user access, 245–248
  - configuring keychains, 256–258
  - deleting multi-user access, 250
  - displaying keychains, 255–256
  - editing multi-user access, 248
  - keychains, 255
  - limiting multi-user access, 250–254
  - security settings, 211
  - types, 238
- Accounts panel (System Preferences), 227–228
- Acrobat Portable Document Format (PDF), Quartz Extreme and, 13–14
- action button, Finder window toolbar, 174
- activating hot corner (screen savers), 206
- Active Screen Corners (Exposé preferences), 207–208
- activity light, hubs, 478
- Activity Monitor
  - deleting processes within, 120
  - Floating CPU window, 120–121
  - monitoring from the Dock, 121
  - monitoring performance, 120–122
  - Standard window, 120–121
- Ad Hoc wireless networks
  - definition, 520
  - setup, 527–528
- Add Bookmark button (Safari), 453
- Address bar (Safari), 450
- Address Book
  - adding contacts, 415
  - adding information from a vCard, 105
  - Buddies (iChat), 434–435
  - contact cards, 108–109
  - contact information, 106–107
  - copying and pasting contact information, 106
  - copying entries from network directories, 110
  - default face (me tag), 102
  - deleting an entry, 105
  - displaying contact information, 106
  - editing contact information, 104
  - entering contact information, 103–105
  - entering multiple contact entries for one contact, 103
  - exporting contacts, 107
  - faxing to someone in the Address Book, 105
  - group contact cards, 108
  - iChat buddies, 106
  - importing contact from another Personal Information Manager (PIM), 105
  - importing vCards, 112
  - labels (printing contacts), 111
  - LDAP directories, 109
  - .Mac account, 676
  - Mail application, adding contacts, 104
  - NetInfo networks, 109
  - network directories, 109–110
  - PDF files, creating, 111
  - photographs, adding to contact information, 103
  - printing contact, 110–112
  - searching contacts, 107

Address Book (*continued*)

searching network  
 directories, 110  
 sending an e-mail  
 message, 106  
 sending e-mail to a group,  
 109  
 settings for printing  
 contacts, 110  
 subgroup contact cards,  
 109  
 vCards, 112  
 addresses, IP addresses  
 manually choosing range,  
 484–488  
 network configuration  
 and, 481–482  
 static, 398  
 Administrator accounts,  
 238  
 ADSL (Asynchronous  
 Digital Subscriber  
 Line), Internet  
 connection sharing  
 and, 531  
 AIFF files  
 definition, 284  
 playing, 286–287  
 AIM (AOL Instant  
 Messenger)  
 iChat AV and, 429–430  
 joining, 435  
 AirPort  
 802.11b and, 521  
 Base Station, joining  
 existing network, 529  
 disconnecting Base  
 Station from network,  
 529  
 non-Apple equipment, 526  
 turning card on/off, 530  
 AirPort Extreme  
 card installation, 526–527  
 introduction, 523  
 Aladdin Systems, Spring  
 Cleaning, 117

Alert dialog, talking, 670  
 aliases  
 creating, 65  
 definition, 41–43  
 legacy applications and,  
 141  
 All Windows option (Finder  
 window), 182  
 Always Open Folders in a  
 New Window checkbox  
 (Finder Preferences),  
 186  
 Always Show File  
 Extensions checkbox  
 (Finder Preferences),  
 187  
 analog connections,  
 Internet, 399  
 animation effects, Dock  
 preferences, 207  
 antivirus protection  
 overview, 469–470  
 real-time scanning, 470  
 troubleshooting and,  
 158–159  
 AOL (America Online),  
 dialup configuration,  
 402  
 Apache Web server  
 configuration, 682–692  
 introduction, 681  
 APIs, Classic mode and, 138  
 appearance (Macs and Mac  
 OS X), 10–15  
 Appearance drop-down list  
 (System Preferences),  
 203  
 Appearance options  
 (System Preferences),  
 194, 202–204  
 Apple Background Images  
 group, 191  
 Apple dealer, as trouble-  
 shooting resource, 165

Apple menu  
 About This Mac dialog,  
 69–70  
 Apple System Profiler,  
 117–119  
 Dock, 67–68  
 forcing an application to  
 quit, 69  
 hiding the Dock, 67  
 magnification (Dock), 67  
 memory, checking (About  
 This Mac dialog), 69  
 position (Dock), 67  
 preferences (Dock), 67  
 processor, checking  
 (About This Mac  
 dialog), 69  
 Recent Items menu, 66–67  
 relaunching an application  
 with the Force Quit  
 Applications dialog, 69  
 Software Update, 132  
 specifying a location, 70  
 specifying a number of  
 items (Recent Items  
 menu), 67  
 Startup items, disabling,  
 160  
 switching between  
 locations, 70  
 using recent items, drag  
 and drop method, 67  
 version and build number  
 (About This Mac  
 dialog), 70  
 wiping (Recent Items  
 menu), 67  
 Apple Music Store, 304–305  
 Apple symbol, 31  
 Apple System Profiler  
 Hardware, 117  
 Logs, 119  
 Network, 119  
 Overview, 117  
 Software, 119



## DropBooks

- Apple Web site
  - Help Viewer link, 148
  - overview, 150–151
  - troubleshooting information, 164–165
- AppleScript
  - applications, automating tasks, 644–645
  - compiled scripts, 645
  - Dictionary (ScriptEditor), 651–653
  - executing scripts, 647–648
  - Finder, automating tasks, 643–644
  - Help, 656–657
  - introduction, 643
  - recording without keyboard, 649–650
  - running scripts, formats, 645–646
  - script applications, 645
  - script description, 653–655
  - ScriptEditor, 646–647
  - text files, 646
  - text-to-speech and, 673–674
  - writing scripts, 650–651
- AppleTalk
  - adding printers, 516–518
  - automatic configuration, 510–511
  - file access, 513–515
  - file sharing and, 509
  - LocalTalk and, 510
  - manual configuration, 511–512
  - networking and, 509
  - preferences, 221
  - printer sharing and, 509
  - removing printers, 518
  - server connection, 515
  - setup, 509–510
  - share point selection, 516
  - share points, 513–514
  - zones, 513
- AppleWorks
  - documents, password protecting, 269–270
  - introduction, 19
- Application printer drivers, 583
- applications
  - Activity Monitor, 120–122
  - Add or Remove Programs utility, 116
  - Apple System Profiler, 117–119
  - automating tasks, AppleScript and, 644–645
  - CD-ROM or DVD-ROM, running from, 47–48
  - checking running, 144
  - choosing an application to launch with a file, 63
  - Classic mode, 138–139
  - deleting, 115–117
  - Disk Utility, 122–132
  - Dock, adding to, 197–198
  - Finder application, 30, 53–54
  - hard drive, running from, 46–47
  - help resources, 151–152
  - launching, UNIX, 629
  - legacy, locating, 141–142
  - native help systems, 152
  - README file, deleting, 116
  - script applications (AppleScript), 645
  - Spring Cleaning, deleting, 117
  - Startup, disabling as troubleshooting procedure, 160
  - startup items, modifying, 228
  - support files, deleting, 116
  - troubleshooting, 158
  - updating, 158
- Applications folder
  - Activity Monitor, 120–122
  - Apple System Profiler, 117–119
  - Disk Utility, 122–132
  - Font Book, 81
  - Mac OS 9, legacy applications and, 141
- Aqua
  - Dock, 12–13
  - file selection controls, 12–13
  - sheets, 12
- archive, 601
- Ask a Question text box, Help Viewer, 149–150
- attachments to e-mail messages
  - firewalls and, 422
  - introduction, 416
  - large, 422
  - opening, 423
  - saving, 423
  - viruses and, 422, 469
- audio CD. *See* CDs
- audio files, ripping, 293–294
- audio player (iTunes), 277–279, 283–305
- audio, System Preferences, 218–219
- autocomplete, UNIX tcsh shell, 625
- AutoFill button (Safari), 452
- automated telephone operators, definition, 275
- automatically launching Classic mode, 139
- automation, AppleScript applications, 644–645
- Finder tasks, 643–644
- Available mode (iChat AV), 433
- Away mode (iChat AV), 433

## B

## DropBooks

Back button  
 Finder window toolbar, 174  
 Safari, 452  
 background  
   arrangement options (Desktop), 204  
   automatically rotating (Desktop), 192, 204  
   centering on Desktop, 191  
   changing Desktop, 204  
   Finder window, selecting, 183  
   full screen images, 191  
   overview, 189–191  
   photographs on Desktop, 192  
   selecting from provided collection, 191  
   solid colors, 192  
   stretching to fit Desktop, 191  
   tiling, 191  
 backing up the hard drive, 133–134  
 Backup folder (iDisk), 444  
 bandwidth, Ethernet, 477  
 BBEdit, 603–604  
 BBSs (Bulletin Board Systems), 464  
 binary, 275  
 blind carbon copies of e-mail, 419  
 Bluetooth technology, 274, 523  
 boilerplate text, Stickies and, 195  
 bookmarks, Safari  
   description, 450  
   jumping to, 455  
   show all, 456  
 broadband service  
   ISP selection and, 398  
   overview, 399–400

Buddy List, iChat AV  
   adding to, 433–435  
   introduction, 431  
 Bug button (Safari), 453  
 buttons, color options, 194

## C

cable company, ISP  
   selection and, 399  
 cable routers, wireless  
   support and, 540  
 cabling, networks  
   Cat5, 479  
   coaxial, 479  
   crossover, 476  
   hubs, 479  
   straight-through Cat5, 480  
   switches, 479  
   troubleshooting and, 157  
 cache, Safari, 460–461  
 cal command (UNIX), 630–631  
 Calculate All Sizes  
   checkbox (Finder window), 184  
 calendar, UNIX, 630–631  
 calling rates, ISP selection and, 398  
 CAP (Cookie Acceptance Plan), 460  
 Carbon API, Classic mode, 138  
 Cat5 cable (networks), 479–480  
 cd command (UNIX), 620–622  
 CD recorders, 555–556  
 CD-ROMs, viruses and, 469  
 CDs  
   audio, defined, 275  
   burning, 300–301  
   CD-Rs, 81  
   CD-RWs, 81  
   iTunes, 79–80

MP3 CD, 300  
   playing, 79–80, 284–285  
   recording/burning from  
     Finder, 80–81  
     Roxio Toast, 597–598  
 CDs & DVDs group (System Preferences), 211–212  
 centering images on  
   Desktop, 191  
 Change Desktop  
   Background option (Desktop pop-up menu), 191  
 Change Picture checkbox (Desktop & Screen Saver dialog), 192  
 Choose Folder background group, 191  
 Civilization II game, 607–608  
 Classic Desktop, rebuilding, 144  
 Classic Extensions  
   Manager, toggling extensions, 163  
 Classic mode  
   configuration, 142–144  
   hiding, 140  
   running, methods for, 138–141  
   Sleep option, 143  
   stopping, 140  
   System Preferences, 142–143, 228–230  
   troubleshooting, 162–164  
 clean up, Finder window, 180–181  
 Click in the Scroll Bar to radio buttons (System Preferences), 203  
 client/server applications, 499  
 clients, 499  
 clock preferences, 231  
 coaxial cable (networks), 479  
 Cocoa API, Classic mode and, 138

## DropBooks

- collision light, hubs, 478
  - collisions, networks, 476
  - color
    - Ad Hoc connections (System Preferences), 194
    - display settings, 213
  - e-mail messages, 415–416
  - iChat window, 437
  - Stickies, changing, 196
  - column view, Finder
    - window, 170–171, 185–186
  - command-line tool, UNIX
    - automating commands, 618
    - introduction, 616–617
    - Terminal, 618–619
  - commercial software, firewalls, 468–469
  - compiled scripts (AppleScript), 645
  - computer-to-computer networks, Ad Hoc wireless networks, 527
  - configuration
    - Apache Web server, 682–692
    - automatic (AppleTalk), 510–511
    - iChat AV, 430–432
    - IP addresses, 481–482
    - logon screen, 239–242
    - manual (AppleTalk), 511–512
    - system preferences (networks), 483–488
    - TCP/IP, 481, 486–488
    - troubleshooting networks, 492
  - connections, Internet
    - analog, 399
    - AOL Dialup configuration, 402
    - broadband, 399–400
    - DHCP, 403
    - dialup, 399
    - dialup process, 404–406
    - DSL (digital subscriber line), 399–400
    - Ethernet hardware, 402–404
    - First Use Wizard, 397
    - Internet connection sharing and, 532
    - ISDN, 400
    - manual connections, 402
    - modem setup, 401–402
    - network, 400
    - satellite connections, 400
    - setup, 401–404
  - connectivity
    - QuickTime, preferences, 224
    - troubleshooting, 159
    - verifying, 488–491
  - contacts (Address Book), adding, 415
  - Content window (Safari), 451
  - contextual menu
    - Desktop, Change Desktop Background option, 191
    - overview, 37
  - Control Panels, toggling on/off (Classic mode), 142–143
  - cookies, Safari, 459–460
  - cp command (UNIX), 628
  - crashes, Classic mode, 138
  - crossover cables, networks, 476, 480
  - curl command (UNIX), 639
- 
- D**
- 
- daisy chaining, 576
  - Darwin (UNIX), 15–17
  - Date & Time group (System Preferences), 230–231
  - dates, format preferences, 208
  - default gateway, IP addresses, 482
  - Default paper size in Page Setup drop-down list (System Preferences), 216
  - defragmenting, 134–135
  - Desktop
    - Classic, rebuilding, 144
    - Mac OS 9, launching, 142
    - screen saver, changing, 192–193
    - View Options, 199
  - Desktop & Screen Saver panel (System Preferences), 193, 204–206
  - Desktop background arrangement options, 204
  - automatically rotating, 192, 204
  - changing, 204
  - overview, 189–191
  - photographs as, 192
  - practical jokes and, 192
  - solid colors, 192
  - Developer Tools Xcode, 641–642
  - DHCP (Dynamic Host Configuration Protocol), 403, 483–484
  - dialup Internet connections
    - AOL, configuration, 402
    - connection process, 404–406
    - description, 399
    - PPP (Point-to-Point Protocol), 402
  - Dictionary (AppleScript), 651–653
  - Dictionary protocol, 640
  - digital audio file, 286–287
  - digital cameras, 546–548
  - digital fingerprints, 275
  - digital hub
    - description, 273–276
    - iCal, 277

# DropBooks

digital hub (*continued*)  
 iDVD, 277, 279–280  
 iMovie, 277, 279  
 iPhoto, 277, 278  
 iSync, 277  
 iTunes, 277, 278–279  
 digital video, 275  
 digital video (DV)  
     camcorders, 548–549  
 digits, 275  
 directories, UNIX, 626  
 disabled accessibility,  
     System Preferences,  
     235–236  
 disabling hot corner  
     (screen savers), 206  
 Disk Space bar graph  
     (iDisk), 443  
 Disk Utility  
     displaying information on  
     disks and partitions,  
     123  
     erasing disks, 126–128  
     erasing volumes, 126–128  
     First Aid tab, exceptions,  
     124–126  
     introduction, 122–132  
     partitions, 128–130  
     RAID, 130–131  
     RAID arrays, setup,  
     130–132  
     start-up disk, 124  
     troubleshooting and, 158  
     write-protected disks and,  
     125  
 Displays group (System  
     Preferences), 212–213  
 DNS (Domain Name  
     System), servers, 484  
 Dock  
     Address Book, 102  
     Apple menu, 67–68  
     applications, adding to,  
     197–198  
     description, 32–33  
     hiding Apple menu, 67

introduction, 12–13  
 magnification, Apple  
     menu, 67  
 minimizing effects, 207  
 monitoring activity, 121  
 position, Apple menu, 67  
 preferences, Apple  
     menu, 67  
 resizing, 198  
 Sherlock 3, 86  
 System Preferences,  
     206–207  
 documents  
     AppleWorks, password  
     protecting, 269–270  
     Office v. X, sharing,  
     266–267  
     opening, 50–51  
     saving, 51–52  
     UNIX, opening, 629  
 Documents folder (iDisk),  
     443  
 domain name service, ISP  
     selection and, 399  
 dotted notation, IP  
     addresses, 481  
 downloading  
     avoiding viruses and, 470  
     files, Safari and, 456–458  
     files via FTP, 500  
     images, Safari, 457  
     QuickTime and, 457  
     viruses and, 469  
 draft e-mail messages  
     (Mail), 416  
 Drafts folder (Mail), 409,  
     420  
 drag-and-drop in Terminal,  
     622  
 Drawer (Mail), 408  
 drawing tablets, 554–555  
 Drive 10, 592  
 drivers  
     Application printer  
     drivers, 583  
     hardware devices,  
     troubleshooting, 157

keeping current, 136  
 updating, 157, 578  
 DSL (digital subscriber line)  
     Internet connection  
         sharing and, 531  
     ISP selection and, 398  
     overview, 399–400  
     setup, 486  
     wireless support and, 540  
 DVD Player  
     Controller, extras, 389–390  
     Controller, using, 386–388  
     Disc Setup preferences,  
     392  
     Full Screen preferences,  
     392–393  
     Player preferences,  
     390–391  
     preferences, 390–394  
     starting, 386  
     Viewer, 386, 388–389  
     Windows preferences,  
     393–394  
 DVD recorders, 555–556  
 DVD Studio Pro, 595  
 DVD-ROMs, viruses and,  
     469  
 DVDs  
     burning, Roxio Toast,  
     597–598  
     chapters, 388  
     digitizing, 276  
     hardware needed, 385  
     System Preferences,  
     211–212

## E

e-mail  
     from Address Book, 106  
     avoiding viruses, 471  
     ISP selection and, 398  
     .Mac account, 676  
     MIME format, 417  
     viruses and, 469

## DropBooks

encryption  
 FileVault, enabling, 228  
 of personal information and, 211  
 Energy Saver settings (System Preferences), 213–214  
 engines, graphics engine, 13–14  
 Enhanced Integrated Drive Electronics (EIDE) drives, 570  
 equalizer, 294  
 Ethernet  
   bandwidth, 477  
   iBook, 477  
   iMac, 477  
   Internet connection setup, 402–404  
   network preferences, 222  
   PowerBook, 477  
   speed, 477  
   Wireless Ethernet networks, 522  
 Exposé, System Preferences, 207–208  
 extensions  
   disabling, 163  
   displaying, 62–63  
   examples of, 63  
 Extensions Manager, Classic mode configuration, 142–143  
 external devices. *See* hardware  
 external drive, 566, 567–568

## F

Fast User Switching, 19, 242  
 Favorites (URLs), adding to, 197  
 faxing, 215–217, 586  
 Feedback window (Speech Recognition), 666–667

file servers, iDisk, 442  
 file sharing  
   accounts, creation, 493–495  
   AppleTalk and, 509  
   connecting to shared resources, 496–497  
   enabling, 496  
   FTP and, 499–503  
   Home folder, 494  
   Office v. X, 267–269  
   servers, 493  
   Shared folder, 494  
   Windows computers, 498, 515  
   Windows computers, accessing files, 498–499  
 FileMaker Pro, 599–600  
 files  
   AppleTalk access, 513–515  
   copying, 55  
   displaying the Info dialog, 60  
   Dock, adding to, 197  
   downloading, Safari and, 456–458  
   File menu, color-coding, 60  
   Finder toolbar, color-coding, 60  
   locking and unlocking, 64–65  
   moving, 55  
   opening and editing text files, 78–79  
   organizing, 171  
   pop-up menu, color-coding, 60  
   searching for (Finder dialog), 177–180  
   searching for (Finder window toolbar), 176–177  
   sending, iChat AV, 438–439  
   text files, uses, 78

Trash, troubleshooting and, 159  
 UNIX, 625–629  
 FileVault  
   enabling, 228  
   overview, 210  
 Final Cut Pro, 596  
 find command (UNIX), 633–634  
 Finder  
   automating tasks, AppleScript and, 643–644  
   Finder icon, 54  
   Go menu, 72–73  
   overview, 30  
   UNIX and, 617  
 Finder menu  
   Classic mode, launching, 139  
   Finder Preferences dialog, 186–188  
   Help Viewer, displaying, 147–148  
 Finder Preferences dialog, 186–188  
 Finder window  
   backgrounds, selecting, 183  
   cleaning up, 180–181  
   column view, 170–171, 185–186  
   icon view, 169  
   iDisk, 445  
   list view, 170, 183–185  
   Mac OS 9 Desktop, launching, 142  
   status bar, capabilities, 173–174  
   status bar, hiding/showing, 174  
   toolbar, customizing, 174–175  
   toolbar, default icons, 174  
   toolbar, hiding/showing, 172  
   toolbar, searching for files, 176–177

# DropBooks

Finder window (*continued*)  
 View Options dialog, 182–183  
 view vs. switching among, 171

firewalls  
 built-in, 503–505  
 e-mail attachments and, 422  
 IPFW, 467–468  
 NAT, 467  
 NetBarrier X, 468  
 Norton Personal Firewall, 468  
 ports, 505  
 ShieldsUP!! tester, 469  
 software, commercial, 468–469  
 System Preferences, 226  
 VNC and, 506

FireWire  
 daisy-chaining, 576  
 introduction, 573–575  
 speed, 574  
 troubleshooting, 577–578

First Use Wizard, Internet connection and, 397

folders  
 copying, 55  
 displaying the Info dialog, 60  
 Dock, adding to, 197  
 duplicating, 57  
 File menu, color-coding, 60  
 file sharing, 494  
 Finder toolbar, color-coding, 60  
 iDisk, 443–444  
 Mail, 408–409  
 moving, 55  
 pop-up menus, color-coding, 60  
 Font Book, 81

Font Smoothing Style dropdown list (System Preferences), 203

fonts  
 e-mail messages, 415–416  
 iChat window, 437

forward button, Finder window toolbar, 174

Forward button, Safari, 452

forwarding e-mail messages (Mail), 417

frames, switches (networks), 478

FTP (File Transfer Protocol)  
 accessing files with, 499–503  
 built-in, 500  
 downloading files, 500  
 servers, 498  
 servers, IP addresses and, 398  
 software, 483  
 Terminal and, 500–503  
 UNIX and, 639–640  
 uploading files, 500

full screen images, backgrounds, 191

---

games  
 Civilization II, 607–608  
 included, 19  
 Mac OS X Chess, 606–607  
 Return to Castle Wolfenstein, 608–610  
 WarCraft III, 610–611

gateways, 482

Get Mail button, 413

Gibson Research Corporation, firewalls and, 469

Gigabit Ethernet, 477

gigabyte, 563

Go menu  
 Applications, 73  
 Back/Forward/Enclosing Folder, 73  
 Computer, 73  
 Home, 73  
 iDisk, 73  
 Network, 73  
 Recent Folders, 73  
 Utilities, 73

Google Search button (Safari), 453

graphics, Desktop backgrounds, 190–192

graphics engine, 13–14

## H

hackers  
 hot computers and, 467  
 origins of term, 465  
 possibilities, 464  
 war driving, 524

handles, 87

handwriting recognition  
 introduction, 659  
 tablets, 660

hard drives  
 adding space, 565–572  
 capacity, determining, 566  
 dealer installation, 571  
 determining size requirements, 569  
 do-it-yourself installation guidelines, 571–572

Enhanced Integrated Drive Electronics (EIDE) and, 570

external drives, 567–568

FireWire connection, 570

installation, 571–572

internal drives, 568–569

Master and Slave jumper settings, 572

## DropBooks

organizing files, 171  
 purchase guidelines, 569–570  
 Small Computer System Interface (SCSI), 570  
 storage, internal *versus* external, 566  
 troubleshooting, 158  
 USB 1.x connection, 570

hardware

- CD recorders, 555–556
- digital cameras, 546–548
- digital video (DV) camcorders, 548–549
- displaying, Apple System Profiler and, 117–119
- drawing tablets, 554–555
- DVD recorders, 555–556
- finding information about, 117–119
- hard disks, troubleshooting, 158
- Internet connection sharing, 534–535, 538–540
- joysticks, 553–554
- keyboards, 551–552
- MP3 players (iPod), 558–559
- networks, troubleshooting, 491–492
- scanners, 549–550
- Small Computer System Interface (SCSI) hardware, 570
- subwoofer speaker systems, 557–558
- System Profiler, troubleshooting and, 161–162
- tape drives, 556–557
- trackballs, 552–553
- troubleshooting, 157

Help

- AppleScript, 656–657
- resources, 151–152

- technical support, 153
- UNIX, 624–625

Help button, applications, 151

Help Viewer

- searching for specific information, 147–150
- troubleshooting and, 164–165

Highlight Color dropdown list (System Preferences), 203

History (Safari)

- clearing, 461
- introduction, 458

Home button, Safari, 452

Home folder (file sharing), 494

home page, Safari, 454

HomePage (.Mac account)

- iDisk and, 679–680
- introduction, 675
- site setup, 676–679

hot computers, hackers and, 467

hot corners, screen saver preferences, 206

HTTP (HyperText Transfer Protocol), 483, 639

hubs (networks)

- activity light, 478
- cabling, 479
- collision light, 478
- introduction, 476
- link light, 478
- overview, 576
- ports, 476
- setup, 477–478
- speed light, 478

## I

---

- iBook, Ethernet, 477
- iCal, 277
- iCards (.Mac account), 675

iChat AV

- AIM, joining, 435
- Available mode, 433
- Away mode, 433
- Buddy List, 431
- Buddy List, adding to, 433–435
- Buddy List, adding to from Address Book, 106
- buttons, 431–432
- configuration, 430–432
- ignoring, 439
- Instant Messages, 435
- introduction, 429
- invitations, 435–436
- menu bar, 432
- modes, 433
- Offline mode, 433
- Online mode, 433
- personal information, 472
- picture, 431
- Rendezvous, enabling, 430
- saving discussions, 438
- sending files, 438–439
- Twiddling My Thumbs mode, 433
- window resizing, 437

icon labels (Finder window)

- resizing and moving, 183
- text size, 184, 185

Icon Size (Finder window), 183, 184

icon view, Finder window, 169

icons

- alias icons, 41–43
- displaying details on, 38
- duplicating, 57
- file icons, 40–41
- Finder icon, 54
- folder icons, 41
- hardware icons, 39
- multiple icons, selecting, 44
- program and application icons, 40

icons (*continued*)

Sherlock 3 icon, 86  
 single icon, selecting, 44  
 trash icon, emptying,  
 58–59

## identity theft

iChat and, 472  
 passwords and, 472  
 possibilities, 464

## iDisk

Backup folder, 444  
 Disk Space bar graph, 443  
 Documents folder, 443  
 Finder window, 445  
 HomePage and, 679–680  
 introduction, 441  
 Library folder, 444  
 .Mac account, 675  
 member name, 446  
 Movies folder, 444  
 Music folder, 444  
 opening, 444–447  
 Pictures folder, 444  
 Public folder, 443, 444  
 root folder, 443  
 settings, System  
   Preferences, 220  
 Sites folder, 444  
 Software folder, 444  
 Web site home page  
 creation, 680–681

## iDVD

about, 355–356  
 audio menu, adding, 361  
 background menus,  
   settings, 358–361  
 limitations, 368  
 media files, adding,  
   361–365  
 menus, 356–361  
 Movie button, adding to  
   media files, 362  
 Movie button style,  
   setting, 363–364  
 overview, 277–280

previewing, 366–367

saving and burning,  
 367–368

Slideshow Button, 364,  
 365

slideshow images, adding,  
 364–365

themes for menus,  
 357–358

titles, customizing,  
 365–366

IEEE (Institute of Electrical  
 and Electronics  
 Engineers), wireless  
 LANs and, 520

IEEE 802.11a, 522

IEEE 802.11b, 521–522

IEEE 802.11g, 523

ignoring people in iChat AV,  
 439

iLife, 19

iMac, Ethernet, 477

## images

Desktop backgrounds,  
   selecting, 190–192  
 downloading, Safari, 457

## iMovie

basic composition,  
 338–339  
 camcorder, adding clips  
   from, 335–336  
 Clip viewer, 332  
 copying clips, 337  
 cropping clips, 337  
 editing clips, 337  
 exporting clips for  
   viewing, 351–353  
 exporting to a camcorder,  
 351  
 exporting to iDVD,  
 352–353  
 exporting to QuickTime,  
 352  
 importing clips, 333–334

Interface, Monitor, 328,  
 329–331

Interface, Tool palettes,  
 328–329, 331

Interface, Viewers, 329–332

introduction, 279

Ken Burns Effect, 346–347

media files, adding clips  
 from, 334

movie-making process,  
 332–339

naming clips, 338

other devices, adding  
 clips from, 335

photos, adding, 346

sound, 347–351

special effects, 343–346

splitting clips, 337

Timeline viewer, 332

Titles, 341–343

trimming clips, 337–338

video transitions, 339–341

Import folder (Mail), 409

In folder (Mail), 408

indexing files, Find dialog,  
 178–180

## Info dialog

adding comments, 62  
 choosing the application  
 to launch with a file, 63

Dates panel, 61

displaying, 60–61

Kind panel, 61

locking and unlocking  
 files, 64–65

Permission panel, 61

Size panel, 61

stationary, creating from a  
 document, 62

Version panel, 61

Where panel, 61

information resources

publications, 153

troubleshooting

information, 164–165



## DropBooks

- infrastructure mode,
  - wireless networks, 520
- Inkwell, 659
- Instant Messages, iChat AV, 435
- Intego, NetBarrier X
  - firewall, 468
- internal drive, 566, 568–569
- internal modem setup, 401–402
- International settings, 208–209
- Internet. *See also* Internet connection sharing
  - analog connections, 399
  - AOL Dialup configuration, 402
  - Apache, 18
  - applications, 18
  - broadband service, 398–400
  - Channel buttons (Sherlock 3), 86
  - checking a stock portfolio (Sherlock 3), 96
  - configuration, 18
  - connections, 397
  - connections, Ethernet hardware, 402–404
  - connections, setup, 401–404
  - connections, troubleshooting, 159
  - default channels (Sherlock 3), 88
  - DHCP connections, 403
  - dialup connections, 399
  - dialup connections, process, 404–406
  - displaying information (Sherlock 3), 86
  - DSL connections, 398–400
  - existing Internet search engines (Sherlock 3), 95
  - First Use Wizard information, 397
  - flight information (Sherlock 3), 98–99
  - handles (Sherlock 3), 87
  - icon (Sherlock 3), 86
  - iDisk, 18
  - ISDN connections, 400
  - ISPs, selecting, 397–399
  - manual connections, 402
  - modem setup, 401–402
  - network connections, 400
  - plug-ins to provide additional services (Sherlock 3), 86
  - protocols, 18
  - results section (Sherlock 3), 87
  - satellite connections, 400
  - Search button (Sherlock 3), 86
  - searching (Sherlock 3), 86–88
  - Sherlock 3, 85–99
  - simplifying major search engines (Sherlock 3), 86
  - sorting columns (Sherlock 3), 87–88
  - summary section (Sherlock 3), 87
  - Topic or Description box (Sherlock 3), 86
  - translating words and phrases (Sherlock 3), 97–98
- Internet connection sharing
  - addresses and, 532–533
  - ADSL and, 531
  - DHCP and, 484
  - DSL and, 531
  - hardware, 534–535, 538–540
  - Internet-sharing devices, 532
  - introduction, 531
  - LANs and, 532
  - modems, 535
  - NAT and, 532–533
  - printers, 535
  - private IP addresses, 532
  - public IP addresses, 532
  - routers and, 534
  - software, 535–537, 537–538
  - switches, 535
- Internet storage. *See* iDisk
- intranet, 475
- invitations to chat (iChat AV), 435–436
- IP addresses
  - Apache configuration, 683
  - DHCP and, 483–484
  - dotted notation, 481
  - Internet connection sharing and, 532
  - manually choosing range, 484–488
  - network configuration and, 481–482
  - octets, 485
  - private *versus* public, 482–483
  - static, 398
- IPFW, 467–468
- iPhoto
  - Album List, 308
  - black and white photos, converting to, 321
  - brightness/contrast, adjusting, 320
  - cropping photos, 318–319
  - editing photos, 308, 317–322
  - enhancing photos, 320
  - image files, importing, 311
  - importing photos, 307, 309–310
  - introduction, 277–278

## DropBooks

iPhoto (*continued*)  
 keywords, 314–317  
 ordering prints over the Internet, 322–324  
 organizing photos 308, 311–317  
 organizing photos with keywords, 314–317  
 organizing photos, with Photo Album, 311–314  
 Photo Album, 311–314  
 publishing photos, 308  
 red-eye, removing, 321  
 retouching, 320  
 rotating photos, 321  
 sharing photos, 324–325  
 Toolbar, 308  
 Viewer, 309

iPod  
 importing contacts from Address Book, 107  
 introduction, 278  
 iTunes, transferring songs, 299

ISDN (Integrated Services Digital Network), 400

ISPs (Internet service provider)  
 broadband service and, 398  
 cable company and, 399  
 DSL service and, 398  
 e-mail accounts and, 398  
 IP addresses and, 398  
 local calling rates and, 398  
 personal recommendations and, 399  
 selecting, 397  
 technical support and, 398  
 telephone company and, 399  
 Web sites, 399  
 Web space and, 398

iSync, 277

iTunes  
 AAC format, 284  
 AIFF format, 284

ArKaos plug-in, 303  
 automatically setting song information, 292  
 browsing Library, 287–288  
 burning CDs, 300  
 buying music online, 304  
 CD audio format, 284  
 CDs, burning/creating, 300–301  
 configuring, 80  
 data CD, burning, 300  
 digital audio file, playing, 286–287  
 equalizer, 294–295  
 finding songs (Library), 288–289  
 Info dialog, 291–292  
 introduction, 277–279  
 iPod, transferring songs, 299  
 keyboard shortcuts, 285  
 Library, 286–290  
 listening to an audio CD, 79–80  
 manually setting or changing song information, 292  
 MP3 CD, burning, 300  
 MP3 format, 283–284  
 playing audio CDs, 284–285  
 Playlist, 290–291  
 Radio, 295–299  
 Radio, adding stations to Playlist, 298–299  
 Radio, listening to a station not listed, 298  
 Radio, radio station numbers, 297  
 removing music (Library), 290  
 ripping audio CDs, 293–294  
 Trinity Software plug-in, 303  
 visuals, adding, 303–304

visuals, changing, 301–303  
 visuals, settings, 302–303  
 WAV format, 284  
 Zoomify plug-in, 303

## J

joysticks, 553–554  
 jumpers, definition, 572  
 junk e-mail, 420–422  
 Junk folder (Mail)  
 deleting from, 424  
 description, 409  
 Junk Mail filter (Mail), 421

## K

Keep Arranged By checkbox (Finder window), 183  
 Ken Burns Effect (iMovie), 346–347  
 kernel panics, 164  
 keyboard  
 description, 551–552  
 layout preferences, 209  
 recording scripts, 649–650  
 UNIX and, speed, 616  
 Keyboard & Mouse group (System Preferences), 214–215  
 Keyboard options (Exposé preferences), 207–208  
 keyboard shortcuts, 45–46, 215  
 keychains  
 configuring, 256–258  
 displaying, 255–256  
 overview, 255  
 kill command (UNIX), 632  
 Kiosk Mode (QuickTime), enabling, 224

## L

## DropBooks

- language preferences, 208
  - Languages for searching file contents option (Finder Preferences), 188
  - LANs (local area networks)
    - Internet and, 400
    - Internet connection sharing and, 532
  - LEAP (Lightweight Extensible Authentication Protocol), 525
  - legacy applications
    - locating, 141–142
    - Startup, disabling as troubleshooting procedure, 160
    - troubleshooting, memory allocation issues, 163
  - Library folder (iDisk), 444
  - Lightweight Directory Access Protocol (LDAP)
    - directories, and Address Book, 109
  - link light, hubs, 478
  - list view, Finder window, 170, 183–185
  - LocalTalk, history, 510
  - locked system, troubleshooting, 157
  - logging out, 19
  - login, starting
    - automatically, 243–244
  - Logon Options, preferences, 228
  - logon screen, configuring, 239–242
  - ls command (UNIX), 620–622
- 
- M
- 
- .Mac account
    - features, 675
    - iChat AV and, 430
    - iDisk and, 442
    - Mail and, 409
    - registering, 676
  - .Mac group (System Preferences), 219–220
  - Mac OS 9 Desktop, launching, 142
  - Mac OS 9, starting, 145–146
  - Mac OS X Chess, 606–607
  - Mac OS X, Windows XP
    - comparison, 590–592
  - MacAddict* publication, 153
  - MacFixIt troubleshooting
    - Web site, 153
  - MacGammer online
    - publication, 153
  - MACLAN, bidirectional file sharing and, 515
  - Macworld* publication, 153
  - Magnification (Dock preferences), 206
  - Mail
    - account setup, 409
    - adding accounts, 410–412
    - attachments to messages, 416–423
    - automatically checking messages, 423
    - Bcc (blind carbon copy), 419
    - checking messages, 413
    - color in messages, 415–416
    - composing messages, 418–420
    - deleting accounts, 412
    - deleting messages, 414
    - deleting messages, automating, 424
    - Drafts folder, 409
    - Drafts folder, sending mail from, 420
    - Drawer, 408
    - editing existing accounts, 412
    - enabling/disabling accounts, 425
    - folders, 408–409
    - fonts in messages, 415–416
    - forwarding messages, 417
    - headers, displaying all, 414
    - Import folder, 409
    - In folder, 408
    - Junk folder, 409
    - Junk Mail filter, 421
    - Message list, 408
    - MIME format, 417
    - Out folder, 408
    - Preview box, 408
    - reading messages, 414
    - receiving messages, 412–414
    - replying to messages, 414–417
    - rules, 425–427
    - saving messages as drafts, 416
    - sending messages, 418–420
    - Sent folder, 409
    - signatures on messages, 424
    - sound alerts, 423
    - spam, 420–422
    - Status bar, 407
    - threads, 414
    - Trash folder, 409
    - upgraded accounts, 409
    - window, 407–409
  - man command (UNIX), 624–625
  - Managed accounts, 238
  - Master jumper, 572
  - Mbps (megabits per second), 477
  - member name (iDisk), 446
  - memory (RAM), 561–565
  - memory, legacy
    - applications, 163
  - Menu Bar
    - AirPort icon, 74
    - Clock icon, 76
    - Displays icon, 74
    - icons, 74–76

## DropBooks

Menu Bar (*continued*)  
 Modem status icon, 74  
 Point-to-Point over  
 Ethernet (PoE) icon,  
 74  
 Volume icon, 74  
 Menu Bar, iChat AV, 432  
 menus  
 Apple menu, 65–70  
 Apple System Profiler,  
 117–119  
 Application menu, 71  
 color options, 194  
 contextual menu, 37  
 control of, 36–38  
 forcing an application to  
 quit (Apple menu), 69  
 Go menu (Finder  
 application), 72–73  
 playing with the Dock  
 (Apple menu), 67–68  
 recent items (Apple  
 menu), 66–67  
 Recent Items menu, 66–67  
 Services menu, 71  
 Software Update (Apple  
 menu), 132  
 specifying a location  
 (Apple menu), 70  
 tracking down your  
 version (Apple menu),  
 69–70  
 User Switch menu, 19  
 Message list (Mail), 408  
 messages (Mail)  
 attachments, 416–422  
 automatically checking  
 for, 423  
 Bcc (blind carbon copy),  
 419  
 checking for, 413  
 color, 415–416  
 composing, 418–420  
 deleting, 414  
 deleting, automating, 424

firewalls and, 422  
 fonts, 415–416  
 forwarding, 417  
 opening attachments, 423  
 quoting messages, 417  
 reading, 414  
 receiving, 412–414  
 replying to, 414–417  
 saving as draft, 416  
 saving attachments, 423  
 sending, 418–420  
 signatures, 424  
 sound at receipt, 423  
 spam, 420–422  
 threads, 414  
 MIME (Multipurpose  
 Internet Mail  
 Extensions), e-mail  
 format, 417  
 MIME types, QuickTime,  
 224  
 minimum requirements, 21  
 mirrors, iDisk, 442  
 modems  
 internal, setup, 401–402  
 Internet connection  
 sharing, 535  
 Internet connections and,  
 400  
 preferences, 222  
 monitor resolution settings,  
 213  
 mounting (loading), 76  
 mouse  
 one button *versus* two  
 buttons, 37  
 right-clicking, 37  
 System Preferences, 215  
 Movies folder (iDisk), 444  
 movies, QuickTime, 223–225  
 MP3 players (iPod),  
 558–559  
 MP3s, 283–287  
 multimedia, QuickTime,  
 223–225

multitasking, 17  
 multithreading, 17  
 multi-user access  
 adding accounts, 245–248  
 applications, starting  
 automatically, 243–244  
 deleting accounts, 250  
 editing accounts, 248  
 limiting accounts, 250–254  
 overview, 237–238  
 security precautions,  
 242–243  
 troubleshooting and, 161  
 music, digitizing, 276  
 Music folder (iDisk), 444  
 mv command (UNIX), 628  
 My Fax Number text box  
 (System Preferences),  
 217

## N

NAT (Network Address  
 Translation), 467,  
 532–533  
 Nature background group,  
 191  
 NetBarrier X firewall, 468  
 NetInfo networks, and  
 Address Book, 109  
 Network dialog, 486–487  
 Network group (System  
 Preferences), 220–223  
 Network Utility,  
 connectivity checking  
 and, 488–490  
 networks. *See also*  
 AppleTalk; remote  
 networking; wireless  
 networks  
 Ad Hoc (wireless), 527  
 collisions, 476  
 computer name, changing,  
 225–226

## DropBooks

computer-to-computer, 527  
 connectivity, verifying, 488–491  
 crossover cables, 476  
 devices to network, 476  
 DHCP (Dynamic Host Configuration Protocol), 483–484  
 FTP software, 483  
 HTTP software, 483  
 hubs, 476–479  
 Internet connection, 400  
 intranet, 475  
 IP address configuration, 481–482  
 NIC, 476  
 printers, sharing, 586–588  
 Samba, 483  
 settings, modifying, 225–226  
 setup, 480–483  
 subnet masks, 482–483  
 switches, cabling, 479  
 switches, frames, 478  
 system preferences, 483–488  
 TCP/IP configuration, 481  
 Telnet, 483  
 Terminal and, FTP, 639–640  
 troubleshooting  
   hardware, 491–492  
 newsgroups  
   overview, 153  
   personal information, 471  
 NIC (network interface card), 476  
 No Access permission, file sharing, 261  
 Norton Personal Firewall, 468  
 number format  
   preferences, 209

## O

octets, IP addresses, 485  
 Office v. X  
   document sharing, 266–267  
   file sharing, 267–269  
 Offline mode (iChat AV), 433  
 Online Backup (.Mac account), 676  
 Online mode (iChat AV), 433  
 online shopping, security and, 471  
 online storage. *See* iDisk  
 online technical support, 153  
 Open GL graphics  
   acceleration standard, Quartz Extreme and, 14  
 operands, UNIX commands, 623  
 operating system, 9  
 optimization. *See* performance  
 organization  
   Desktop, View Options, 199  
   files, need for, 171  
   System Preferences, displaying panels alphabetically, 201  
 OSXvnc, 506  
 Out folder (Mail), 408

## P

passwords  
 AppleWorks, protecting documents, 269–270  
 FileVault settings, 210

Office documents, 268  
 OSXvnc, 507  
 screen saver and, 210  
 security and, 472  
 user accounts, 227  
 patch file, 119  
 patches, updating  
   applications, 158  
 pathnames, UNIX files, 626–627  
 performance, modem settings, 222  
 Peripheral Component Interconnect (PCI), 576  
 peripherals, troubleshooting, 157  
 permissions  
   file sharing, types, 261  
   managing file sharing, 264–265  
   setting file sharing, 262–264  
   troubleshooting, 158  
 personal information,  
   security and, 471  
 photographs  
   as Desktop background, 192  
   digitizing, 275  
 Photoshop, 594–595  
 Pictures folder (iDisk), 444  
 Pictures Folder background group, 191  
 pictures, iChat AV identity, 431  
 ping, connection testing, 488–491  
 pipes in UNIX commands, 634  
 plug-in, QuickTime settings, 224  
 pop-up help in applications, 151

DropBooks

- ports
  - firewall and, 505
  - IP addresses and, 471
  - PowerBook, Internet, 477
- PPP (Point-to-Point Protocol)
  - dialup connection and, 402
  - preferences, 222
- PPPoE (Point-to-Point over Ethernet), 221
- Premiere 6.5, 595
- Preview box (Mail), 408
- Print & Fax group (System Preferences), 215–217
- Printer Setup Utility
  - Add icon, 580
  - ColorSync icon, 581
  - Delete icon, 580
  - introduction, 579
  - Make Default icon, 580
  - Preferences, 581
  - print jobs, managing, 585
  - printer sharing, 586–588
  - Show Info icon, 581
  - Show Jobs, 582
  - toolbar icons, 580–582
  - Utility icon, 580
- printer sharing
  - adding printers (AppleTalk), 516–518
  - AppleTalk and, 509
  - networks and, 497
  - removing printers (AppleTalk), 518
- printers
  - AppleTalk printer, 582–585
  - Internet connection sharing, 535
  - networks, sharing, 586–588
  - non-USB printers, 585–586
  - overview, 579

- printing
  - adding printers, 583–585
  - Adobe Acrobat PDF format, 583
  - default page characteristics, 82
  - introduction, 82–83
  - IP (Internet Protocol) printing, 582
  - Open Directory printing, 582–583
  - previewing the document, 82
  - print jobs, managing, 585
  - Safari and, 459
  - Universal Serial Bus (USB) printers, 82
  - Windows printing, 583
- private IP addresses, 482–485, 532
- processes
  - definition, 120, 631
  - deleting a process within Activity Monitor, 120
  - kill command (UNIX), 632
  - running, viewing, 144
- programming. *See* AppleScript
- programs
  - quitting, 52
  - switching between, 48–49
- prompt, Terminal, 619–620
- protocols, 18
- proxies, VNC and, 506
- proxy servers, preferences, 221–222
- Public folder, iDisk, 443–444
- public IP addresses
  - Internet connection sharing and, 532
  - private and, 482–483
- publications, information resources, 153

## Q

- Quartz Extreme
  - Acrobat Portable Document Format (PDF) and, 13–14
  - OpenGL graphics acceleration standard and, 14
- Quick Click links, Help Viewer, 148
- QuicKeys X, 602
- QuickTime
  - advanced playback features, 374–375
  - downloads and, 457
  - exporting files, 379
  - Favorites menu, 380
  - file converter, 369–370, 378–380
  - importing files, 378–379
  - Internet media tool, 370, 380–382
  - introduction, 15
  - movie information, 376
  - movie properties, 376–377
  - movies, opening, 371–372
  - operating, 372–373
  - Preferences, opening and setting, 382
  - QuickTime Player, 369, 370–378
  - QuickTime Player Content Guide, 380–381
  - QuickTime Preferences, working with, 382–383
  - QuickTime Web plug-in, 381–382
  - System Preferences, 223–225
  - tracks, 377
  - updating, 225
- quotation marks, UNIX commands, 624

## R

## DropBooks

- RAID (Redundant Array of Independent/Inexpensive Disks) set, 130–132
  - RAM (random access memory)
    - amount, determining, 563–564
    - dealer installation, 571
    - do-it-yourself installation guidelines, 571–572
    - iMac model, determining, 564–565
    - installation, 571–572
    - shopping for, 563–565
    - upgrading, reasons for, 561–563
    - virtual memory and, 562–563
  - Read & Write permission, file sharing, 261
  - Read Only permission, file sharing, 261
  - REALbasic, 604–606
  - real-time scanning (antiviruses), 470
  - rebooting
    - with installation CD, troubleshooting and, 162
    - Startup items, disabling, 160
    - as troubleshooting procedure, 157
  - rebuilding desktops, Classic Desktop, 144
  - receiving e-mail messages (Mail), 412–414
  - registration, QuickTime, 224
  - reinstalling, Mac OS X as troubleshooting procedure, 164
  - reminders, Stickies and, 195
  - remote networking
    - controlling another computer from yours, 507
    - controlling your computer remotely, 506
    - UNIX and, 618
  - removable volumes, 76–77
  - renaming items
    - Info dialog box, 59
    - mouse, 59
  - Rendezvous messaging (iChat AV), enabling, 430
  - Rendezvous networking system, 582–585
  - replying to e-mail messages (Mail), 414–417
  - resolution, display settings, 213
  - resources. *See* information resources
  - restarting, 28
  - Return to Castle Wolfenstein game, 608–610
  - ripping, 293–294
  - Root accounts, 238
  - root folder, iDisk, 443
  - routers, Internet
    - connection sharing and, 534, 540
  - Roxio Toast, 597–598
  - rules (Mail), 425–427
  - Rules dialog (Mail), 425–427
- 
- S**
- 
- Safari
    - Add Bookmark button, 453
    - Address bar, 450
    - AutoFill button, 452
    - Back button, 452
    - bookmarks, 455–456
    - Bookmarks bar, 450
    - Bug button, 453
    - cache, clearing, 460–461
    - Content window, 451
    - cookies, 459–460
    - downloading files, 456–458
    - Forward button, 452
    - Google Search button, 453
    - History, 458
    - History, clearing, 461
    - Home button, 452
    - home page setup, 454
    - introduction, 449
    - printing and, 459
    - security, 459–461
    - security Web sites, 459
    - status bar, 451
    - Stop/Reload button, 452
    - subscriptions, 458
    - Web pages, loading, 451–452
    - Web pages, saving to disk, 458–459
  - Samba, networks and, 483
  - satellite connections, 400
  - scanners, 549–550
  - screen saver
    - Desktop, changing, 192–193
    - password enabling, 210
    - System Preferences, 205
    - third-party, adding, 193
    - troubleshooting, 161
  - scripts. *See* AppleScript
  - scroll bars, Finder window
    - column view, 171
  - search button, Finder window toolbar, 174
  - searches
    - Find dialog, 177–180
    - Finder window, toolbar, 176–177
    - UNIX, 633–634
  - secure Web sites, Safari and, 459

- security
  - avoiding viruses, 470–471
  - commercial firewall software, 468–469
  - firewalls, built-in, 503–505
  - firewalls, overview, 466–469
  - hackers and, 464
  - hot computers (firewalls), 467
  - identity theft, 464
  - introduction, 463
  - IPFW firewalls, 467–468
  - keychains and, 255
  - LEAP (wireless networks), 525
  - multi-user access, 242–243
  - NAT firewalls, 467
  - online shopping, 471
  - passwords, identity theft, 472
  - personal information, 471
  - possible scenarios, 464
  - remote access and, 472
  - Safari and, 459–461
  - ShieldsUP! tester (firewalls), 469
  - System Preferences, 210–211
  - System Preferences (firewalls), 226
  - viruses and, 464
  - WEP (wireless networks), 524–525
  - wireless networks, 523–524
- sending e-mail messages (Mail), 418–420
- sending files (iChat AV), 438–439
- Sent folder (Mail)
  - deleting from, 424
  - description, 409
- servers
  - connections (AppleTalk), 515
  - definition, 493, 499
  - FTP, 498
  - selecting (AppleTalk), 514
  - share point selection (AppleTalk), 516
- Services menu
  - definition, 71
  - Internet server
    - availability, checking, 71
    - screen snapshot capture, 71
    - sending an e-mail message, 71
    - text-to-speech and, 673
  - share points (AppleTalk)
    - disconnection, 516
    - introduction, 513
    - selecting from AppleTalk server, 516
    - servers, connection, 515
    - servers, selecting, 514
- Shared folder, file sharing, 494
- shared resources, connecting to, 496–497
- sharing. *See also* file sharing; printer sharing
  - managing permissions, 264–265
  - network compared to multi-user machines, 259–261
  - Office v. X documents, 266–267
  - Office v. X, file-level, 267–269
  - permissions, setting, 262–264
  - permissions, types, 261
- Sharing group (System Preferences), 225–226
- Sherlock 3
  - address and telephone number searches, 89–90
  - AppleCare, 88
  - Channel buttons, 86
  - default channels, 88–89
  - Dictionary, 88, 92
  - displaying information, 86
  - eBay searches, 88, 93–94
  - flight information, 98–99
  - Flights channel, 88
  - handles, 87
  - icon, 86
  - Internet channels, 88
  - Internet search engines, 95
  - introduction, 85
  - movie information searches, 91–92
  - Movies channels, 88
  - Phone Book channels, 88
  - Pictures channels, 88
  - results section, 87
  - running from the Dock, 86
  - Search button, 86
  - searches, 86–88
  - simplifying major search engines, 86
  - sorting columns, 87–88
  - stock portfolios, checking, 96
  - Stocks channels, 88
  - summary section, 87
  - Topic or Description box, 86
  - Tower of Babel Effect (TBE), 98
  - translating words and phrases, 97–98
  - Translation channels, 88
  - troubleshooting, with AppleCare channel, 88



## DropBooks

- using plug-ins to provide additional services, 86
- word definition searches, 12–93
- ShieldsUP! firewall tester, 469
- Show Columns option (Finder window), 184
- Show Icon Preview checkbox (Finder window), 183
- Show Icons checkbox (Finder window), 185
- Show Item Info checkbox (Finder window), 183
- Show Preview Column checkbox (Finder window), 185
- Show Warning before Emptying the Trash checkbox (Finder Preferences), 188
- shutting down
  - alternatives to Shut Down command, 157
  - overview, 28
  - as troubleshooting procedure, 157–162
  - signatures on e-mail messages (Mail), 424
- Sites folder (iDisk), 444
- Slave jumper, 572
- Sleep option, Classic mode, 143
- sleeping, 28
- Small Computer System Interface (SCSI) hardware, 570
- Snap to Grid checkbox (Finder window), 183
- software
  - AppleWorks, 592
  - audio software (iTunes), 277–279
  - BBEdit, 603–604
  - Civilization II, 607–608
  - digital hub, 277–280
  - displaying, using the Apple System Profiler, 117–119
  - Drive 10, 592
  - DVD Studio Pro, 595
  - FileMaker Pro, 599–600
  - Final Cut Pro, 596
  - firewalls, 468–469
  - FTP, 483
  - HTTP, 483
  - iDVD, 595
  - iMovie, 595
  - Internet connection sharing, 535–538
  - Mac OS X Chess, 606–607
  - Mac OS X, Windows XP, compared to, 590–592
  - photography software (iPhoto), 277–278
  - Photoshop, 594–595
  - Premiere 6.5, 595
  - QuicKeys X, 602
  - REALbasic, 604–606
  - Return to Castle Wolfenstein, 608–610
  - Roxio Toast, 597–598
  - Samba, 483
  - StuffIt Deluxe, 601
  - Telnet, 483
  - video software (iMovie), 277, 279
  - Virtual PC 6, 598–599
  - WarCraft III, 610–611
  - Windows XP, Mac OS X, compared to, 590–592
- Software folder (iDisk), 444
- Software Update group (System Preferences), 231–232
- Solid Colors background group, 191
- Sound group (System Preferences), 218–219
- spaces in UNIX commands, 624
- spam
  - e-mail, 420–422
  - newsgroups and, 153
- Speech Commands window, 667–668
- Speech group (System Preferences), 232–234
- Speech Recognition Commands tab, 662, 665–666
- Feedback window, 666–667
- introduction, 659
- Listening tab, 662, 664–665
- microphone, 661
- On/Off tab, 662, 663–664
- preferences, 232–233
- Speech Commands window, 667–668
- text-to-speech, Default Voice tab, 668–669
- speed light, hubs, 478
- Spirograph symbol, 31
- Spoken User Interface, text-to-speech, 670
- Spring-loaded folders and windows checkbox (Finder Preferences), 187
- SSID (Service Set Identifier), 520
- Standard accounts, 238
- standard user interface (Aqua), 12–13
- Startup Disk group (System Preferences), 234–235
- start-up keys
  - booting from a CD or DVD, 135
  - displaying a system boot menu, 135
  - ejecting a recalcitrant disc, 135

start-up keys (*continued*)  
 forcing the Mac to boot in  
 Mac OS X, 135  
 preventing start-up  
 applications from  
 running during login,  
 135  
 static IP addresses, 398  
 static volumes (Mac hard  
 drive), 76  
 Stationary Pad, 62  
 status bar  
   Finder window,  
     capabilities, 173–174  
   Finder window,  
     hiding/showing, 174  
   Mail, 407  
   Safari, 451  
 Stickies, 195–196  
 Stop/Reload button (Safari),  
 452  
 storage, viruses and, 469  
 streaming, 296  
 streaming media, Quick-  
 Time, preferences,  
 223–225  
 stretching images to fit  
   Desktop, 191  
 Stuffit Deluxe, 601  
 subnet masks, networks,  
 482–483  
 subscriptions (Safari), 458  
 subwoofer speaker  
   systems, 557–558  
 switches (networks)  
   cabling, 479  
   frames, 478  
   Internet connection  
     sharing, 535  
 Symantec, Norton Personal  
   Firewall, 468  
 System Administrator  
   accounts, 238  
 System Preferences  
   Accounts panel, 227–228  
   Accounts panel, adding  
     accounts, 245–248

Accounts panel, deleting  
   accounts, 250  
 Accounts panel, disabling  
   Startup items, 160  
 Accounts panel, editing  
   accounts, 248  
 Accounts panel, limiting  
   accounts, 250–254  
 Accounts panel, Logon  
   screen settings,  
   239–242  
 Appearance options,  
   202–204  
 Appearance options,  
   changing colors, 194  
 CDs & DVDs group,  
   211–212  
   changing screen saver, 193  
 Classic mode, 228–230  
 Classic mode config-  
   uration, 142–143  
 Classic mode, launch-  
   ing, 139  
 Date & Time group,  
   230–231  
 Desktop & Screen Saver  
   panel, 190  
 Desktop & Screen Saver  
   panel options, 204–206  
 displaying, 201  
 Displays group, 212–213  
 Dock, 206–207  
 Dock, resizing, 198  
 Energy Saver settings,  
   213–214  
 Exposé, 207–208  
 International settings,  
   208–209  
 Keyboard & Mouse group,  
   214–215  
 .Mac group, 219–220  
 Network group, 220–223  
 overview, 201  
 panels, displaying all, 201  
 Print & Fax group, 215–217  
 QuickTime, 223–225

saving preferences, 202  
 security settings, 210–211  
 Sharing group, 225–226  
 Software Update group,  
   231–232  
 Sound group, 218–219  
 Speech group, 232–234  
 Startup Disk group,  
   234–235  
 troubleshooting and, 158  
 Universal Access group,  
   235–236  
 System Profiler, trouble-  
   shooting hardware,  
   161–162

---

## T

tablets, handwriting  
   recognition and, 660  
 Talking Alerts, 670–671  
 tape drives, 556–557  
 TCP/IP (Transmission  
   Control Protocol/  
   Internet Protocol)  
   configuration, 481  
   manual configuration,  
   486–488  
   preferences, 221–222  
 tcsh shell (UNIX), 625  
 technical support  
   ISP selection and, 398  
   overview, 153  
 telephone company, ISP  
   selection and, 399  
 Telnet, networks and, 483  
 Terminal  
   ~ (tilde), 619  
   ~ (tilde), Home directory,  
   623  
 command prompt, 620  
 commands, 502  
 drag-and-drop, 622  
 ending sessions, 502

## DropBooks

FTP and, file transfer, 500–503  
 introduction, 618–619  
 prompt, 619–620  
 UNIX commands, 617  
 text editors, UNIX, 634–638  
 text files (AppleScript), 646  
 TextEdit, text-to-speech and, 672  
 text-to-speech  
   Default Voice tab, 668–669  
   Spoken User Interface, 670–671  
   TextEdit, 672  
 This Window Only option (Finder window), 182  
 thumbnails, iChat AV, 431  
 tiling backgrounds, 191  
 time format preferences, 208–209  
 time zone preferences, 231  
 title bar, 34  
 toolbars  
   customizing Finder window, 174–175  
   default icons (Finder window), 174  
   Get Mail button, 413  
   Help Viewer, 147  
   hiding/showing Finder window, 172  
 Tower of Babel Effect (TBE), 98  
 trackballs, 552–553  
 Trash folder  
   emptying, 58–59  
   Mail, deleting from, 424  
   Mail, description, 409  
   rescuing deleted files, 59  
   troubleshooting, 159  
 troubleshooting  
   Classic mode, 162–164  
   information resources, 164–165

legacy applications,  
   memory allocation issues, 163  
 MacFixIt Web site, 153  
 network configuration, 492  
 network, hardware, 491–492  
 responding to trouble, 155–156  
 with Sherlock 3, Apple-Care channel, 88  
 step-by-step procedure, 156–162  
 Twiddling My Thumbs mode (iChat AV), 433

## U

Universal Access group (System Preferences), 235–236

## UNIX

cal command, 630–631  
 calendar, 630–631  
 cd command, 620–622  
 command-line tool, 616–618  
 commands, pipes, 634  
 copying files, 627–629  
 cp command, 628  
 curl command, 639  
 Darwin, 15–17  
 deleting files, 627–629  
 Developer Tools Xcode, 641–642  
 Dictionary protocol, 640  
 directories, 626  
 escape character, 624  
 file paths, 626–627  
 files, 625  
 find command, 633–634  
 Finder window and, 617

finding files, 633–634  
 Help, 624–625  
 HTTP and, 639  
 keyboard and, 615–616  
 kill command, 632  
 launching applications, 629  
 ls command, 620–622  
 man command, 624–625  
 moving files, 627–629  
 multiple users, 618  
 mv command, 628  
 networking and, FTP, 639–640  
 opening documents, 629  
 operands, 623  
 quotation marks, 624  
 renaming files, 627–629  
 spaces in, 624  
 structure, 623  
 tcsh shell, 625  
 Terminal and, 618–619  
 text editors, 634–638  
 unmounting (ejecting), 76  
 updates  
   antivirus software, 159  
   Apple Menu, Software Update, 132  
   applications, 158  
   QuickTime, 225  
   Software Update controls (System Preferences), 132  
 upgrading  
   backups, 22  
   Disk First Aid utility, 22  
   from earlier versions, 21–24  
   iBook and, 23  
   legacy applications, locating, 141–142  
   uploading files, FTP, 500  
 URLs (Universal Resource Locators), Dock, 197

# DropBooks

USB (Universal Serial Bus), 575–578

Use Relative Dates (technology, Finder window), 184

user accounts

- adding, 245–248
- configuring keychains, 256–258
- deleting, 250
- displaying keychains, 255–256
- editing, 248
- keychains, overview, 255
- limiting, 250–254
- multi-user systems, 237–238
- passwords, 227
- security settings, 211

user interface

- Aqua, 12–13
- spoken, preferences, 233
- user switching, 19

## V

vCards

- exporting, 107
- importing, 112

video cards, 606

video, digitizing, 276

view button, Finder window toolbar, 174

View Options dialog

- Desktop, 199
- Finder window, 182–183

views, Finder window

- cleaning up, 180–181
- introduction, 169–172

virtual memory, 562–563

Virtual PC 6, 598–599

viruses

- antiviruses, 469–470
- attachments to e-mail, 422
- e-mail and, 469

possibilities, 464

- removable media and, 469
- scanning for, trouble-shooting and, 158–159
- tips on avoiding, 470–471

VNC (Virtual Network Computer)

- introduction, 506
- OSXvnc, 506
- viewer, 507

volumes

- removable volumes, 76–77
- static volumes (Mac hard drive), 76

## W-X-Y-Z

war driving, hackers and, 524

WarCraft III, 610–611

WAV files

- introduction, 284
- playing, 286–287

Web pages

- dynamic information, 685–689
- loading to Safari, 451–452
- saving to disk, Safari, 458–459
- security, Safari, 459
- static information, 684–685

Web servers, Apache, 681

Web sharing, 681

Web sites

- AppleScript help, 656–657
- building, 675–676
- home page creation, iDisk, 680–681
- HomePage, 676–679
- information resources, 153

Web space, ISP selection and, 398

well (image display area), 191

WEP (Wired Equivalency Protocol)

- introduction, 520
- security and, 524–525

Wi-Fi (Wireless Fidelity), 521

windows

- closing, 30–31
- minimizing, 32–33
- moving, 34–35
- opening, 30–31
- resizing, 35
- restoring, 32–33
- scrolling, 32
- switching, 35
- title bar, 34
- tooggling toolbars, 34
- zooming, 34

Windows computers

- accessing files, 498–499
- file sharing with, 498, 515

Windows XP

- Mac OS X, compared to, 590–592
- Virtual PC 6, 598–599

Wireless Access Point, 520

Wireless Ethernet networks, 522

wireless networks

- 802.11 standard, 520
- Ad Hoc, 520
- Ad Hoc, setup, 527–528
- AirPort Base Station, disconnecting from network, 529
- AirPort Base Station, joining existing network, 529
- AirPort Extreme, 479–480
- AirPort Extreme, card installation, 526–527
- AirPort, turning card on/off, 530

Bluetooth technology, 523  
cable routers and, 540  
DSL routers, 540  
naming, 524  
IEEE and, 520  
infrastructure mode, 520  
security, 523–524  
security, LEAP, 525  
security, WEP, 524–525

software Internet sharing  
and, 540  
SSID, 520  
terminology, 519–520  
WAP, 520  
WEP, 520  
Wi-Fi cards, 521  
WLAN, 520


wizards, First Use Wizard,  
Internet connection  
and, 397  
WLAN (Wireless LAN),  
definition, 520  
write-protection,  
troubleshooting  
and, 161  
zones (AppleTalk), 513

**DropBooks**



# DropBooks






# FOR DUMMIES<sup>®</sup>

**DropBooks** The easy way to get more done and have more fun


## PERSONAL FINANCE & BUSINESS



0-7645-2431-3



0-7645-5331-3



0-7645-5307-0

### Also available:

Accounting For Dummies  
(0-7645-5314-3)

Business Plans Kit For Dummies  
(0-7645-5365-8)

Managing For Dummies  
(1-5688-4858-7)

Mutual Funds For Dummies  
(0-7645-5329-1)

QuickBooks All-in-One Desk Reference For Dummies  
(0-7645-1963-8)


Resumes For Dummies  
(0-7645-5471-9)

Small Business Kit For Dummies  
(0-7645-5093-4)


Starting an eBay Business For Dummies  
(0-7645-1547-0)

Taxes For Dummies 2003  
(0-7645-5475-1)


## HOME, GARDEN, FOOD & WINE



0-7645-5295-3



0-7645-5130-2



0-7645-5250-3

### Also available:

Bartending For Dummies  
(0-7645-5051-9)

Christmas Cooking For Dummies  
(0-7645-5407-7)

Cookies For Dummies  
(0-7645-5390-9)

Diabetes Cookbook For Dummies  
(0-7645-5230-9)

Grilling For Dummies  
(0-7645-5076-4)

Home Maintenance For Dummies  
(0-7645-5215-5)


Slow Cookers For Dummies  
(0-7645-5240-6)

Wine For Dummies  
(0-7645-5114-0)

## FITNESS, SPORTS, HOBBIES & PETS



0-7645-5167-1



0-7645-5146-9



0-7645-5106-X

### Also available:

Cats For Dummies  
(0-7645-5275-9)

Chess For Dummies  
(0-7645-5003-9)

Dog Training For Dummies  
(0-7645-5286-4)

Labrador Retrievers For Dummies  
(0-7645-5281-3)

Martial Arts For Dummies  
(0-7645-5358-5)

Piano For Dummies  
(0-7645-5105-1)

Pilates For Dummies  
(0-7645-5397-6)

Power Yoga For Dummies  
(0-7645-5342-9)

Puppies For Dummies  
(0-7645-5255-4)

Quilting For Dummies  
(0-7645-5118-3)


Rock Guitar For Dummies  
(0-7645-5356-9)

Weight Training For Dummies  
(0-7645-5168-X)

Available wherever books are sold.

Go to [www.dummies.com](http://www.dummies.com) or call 1-877-762-2974 to order direct






# FOR DUMMIES<sup>®</sup>


## DropBooks

A world of resources to help you grow


### TRAVEL



0-7645-5453-0



0-7645-5438-7




0-7645-5444-1

#### Also available:


America's National Parks For Dummies (0-7645-6204-5)  
 Caribbean For Dummies (0-7645-5445-X)  
 Cruise Vacations For Dummies 2003 (0-7645-5459-X)  
 Europe For Dummies (0-7645-5456-5)  
 Ireland For Dummies (0-7645-6199-5)

France For Dummies (0-7645-6292-4)  
 Las Vegas For Dummies (0-7645-5448-4)  
 London For Dummies (0-7645-5416-6)  
 Mexico's Beach Resorts For Dummies (0-7645-6262-2)  
 Paris For Dummies (0-7645-5494-8)  
 RV Vacations For Dummies (0-7645-5443-3)


### EDUCATION & TEST PREPARATION



0-7645-5194-9



0-7645-5325-9




0-7645-5249-X

#### Also available:

The ACT For Dummies (0-7645-5210-4)  
 Chemistry For Dummies (0-7645-5430-1)  
 English Grammar For Dummies (0-7645-5322-4)  
 French For Dummies (0-7645-5193-0)  
 GMAT For Dummies (0-7645-5251-1)  
 Inglés Para Dummies (0-7645-5427-1)

Italian For Dummies (0-7645-5196-5)  
 Research Papers For Dummies (0-7645-5426-3)  
 SAT I For Dummies (0-7645-5472-7)  
 U.S. History For Dummies (0-7645-5249-X)  
 World History For Dummies (0-7645-5242-2)


### HEALTH, SELF-HELP & SPIRITUALITY



0-7645-5154-X



0-7645-5302-X



0-7645-5418-2

#### Also available:

The Bible For Dummies (0-7645-5296-1)  
 Controlling Cholesterol For Dummies (0-7645-5440-9)  
 Dating For Dummies (0-7645-5072-1)  
 Dieting For Dummies (0-7645-5126-4)  
 High Blood Pressure For Dummies (0-7645-5424-7)  
 Judaism For Dummies (0-7645-5299-6)

Menopause For Dummies (0-7645-5458-1)  
 Nutrition For Dummies (0-7645-5180-9)  
 Potty Training For Dummies (0-7645-5417-4)  
 Pregnancy For Dummies (0-7645-5074-8)  
 Rekindling Romance For Dummies (0-7645-5303-8)  
 Religion For Dummies (0-7645-5264-3)

Available wherever books are sold. Go to [www.dummies.com](http://www.dummies.com) or call 1-877-762-2974 to order direct




# FOR DUMMIES®




Plain-English solutions for everyday challenges

## DropBooks


### HOME & BUSINESS COMPUTER BASICS



0-7645-0838-5



0-7645-1663-9




0-7645-1548-9

#### Also available:

Excel 2002 All-in-One Desk Reference For Dummies (0-7645-1794-5)  
Office XP 9-in-1 Desk Reference For Dummies (0-7645-0819-9)  
PCs All-in-One Desk Reference For Dummies (0-7645-0791-5)  
Troubleshooting Your PC For Dummies (0-7645-1669-8)

Upgrading & Fixing PCs For Dummies (0-7645-1665-5)  
Windows XP For Dummies (0-7645-0893-8)  
Windows XP For Dummies Quick Reference (0-7645-0897-0)  
Word 2002 For Dummies (0-7645-0839-3)


### INTERNET & DIGITAL MEDIA



0-7645-0894-6



0-7645-1642-6




0-7645-1664-7

#### Also available:

CD and DVD Recording For Dummies (0-7645-1627-2)  
Digital Photography All-in-One Desk Reference For Dummies (0-7645-1800-3)  
eBay For Dummies (0-7645-1642-6)  
Genealogy Online For Dummies (0-7645-0807-5)  
Internet All-in-One Desk Reference For Dummies (0-7645-1659-0)


Internet For Dummies Quick Reference (0-7645-1645-0)  
Internet Privacy For Dummies (0-7645-0846-6)  
Paint Shop Pro For Dummies (0-7645-2440-2)  
Photo Retouching & Restoration For Dummies (0-7645-1662-0)  
Photoshop Elements For Dummies (0-7645-1675-2)  
Scanners For Dummies (0-7645-0783-4)



Get smart! Visit [www.dummies.com](http://www.dummies.com)

- Find listings of even more Dummies titles
- Browse online articles, excerpts, and how-to's
- Sign up for daily or weekly e-mail tips
- Check out Dummies fitness videos and other products
- Order from our online bookstore


Available wherever books are sold. Go to [www.dummies.com](http://www.dummies.com) or call 1-877-762-2974 to order direct



# FOR DUMMIES<sup>®</sup>

**DropBooks** Helping you expand your horizons and realize your potential


## GRAPHICS & WEB SITE DEVELOPMENT



0-7645-1651-5



0-7645-1643-4




0-7645-0895-4

### Also available:


- Adobe Acrobat 5 PDF For Dummies (0-7645-1652-3)
- ASP.NET For Dummies (0-7645-0866-0)
- ColdFusion MX For Dummies (0-7645-1672-8)
- Dreamweaver MX For Dummies (0-7645-1630-2)
- FrontPage 2002 For Dummies (0-7645-0821-0)

- HTML 4 For Dummies (0-7645-0723-0)
- Illustrator 10 For Dummies (0-7645-3636-2)
- PowerPoint 2002 For Dummies (0-7645-0817-2)
- Web Design For Dummies (0-7645-0823-7)


## PROGRAMMING & DATABASES



0-7645-0746-X



0-7645-1626-4




0-7645-1657-4

### Also available:


- Access 2002 For Dummies (0-7645-0818-0)
- Beginning Programming For Dummies (0-7645-0835-0)
- Crystal Reports 9 For Dummies (0-7645-1641-8)
- Java & XML For Dummies (0-7645-1658-2)
- Java 2 For Dummies (0-7645-0765-6)

- JavaScript For Dummies (0-7645-0633-1)
- Oracle9i For Dummies (0-7645-0880-6)
- Perl For Dummies (0-7645-0776-1)
- PHP and MySQL For Dummies (0-7645-1650-7)
- SQL For Dummies (0-7645-0737-0)
- Visual Basic .NET For Dummies (0-7645-0867-9)


## LINUX, NETWORKING & CERTIFICATION



0-7645-1545-4



0-7645-1760-0



0-7645-0772-9

### Also available:

- A+ Certification For Dummies (0-7645-0812-1)
- CCNP All-in-One Certification For Dummies (0-7645-1648-5)
- Cisco Networking For Dummies (0-7645-1668-X)
- CISSP For Dummies (0-7645-1670-1)
- CIW Foundations For Dummies (0-7645-1635-3)

- Firewalls For Dummies (0-7645-0884-9)
- Home Networking For Dummies (0-7645-0857-1)
- Red Hat Linux All-in-One Desk Reference For Dummies (0-7645-2442-9)
- UNIX For Dummies (0-7645-0419-3)

Available wherever books are sold.  
Go to [www.dummies.com](http://www.dummies.com) or call 1-877-762-2974 to order direct

